

312

THE  
REGISTRAR GENERAL'S  
STATISTICAL REVIEW  
OF  
ENGLAND AND WALES  
FOR THE YEAR  
1952

TABLES. PART I. MEDICAL.



LONDON: HER MAJESTY'S STATIONERY OFFICE

1953

PRICE 10s. 0d. NET







# THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1952

TABLES. PART I. MEDICAL.

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call	
No.	

LONDON: HER MAJESTY'S STATIONERY OFFICE

1953



# TABLE OF CONTENTS

## Part I. Medical

	Page
Explanatory Notes .. .. .	v.
Table 1. Estimated Population, Home, Total and Civilian, Sex and Age, 1952. England and Wales .. .. .	2
Table 2. Estimated Home Population by Sex and Age, 1952. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations ..	3
Table 3. Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1952. England and Wales .. .. .	4
Table 4. Death Rates in Age Groups, Infant Mortality and Mortality Ratios, 1841-1952. England and Wales .. .. .	6
Table 5. Deaths Registered and Death Rates in each Quarter, 1841-1952. England and Wales .. .. .	9
Table 6. Comparative Mortality Indices (All Ages) and Death Rates at Ages under 15. Principal Epidemic or General Diseases, 1851-1952. England and Wales .. .. .	10
Table 7. Deaths by Cause and Sex at All Ages 1942-1952. England and Wales .. .. .	11
Table 8. Crude Death Rates by Sex from Certain Causes at All Ages, 1942-1952. England and Wales .. .. .	43
Table 9. Comparative Mortality Indices (Base Year 1938) by Sex for Certain Causes, 1942-1952. England and Wales .. .. .	57
Table 10. Deaths of Infants under One Year from Certain Causes, 1942-1952. England and Wales .. .. .	60
Table 11. Infant Mortality from Certain Causes, 1942-1952. England and Wales .. .. .	61
Table 12. Population, Births, Deaths and Infant Mortality, 1952. England and Wales, Standard Regions, Conurbations, Counties, Boroughs and other Urban Districts and Rural Districts ..	62
Table 13. Deaths by Sex at each year of Age (with Marital Condition), 1952. England and Wales .. .. .	112
Table 14. Constructed Analysis of 1952 Deaths by Age and Marital Condition. England and Wales .. .. .	114
Table 15. Deaths at Different Ages, 1952. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of Urban and Rural Districts in each Administrative County .. .. .	115
Table 16. Deaths at Different Ages by Month of Occurrence, 1952. England and Wales .. .. .	133



	Page
Table 17. Causes of Death at Different Age Periods, 1952. England and Wales .. .. .	134
Table 18a. Accidental Poisoning by Solid or Liquid and other Non-Transport Accidents by Place of Occurrence, Age and Sex, 1952. England and Wales .. .. .	177
Table 18b. Deaths from Violent Causes according to Nature of Injury, Sex and Age, 1952. England and Wales .. .. .	184
Table 18c. Deaths from Violent Causes, Nature of Injury according to External Cause, 1952. England and Wales .. .. .	189
Table 19. Causes of Death by Sex, at Different Periods of Life, 1952. England and Wales, Standard Regions, Conurbations, and Aggregates of Urban and Rural Areas outside the Conurbations .. .. .	190
Table 20. Causes of Death by Sex, at Different Periods of Life, 1952. London and Metropolitan Boroughs, County Boroughs, Aggregates of other Urban and of Rural Districts in each Administrative County Table Suspended. .. .. .	238
Table 21. Causes of Death by Sex, 1952. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs and Administrative Counties .. .. .	240
Table 22. Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1951 and 1952. England and Wales, Metropolitan Boroughs, County Boroughs, Administrative Counties .. .. .	264
Table 23. Causes of Death by Month of Occurrence, Jan.-Dec., 1952. England and Wales .. .. .	270
Table 24. Stillbirths by Sex and Legitimacy, 1952. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of other Urban and of Rural Districts in each Administrative County .. .. .	279
Table 25. Deaths at various Periods in the First Year of Life by Legitimacy. Death Rates per 1,000 related Live Births, 1952. England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs, Aggregates of other Urban and of Rural Districts in each Administrative County .. .. .	282
Table 26. Deaths at various Periods in the First Year of Life, 1952 and the 4 Quarters thereof. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations .. .. .	290
Table 27. Causes of Death of Children under One Year at Different Age Periods, 1952. England and Wales .. .. .	292
Table 28. Deaths of Children at Ages under One Year, and Deaths of Illegitimate Infants from Certain Causes, 1952. England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural Areas outside the Conurbations .. .. .	302
Table 29. Notifications of certain Infectious Diseases. Case Rates per 100,000 Population, 1942-1952. England and Wales and certain Aggregates .. .. .	305



<b>Table 30.</b>	<b>Seasonal Incidence of certain Infectious Diseases, 1952.</b>	<b>Eng-</b>	<b>Page</b>
	<b>land and Wales</b>	<b>.. .. .</b>	<b>308</b>
<b>Table 31.</b>	<b>Cases of certain Infectious Diseases Notified, 1942-1952.</b>	<b>England and Wales</b>	<b>309</b>
<b>Table 32.</b>	<b>Cases of certain Infectious Diseases Notified, by Sex and Age, 1952.</b>	<b>England and Wales, Standard Regions, Conurbations</b>	<b>310</b>
<b>Table 33.</b>	<b>Cases of Certain Infectious Diseases Notified, 1952.</b>	<b>England and Wales, Standard Regions, Conurbations, All Administrative Areas</b>	<b>326</b>
<b>Table 34.</b>	<b>Air Temperature, Rainfall and Sunshine during 1952.</b>	<b>England and Wales</b>	<b>359</b>
<b>Table 35.</b>	<b>Meteorological Elements, 1903-1952.</b>	<b>England and Wales</b>	<b>360</b>
<b>Table 36.</b>	<b>Quarterly Meteorological Elements, 1952.</b>	<b>Kew Observatory, Richmond</b>	<b>361</b>
<b>Appendix A.</b>	<b>Death Rates per million in England and Wales based upon the sex and age distribution of the population of Great Britain in the year of experience, with rates for Scotland for comparison, 1950—1952</b>	<b>.. .. .</b>	<b>362</b>
<b>Appendix B.</b>	<b>Changes in Boundaries of Counties, Boroughs, Urban Districts and Rural Districts.</b>		
	(i) Authorities for changes	<b>.. .. .</b>	<b>363</b>
	(ii) Particulars of changes	<b>.. .. .</b>	<b>364</b>
	(iii) Population of areas as constituted after the boundary changes shown in (ii)	<b>.. .. .</b>	<b>365</b>
	(iv) 1951 Census.—Sex and Age Distribution of population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties	<b>.. .. .</b>	<b>366</b>



## EXPLANATORY NOTES

### 1. New or Recent Changes in Presentation

#### (a) *Standard Regions, Conurbations, Density Summaries*

All figures given for regions relate to the Standard Regions whose constitution is set out on page viii.

Six conurbation areas were introduced in 1950 in tables showing Standard Regions. For definition of "conurbation" and the list of conurbations, *see* Note 11 on page viii.

National density summaries relate to aggregates of (a) conurbations, and (b) areas outside the conurbations, including separately:—Urban Areas with (i) populations of 100,000 and over, (ii) populations of 50,000 and under 100,000, and (iii) populations under 50,000; and Rural Areas. For this purpose "Urban Areas" includes County Boroughs and Urban Districts as defined under the Local Government Acts, and "Rural Areas" covers the Rural Districts as defined under those Acts.

#### (b) *Order of Tables*

The tables were renumbered in 1950 to form the following sequences:—Populations—Tables 1 and 2; Serial mortality records—Tables 3—11; All areas—Table 12; Deaths by age—Tables 13-16; Cause analyses—Tables 17-23; Stillbirths and Infant Mortality—Tables 24-28; Infectious diseases—Tables 29-33; Weather—Tables 34-36. *See* Table of Contents on page ii.

#### (c) *Change in Classification*

From 1950 inclusive causes of death are classified according to the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948. \*(Sixth Revision of the International List).

Rates and indices for earlier years have been adjusted as far as possible to give comparability with those for 1950 and on. *See* Notes 4, 5 and 6 on pages vi and vii.

#### (d) *Deaths*

The deaths recorded are total deaths, i.e., including deaths of non-civilians registered in this country, unless otherwise stated. Deaths of non-civilians are not now shown separately. *See* Note 3 on page vi.

#### (e) *Populations*

The populations shown for local areas are *home* populations. *See* Note 2 on page vi.

#### (f) *New and Revised Tables*

Table 20 has been suspended, and Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Supplementary Abridged List. The full details previously shown in Table 20 can be obtained on request from the General Register Office.



## 2. Populations

The 1952 estimate of the total population of England and Wales shown in Table 1 includes members of its Armed Forces at home and overseas; it excludes the Armed Forces of the Commonwealth or Foreign Countries temporarily present in the country.

The national and local estimates of home populations (Tables 1, 2 and 12) comprise the resident civilian population, plus any British, Commonwealth or Allied Armed Forces stationed in the area.

## 3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in Tables 16 and 23 the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In Tables 16 and 23 deaths are classified by calendar month of occurrence.

In all tables deaths are classified according to the area of usual residence of the deceased.

## 4. Causes of Death

The classification of causes of death is that prescribed in the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948 (Sixth Revision of the International List), operating from the year 1950 in accordance with international agreement. Violent deaths are generally classified according to the External Cause of Injury, but the new alternative method of classification by Nature of Injury (N codes) is also used in Tables, 7, 8, 18B, 18C, 19 and 27. The Abridged List used for separate areas in Table 21 is a modification of the International Abbreviated List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in Table 19 is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of Table 21 (see note at 1(f)). Table 18C employs both of the alternative classifications for violent deaths in the International Intermediate List.

The 1948 International Classification, which has been expanded to cover diseases and injuries as well as causes of death, differs considerably from the previous International Lists not only in scope but also in grouping of causes. In order to provide so far as possible continuity and comparability with past experience the following steps have therefore been taken:—

- (a) The 1949 experience has been completely reclassified according to the 1950 procedure and the revised figures used wherever 1949 references appear in this volume. (The full figures for 1949, based on the new Classification, by sex and age have been published in the Registrar General's Statistical Review of England and Wales for the two years 1948-1949, Text, Medical\*.)
- (b) In the light of the dual classification experience for 1949, and of a limited amount of reclassification undertaken for earlier years, revised figures have been estimated so far as possible for each year 1940-1948, and have been used wherever references to these years appear in this volume. A series of footnotes has been appended to Table 7 explaining any limitations or qualifications attached to these estimates, and they should be borne in mind wherever the relative causes are distinguished in other tables.

Where more than one cause of death is mentioned on the Medical Certificate, the choice of the assigned cause is determined in the main from the statement of the certifier, and not by arbitrary rules of precedence. The practice in this respect is, in effect, the same as in years since 1940, and has now been adopted internationally.

\*Obtainable from Her Majesty's Stationery Office, price 10s. (10s. 5d. by post).



## 5. Death Rates

The death rates for 1950 and on (except Infant Mortality and Maternal Mortality) are derived from the total deaths registered in this country and are based on the Home population, while those for 1940-1949 are derived from civilian deaths and populations (*see note 2 on page vi*). All death rates for years prior to 1950 have been revised so far as possible to the new method of classification.

The crude death rates for local areas in Table 12 (col. 14) are not validly comparable by reason of the fact that the areal populations on which they are based may be of widely differing sex-age constitutions. With a view to eliminating this element of variation, a comparability factor is provided in column 15 of the table for each area and this, when multiplied by the crude death rate of the area, produces an adjusted rate which may be regarded as comparable from a mortality point of view with the corresponding adjusted rate for any other area or with the crude death rate for England and Wales as a whole (where the comparability factor is unity). A guide to the relative incidence of mortality in different areas is provided by column 16 which expresses each local adjusted rate as a ratio of the national rate. For a fuller description of the comparability factor, reference should be made to the Statistical Review, Text 1938/1939, page 5.

Infant Mortality rates are based upon the combined births of the associated and preceding year to which they relate and Maternal Mortality rates upon live and still births occurring in the calendar year except in the case of deaths from Abortion which are based on the estimated numbers of women aged 15-44. (*See also Note 7 below*).

## 6. Standard Mortality Comparisons

The method of calculating the Comparative Mortality Index was explained in the Appendix to Part 1 of the Registrar General's Statistical Review for 1941. An alternative notation of the formula will be found on page vi of Part 1 of the Review for 1942. This method has been used for the C.M.I's in Tables 3 and 4. In Tables 5 and 9 C.M.I's worked on this basis have been adjusted so far as possible to the new method of classification. A certain amount of estimation is involved in this process of revision, and the resultant C.M.I's can only be regarded as approximate. For this reason they are given to two decimal places only instead of three as in the past.

## 7. Births and Birth Rates

The births recorded are those occurring in the calendar year.

In Table 12 births are allocated to the area of usual residence of the mother. Birth rates in this table have been calculated upon estimates of home populations.

The birth rate areal comparability factors and the ratios of the local adjusted birth rates to the national rate shown in columns 9 and 10 of Table 12 serve a similar purpose to those shown for death rates, as explained in Note 5 above.

## 8. Notification of Infectious Diseases

Tables 29 and 31 (from the year 1944 only), and Tables 32 and 33 are based on notifications corrected for subsequent amendments of diagnosis by the Notifying Medical Practitioner or by the Medical Superintendent of the Infectious Diseases Hospital. Non-civilians are included unless otherwise stated.

## 9. Significance Indication

Rates based upon less than 20 births or deaths are distinguished by italic type as a warning to the user that the smallness of the experiences may effect their significance.



## 10. Regions

The constitution of the Standard Regions of England and Wales used in this Volume is as follows:—

<p><b>REGION I.</b> <i>Northern.</i> Cumberland. Durham. Northumberland. Westmorland. Yorkshire, North Riding.</p> <p><b>REGION II.</b> <i>East and West Riding.</i> Yorkshire, East Riding. Yorkshire, West Riding.</p> <p><b>REGION III.</b> <i>North Midland.</i> Derbyshire, Part of<sup>1</sup> Leicestershire. Lincolnshire— Parts of Holland. Parts of Kesteven. Parts of Lindsey. Northamptonshire. Nottinghamshire. Peterborough, Soke of. Rutland.</p>	<p><b>REGION IV.</b> <i>Eastern.</i> Bedfordshire. Cambridgeshire. Ely, Isle of. Essex, Part of<sup>2</sup> Hertfordshire, Part of<sup>3</sup> Huntingdonshire. Norfolk. Suffolk, East. Suffolk, West.</p> <p><b>REGION V.</b> <i>London and South Eastern.</i> Essex, Part of<sup>4</sup> Hertfordshire, Part of<sup>5</sup> Kent. London Admin. County. Middlesex. Surrey. Sussex, East. Sussex, West.</p>	<p><b>REGION VI.</b> <i>Southern</i> Berkshire Buckinghamshire. Dorset. Oxfordshire. Southampton. Wight, Isle of.</p> <p><b>REGION VII.</b> <i>South Western</i> Cornwall. Devon. Gloucestershire. Somerset. Wiltshire.</p> <p><b>REGION VIII.</b> <i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire</p>	<p><i>Wales II</i> Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.</p> <p><b>REGION IX.</b> <i>Midland.</i> Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.</p> <p><b>REGION X.</b> <i>North Western.</i> Cheshire. Derbyshire, Part of.<sup>6</sup> Lancashire.</p>
--	--	---	---

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.

2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.

3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.

4. All areas stated in 2 above.

5. All areas stated in 3 above.

6. All areas stated in 1 above.

## 11. Conurbations

The conurbation areas used in this volume were agreed by an interdepartmental committee, representing the principal Departments preparing statistics, as a means of securing uniformity and comparability in statistics published by Government Departments in the United Kingdom.

Conurbation is the word used to describe those areas of urban development where a number of separate towns have grown into each other and become linked by such factors as a common industrial or business interest, or a common centre of shopping, education, etc. The conurbations are each made up of a collection of complete local authority areas, constituted as follows:—



<i>Durham</i>		<i>Tyneside</i>	<i>Northumberland</i>
Gateshead C.B.	Felling U.D.	Newcastle upon Tyne C.B	Longbenton U.D.
South Shields C.B.	Hebburn U.D.	Tynemouth C.B.	Newburn U.D.
	Jarrow M.B.		Wallsend M.B.
	Whickham U.D.	Gosforth U.D.	Whitley Bay U.D.

**West Yorkshire**

<i>Yorkshire, West Riding</i>			
Bradford C.B.	Aireborough U.D.	Heckmondwike U.D.	Ossett M.B.
Dewsbury C.B.	Baildon U.D.	Holmfirth U.D.	Pudsey M.B.
Halifax C.B.	Batley M.B.	Horbury U.D.	Queensbury and Shelf U.D.
Huddersfield C.B.	Bingley U.D.	Horsforth U.D.	Ripponden U.D.
Leeds C.B.	Brighouse M.B.	Keighley M.B.	Rothwell U.D.
Wakefield C.B.	Colne Valley U.D.	Kirkburton U.D.	Shipley U.D.
	Denby Dale U.D.	Meltham U.D.	Sowerby Bridge U.D.
	Denholme U.D.	Mirfield U.D.	Spenborough U.D.
	Elland U.D.	Morley M.B.	Stanley U.D.

**South East Lancashire**

<i>Cheshire</i>		<i>Lancashire</i>	
Stockport C.B.	Bolton C.B.	Horwich U.D.	Urmston U.D.
Alderley Edge U.D.	Bury C.B.	Irlam U.D.	Wardle U.D.
Altrincham M.B.	Manchester C.B.	Kearsley U.D.	Westhoughton U.D.
Bowden U.D.	Oldham C.B.	Lees U.D.	Whitefield U.D.
Bredbury and Romiley U.D.	Rochdale C.B.	Littleborough U.D.	Whitworth U.D.
Cheadle and Gatley U.D.	Salford C.B.	Little Lever U.D.	Worsley U.D.
Dukinfield M.B.	Ashton under Lyne M.B.	Middleton M.B.	Limehurst R.D.
Hale U.D.	Audenshaw U.D.	Milnrow U.D.	
Hazelgrove and Bramhall U.D.	Chadderton U.D.	Mossley M.B.	
Hyde M.B.	Crompton U.D.	Prestwich M.B.	
Marple U.D.	Denton U.D.	Radcliffe M.B.	
Sale M.B.	Droylsden U.D.	Royton U.D.	
Stalybridge M.B.	Eccles M.B.	Stretford M.B.	
Wilmslow U.D.	Failsworth U.D.	Swinton and Pendlebury M.B.	
	Farnworth M.B.	Tottington U.D.	
Disley R.D.	Heywood M.B.		

**Merseyside**

<i>Cheshire</i>		<i>Lancashire</i>	
Birkenhead C.B.	Ellesmere Port U.D.	Bootle C.B.	Huyton with Roby U.D.
Wallasey C.B.	Hoylake U.D.	Liverpool C.B.	Litherland U.D.
Bebington M.B.	Neston U.D.	Crosby M.B.	
	Wirral U.D.		

**West Midlands**

<i>Staffordshire</i>		<i>Warwickshire</i>	<i>Worcestershire</i>
Smethwick C.B.	Darlaston U.D.	Birmingham C.B.	Dudley C.B.
Walsall C.B.	Rowley Regis M.B.	Solihull U.D.	Halesowen M.B.
West Bromwich C.B.	Sedgley U.D.	Sutton Coldfield M.B.	Oldbury M.B.
Wolverhampton C.B.	Tettenhall U.D.		Stourbridge M.B.
	Tipton M.B.		
Aldridge U.D.	Wednesbury M.B.		
Amblecote U.D.	Wednesfield U.D.		
Bilston M.B.	Willenhall U.D.		
Brierley Hill U.D.			
Coseley U.D.			

**Greater London**

<i>London</i> (whole county)		<i>Kent</i>	<i>Essex</i>
<i>Middlesex</i> (whole county)		Beckenham M.B.	East Ham C.B.
<i>Surrey</i>		Bexley M.B.	West Ham C.B.
Croydon C.B.	Kingston upon Thames M.B.	Bromley M.B.	Barking M.B.
Banstead U.D.	Malden and Coombe M.B.	Chislehurst and Sidcup U.D.	Chigwell U.D.
Barnes M.B.	Merton and Morden U.D.	Crayford U.D.	Chingford M.B.
Beddington and Wallington M.B.	Mitcham M.B.	Erith M.B.	Dagenham M.B.
Carshalton U.D.	Richmond M.B.	Orpington U.D.	Ilford M.B.
	Surbiton M.B.	Penge U.D.	Leyton M.B.
Coulsdon and Purley U.D.	Sutton and Cheam M.B.		Waltham Holy Cross U.D.
Epsom and Ewell M.B.	Wimbledon M.B.	<i>Hertfordshire</i>	Walthamstow M.B.
Esher U.D.		Barnet U.D.	Wanstead and Woodford M.B.
		Bushey U.D.	
		Cheshunt U.D.	
		East Barnet U.D.	
		Elstree R.D.	



## CORRIGENDA

### Statistical Review, 1950. Tables Part I, Medical.

- Page 61. Cause 001—008, 011—019, Other tuberculosis :—  
1940 : *for 0.56 read 0.27.*  
1941 : *for 0.63 read 0.30.*  
1942 : *for 0.51 read 0.25.*  
1943 : *for 0.49 read 0.25.*  
1944 : *for 0.41 read 0.22.*  
1945 : *for 0.39 read 0.18.*  
1946 : *for 0.39 read 0.20.*  
1947 : *for 0.38 read 0.21.*  
1948 : *for 0.29 read 0.17.*

- Page 425. Tyneside conurbation, Diphtheria, *for 14 read 24.*
- 

### Statistical Review, 1951. Tables Part I, Medical.

- Page 14. Cause 092, Infectious hepatitis, Females, 1951, *for 128 read 125.*
- Page 60. Cause 754.0—754.4, Congenital malformations of heart, 1951,  
*for 813 read 981.*  
Cause Rem. of 750—759, Other congenital malformations, 1951,  
*for 1045 read 877.*
- Page 61. All Causes, 1951, *for 29.67 read 29.66.*  
Cause 001—008, 011—019, Other tuberculosis :—  
Amend rates for 1941 to 1948 as detailed above for the 1950 Statistical Review.  
Cause 754.0—754.4, Congenital malformations of heart, 1951,  
*for 1.19 read 1.44.*  
Cause Rem. of 750—759, Other congenital malformations, 1951,  
*for 1.53 read 1.29.*
-



TABLES  
PART I MEDICAL.



TABLE 1.—Estimated Population, Home, Total and Civilian, by Sex and Age, Mid-year 1952.  
(Figures in thousands).

See Explanatory notes on page vi.

Age	Home Population			Total Population			Civilian Population		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
All Ages	43,940	21,119	22,821	44,166	21,343	22,823	43,387	20,584	22,803
0—	655	336	319	655	336	319	655	336	319
1—	670	344	326	670	344	326	670	344	326
2—	689	352	337	689	352	337	689	352	337
3—	720	369	351	720	369	351	720	369	351
4—	772	394	378	772	394	378	772	394	378
0—	3,506	1,795	1,711	3,506	1,795	1,711	3,506	1,795	1,711
5—	3,461	1,770	1,691	3,461	1,770	1,691	3,461	1,770	1,691
10—	2,833	1,444	1,389	2,833	1,444	1,389	2,833	1,444	1,389
15—	2,715	1,331	1,384	2,777	1,393	1,384	2,492	1,114	1,378
20—	2,838	1,368	1,470	2,944	1,472	1,472	2,656	1,193	1,463
25—	3,135	1,554	1,581	3,160	1,579	1,581	3,083	1,504	1,579
30—	3,215	1,589	1,626	3,231	1,605	1,626	3,176	1,551	1,625
35—	3,211	1,576	1,635	3,221	1,586	1,635	3,183	1,549	1,634
40—	3,375	1,672	1,703	3,380	1,677	1,703	3,357	1,655	1,702
45—	3,239	1,595	1,644	3,241	1,597	1,644	3,232	1,588	1,644
50—	2,877	1,366	1,511	2,877	1,366	1,511	2,874	1,363	1,511
55—	2,467	1,114	1,353	2,467	1,114	1,353	2,466	1,113	1,353
60—	2,173	955	1,218	2,173	955	1,218	2,173	955	1,218
65—	1,833	783	1,050	1,833	783	1,050	1,833	783	1,050
70—	1,444	589	855	1,444	589	855	1,444	589	855
75—	953	378	575	953	378	575	953	378	575
80—	464	177	287	464	177	287	464	177	287
85 & over	201	63	138	201	63	138	201	63	138



TABLE 2.—Estimated Home  
Population by Sex and Age,  
Mid-year 1952.

England and Wales; Standard Regions; Conurbations;  
Aggregates of Urban and Rural Areas outside the  
Conurbations.  
(Figures in thousands.)

		All ages.	0—	5—	15—	25—	35—	45—	55—	65—	75 and over.
ENGLAND AND WALES		{M 21,119 F 22,821	1,795 1,711	3,214 3,080	2,699 2,854	3,143 3,207	3,248 3,338	2,961 3,155	2,069 2,571	1,372 1,905	618 1,000
Regional Summary and Conurbations :											
Northern ... ..	{M	1,536	139	243	214	226	220	208	146	99	41
	{F	1,590	132	234	220	221	221	213	171	122	56
Tyneside Conurbation ...	{M	400	37	63	50	61	58	56	39	26	10
	{F	435	35	62	60	63	61	59	47	33	15
Remainder of Northern...	{M	1136	102	180	164	165	162	152	107	73	31
	{F	1,155	97	172	160	158	160	154	124	89	41
East and West Ridings ...	{M	1,965	170	302	231	293	303	286	198	129	53
	{F	2,122	162	292	262	295	309	302	241	178	81
West Yorks. Conurbation	{M	783	67	114	83	115	123	121	84	54	22
	{F	897	64	111	105	120	132	136	110	82	37
Remainder of East and West Ridings ... ..	{M	1,182	103	188	148	178	180	165	114	75	31
	{F	1,225	98	181	157	175	177	166	131	96	44
North Western ... ..	{M	3,034	264	467	359	443	473	442	308	199	79
	{F	3,399	253	454	416	468	498	487	400	293	130
South East Lancashire Conurbation ... ..	{M	1,131	99	169	124	169	183	169	117	74	27
	{F	1,284	94	166	151	179	194	187	154	112	47
Merseyside Conurbation	{M	647	64	114	81	95	97	85	59	37	15
	{F	741	62	111	104	105	103	96	78	56	26
Remainder of North Western ... ..	{M	1,256	101	184	154	179	193	188	132	88	37
	{F	1,374	97	177	161	184	201	204	168	125	57
North Midland ... ..	{M	1,664	145	257	213	248	254	233	158	107	49
	{F	1,727	138	246	221	242	250	236	187	136	71
Midland ... ..	{M	2,177	190	351	278	347	340	295	196	125	55
	{F	2,267	181	336	294	341	331	302	233	165	84
West Midlands Conurbation ... ..	{M	1,084	96	179	127	179	174	148	97	59	25
	{F	1,159	92	172	149	178	172	156	119	81	40
Remainder of Midland...	{M	1,093	94	172	151	168	166	147	99	66	30
	{F	1,108	89	164	145	163	159	146	114	84	44
Eastern ... ..	{M	1,542	129	234	212	220	231	208	149	105	54
	{F	1,619	123	222	199	219	231	218	183	140	84
London and South Eastern	{M	5,130	421	747	590	793	845	736	514	333	151
	{F	5,828	402	715	712	845	893	818	666	499	278
Greater London...	{M	3,926	323	555	437	632	669	575	392	240	103
	{F	4,438	308	536	553	669	698	630	495	357	192
Remainder of South Eastern	{M	1,204	98	192	153	161	176	161	122	93	48
	{F	1,390	94	179	159	176	195	188	171	142	86
Southern ... ..	{M	1,333	110	198	222	187	189	171	125	87	44
	{F	1,383	104	186	172	188	197	181	158	124	73
South Western ... ..	{M	1,468	120	219	216	204	210	200	145	101	53
	{F	1,568	114	207	190	205	220	215	183	144	90
Wales ... ..	{M	1,270	107	196	164	182	183	182	130	87	39
	{F	1,318	102	188	168	183	188	183	149	104	53
Wales I ... ..	{M	912	78	141	115	133	133	132	94	60	26
	{F	936	74	135	123	134	135	130	104	68	33
Wales II ... ..	{M	358	29	55	49	49	50	50	36	27	13
	{F	382	28	53	45	49	53	53	45	36	20
Density Aggregates Summary											
Conurbations ... ..	{M	7,971	686	1,194	902	1,251	1,304	1,154	788	490	202
	{F	8,954	655	1,158	1,122	1,314	1,360	1,264	1,003	721	357
Areas outside the Conurbations ... ..	{M	13,148	1,109	2,020	1,797	1,892	1,944	1,807	1,281	882	416
	{F	13,867	1,056	1,922	1,732	1,893	1,978	1,891	1,568	1,184	643
Urban areas with popula- tions of 100,000 & over	{M	2,772	246	422	339	419	421	397	276	177	75
	{F	3,035	235	410	386	428	435	420	344	251	126
Urban areas with popula- tions of 50,000 and under 100,000...	{M	1,588	136	242	202	235	238	223	157	106	49
	{F	1,759	129	231	223	242	252	242	200	155	85
Urban areas with popula- tions under 50,000 ...	{M	4,486	383	702	556	636	672	631	449	310	147
	{F	4,888	364	670	601	663	698	673	562	423	234
Rural areas ... ..	{M	4,302	344	654	700	602	613	556	399	289	145
	{F	4,185	328	611	522	560	593	556	462	355	198



**TABLE 3.—Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1952.** } **England and Wales.**

*Notes:* (a) The Comparative Mortality Index expresses the mortality of each year or period as a ratio to that of 1938 adopted as the base, after adjustment for sex and age differences in the populations exposed to risk.  
 (b) The ratio of male to female mortality has likewise been adjusted for age differences in the male and female populations.  
 (c) See Explanatory notes on page vii.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity.)			Adjusted Ratio of Male to Female Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	2·270	2·121	2·437	1·090	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	2·222	2·086	2·374	1·098	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	2·247	2·136	2·371	1·125	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	2·173	2·087	2·269	1·155	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	2·007	1·928	2·095	1·158	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	1·938	1·869	2·013	1·169	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	1·642	1·595	1·693	1·194	128	—	—
1911-1920*	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	1·470	1·450	1·492	1·247	100	96	1
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	1·192	1·163	1·224	1·254	72	70	1
1931-1940*	4,992,208	2,551,612	2,440,596	12·3	13·1	11·5	1·087	1·074	1·101	1·307	59	57	—
1941-1950*	4,997,653	2,586,188	2,411,465	12·4	14·1	11·0	0·902	0·918	0·889	1·384	43	41	—
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	2·179	2·038	2·336	1·096	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	2·360	2·204	2·534	1·088	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	2·276	2·139	2·429	1·099	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	2·177	2·041	2·329	1·095	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	2·253	2·134	2·385	1·116	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	2·242	2·138	2·358	1·132	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	2·220	2·130	2·321	1·150	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	2·130	2·047	2·221	1·160	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	2·018	1·936	2·110	1·152	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	1·997	1·921	2·081	1·164	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	1·993	1·914	2·079	1·161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	1·885	1·825	1·951	1·178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	1·716	1·668	1·768	1·191	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	1·572	1·525	1·622	1·198	117	113	2
1911-1915*	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	1·495	1·464	1·528	1·226	110	105	2
1916-1920*	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	1·450	1·443	1·456	1·282	90	85	1
1921-1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	1·220	1·186	1·255	1·240	76	73	1
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	1·167	1·142	1·194	1·268	68	65	1
1931-1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	1·104	1·080	1·129	1·276	62	60	1
1936-1940*	2,565,773	1,319,242	1,246,531	12·5	13·5	11·6	1·070	1·067	1·074	1·337	55	54	—
1941-1945*	2,497,013	1,301,357	1,195,656	12·8	15·1	11·1	0·956	0·982	0·929	1·414	50	48	—
1946-1950*	2,500,640	1,284,831	1,215,809	11·8	12·8	10·9	0·856	0·867	0·848	1·381	36	36	—
1902	535,538	277,216	258,322	16·3	17·4	15·2	1·748	1·702	1·798	1·196	133	—	—
1903	514,628	266,290	248,338	15·5	16·5	14·4	1·655	1·612	1·702	1·196	132	—	—
1904	549,784	283,206	266,578	16·3	17·4	15·3	1·733	1·680	1·790	1·185	145	—	—
1905	520,031	267,601	252,430	15·3	16·3	14·4	1·637	1·586	1·692	1·189	128	—	—

\* For the years 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males and from 1st June, 1941, to 31st December, 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931.



TABLE 3—continued.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity.)			Adjusted Ratio of Male to Female Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1906	531,281	274,233	257,048	15.5	16.5	14.5	1.649	1.606	1.696	1.197	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	1.621	1.568	1.678	1.192	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	1.580	1.539	1.625	1.204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	1.571	1.517	1.630	1.192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	1.445	1.406	1.487	1.207	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	1.530	1.496	1.568	1.209	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	1.428	1.388	1.472	1.211	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	1.455	1.428	1.484	1.228	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	1.470	1.439	1.503	1.224	105	100	207
1915*	562,253	292,381	269,872	15.7	17.7	14.0	1.595	1.578	1.613	1.260	110	105	203
1916*	508,217	265,030	243,187	14.3	16.7	12.5	1.457	1.455	1.459	1.300	91	87	183
1917*	498,922	262,215	236,707	14.2	17.1	12.1	1.432	1.456	1.405	1.348	96	90	201
1918*	611,861	314,704	297,157	17.3	20.1	15.2	1.713	1.724	1.695	1.310	97	91	186
1919*	504,203	258,089	246,114	14.0	15.7	12.6	1.421	1.401	1.442	1.267	89	84	173
1920*	466,130	240,302	225,828	12.4	13.5	11.5	1.270	1.253	1.289	1.249	80	76	156
1921	458,629	234,291	224,338	12.1	12.9	11.3	1.233	1.202	1.266	1.234	83	79	158
1922	486,780	247,221	239,559	12.7	13.5	12.0	1.293	1.254	1.336	1.228	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	1.159	1.129	1.191	1.245	69	67	132
1924	473,235	240,620	232,615	12.2	13.0	11.5	1.211	1.175	1.250	1.239	75	73	133
1925	472,841	240,875	231,966	12.1	12.9	11.4	1.202	1.171	1.236	1.250	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	1.136	1.110	1.164	1.259	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	1.203	1.173	1.234	1.261	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	1.121	1.101	1.142	1.276	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	1.292	1.256	1.331	1.256	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	1.084	1.070	1.099	1.291	60	58	105
1931	491,630	249,717	241,913	12.3	13.0	11.6	1.154	1.127	1.183	1.270	66	64	109
1932	484,129	245,715	238,414	12.0	12.7	11.4	1.119	1.093	1.147	1.272	64	62	112
1933	496,465	250,625	245,840	12.3	12.9	11.7	1.132	1.100	1.166	1.262	63	61	106
1934	476,810	242,855	233,955	11.8	12.5	11.1	1.068	1.049	1.089	1.283	59	58	96
1935	477,401	243,458	233,943	11.7	12.5	11.1	1.051	1.035	1.068	1.297	57	56	89
1936	495,764	253,319	242,445	12.1	12.9	11.4	1.073	1.061	1.087	1.311	59	57	88
1937	509,574	260,057	249,517	12.4	13.2	11.7	1.086	1.073	1.100	1.312	58	56	88
1938	478,996	246,898	232,098	11.6	12.5	10.8	1.000	1.000	1.000	1.343	53	52	81
1939*	499,902	255,879	244,023	12.1	13.0	11.3	1.022	1.016	1.028	1.339	51	49	90
1940*	581,537	303,089	278,448	14.4	16.1	12.9	1.171	1.187	1.156	1.382	57	55	82
1941*	535,180	281,035	254,145	13.5	15.7	11.8	1.070	1.096	1.043	1.406	60	59	82
1942*	480,137	251,333	228,804	12.3	14.4	10.7	0.942	0.967	0.916	1.416	51	49	75
1943*	501,412	259,206	242,206	13.0	15.3	11.3	0.957	0.978	0.944	1.397	49	48	71
1944*	492,176	257,705	234,471	12.7	15.3	10.8	0.918	0.952	0.894	1.433	45	44	69
1945*	488,108	252,078	236,030	12.6	15.0	10.8	0.893	0.920	0.875	1.416	46	44	65
1946*	492,090	252,380	239,710	12.0	13.4	10.9	0.881	0.889	0.875	1.378	43	42	60
1947*	517,615	267,714	249,901	12.3	13.6	11.3	0.906	0.921	0.892	1.389	41	40	58
1948*	469,898	242,899	226,999	11.0	11.9	10.1	0.801	0.815	0.789	1.409	34	33	45
1949*	510,736	260,686	250,050	11.8	12.6	11.1	0.856	0.863	0.851	1.396	32	32	45
1950	510,301	261,152	249,149	11.6	12.3	11.0	0.841	0.852	0.833	1.394	30	29	39
1951	549,380	281,724	267,656	12.5	13.4	11.8	0.901	0.922	0.884	1.434	30	29	38
1952	497,484	257,760	239,724	11.3	12.2	10.5	0.806	0.837	0.779	1.472	28	27	35

† See footnotes on first page of this Table.



**TABLE 4.—Death Rates per 1,000 Living in Age Groups, Infant Mortality and Mortality Ratios, 1841-1952.** } England and Wales.

Notes: (a) The Mortality Ratio expresses the all ages mortality of each year (or period) as a ratio to that of the preceding year (or period) after adjustment for sex and age differences in the populations exposed to risk.  
(b) See Explanatory notes on page vii.

**PERSONS**

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	Deaths under 1 year per 1,000 live births†
1841-1850	—	66.0	9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-1860	0.979	67.6	8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-1870	1.011	68.6	7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-1880	0.967	63.4	6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-1890	0.924	56.8	5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	0.965	57.7	4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-1910	0.847	46.0	3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-1920*	0.896	34.6	3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-1930	0.811	22.7	2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-1940*	0.912	16.9	2.01	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1941-1950*	0.830	11.4	1.13	0.85	1.58	2.24	2.37	3.38	7.44	17.6	42.4	104.0	216.5	43
1841-1845	—	63.6	8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-1850	1.083	68.7	9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-1855	0.964	68.9	8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-1860	0.956	66.9	8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-1865	1.035	69.1	8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-1870	0.995	68.1	7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-1875	0.990	64.9	6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-1880	0.959	61.9	6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-1885	0.948	56.6	5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-1890	0.989	56.9	4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-1895	0.998	57.8	4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	0.946	57.6	4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-1905	0.910	50.2	3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	138
1906-1910	0.916	41.7	3.38	2.03	2.87	3.64	4.84	7.81	13.7	27.5	58.1	127.0	262.4	117
1911-1915*	0.951	37.5	3.39	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	126.2	257.9	110
1916-1920*	0.970	31.4	3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-1925	0.841	24.4	2.48	1.71	2.61	3.30	3.79	5.71	10.1	21.6	51.1	121.8	251.4	76
1926-1930	0.957	20.8	2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-1935	0.946	18.1	2.18	1.41	2.33	2.96	3.20	4.82	9.44	20.1	49.0	119.3	255.7	62
1936-1940*	0.969	15.6	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.4	48.5	119.7	263.4	55
1941-1945*	0.893	14.0	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1946-1950*	0.895	9.33	0.77	0.62	1.18	1.63	1.84	2.89	6.94	17.1	41.9	103.5	219.3	36
1922	1.049	27.0	2.56	1.79	2.63	3.47	4.08	6.07	10.6	22.7	53.9	129.4	255.7	77
1923	0.896	21.7	2.26	1.64	2.53	3.20	3.67	5.51	9.82	21.1	49.0	116.0	238.3	69
1924	1.045	22.4	2.31	1.66	2.53	3.28	3.68	5.68	10.1	21.9	52.4	123.3	251.8	75
1925	0.993	22.7	2.48	1.66	2.59	3.20	3.60	5.50	10.1	21.3	51.2	123.4	268.1	75
1926	0.945	21.1	2.40	1.49	2.43	3.04	3.46	5.31	9.57	20.5	48.6	115.4	254.3	70
1927	1.058	21.3	2.34	1.54	2.48	3.15	3.58	5.65	10.2	21.5	52.2	124.8	281.2	70
1928	0.932	19.6	2.34	1.60	2.50	3.09	3.43	5.23	9.62	20.3	48.9	112.6	258.0	65
1929	1.153	23.9	2.47	1.70	2.61	3.28	3.65	5.74	10.9	22.8	56.2	136.5	312.3	74
1930	0.839	18.2	2.29	1.54	2.45	3.00	3.36	4.95	9.43	20.0	47.2	111.8	238.1	60
1931	1.064	19.9	2.14	1.47	2.50	3.10	3.36	5.45	9.80	20.6	50.8	123.9	268.2	66
1932	0.970	19.0	2.07	1.39	2.39	3.02	3.21	4.79	9.33	20.1	49.8	121.9	264.6	64
1933	1.011	17.9	2.20	1.43	2.41	3.09	3.34	5.15	9.89	20.4	49.5	123.8	266.2	63
1934	0.944	17.5	2.44	1.43	2.28	2.85	3.10	4.60	9.19	19.7	47.9	113.2	236.4	59
1935	0.983	16.1	2.04	1.32	2.07	2.72	2.99	4.49	8.99	19.6	47.5	114.6	245.4	57
1936	1.022	17.0	1.99	1.21	1.95	2.69	2.82	4.39	9.09	20.1	48.5	118.3	265.5	59
1937	1.012	16.7	1.87	1.18	1.97	2.66	2.89	4.47	9.23	20.6	49.0	120.0	271.7	58
1938	0.921	15.3	1.87	1.19	1.86	2.49	2.65	4.05	8.47	19.0	45.5	110.6	240.0	53
1939*	1.022	13.7	1.48	1.03	1.75	2.45	2.60	3.94	8.56	19.7	47.2	119.0	260.6	51
1940*	1.147	15.6	1.96	1.40	2.54	3.50	3.44	4.92	10.1	22.6	52.3	130.1	278.7	57
1941*	0.914	16.4	2.06	1.37	2.59	3.55	3.53	4.62	8.97	19.8	46.5	114.3	247.2	60
1942*	0.880	14.0	1.50	1.04	1.91	3.02	2.92	3.87	7.82	17.8	42.4	102.6	216.8	51
1943*	1.016	14.0	1.40	1.04	1.88	3.02	2.97	3.95	8.02	18.0	43.1	106.4	220.2	49
1944*	0.959	13.3	1.38	1.05	1.73	2.96	3.01	3.82	7.73	17.6	41.7	100.3	196.5	45
1945*	0.973	12.3	1.18	0.91	1.56	2.73	2.67	3.48	7.36	17.3	41.5	100.3	194.5	46
1946*	0.987	11.9	0.86	0.76	1.33	2.07	2.10	3.15	7.25	17.4	41.3	102.4	214.5	43
1947*	1.028	12.1	0.90	0.70	1.39	1.92	2.03	3.08	7.24	17.5	42.8	108.3	234.4	41
1948*	0.884	8.70	0.75	0.60	1.20	1.55	1.82	2.79	6.70	16.4	39.4	94.1	191.9	34
1949*	1.069	7.71	0.69	0.56	1.10	1.51	1.70	2.80	6.81	17.2	43.1	105.7	227.5	32
1950	0.982	6.69	0.64	0.48	0.90	1.24	1.57	2.62	6.72	17.0	42.7	106.9	227.6	30
1951	1.071	6.54	0.56	0.47	0.76	1.13	1.46	2.62	6.89	18.0	46.3	117.9	280.9	30
1952	0.895	6.25	0.50	0.42	0.70	1.04	1.27	2.41	6.34	16.4	41.1	102.6	242.0	28

\*Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males, and from 1st June, 1941 to 31st December, 1949, for females.

†Based on related live births from 1931.



TABLE 4—continued.

## MALES

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850	—	71.2	9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851–1860	0.984	72.4	8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861–1870	1.024	73.5	8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871–1880	0.977	68.4	6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881–1890	0.924	61.6	5.35	2.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891–1900	0.969	62.7	4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901–1910	0.853	50.0	3.50	2.05	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911–1920*	0.909	37.8	3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921–1930	0.802	25.1	2.52	1.65	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931–1940*	0.923	18.8	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1941–1950*	0.855	12.8	1.28	0.95	1.79	2.72	2.72	3.93	9.16	22.7	51.6	120.2	234.7	48
1841–1845	—	68.7	8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846–1850	1.081	73.7	9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851–1855	0.970	73.9	8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856–1860	0.954	71.5	8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861–1865	1.046	74.1	8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866–1870	1.002	72.9	7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871–1875	0.996	69.9	7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876–1880	0.961	67.1	6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881–1885	0.946	61.3	5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886–1890	0.992	61.9	4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891–1895	0.997	62.9	4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896–1900	0.954	62.4	4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901–1905	0.914	54.7	3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.6	274.6	151
1906–1910	0.914	45.4	3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911–1915*	0.960	40.9	3.42	2.05	3.01	3.98	5.15	8.20	14.9	30.2	64.1	139.2	281.6	121
1916–1920*	0.986	34.4	3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921–1925	0.822	27.0	2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	86
1926–1930	0.962	23.1	2.48	1.61	2.58	3.30	3.68	6.18	11.6	24.4	58.3	135.4	298.1	77
1931–1935	0.946	20.1	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936–1940*	0.988	17.5	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941–1945*	0.920	15.5	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1946–1950*	0.883	10.5	0.88	0.69	1.33	1.75	1.92	3.23	8.55	22.4	51.6	119.0	241.6	41
1922	1.043	29.8	2.62	1.74	2.69	3.76	4.35	6.90	12.0	26.0	61.0	143.5	271.7	87
1923	0.900	24.0	2.34	1.64	2.57	3.47	3.97	6.31	11.2	24.2	55.6	129.5	262.9	78
1924	1.041	24.8	2.40	1.65	2.57	3.50	3.89	6.47	11.6	25.1	59.6	136.9	273.4	85
1925	0.996	24.9	2.54	1.68	2.63	3.35	3.83	6.32	11.6	24.7	58.7	138.8	292.0	84
1926	0.948	23.3	2.52	1.52	2.48	3.16	3.64	6.05	11.0	23.6	55.9	131.1	284.3	79
1927	1.056	23.7	2.45	1.57	2.54	3.36	3.76	6.54	11.9	24.9	59.9	139.8	312.2	79
1928	0.938	21.9	2.43	1.68	2.62	3.23	3.62	5.95	11.2	23.6	56.5	128.0	290.9	74
1929	1.141	26.2	2.61	1.74	2.69	3.48	3.86	6.70	12.9	26.3	64.1	151.5	343.6	83
1930	0.852	20.4	2.41	1.57	2.57	3.24	3.52	5.66	11.2	23.4	55.2	126.6	263.5	68
1931	1.052	22.4	2.29	1.46	2.60	3.31	3.46	5.76	11.6	23.9	58.7	138.4	295.9	74
1932	0.970	21.0	2.20	1.45	2.54	3.24	3.33	5.33	10.8	23.4	57.9	138.0	289.7	73
1933	1.007	19.9	2.27	1.49	2.56	3.27	3.49	5.74	11.7	23.8	56.6	139.4	286.3	71
1934	0.954	19.3	2.49	1.45	2.38	3.07	3.19	5.14	10.9	23.4	55.4	129.3	256.4	66
1935	0.986	17.9	2.14	1.35	2.14	2.88	3.10	5.02	10.8	23.3	55.2	131.8	268.9	64
1936	1.025	19.1	2.12	1.29	2.06	2.87	2.94	4.91	10.8	24.2	56.3	137.3	291.8	66
1937	1.011	18.6	1.98	1.23	2.12	2.81	3.02	5.03	11.1	24.9	57.1	138.5	292.3	65
1938	0.932	17.1	1.93	1.28	2.01	2.73	2.83	4.57	10.2	23.1	53.7	130.1	263.6	60
1939*	1.016	15.2	1.65	1.08	1.87	2.64	2.74	4.42	10.3	24.3	55.4	139.1	280.8	56
1940*	1.168	17.5	2.12	1.48	2.76	4.80	4.08	5.84	12.5	28.3	61.3	151.8	303.2	64
1941*	0.923	18.2	2.25	1.50	2.94	5.57	4.64	5.64	11.0	25.1	55.2	134.6	258.8	67
1942*	0.882	15.6	1.68	1.16	2.12	4.75	3.85	4.67	9.58	22.4	51.2	120.7	232.9	57
1943*	1.011	15.6	1.61	1.10	2.12	5.04	4.04	4.76	9.95	22.8	51.4	122.6	234.1	55
1944*	0.973	14.8	1.58	1.18	1.95	4.79	4.29	4.75	9.62	22.7	50.6	116.5	212.0	50
1945*	0.966	13.7	1.35	1.03	1.79	4.75	3.84	4.20	9.10	22.3	50.3	115.7	204.7	51
1946*	0.966	13.4	0.97	0.86	1.52	2.66	2.24	3.55	8.94	22.3	49.7	117.4	232.3	48
1947*	1.036	13.5	1.04	0.78	1.62	2.05	2.12	3.44	8.98	22.9	52.5	125.9	266.5	46
1948*	0.885	9.72	0.88	0.64	1.30	1.54	1.87	3.15	8.24	21.6	49.0	108.6	210.2	38
1949*	1.059	8.66	0.80	0.63	1.27	1.59	1.75	3.12	8.39	22.6	53.2	120.7	249.0	36
1950	0.987	7.48	0.75	0.56	1.01	1.39	1.69	2.92	8.26	22.5	53.3	122.5	250.4	34
1951	1.082	7.36	0.66	0.56	0.89	1.39	1.61	2.93	8.57	24.1	59.1	136.9	318.2	34
1952	0.908	7.02	0.57	0.50	0.90	1.35	1.44	2.74	7.88	22.0	53.3	122.1	273.5	31

\* Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949.

† Based on related live births from 1931.



TABLE 4—continued.

## FEMALES

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	Deaths under 1 year per 1,000 live births†
1841-1850	—	61.1	8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-1860	0.974	62.7	8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-1870	0.999	63.7	7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-1880	0.957	58.3	6.23	3.72	5.45	6.81	8.61	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-1890	0.923	51.9	5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	0.961	52.8	4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901-1910	0.841	41.9	3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911-1920	0.881	31.4	3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921-1930	0.820	20.2	2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931-1940	0.900	14.9	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1941-1950*	0.807	10.0	0.97	0.76	1.40	1.97	2.11	2.91	5.96	13.4	35.2	93.3	207.9	37
1841-1845	—	58.6	8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-1850	1.085	63.6	9.23	5.72	8.12	9.57	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-1855	0.958	63.8	8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-1860	0.959	62.3	8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-1865	1.024	64.2	8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-1870	0.989	63.3	7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-1875	0.984	60.0	6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-1880	0.957	56.8	5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-1885	0.950	51.9	5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-1890	0.986	52.0	4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-1895	0.999	52.8	4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	0.938	52.7	4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901-1905	0.906	45.8	3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906-1910	0.917	38.0	3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911-1915	0.942	34.0	3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916-1920	0.953	28.4	3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921-1925	0.862	21.8	2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926-1930	0.951	18.5	2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931-1935	0.946	16.0	2.07	1.37	2.22	2.77	3.09	4.33	7.96	17.0	42.8	108.9	245.0	54
1936-1940	0.951	13.7	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941-1945*	0.865	12.3	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1946-1950*	0.913	8.14	0.64	0.54	1.05	1.54	1.76	2.56	5.51	12.8	34.4	93.2	208.9	32
1922	1.055	24.1	2.51	1.83	2.56	3.22	3.85	5.34	9.35	19.7	48.3	120.2	248.0	66
1923	0.891	19.4	2.17	1.63	2.50	2.95	3.42	4.81	8.53	18.2	43.6	107.3	226.5	60
1924	1.050	19.9	2.21	1.67	2.49	3.07	3.51	4.99	8.70	19.1	46.7	114.5	241.6	65
1925	0.989	20.4	2.41	1.65	2.54	3.06	3.42	4.79	8.65	18.3	45.2	113.5	256.8	66
1926	0.942	18.8	2.28	1.46	2.38	2.92	3.31	4.66	8.25	17.6	42.7	105.4	240.2	61
1927	1.060	18.9	2.23	1.52	2.42	2.95	3.44	4.89	8.78	18.5	45.9	115.2	262.3	60
1928	0.925	17.3	2.24	1.53	2.38	2.96	3.26	4.61	8.21	17.3	42.7	102.6	242.9	56
1929	1.165	21.6	2.33	1.66	2.53	3.09	3.46	4.93	9.05	19.6	49.9	126.7	298.2	65
1930	0.826	16.0	2.18	1.51	2.34	2.76	3.21	4.35	7.90	16.9	40.7	102.2	226.5	51
1931	1.076	17.4	1.99	1.47	2.40	2.90	3.27	4.51	8.27	17.6	44.4	114.4	255.3	57
1932	0.970	16.8	1.94	1.33	2.24	2.81	3.10	4.34	8.02	17.1	43.2	111.4	253.0	56
1933	1.016	15.8	2.12	1.38	2.27	2.91	3.20	4.65	8.35	17.4	43.8	113.5	256.9	54
1934	0.934	15.6	2.39	1.40	2.18	2.64	3.02	4.13	7.69	16.5	41.7	102.8	227.1	52
1935	0.981	14.2	1.94	1.29	1.99	2.57	2.88	4.04	7.48	16.4	41.2	103.4	234.4	50
1936	1.018	14.9	1.86	1.13	1.84	2.52	2.71	3.94	7.60	16.5	42.2	106.2	253.2	51
1937	1.012	14.7	1.75	1.13	1.83	2.52	2.77	3.98	7.67	16.9	42.5	108.2	261.9	50
1938	0.909	13.4	1.80	1.09	1.71	2.25	2.49	3.59	6.97	15.5	38.8	98.1	228.9	46
1939	1.028	12.1	1.31	0.97	1.64	2.27	2.47	3.51	7.05	15.7	40.5	106.2	251.1	44
1940	1.124	13.6	1.80	1.31	2.32	2.87	2.94	4.14	8.04	17.7	45.0	116.4	267.5	49
1941*	0.902	14.5	1.86	1.24	2.28	2.81	2.85	3.77	7.26	15.4	39.5	101.5	241.7	52
1942*	0.878	12.3	1.31	0.91	1.73	2.41	2.41	3.22	6.37	13.9	35.4	91.0	209.2	44
1943*	1.031	12.4	1.18	0.98	1.69	2.36	2.45	3.32	6.43	13.9	36.4	95.9	213.5	43
1944*	0.947	11.7	1.17	0.92	1.55	2.36	2.44	3.11	6.19	13.4	34.6	89.7	188.8	40
1945*	0.979	10.8	1.01	0.79	1.38	2.09	2.13	2.92	5.92	13.3	34.6	90.2	189.5	40
1946*	1.000	10.3	0.75	0.67	1.17	1.78	1.99	2.79	5.82	13.3	34.6	92.4	206.2	37
1947*	1.019	10.6	0.75	0.61	1.21	1.82	1.94	2.74	5.72	13.1	35.2	96.6	219.8	36
1948*	0.885	7.64	0.62	0.55	1.12	1.56	1.77	2.45	5.33	12.2	32.1	84.5	183.5	30
1949*	1.079	6.71	0.57	0.49	0.96	1.43	1.65	2.48	5.39	12.8	35.5	95.8	217.5	28
1950	0.979	5.85	0.53	0.41	0.78	1.09	1.45	2.32	5.30	12.6	34.7	96.6	216.9	26
1951	1.061	5.68	0.45	0.37	0.64	0.90	1.31	2.31	5.33	13.1	37.0	105.4	264.2	26
1952	0.881	5.45	0.41	0.34	0.51	0.76	1.10	2.09	4.91	11.9	32.4	90.1	227.6	24

\* Civilian mortality only from 1st June, 1941 to 31st December, 1949.

† Based on related live births from 1931.



**TABLE 5.—Deaths Registered and Death Rates in each Quarter, 1841-1952.** } England and Wales.

*See Explanatory notes on page vi.*

Period.	Quarter ended							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths: Males.				Deaths: Females.			
1841-1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1942*	79,361	61,033	50,768	60,171	71,901	55,904	46,568	54,431
1943*	70,927	59,074	51,146	78,059	66,651	53,837	47,323	74,395
1944*	76,492	60,836	55,876	64,501	69,547	54,712	51,378	58,834
1945*	81,476	57,767	50,215	62,620	76,267	53,205	46,942	59,616
1946*	79,012	58,323	51,737	63,308	76,215	55,585	48,672	59,238
1947*	93,626	60,774	50,218	63,096	88,110	57,241	46,881	57,669
1948*	69,356	57,223	52,059	64,261	63,272	53,034	49,489	61,204
1949*	82,234	61,287	51,480	65,685	79,031	58,685	49,710	62,624
1950	76,984	61,633	52,914	69,621	74,300	59,158	49,953	65,738
1951	104,298	62,560	51,658	63,208	101,580	59,123	48,399	58,554
1952	76,112	59,332	51,097	71,219	70,836	56,037	47,516	65,335
	Deaths: Persons.				Annual Death Rates per 1,000 persons living.			
1841-1850	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851-1860	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921-1930	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	15·8	11·6	9·8	12·0
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	15·5	11·6	9·8	12·3
1942*	151,262	116,937	97,336	114,602	15·8	12·0	9·8	11·6
1943*	137,578	112,911	98,469	152,454	14·5	11·7	10·1	15·7
1944*	146,039	115,548	107,254	123,335	15·3	12·0	11·0	12·7
1945*	157,743	110,972	97,157	122,236	16·5	11·5	10·0	12·6
1946*	155,227	113,908	100,409	122,546	15·4	11·2	9·7	11·9
1947*	181,736	118,015	97,099	120,765	17·6	11·3	9·2	11·4
1948*	132,628	110,257	101,548	125,465	12·4	10·3	9·4	11·7
1949*	161,265	119,972	101,190	128,309	15·2	11·2	9·3	11·8
1950	151,284	120,791	102,867	135,359	14·0	11·1	9·3	12·3
1951	205,878	121,683	100,057	121,762	19·1	11·1	9·1	11·0
1952	146,948	115,369	98,613	136,554	13·5	10·6	8·9	12·4

\*See footnote to Table 3.



TABLE 6.—Comparative Mortality Indices (All Ages) and Death Rates at Ages Under 15. Principal Epidemic or General Diseases, 1851-1952. } England and Wales.

Notes: (1) See note to Table 3 for explanation of Comparative Mortality Index.  
(2) Changes in cause assignment are allowed for throughout as far as possible.  
(3) See Explanatory notes on page v.

Period	Comparative Mortality Indices (base year 1938 taken as unity.)											Death rates per million living at ages under 15.				
	Tuberculosis (all forms) 001-019	Tuberculosis of resp. system 001-008	Syphilis 020-029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Cancer excl: Hodg-kins dis: Leukæmia, Aleukæmia 140-200 202, 203, 205	Diabetes mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
1851-1860	5.67	5.74	—	—	—	—	0.31	—	—	—	—	—	—	1319	—	1082
1861-1870	5.46	5.37	—	—	—	—	0.38	—	—	—	—	2282	1122	1372	—	1148
1871-1880	4.73	4.66	—	84.37	—	—	0.47	—	—	—	—	1664	747	1316	—	976
1881-1890	4.01	3.81	—	51.94	—	—	0.59	—	—	—	—	787	804	1171	—	1153
1891-1900	3.29	3.01	—	45.78	—	—	0.75	—	—	4.39	—	383	873	1037	—	1144
1901-1910	2.70	2.45	—	23.84	—	—	0.85	0.84	—	2.54	—	271	571	815	—	915
1911-1920†	2.34	2.20	—	9.28	0.94	—	0.92	0.89	—	5.75	—	123	437	554	13	838
1921-1930	1.62	1.59	—	2.85	0.58	—	0.98	0.86	—	3.61	—	64	298	405	11	389
1931-1939†	1.18	1.18	—	1.25	1.25	0.99	1.00	1.01	—	2.46	—	46	290	197	11	217
1940-1949†	0.99	1.01	0.67	0.44	1.36	1.00	0.99	0.77	0.97	1.15	0.73	7	112	111	11	62
1851-1855	5.93	5.98	—	—	—	—	0.30	—	—	—	—	—	—	1338	—	1047
1856-1860	5.43	5.52	—	—	—	—	0.32	—	—	—	—	1919	1347	1300	—	1114
1861-1865	5.41	5.44	—	—	—	—	0.36	—	—	—	—	2307	1389	1336	—	1189
1866-1870	5.26	5.31	—	—	—	—	0.40	—	—	—	—	2258	871	1405	—	1109
1871-1875	4.84	4.86	—	97.71	—	—	0.44	—	—	—	—	1760	788	1282	—	962
1876-1880	4.62	4.48	—	71.90	—	—	0.50	—	—	—	—	1575	709	1349	—	988
1881-1885	4.19	4.04	—	56.99	—	—	0.55	—	—	—	—	1012	828	1180	—	1070
1886-1890	3.83	3.60	—	47.20	—	—	0.63	—	—	—	—	572	781	1163	—	1234
1891-1895	3.48	3.18	—	45.58	—	—	0.71	—	—	5.04	—	434	875	1070	—	1104
1896-1900	3.12	2.85	—	45.97	—	—	0.79	—	—	3.79	—	331	872	1003	—	1184
1901-1905	2.85	2.58	—	29.66	—	—	0.83	0.79	—	2.29	—	319	653	874	—	955
1906-1910	2.55	2.32	—	18.35	—	—	0.87	0.88	—	2.76	—	224	491	756	—	874
1911-1915†	2.31	2.16	—	12.43	0.81	—	0.92	0.97	—	2.00	—	161	434	633	14	1043
1916-1920†	2.38	2.25	—	6.02	1.07	—	0.92	0.82	—	9.53	—	84	439	473	12	625
1921-1925	1.74	1.70	—	3.27	0.46	—	0.99	0.85	—	3.77	—	79	302	448	11	420
1926-1930	1.51	1.49	—	2.45	0.70	—	0.99	0.90	—	3.54	—	48	294	360	12	357
1931-1935	1.29	1.29	—	1.35	1.48	0.99	1.00	0.98	—	2.85	—	50	293	223	11	270
1936-1939†	1.05	1.05	—	1.14	0.95	0.99	1.00	1.03	—	2.01	—	27	287	163	11	149
1940-1944†	1.12	1.13	0.80	0.64	2.22	0.99	0.99	0.91	0.98	1.64	0.85	11	192	140	7	78
1945-1949†	0.88	0.91	0.55	0.26	0.59	1.00	0.99	0.64	0.97	0.70	0.63	3	30	81	16	47
1922	1.81	1.77	—	3.18	0.49	—	0.95	0.88	—	5.65	—	95	363	563	10	508
1923	1.66	1.60	—	2.94	0.37	—	0.97	0.83	—	2.19	—	72	243	370	9	476
1924	1.70	1.66	—	3.31	0.40	—	0.98	0.80	—	4.86	—	65	225	356	11	435
1925	1.66	1.63	—	2.59	0.48	—	0.99	0.81	—	3.24	—	74	253	550	11	486
1926	1.54	1.51	—	2.44	0.50	—	0.99	0.81	—	2.22	—	50	275	378	16	319
1927	1.56	1.54	—	2.41	0.60	—	0.99	0.87	—	5.48	—	43	250	341	12	337
1928	1.48	1.47	—	2.88	0.63	—	1.00	0.89	—	1.86	—	43	296	279	12	404
1929	1.53	1.53	—	2.49	0.85	—	1.00	0.96	—	7.01	—	50	320	604	10	324
1930	1.43	1.42	—	2.02	0.92	—	0.99	0.94	—	1.18	—	55	332	196	11	404
1931	1.43	1.42	—	1.61	2.13	0.99	1.00	0.95	—	3.34	—	39	252	244	7	320
1932	1.33	1.31	—	1.64	1.80	1.00	1.00	0.98	—	3.01	—	40	223	288	13	332
1933	1.31	1.32	—	1.41	1.41	0.99	1.00	0.98	—	5.15	—	55	255	221	13	190
1934	1.22	1.21	—	1.01	1.10	1.00	1.00	0.99	—	1.24	—	72	393	199	9	368
1935	1.14	1.15	—	1.09	0.94	0.99	1.00	1.00	—	1.60	—	41	345	159	11	134
1936	1.10	1.10	—	1.59	0.97	1.00	1.01	1.04	—	1.29	—	38	311	210	7	281
1937	1.10	1.10	—	1.27	1.07	0.99	1.00	1.05	—	3.92	—	27	305	179	8	106
1938	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	27	305	119	18	169
1939†	1.00	1.00	—	0.69	0.77	0.98	0.98	1.05	—	1.83	—	15	228	140	10	34
1940†	1.14	1.16	0.90	0.83	3.83	1.00	1.00	1.10	1.13	2.52	1.04	12	266	78	9	95
1941†	1.20	1.20	0.87	0.98	3.29	0.99	0.99	0.99	1.00	1.51	0.94	11	280	279	9	128
1942†	1.09	1.09	0.80	0.56	1.83	0.99	0.99	0.89	0.93	0.73	0.74	9	192	94	7	53
1943†	1.12	1.13	0.76	0.46	1.19	0.99	0.99	0.84	0.93	2.65	0.86	11	134	129	4	86
1944†	1.06	1.07	0.68	0.36	0.89	0.98	0.98	0.78	0.93	0.81	0.68	9	92	121	4	28
1945†	1.03	1.06	0.62	0.30	0.81	0.99	0.98	0.75	0.93	0.55	0.66	7	67	79	4	80
1946†	0.90	0.93	0.62	0.32	0.71	0.99	0.99	0.67	0.95	1.04	0.65	3	40	91	5	22
1947†	0.90	0.93	0.56	0.18	0.72	1.00	1.00	0.63	1.01	0.64	0.70	3	23	99	33	69
1948†	0.83	0.86	0.49	0.29	0.39	1.01	1.00	0.57	0.92	0.23	0.53	2	14	80	8	33
1949†	0.75	0.78	0.48	0.19	0.37	1.01	1.00	0.59	1.03	1.03	0.61	1	7	55	29	30
1950	0.59	0.62	0.50	0.09	0.36	1.02	1.01	0.62	1.07	0.71	0.53	1	4	41	33	22
1951	0.51	0.53	0.51	0.12	0.38	1.03	1.01	0.62	1.14	2.87	0.67	1	2	46	8	30
1952	0.39	0.41	0.46	0.12	0.38	1.03	1.01	0.55	1.00	0.31	0.55	1	2	18	9	41

† Civilian mortality only in 1915-20 and from 3rd September, 1939 to 31st December, 1949 for males, and from 1st June, 1941 to 31st December, 1949 for females.



**TABLE 7.—Deaths by Cause and Sex at All Ages, 1942-1952.** } **England and Wales.**

(Excluding non-civilian from 1942 to 1949 inclusive).

Note: (i) The following categories of the 1948 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table:—306, 308, 649, 775.

(ii) Although deaths in each year from 1949 inclusive were coded according to the 1948 International Statistical Classification, certain minor changes in coding practice were introduced between 1949 and 1950, and comparability of figures between those years is consequently affected. Categories principally affected are noted accordingly.

(iii) See Explanatory notes on page v.

Inter- national ist No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
	ALL CAUSES ... {M ... {F	242089 228568	249620 241911	246894 234156	245436 235838	249452 239602	265739 249852	241674 226971	259942 250031	261152 249149	281724 267656	257760 239724
001-138	I.—INFECTIVE AND PARASITIC DISEASES {M ... {F	19959 14468	19868 14181	18015 12874	17596 12728	16583 11724	17222 12446	15722 10938	14865 9915	12797 8037	11434 6738	9303 5023
001-019	Tuberculosis (all forms) ... {M ... {F	14572 10571	14932 10329	13929 9782	13700 9768	13146 9245	13390 9686	12791 8884	11918 7879	9922 6047	8826 4980	7114 3471
001-008	Tuberculosis of respiratory system ... {M ... {F	†12268 †8462	†12819 †8263	†11958 †7857	†11755 †7913	†11415 †7593	†11678 †8075	†11313 †7485	10655 6816	8934 5145	7903 4128	6421 2914
001	With mention of occupational disease ... {M ... {F	144 5	153 —	148 —	166 5	194 2	234 3	278 5	262 9	255 7	288 6	292 3
002	Pulmonary ... {M ... {F								10274 6731	8603 5084	7550 4081	6066 2868
003	Pleural ... {M ... {F								66 47	57 38	50 33	53 35
	0. Pleurisy specified as tuberculous ... {M ... {F								24 11	26 8	19 9	22 7
	1. Pleurisy with effusion without mention of cause {M ... {F								42 36	31 30	31 24	31 28
004	Primary, complex with symptoms ... {M ... {F	†12124 †8457	†12666 †8263	†11810 †7857	†11589 †7908	†11221 †7591	†11444 †8072	†11035 †7480	— 1	1 —	2 —	2 —
005	Tracheobronchial glandular, with symptoms ... {M ... {F								5 7	9 7	5 7	4 7
006	Radiological evidence sugges- tive of active resp: tub: not classifiable elsewhere. {M ... {F								— —	— —	— —	— —
007	Other respiratory ... {M ... {F								30 6	6 9	6 1	4 1
008	Unspecified site ... {M ... {F								18 15	3 —	2 —	— —
010-019	Tuberculosis, other forms ... {M ... {F	2304 2109	2113 2066	1971 1925	1945 1855	1731 1652	1712 1611	1478 1399	1263 1063	988 902	923 852	693 557
010	Meninges and central nervous system {M ... {F	970 955	918 973	862 885	856 916	790 797	784 749	647 665	558 533	432 458	440 442	265 246
011	Intestines, peritoneum, and mesenteric glands ... {M ... {F	378 406	299 361	285 305	276 270	231 206	203 242	168 201	146 148	91 100	83 99	67 66
012	Bones and joints, active or un- specified ... {M ... {F	*377 *251	*335 *237	*289 *226	*279 *197	*232 *196	*204 *163	*202 *164	146 119	146 101	114 93	110 70
	0. Vertebral column ... {M ... {F	*228 *162	*206 *164	*172 *150	*169 *127	*167 *149	*137 *115	*136 *114	108 99	100 78	81 67	81 54
	1-3. Other ... {M ... {F	*149 *89	*129 *73	*117 *76	*110 *70	*65 *47	*67 *48	*66 *50	38 20	46 23	33 26	29 16
013	Late effects, bones and joints... {M ... {F	*	*	*	*	*	*	*	1 2	5 2	3 3	5 2
014	Skin and subcutaneous cellular tissue ... {M ... {F	18 30	26 30	14 29	18 41	16 25	9 18	10 7	5 8	5 11	5 11	1 3
015	Lymphatic system ... {M ... {F	43 51	48 43	41 47	43 28	28 29	29 29	29 28	21 36	18 31	12 19	15 14
016	Genito-urinary system ... {M ... {F	196 128	188 122	209 134	201 130	157 113	186 114	183 108	208 93	173 89	167 88	144 66
017	Adrenal glands ... {M ... {F	12 9	10 17	16 11	5 10	12 8	16 20	13 15	18 10	13 11	8 16	13 18
018	Other organs ... {M ... {F	6 7	7 9	6 5	5 7	5 9	10 5	20 5	5 7	10 7	17 6	13 11

† 002-008 excludes 003.1, which comprises about 36% of deaths shown for 519; includes Hæmoptysis N.O.S. from 783.1, (Hæmoptysis) for these years.

\* { 012.0 includes 013.0 (late effects of tuberculosis of vertebral column) for these years.  
012.1-012.3 includes 013.1-013.3 for these years.



TABLE 7—continued.

national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
019	Disseminated ... {M F}								155 107	95 92	74 75	
	0-1. Acute miliary tuber- {M culosis ... {F}	††304 ††272	††282 ††274	††249 ††283	††262 ††256	††260 ††269	††271 ††271	††206 ††206	22 13	22 10	7 11	
	2. Other forms ... {M F}								133 94	73 82	67 64	
020-029	Syphilis and its sequelæ ... {M F}	1951 704	1802 737	1625 671	1545 609	1575 616	1445 577	1303 505	1290 491	1202 527	1265 506	
020	Congenital syphilis ... {M F}	†77 †71	†97 †86	†87 †59	†66 †78	†79 †69	†49 †46	†47 †42	45 38	25 20	17 15	
021	Early syphilis ... {M F}	†	†	†	†	†	†	†	— 1	— 1	— 1	
022	Aneurysm of aorta ... {M F}	471 148	446 159	427 180	437 139	495 156	502 177	478 169	515 191	430 225	475 204	
023	Other cardiovascular syphilis... {M F}	†659 †261	†593 †273	†525 †246	†499 †206	†509 †210	†447 †194	†462 †196	353 126	449 151	458 157	
024	Tabes dorsalis... {M F}	†241 †58	†251 †60	†221 †53	†219 †53	†178 †54	†164 †44	†111 †32	114 20	99 24	111 32	
025	General paralysis of insane ... {M F}	†503 †166	†415 †159	†365 †133	†324 †133	†314 †127	†283 †116	†205 †66	161 65	111 56	121 47	
026	Other syphilis of central ner- {M vous system... {F}								29 19	46 28	48 30	
027	Other forms of late syphilis ... {M F}								36 13	21 5	29 14	
028	Latent syphilis... {M F}	†	†	†	†	†	†	†	—	—	—	
029	Syphilis, unqualified ... {M F}								37 18	21 17	6 6	
030-039	Gonococcal infection and other {M venereal diseases ... {F}	32 3	34 12	23 8	18 6	19 5	18 2	12 1	3 2	9 —	6 1	
030	Acute or unspecified gonorrhœa {M F}								2 —	5 —	2 1	
031	Chronic gonococcal infection {M of genito-urinary system ... {F}								— 1	— —	2 —	
032	Gonococcal infection of joint... {M F}								— —	1 —	— —	
033	Gonococcal infection of eye ... {M F}	29 3	33 11	21 8	18 4	18 4	17 2	12 1	— —	— —	— —	
034	Gonococcal infection of other {M sites ... {F}								1 1	2 —	1 —	
035	Late effects of gonococcal in- {M fection ... {F}								— —	1 —	1 —	
036	Chancroid ... {M F}								— —	— —	— —	
037	Lymphogranuloma venereum {M F}								— —	— —	— —	
038	Granuloma inguinale, venereal {M F}	— 3	1 1	— 2	— 2	1 1	— 1	— —	— —	— —	— —	
039	Other and unspecified venereal {M diseases ... {F}								— —	— —	— —	
040-049	Infectious diseases commonly {M arising in intestinal tract ... {F}	164 130	89 118	127 108	119 111	126 95	102 64	96 70	75 69	84 68	75 59	
040	Typhoid fever ... {M F}	36 26	22 30	23 19	12 17	13 22	17 8	20 18	10 9	8 7	5 7	
041	Paratyphoid fever ... {M F}	12 7	6 9	3 6	3 12	9 7	2 2	2 8	5 8	— 1	1 8	
042	Other Salmonella infections... {M F}	†3 †5	†10 †4	†18 †5	†13 †10	†24 †21	†29 †21	†35 †14	24 31	31 27	27 9	
043	Cholera... {M F}	—	—	—	—	—	—	—	—	—	—	

†† 019 includes 138.0 (Sarcoid of Boeck) for these years.

† 023 includes 021,026-029 for these years.

†† 024, 025. These numbers combined include 020.1 (Juvenile neurosyphilis) for these years.

† 042 includes 049 for these years.



TABLE 7—continued.

International List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
044	Brucellosis (undulant fever) ... {M F	5 1	— 1	2 5	2 1	4 2	3 2	2 2	3 —	— 1	1 1	2 —
045	Bacillary dysentery ... {M F	72 58	30 57	50 52	57 56	30 22	28 20	18 16	17 8	22 21	27 30	11 10
046	Amœbiasis ... {M F	8 1	8 2	5 2	7 1	17 1	15 2	10 5	9 4	14 3	13 1	11 —
047	Other protozoal dysentery ... {M F	— 1	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —
048	Unspecified forms of dysentery {M F	28 31	13 15	24 19	25 14	29 20	8 9	9 7	3 4	3 2	1 2	2 2
049	Food poisoning (infection and intoxication) {M F	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	4 5	6 6	— 1	— 4
050-064	Other bacterial diseases ... {M F	2376 2306	2059 2069	1667 1733	1275 1328	1093 1175	1041 1103	814 831	657 627	575 533	546 527	395 384
050	Scarlet fever ... {M F	*48 *52	*63 *66	*51 *54	*33 *49	*18 *23	*17 *25	*16 *21	13 14	15 18	13 24	9 14
051	Streptococcal sore throat ... {M F	90 106	79 110	60 94	52 70	42 45	43 58	40 55	23 43	37 24	14 15	21 20
052	Erysipelas ... {M F	76 64	57 65	58 61	41 78	42 40	27 34	27 24	27 27	20 21	9 8	6 10
053	Septicæmia and pyæmia ... {M F	223 167	196 191	218 175	151 138	130 109	104 91	106 83	86 60	89 75	62 49	47 64
054	Bacterial toxæmia ... {M F	— —	— —	— —	— —	— —	— —	— —	— 2	— 2	1 —	— —
055	Diphtheria ... {M F	889 918	671 677	433 475	343 351	205 250	124 118	78 77	45 39	31 18	15 18	14 18
056	Whooping cough ... {M F	356 443	492 622	459 595	293 396	354 454	386 519	336 412	238 289	162 232	212 244	84 100
057	Meningococcal infections ... {M F	620 523	432 314	327 243	306 221	259 230	287 236	160 136	154 133	154 129	156 142	160 130
058	Plague ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
059	Tularæmia ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
060	Leprosy... {M F	3 —	2 —	1 —	— —	— —	1 —	— —	— —	— —	1 1	— —
061	Tetanus ... {M F	66 29	61 24	55 33	55 24	41 22	49 22	48 21	61 18	61 10	59 22	42 21
062	Anthrax ... {M F	2 1	4 —	3 1	— —	1 —	2 —	— 1	2 —	— —	1 —	2 —
063	Gas gangrene ... {M F	3 3	2 —	2 2	1 1	1 2	1 —	3 1	7 2	4 4	2 3	10 6
064	Other bacterial diseases ... {M F	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	1 1	— 1
070-074	Spirochætal diseases, except syphilis {M F	25 24	23 17	25 11	32 10	13 9	16 10	15 5	39 2	45 12	37 3	32 1
070	Vincent's infection ... {M F	12 22	14 12	8 8	9 8	5 7	4 6	2 2	3 1	2 6	1 —	2 —
071	Relapsing fever ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
072	Leptospirosis icterohæmor- rhagica (Weil's disease) ... {M F	13 2	9 5	17 3	23 2	8 2	12 4	13 3	36 1	39 5	36 3	29 1
073	Yaws ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
074	Other spirochætal and lepto- spirochætal infections ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	4 1	— —	1 —
080-096	Diseases attributable to viruses {M F	753 682	855 866	565 530	841 865	544 556	1151 962	647 610	839 809	917 811	615 617	535 547

‡ 049. See 042.

‡ 050 excludes deaths occurring 1 or more years after onset, for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
080	Acute poliomyelitis ... {M F}								355 288	411 323	110 81	167 108
	0. Specified as bulbar or {M polio-encephalitis ... {F}								155 118	164 114	35 31	72 42
	1. With other paralysis ... {M F}								17 12	57 44	21 14	30 12
	2. Specified as nonparalytic {M F}	67 56	41 47	58 39	71 55	55 61	407 281	140 99	— —	— —	— —	2 —
	3. Unspecified ... {M F}								183 158	190 165	54 36	63 54
081	Late effects of acute polio- {M myelitis ... {F}								4 4	10 11	10 16	9 11
082	Acute infectious encephalitis... {M F}								105 91	58 57	63 55	53 53
083	Late effects of acute infectious {M encephalitis ... {F}	327 298	286 244	248 200	249 250	235 231	245 213	215 189	76 95	132 118	92 124	79 95
084	Smallpox ... {M F}	— —	— —	— 3	— —	6 5	11 4	— —	1 4	— —	3 7	— 1
085	Measles... {M F}	246 212	369 400	118 125	376 352	108 95	338 306	162 164	152 155	133 88	173 144	71 70
086	Rubella (German measles) ... {M F}	3 —	3 1	4 4	3 4	— 1	3 1	2 —	1 1	1 1	1 —	2 1
087	Chickenpox ... {M F}	8 8	12 7	16 8	5 4	6 3	6 6	6 4	7 7	3 4	6 10	8 5
088	Herpes zoster ... {M F}	20 41	22 43	18 41	26 55	19 53	19 56	25 50	20 36	20 53	19 39	18 42
089	Mumps ... {M F}	8 5	6 5	4 4	2 5	3 3	1 —	9 7	— 3	5 3	5 8	4 6
090	Dengue... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
091	Yellow fever ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
092	Infectious hepatitis ... {M F}	73 62	112 116	96 103	106 136	110 103	120 91	85 95	114 116	142 142	127 125	116 148
093	Glandular fever (infectious {M mononucleosis) ... {F}	1 —	3 3	2 3	3 4	2 1	1 4	2 1	1 —	1 1	1 1	2 1
094	Rabies ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
095	Trachoma ... {M F}	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —
096	Other diseases attributable to {M viruses ... {F}	†— †—	†1 †—	†— †—	†— †—	†— †—	†— †—	†1 †1	3 9	1 10	5 7	4 6
100-108	Typhus and other rickettsial {M diseases ... {F}	3 —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
100	Louse-borne epidemic typhus {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
101	Flea-borne endemic typhus {M (murine) ... {F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Brill's disease, not specified as {M louse- or flea-borne typhus... {F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
103	Tabardillo (Mexican typhus), {M not specified as louse- or flea- {F borne.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
104	Tick-borne typhus ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
105	Mite-borne typhus ... {M F}	3 —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
106	Wolhynian fever (trench fever) {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Typhus, unspecified ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
108	Other rickettsial diseases ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

†096. See 706-716.



TABLE 7—continued.

International List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
10-117	Malaria... {M F}								5	9	10	8
110	Vivax malaria (benign tertian) {M F}								—	3	—	1
111	Malariae malaria (quartan) ... {M F}								—	—	—	—
112	Falciparum malaria (malignant tertian) ... {M F}								1	6	7	4
113	Ovale malaria ... {M F}	13	12	6	16	16	11	9	—	—	—	—
114	Mixed malarial infections ... {M F}	1	—	1	—	—	1	1	—	—	—	—
115	Blackwater fever ... {M F}								4	—	1	1
116	Other and unspecified forms of malaria ... {M F}								—	3	1	3
117	Recurrent induced malaria ... {M F}								—	1	—	—
20-138	Other infective and parasitic diseases ... {M F}	70 47	61 33	48 30	50 31	51 23	47 41	34 31	39 36	34 36	54 45	47 52
120	Leishmaniasis ... {M F}	—	1	1	4	5	4	—	3	—	2	—
121	Trypanosomiasis ... {M F}	—	—	—	—	—	—	1	—	—	—	—
122	Other protozoal diseases ... {M F}	—	—	—	—	—	—	—	1	1	1	3
123	Schistosomiasis ... {M F}	—	—	—	—	—	—	1	1	—	—	—
124	Other trematode infestation... {M F}	—	—	—	—	—	—	—	—	—	—	—
125	Hydatid disease ... {M F}	8 9	8 2	7 7	11 9	7 7	9 8	8 11	6 9	3 6	17 6	7 5
126	Other cestode infestation ... {M F}	— 1	1 2	—	1	2	3 1	— 2	—	2 2	2	2
127	Filariasis ... {M F}	—	—	—	—	—	—	—	—	1	—	—
128	Trichiniasis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
129	Ankylostomiasis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
130	Infestation with worms of other, mixed & unspec'd: type {M F}	2 1	1 1	—	1 1	1 1	— 2	2 4	—	—	—	—
131	Dermatophytosis ... {M F}	—	—	3	—	—	—	2	1	—	—	1
132	Actinomycosis ... {M F}	47 24	44 21	26 19	21 12	26 10	15 14	11 11	13 11	8 5	6 3	6 6
133	Coccidioidomycosis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
134	Other fungus infections ... {M F}	13 12	6 6	11 4	12 9	10 4	16 15	9 3	11 8	9 3	9 9	10 9
135	Scabies ... {M F}	‡	‡	‡	‡	‡	‡	‡	—	1	1	1
136	Pediculosis ... {M F}	—	—	—	—	—	—	—	—	1	—	—
137	Other arthropod infestation ... {M F}	—	—	—	—	—	—	—	—	—	—	—
138	Other infective and parasitic diseases ... {M F}	*— *—	*— *—	*— *—	*— *—	*— *1	*— *—	*— *—	4 5	11 13	17 21	17 30
140-239	II.—NEOPLASMS .. {M F}	35849 38126	36783 38971	36740 38833	38192 39691	39244 40420	40814 41022	42236 41488	43124 42054	44436 42838	45531 42436	46220 43138

‡ 135. See 706-716.

\* 138. See 019.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
140-205	Malignant neoplasms including { M neoplasms of lymphatic and { F hæmatopoietic tissues.	34945 36875	35935 37631	35887 37610	37318 38394	38319 39197	39927 39857	41302 40353	42196 41008	43570 41700	44632 41448	45444 42744
140-148	Malignant neoplasm of buccal { M cavity and pharynx... { F	2111 543	2059 567	1998 562	1896 572	1761 540	1706 551	1643 530	1560 580	1584 618	1566 630	1494 644
140	Lip ... { M ... { F	220 29	219 28	206 20	180 18	191 18	150 19	139 13	160 19	148 13	136 12	124 11
141	Tongue ... { M ... { F	779 139	734 166	756 156	656 146	602 123	615 135	581 137	499 156	525 146	492 155	474 144
142	Salivary gland... { M ... { F	75 52	78 46	80 49	83 60	76 47	72 51	78 46	88 56	82 51	81 58	79 56
143	Floor of mouth ... { M ... { F	** *	** *	** *	** *	** *	** *	** *	87 16	89 22	80 22	78 21
144	Malig: neoplasm of other parts { M of mouth and mouth un- { F specified.	**426 **84	**441 **92	**398 **90	**406 **98	**360 **104	**338 **86	**358 **80	244 65	226 77	246 85	228 84
145	Oral mesopharynx ... { M ... { F	230 44	231 49	228 46	215 55	202 43	183 45	165 49	157 33	172 37	188 41	174 39
146	Nasopharynx ... { M ... { F	42 19	40 16	27 20	38 24	42 18	47 26	30 22	48 34	50 37	68 42	64 40
147	Hypopharynx ... { M ... { F	43 81	54 84	50 86	56 93	49 85	53 99	54 94	56 106	99 139	73 124	71 122
148	Pharynx, unspecified ... { M ... { F	296 95	262 86	253 95	262 78	239 102	248 90	238 89	221 95	193 96	202 91	191 89
150-159	Malig: neoplasm of digestive { M organs and peritoneum { F	19411 17048	19721 17445	19811 17476	20409 17941	20353 18286	20629 18459	20966 18476	20609 18524	20420 18720	20405 18213	20144 18444
150	Esophagus ... { M ... { F	1584 681	1511 766	1509 687	1489 779	1439 824	1548 804	1501 810	1439 786	1510 835	1488 852	1444 804
151	Stomach ... { M ... { F	7105 5552	7047 5707	7339 5816	7588 5867	7548 6165	7810 6206	8167 6225	8065 6139	8013 6432	8155 6506	8044 6344
152	Small intestine, including duo- { M denum ... { F	116 106	123 121	113 98	115 113	123 96	103 107	102 79	113 102	96 86	92 108	90 106
153	Large intestine, except rectum { M ... { F	4362 5381	4564 5585	4466 5684	4696 5734	4706 5918	4729 6025	4593 5845	4509 5932	4319 5834	4246 5451	4144 5644
154	Rectum ... { M ... { F	3698 2442	3776 2437	3730 2360	3902 2489	3829 2464	3784 2529	3901 2552	3762 2609	3699 2537	3614 2414	3444 2344
155	Biliary passages and of liver { M (stated to be primary site)... { F	1249 1625	1368 1587	1287 1606	1257 1543	1219 1419	1147 1375	1103 1393	461 726	479 820	479 767	504 774
156	Liver (secondary and un- { M specified) ... { F	1249 1625	1368 1587	1287 1606	1257 1543	1219 1419	1147 1375	1103 1393	589 649	586 562	562 544	504 444
157	Pancreas ... { M ... { F	1146 1056	1201 1051	1251 1023	1232 1180	1344 1220	1379 1182	1449 1325	1514 1363	1567 1454	1620 1368	1724 1504
158	Peritoneum ... { M ... { F	151 204	131 191	115 201	130 234	144 178	125 228	148 241	153 212	143 173	143 192	124 204
159	Unspecified digestive organs... { M ... { F	— 1	— —	1 1	— 2	1 2	4 3	2 6	4 6	8 7	6 11	5 10
160-165	Malignant neoplasm of res- { M piratory system { F	5558 1494	6069 1538	6419 1608	6883 1729	7689 1791	8594 1975	9473 2121	10189 2207	11340 2353	12237 2434	12974 2574
160	Nose, nasal cavities, middle { M ear, and accessory sinuses... { F	84 88	97 83	104 90	98 93	101 87	89 76	100 83	120 87	117 102	124 86	114 94
161	Larynx ... { M ... { F	812 181	827 200	794 199	795 198	827 183	769 203	827 205	787 199	809 182	805 202	774 194
162	Trachea, and of bronchus and { M lung specified as primary... { F	84460 \$1136	\$4943 \$1166	\$5331 \$1237	\$5805 \$1356	\$6607 \$1437	\$7581 \$1623	\$8403 \$1759	2213 485	2855 596	2998 622	3624 744
163	Lung & bronchus, unspec'd: { M as to whether primary or { F secondary.	\$4460 \$1136	\$4943 \$1166	\$5331 \$1237	\$5805 \$1356	\$6607 \$1437	\$7581 \$1623	\$8403 \$1759	6917 1360	7399 1391	8168 1459	8344 1444
164	Mediastinum ... { M ... { F	\$202 \$89	\$202 \$89	\$190 \$82	\$185 \$82	\$154 \$84	\$155 \$73	\$143 \$74	130 69	135 60	115 53	104 54
165	Thoracic organs (secondary)... { M ... { F	\$ \$	\$ \$	\$ \$	\$ \$	\$ \$	\$ \$	\$ \$	22 7	25 22	27 12	24 11
170-181	Malignant neoplasm of breast { M and genito-urinary organs... { F	4459 15048	4563 15290	4221 15115	4512 15103	4822 15521	5144 15667	5265 15948	5565 15982	5810 16171	5831 16218	5944 16444
170	Breast ... { M ... { F	60 7203	90 7320	60 7306	68 7291	69 7711	70 7738	64 7843	78 7875	65 7927	63 8006	82 8244

\*\* 144 includes 143 for these years.

\$ { 162, 163, includes malignant neoplasm of trachea, bronchus, lung, pleura, specified as secondary, from 165, for these years.

{ 164 includes remainder of 165 for these years.



TABLE 7—continued.

Personal No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
171	Cervix uteri ... .. F	1884	1932	1784	1814	1768	1837	1873	2138	2654	2585	2547
172	Corpus uteri ... .. F	299	282	283	332	342	332	338	514	1157	1185	1237
173	Other parts of uterus, including chorionepithelioma. F	9	7	19	15	7	18	12	16	25	41	27
174	Uterus, unspecified† ... F	2383	2333	2247	2209	2170	2082	2098	1579	302	248	213
175	Ovary, Fallopian tube, and broad ligament. F	1889	1992	2113	2098	2098	2209	2256	2350	2501	2542	2503
176	Other and unspecified female genital organs F	474	488	443	430	412	450	435	425	466	443	471
177	Prostate... .. M	2388	2386	2189	2372	2585	2800	2781	2963	3095	3020	3007
178	Testis ... .. M	169	138	148	149	185	179	195	187	217	195	208
179	Other and unspecified male genital organs. M	219	203	195	165	174	186	156	158	160	169	154
180	Kidney ... .. {M F}	354 310	419 333	395 347	419 303	434 343	492 350	529 381	562 384	597 366	597 430	638 471
181	Bladder and other urinary organs ... .. {M F}	1269 597	1327 603	1234 573	1339 611	1375 670	1417 651	1540 712	1617 701	1676 773	1787 738	1890 742
189	Malignant neoplasm of other and unspecified sites ... {M F}	2201 1845	2254 1859	2157 1886	2239 1956	2168 1927	2329 2025	2310 2079	2381 2274	2466 2347	2469 2232	2546 2358
190	Malignant melanoma of skin... {M F}	574 467	648 479	583 479	610 489	555 437	574 465	558 438	71 102	93 131	112 137	115 178
191	Other malignant neoplasm of skin ... .. {M F}								447 351	461 343	376 281	369 298
192	Eye ... .. {M F}	37 36	51 38	41 39	44 35	48 44	45 43	49 48	60 41	60 62	58 54	49 60
193	Brain and other parts of nervous system ... .. {M F}	425 299	433 316	407 326	473 360	455 368	552 380	614 387	654 462	678 521	738 495	833 525
194	Thyroid gland... .. {M F}	84 213	69 201	82 212	82 225	67 223	89 231	76 231	82 254	73 241	94 257	104 260
195	Other endocrine glands ... .. {M F}	39 34	51 27	39 42	49 42	49 38	50 43	60 31	41 63	65 50	47 45	74 49
196	Bone (including jaw bone) ... {M F}	633 420	618 437	594 415	570 385	555 408	544 371	492 388	499 409	455 325	449 315	395 326
197	Connective tissues ... .. {M F}	* *	* *	* *	* *	* *	* *	* *	52 50	82 85	95 93	122 94
198	Secondary and unspecified malignant neoplasm of lymph nodes. {M F}	160 66	155 84	152 72	156 70	116 54	124 57	105 58	83 41	59 32	61 20	46 29
199	Other and unspecified sites ... {M F}	*249 *310	*229 *277	*259 *301	*255 *350	*323 *355	*351 *435	*356 *498	392 501	440 557	439 535	439 539
205	Neoplasms of lymphatic and hæmatopoietic tissues ... {M F}	1205 897	1269 932	1281 963	1379 1093	1526 1132	1525 1180	1645 1199	1892 1441	1950 1491	2124 1721	2309 1731
200	Lymphosarcoma and reticulosarcoma ... .. {M F}	¶251 ¶128	¶257 ¶144	¶237 ¶126	¶272 ¶163	¶279 ¶158	¶282 ¶157	¶276 ¶167	394 249	381 245	421 294	453 286
201	Hodgkin's disease ... .. {M F}	356 214	349 225	369 218	378 249	413 228	409 226	441 237	451 246	414 249	472 277	483 278
202	Other forms of lymphoma (reticulosis) ... .. {M F}	5 7	12 9	20 14	16 16	24 21	21 25	25 24	41 36	45 41	82 53	90 46
203	Multiple myeloma (plasmocytoma) ... {M F}	20 20	24 18	30 30	41 30	39 55	58 62	90 80	91 105	107 110	154 150	161 175
204	Leukæmia and aleukæmia ... {M F}	566 521	616 531	617 568	661 628	759 660	748 704	806 683	905 798	994 838	984 943	1102 941
	0. Lymphatic leukæmia ... {M F}								322 228	415 312	429 324	443 287
	1. Myeloid leukæmia ... {M F}								308 311	405 398	398 474	449 462
	2. Monocytic leukæmia ... {M F}								46 57	96 69	83 62	86 86
	3. Acute leukæmia, unspecified type... {M F}								133 114	43 35	45 48	91 73
	4. Other and unspecified leukæmia ... {M F}								96 88	35 24	29 35	33 33

174. Enquiries made from 1950 onwards.

199 includes 197 for these years.

200. Lymphosarcoma and reticulosarcoma of sites other than lymph glands, spleen and mediastinum are included in 140-199 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
205	Mycosis fungoides ... {M F	7 7	11 5	8 7	11 7	12 10	7 6	7 8	10 7	9 8	11 4	
<b>210-229</b>	<b>Benign neoplasm ... {M F</b>	<b>346 777</b>	<b>331 878</b>	<b>367 758</b>	<b>346 772</b>	<b>347 726</b>	<b>350 719</b>	<b>382 680</b>	<b>371 625</b>	<b>375 689</b>	<b>386 580</b>	
210	Buccal cavity and pharynx ... {M F	19 1	12 6	4 2	5 3	6 6	4 6	7 4	3 3	3 3	3 1	
211	Other parts of digestive system {M F	41 37	33 36	38 32	36 41	30 39	32 44	37 36	36 34	30 38	28 16	
212	Respiratory system ... {M F	17 12	15 12	19 10	12 15	17 18	14 17	30 17	25 10	16 11	9 4	
213	Breast ... {M F	1 3	— 3	— 2	— 2	— 1	— 2	1 —	— —	— —	— 1	
214	Uterine fibromyoma ... F	256	353	282	245	223	178	194	169	174	135	
215	Other benign neoplasm of uterus. F	36	41	22	24	27	16	24	17	16	14	
216	Ovary ... F	206	190	207	198	168	175	126	141	154	120	
217	Other female genital organs ... F	16	12	9	14	7	6	5	8	3	1	
218	Male genital organs ... M	2	1	2	1	1	3	1	4	—	1	
219	Kidney and other urinary organs {M F	146 54	139 39	155 49	150 44	136 51	100 50	123 46	120 28	118 44	121 35	
220	Benign melanoma of skin ... {M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	
221	Pilonidal cyst ... {M F	— —	— 1	— —	1 —	— —	1 —	1 —	— —	— 1	— —	
222	Other benign neoplasm of skin {M F	3 3	1 3	1 2	2 1	— —	— 2	— 2	3 2	— 2	1 —	
223	Brain and other parts of nervous system {M F	81 111	100 128	98 107	101 140	119 134	130 156	125 148	120 159	133 161	136 164	
224	Endocrine glands ... {M F	13 17	8 28	23 19	21 17	21 33	35 32	33 45	23 20	39 44	54 52	
225	Bone and cartilage ... {M F	5 12	6 10	9 2	8 6	3 2	8 8	7 10	11 7	13 11	6 14	
226	Lipoma ... {M F	1 1	2 2	2 1	— 5	1 4	— 4	— 2	2 4	2 6	3 1	
227	Other benign neoplasm of muscular and connective tissue {M F	— 1	— 1	4 1	1 2	— —	2 5	1 7	2 4	7 6	4 7	
228	Hæmangioma and lymph-angioma {M F	6 7	4 10	3 5	3 9	8 5	15 13	12 9	8 11	12 12	20 12	
229	Other and unspecified organs and tissues {M F	11 4	10 3	9 6	5 6	5 8	6 5	4 5	13 8	2 3	— 3	
<b>230-239</b>	<b>Neoplasm of unspecified nature {M F</b>	<b>558 474</b>	<b>517 462</b>	<b>486 465</b>	<b>528 525</b>	<b>578 497</b>	<b>537 446</b>	<b>552 455</b>	<b>557 421</b>	<b>491 449</b>	<b>513 408</b>	
230	Digestive organs ... {M F	36 58	42 36	49 46	32 54	42 56	25 37	24 47	27 31	27 40	30 41	
231	Respiratory organs ... {M F	86 28	69 24	54 18	71 14	55 23	53 17	45 9	35 8	47 19	42 18	
232	Breast ... {M F	— —	— 1	— —	— 1	— 1	— 1	— —	— 4	— —	— 2	
233	Uterus ... F	8	3	4	3	2	4	1	1	1	1	
234	Ovary ... F	9	3	3	5	7	2	4	4	5	1	
235	Other female genital organs ... F	1	—	1	5	3	3	—	1	—	1	
236	Other genito-urinary organs... {M F	19 5	18 13	10 12	12 14	11 7	16 6	9 8	11 2	7 7	8 7	
237	Brain and other parts of nervous system {M F	392 337	370 355	354 351	391 393	439 368	413 355	449 353	443 340	391 347	405 312	
238	Skin and musculo-skeletal system {M F	12 5	6 13	9 8	8 9	10 9	9 9	11 10	9 3	7 4	10 3	
239	Other and unspecified organs... {M F	13 23	12 14	10 22	14 27	21 21	21 12	14 23	32 27	12 26	18 22	



TABLE 7—continued.

International No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
10-289	III.—ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES {M F}	3391 5371	3457 5419	3195 4941	3363 5109	3248 4899	3227 5060	2780 4559	3112 4805	3223 5062	3492 5379	2937 4585
10-245	Allergic disorders ... {M F}	1311 1139	1536 1349	1434 1198	1581 1323	1624 1317	1670 1430	1417 1264	1683 1426	1625 1465	1851 1719	1412 1239
240	Hay fever ... {M F}	1311 1139	1536 1349	1434 1198	1581 1323	1624 1317	1670 1430	1417 1264	—	—	2	1
241	Asthma ... {M F}								—	—	—	—
242	Angioneurotic oedema ... {M F}								2	2	3	2
243	Urticaria ... {M F}	†	†	†	†	†	†	†	—	2	4	3
244	Allergic eczema ... {M F}	‡	‡	‡	‡	‡	‡	‡	1	—	—	—
245	Other allergic disorders ... {M F}	—	—	—	—	—	—	—	—	1	—	—
50-254	Diseases of thyroid gland ... {M F}	157 1064	138 984	101 830	134 816	113 857	127 915	102 767	117 761	117 804	121 783	104 679
250	Simple goitre ... {M F}	11 90	11 70	5 66	15 61	15 66	15 65	16 59	10 40	15 31	5 29	9 18
251	Nontoxic nodular goitre ... {M F}	90	70	66	61	66	65	59	6 32	8 50	6 34	4 38
252	Thyrotoxicosis with or without goitre... {M F}	113 766	107 725	84 583	90 572	75 600	75 626	65 559	77 512	61 502	81 478	61 397
253	Myxœdema and cretinism ... {M F}	27 195	18 170	11 161	23 174	21 177	33 205	17 132	20 158	28 208	25 227	27 213
254	Other diseases of thyroid gland {M F}	6 13	2 19	1 20	6 9	2 14	4 19	4 17	4 19	5 13	4 15	3 13
260	Diabetes mellitus ... {M F}	*1626 *2796	*1519 *2777	*1407 *2643	*1364 *2662	*1257 *2437	*1164 *2364	*1048 *2204	1100 2338	1221 2463	1219 2484	1091 2247
70-277	Diseases of other endocrine glands ... {M F}	165 255	151 203	133 167	146 190	131 166	134 220	111 181	121 169	140 183	158 226	138 211
270	Dis'orders of pancr: int: secretion other than diabetes mell: {M F}	*	*	*	*	*	*	*	2 4	3 —	8 3	3 3
271	Diseases of parathyroid gland {M F}	1 5	1 3	1 1	1 4	1 5	2 6	2 10	— 6	4 2	— 5	4 3
272	Diseases of pituitary gland ... {M F}	17 29	24 40	13 31	25 39	13 32	15 45	23 40	29 36	37 55	41 71	39 64
273	Diseases of thymus gland ... {M F}	64 54	66 45	63 27	51 31	51 27	47 33	36 28	23 7	20 12	30 13	18 7
274	Diseases of adrenal glands ... {M F}	77 161	59 115	56 103	66 110	66 95	69 132	48 102	63 102	63 93	58 107	52 106
275	Ovarian dysfunction ... F	††	††	††	††	††	††	††	—	—	—	—
276	Testicular dysfunction ... M	††	††	††	††	††	††	††	—	1	—	—
277	Polyglandular dysfunction and other dis: of endocrine glands {M F}	6 6	1 —	— 5	3 6	— 7	1 4	2 1	4 14	12 21	21 27	22 28
0-289	Avitaminoses, and other metabolic diseases ... {M F}	132 117	113 106	120 103	138 118	123 122	132 131	102 143	91 111	120 147	143 167	192 209
280	Beriberi ... {M F}	2 1	3 1	1 1	1 2	— —	1 —	1 3	1 2	2 2	3 —	— —
281	Pellagra... {M F}	6 4	5 2	— 7	2 4	1 2	2 1	1 3	— 2	2 —	— 2	1 3
282	Scurvy ... {M F}	6 7	8 9	3 5	2 3	5 2	5 4	3 3	6 1	8 2	2 1	2 2
283	Active rickets ... {M F}	20 17	18 13	29 5	20 7	10 6	5 11	2 5	3 4	— 5	1 3	2 1
284	Late effects of rickets ... {M F}								—	1	2	4 1

242. Included in 517 and 716 for these years.

243, 244. Included in 716 for these years.

260 includes 270 and 789.6 (Glycosuria) for these years.

275. Included in 625 for these years.

276. Included in 617 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
285	Osteomalacia ... {M F	\$2 \$14	\$2 \$7	\$5 \$13	\$4 \$8	\$3 \$8	\$5 \$9	\$7 \$12	4 10	— —	2 3	
286	Other avitaminoses and nut- {M ritional deficiency states ... {F	43 36	40 38	27 40	48 47	39 57	40 31	26 43	27 30	37 31	46 43	64 61
287	Obesity, not specified as of en- {M docrine origin ... {F	3 12	4 18	6 15	9 29	14 23	11 51	18 48	4 24	15 60	30 79	34 76
288	Gout ... {M F	41 4	25 7	30 5	34 3	23 6	34 5	21 4	14 4	11 7	23 2	21 2
289	Other metabolic diseases ... {M F	9 22	8 11	19 12	18 15	28 18	29 19	23 22	32 34	45 39	34 34	63 56
290-299	IV.—DISEASES OF THE {M BLOOD AND BLOOD- {F FORMING ORGANS	1337 2032	1245 1946	1131 1797	1243 2016	908 1646	1015 1614	892 1426	870 1475	803 1521	843 1466	819 1367
290	Pernicious and other hyper- {M chromic anæmias ... {F	874 1458	799 1345	731 1203	824 1391	530 1020	569 1004	469 816	441 844	412 836	380 783	322 661
	0. Pernicious anæmia ... {M F								409 780	346 751	333 703	282 584
	1. Subacute combined degen- {M eration of spinal cord ... {F	862 1440	786 1330	724 1183	808 1377	518 1007	557 988	454 798	25 43	43 58	32 53	33 48
	2. Other hyperchromic {M anæmias ... {F	12 18	13 15	7 20	16 14	12 13	12 16	15 18	7 21	23 27	15 27	7 29
291	Iron deficiency anæmias {M (hypochromic anæmias) ... {F	13 56	24 50	13 59	25 85	25 75	27 85	27 99	35 90	48 137	41 160	61 147
292	Other anæmias of specified type {M F	145 150	116 166	116 151	114 183	111 166	156 182	160 176	140 185	131 208	153 182	187 232
	4. Aplastic anæmia ... {M F	103 121	84 121	80 120	82 144	85 117	116 131	121 115	103 121	100 140	111 126	137 175
	0-3, 5-7. Other ... {M F	42 29	32 45	36 31	32 39	26 49	40 51	39 61	37 64	31 68	42 56	44 57
293	Anæmia of unspecified type ... {M F	37 94	42 112	39 94	38 81	37 90	35 78	31 69	55 110	43 106	61 78	39 108
294	Polycythæmia ... {M F	26 15	25 15	28 21	22 15	27 26	33 26	19 16	27 24	22 32	31 28	33 22
295	Hæmophilia ... {M F	28 —	31 1	33 1	25 —	22 —	31 —	17 —	18 —	14 —	23 —	19 —
296	Purpura and other hæmorr- {M hagic conditions ... {F	98 111	83 90	78 114	81 97	63 89	60 111	77 93	62 73	56 72	70 100	74 88
297	Agranulocytosis ... {M F	21 29	14 26	16 21	19 25	10 15	18 8	11 22	11 26	9 28	24 29	17 20
298	Diseases of spleen ... {M F	94 118	109 140	76 131	95 139	82 163	84 120	78 135	79 120	62 96	55 103	64 77
299	Other diseases of blood and {M blood-forming organs ... {F	1 1	2 1	1 2	— —	1 2	2 —	3 —	2 3	6 6	5 3	
300-326	V.—MENTAL, PSYCHO- {M NEUROTIC & PERSON- {F ALITY DISORDERS	698 958	614 869	651 939	545 908	543 799	527 862	465 695	451 710	479 797	521 815	477 677
300-309	Psychoses ... {M F	543 847	463 744	485 803	400 778	374 674	363 702	312 548	329 553	314 645	372 641	344 527
300	Schizophrenic disorders (de- {M mentia præcox) ... {F	64 48	47 33	37 33	41 28	30 47	48 44	20 32	27 33	27 41	35 44	38 33
301	Manic-depressive reaction ... {M F								48 80	39 83	30 62	23 53
302	Involitional melancholia ... {M F	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	‡ ‡	1 10	2 1	2 6	
303	Paranoia and paranoid states... {M F								1 2	2 1	2 3	
304	Senile psychosis ... {M F								214 379	202 453	261 458	227 389
305	Presenile psychosis ... {M F	312 527	292 504	302 533	224 515	235 424	207 439	192 338	14 19	25 29	21 33	30 21
307	Alcoholic psychosis ... {M F	9 4	7 1	6 2	5 2	4 1	2 3	4 2	2 —	5 1	5 3	
309	Other and unspecified psy- {M choses ... {F	‡158 ‡268	‡117 ‡206	‡140 ‡235	‡130 ‡233	‡105 ‡202	‡106 ‡216	‡96 ‡176	22 30	12 36	16 32	23 21

§ 285 includes osteoporosis from 733 for these years.

‡ 309 includes 301-303 and 310-321 for these years.



TABLE 7—continued.

International No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
0-318	Psychoneurotic disorders ... {M F}								13 34	15 52	15 52	15 37
310	Anxiety reaction without {M mention of somatic symp- toms ... {F}								1 1	— 3	— 1	3 1
311	Hysterical reaction without {M mention of anxiety reaction {F}								3 21	6 31	6 39	7 26
312	Phobic reaction ... {M F}								— —	— —	— —	— —
313	Obsessive-compulsive reaction {M F}								1 3	2 1	— —	— 3
314	Neurotic-depressive reaction... {M F}	†	†	†	†	†	†	†	— 2	— —	— 3	— 3
315	Psychoneurosis with somatic {M symptoms (somatization re- action) affecting circ: system. {F}								— —	1 2	— —	— 1
316	Psychoneurosis with somatic {M symptoms (somatization re- action) affecting dig: system. {F}								1 2	2 2	2 1	— 1
317	Psychoneurosis with somatic {M symptoms (somatization re- actions) afft: other systems. {F}								1 —	1 1	3 1	1 —
318	Psychoneurotic disorders, {M others mixed and unspec'd: {F}								6 5	3 12	4 7	4 2
0-326	Disorders of character, be- {M haviour, and intelligence ... {F}	155 111	151 125	166 136	145 130	169 125	164 160	153 147	109 123	150 100	134 122	117 111
320	Pathological personality ... {M F}								— —	1 —	— —	— 1
321	Immature personality... {M F}	†	†	†	†	†	†	†	— —	— —	— —	— —
322	Alcoholism ... {M F}								24 24	33 16	33 18	21 23
	0. Acute ... {M F}								8 3	6 2	5 —	3 2
	1. Chronic ... {M F}	40 14	41 13	36 12	30 10	35 9	38 16	28 12	11 21	20 12	23 15	16 19
	2. Unspecified ... {M F}								5 —	7 2	5 3	2 2
323	Other drug addiction... {M F}	— 1	2 —	2 —	2 1	2 1	4 4	4 5	3 1	1 1	2 11	10 4
324	Primary childhood behaviour {M disorders ... {F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
325	Mental deficiency ... {M F}								82 98	115 83	99 93	86 83
326	Other and unspec: character, {M behaviour, and intelligence {F}	115 96	108 112	128 124	113 119	132 115	122 140	121 130	— —	— —	— —	— —
0-398	VI.—DISEASES OF THE {M NERVOUS SYSTEM & {F SENSE ORGANS ...	24931 31117	24864 31647	25804 32568	26200 33413	26734 34942	28703 37270	25787 34597	28371 37917	30402 40707	32024 42617	31958 43067
0-334	Vascular lesions affecting {M central nervous system ... {F}	21139 27473	21069 28085	22102 29037	22671 29886	23249 31640	25178 33786	22912 31613	25270 34781	27175 37528	29003 39443	29158 40230
330	Subarachnoid hæmorrhage ... {M F}								536 780	670 1006	831 1231	1014 1633
331	Cerebral hæmorrhage ... {M F}	12815 17167	12814 17712	13432 18073	13638 18391	13861 19449	14326 20000	12935 18611	13289 18983	13642 19587	13752 19507	13122 18784
332	Cerebral embolism and throm- {M bosis ... {F}	*7127 *9016	*7061 *9003	*7409 *9615	*7793 *10107	*8093 *10712	*9454 *12234	*8703 *11562	10061 13398	11510 15331	12682 16520	13072 17413
333	Spasm of cerebral arteries ... {M F}								— 2	2 —	1 1	2 —
334	Other and ill-defined vascular {M lesions affecting central ner- vous system {F}	1197 1290	1194 1370	1261 1349	1240 1388	1295 1479	1398 1552	1274 1440	1384 1618	1351 1604	1737 2184	1948 2400
0-345	Inflammatory diseases of central {M nervous system ... {F}	1040 1037	982 939	978 949	902 943	885 769	851 885	707 753	801 770	781 781	754 869	668 735

{ 310-318 } See 309.

\* 332 includes 341 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1
340	Meningitis, except meningo- coccal and tuberculous ... {M F}								276 204	236 172	227 168	
	0. H. influenzae ... {M F}								38 27	27 22	27 15	
	1. Pneumococcus ... {M F}	††386 ††329	††365 ††287	††379 ††271	††316 ††255	††298 ††180	††306 ††232	††249 ††172	106 87	101 66	115 68	
	2. Due to other specified organism... {M F}								35 22	35 23	30 29	
	3. Unspecified cause ... {M F}								97 68	73 61	55 56	
341	Phlebitis and thrombophlebitis of intercranial venous sinuses {M F}	**	**	**	**	**	**	**	5 2	14 19	12 6	
342	Intracranial and intraspinal abscess ... {M F}	81 55	76 48	91 58	84 48	80 38	76 43	79 37	77 38	81 37	63 38	
343	Encephalitis, myelitis, and en- cephalomyelitis (except acute infectious). {M F}	140 129	138 119	114 130	114 129	120 91	108 112	82 102	100 103	106 75	78 72	
344	Late effects of intracranial ab- scess or pyogenic infection... {M F}	24 20	24 16	23 16	25 14	25 14	28 20	20 15	24 19	20 21	22 27	
345	Multiple sclerosis ... {M F}	409 504	379 469	371 474	363 497	362 446	333 478	277 427	319 404	324 457	352 558	
350-357	Other diseases of central nervous system ... {M F}	2111 2155	2081 2114	2046 2085	2020 2134	2037 2104	2056 2177	1723 1680	1879 2074	2055 2138	1915 2075	
350	Paralysis agitans ... {M F}	553 569	585 586	600 642	643 739	623 688	629 739	509 688	614 803	633 813	711 896	
351	Cerebral spastic infantile paralysis ... {M F}	63 44	61 47	59 35	51 40	52 44	66 46	40 39	53 33	60 47	71 54	
352	Other cerebral paralysis ... {M F}	285 415	272 467	287 427	265 407	269 419	260 416	251 383	269 420	430 475	231 369	
353	Epilepsy ... {M F}	795 761	746 624	658 647	628 597	659 580	654 578	511 460	483 440	472 443	467 436	
354	Migraine ... {M F}								2 —	1 —	— —	
355	Other diseases of brain ... {M F}	95 133	96 116	85 100	80 114	90 123	94 118	65 90	87 102	82 110	85 94	
356	Motor neurone disease and muscular atrophy ... {M F}								335 251	315 217	300 189	
	0. Progressive muscular atrophy ... {M F}								254 184	211 157	214 137	
	1. Amyotrophic lateral sclerosis ... {M F}	274 209	280 238	313 207	315 211	316 221	304 246	324 190	64 50	82 45	59 39	
	2., 3. Other ... {M F}								17 17	22 15	27 13	
357	Other diseases of spinal cord... {M F}	46 24	41 36	44 27	38 26	28 29	49 34	23 30	36 25	62 33	50 37	
360-369	Diseases of nerves and peri- pheral ganglia ... {M F}	72 57	68 82	60 54	65 62	67 70	118 88	78 71	91 81	83 68	80 48	
360	Facial paralysis ... {M F}								— 4	— —	— —	
361	Trigeminal neuralgia ... {M F}								4 4	1 8	4 2	
362	Brachial neuritis ... {M F}	†44 †35	†48 †53	†32 †32	†41 †38	†48 †41	†60 †43	†34 †44	— —	— —	— —	
363	Sciatica ... {M F}								2 6	— 1	4 5	
364	Polyneuritis and polyradiculitis {M F}								42 22	33 23	30 13	
365	Erythrœdema polyneuritica ... {M F}	28 22	20 29	28 22	24 24	19 29	58 45	44 27	36 30	34 23	34 19	

†† 340. See 480-483.

\*\* 341. See 332.

† 360-364 includes 366-369 for these years.



TABLE 7—continued.

Personal No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
366	Other and unspecified forms of {M neuralgia and neuritis ... {F								6 12	15 10	7 7	13 6
367	Other diseases of cranial nerves {M ... {F	‡	‡	‡	‡	‡	‡	‡	— 1	— 2	— 1	— 1
368	Other diseases of peripheral {M nerves except autonomic ... {F								— 1	— 1	— 2	— 1
369	Diseases of peripheral auto- {M nomic nervous system ... {F								1 1	— —	— —	— —
369	Inflammatory diseases of eye ... {M ... {F	10 12	15 10	20 17	8 5	12 11	7 8	5 7	10 16	5 8	8 9	7 5
370	Conjunctivitis and ophthalmia {M ... {F	— 1	— 3	— 3	— —	— 1	— —	— 1	2 2	— —	— 1	2 —
371	Blepharitis ... {M ... {F	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— 1	— —
372	Hordeolum (stye) ... {M ... {F	— 1	— —	— 1	— 1	— 1	— 2	— 1	— —	— 2	— —	— 2
373	Iritis ... {M ... {F	— —	— 1	— 1	— —	— —	— —	— —	— 1	— 1	— 1	— —
374	Keratitis ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— 1	— —
375	Choroiditis ... {M ... {F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— 2	— —
376	Other inflammation of uveal {M tract ... {F	— 3	— 2	— 3	— 1	— 3	— 2	— 1	4 1	— 2	— 1	— 2
377	Inflammation of optic nerve {M and retina ... {F	— —	— 1	— 1	— —	— 1	— —	— —	— 1	— 1	— 1	— 1
378	Inflammation of lachrymal {M glands and ducts ... {F	— 1	— 1	— 1	— 2	— 1	— —	— 1	— 3	— 1	— 1	— 1
379	Other inflammatory diseases of {M eye ... {F	9 5	8 7	12 11	5 2	6 7	4 6	3 5	2 7	3 2	2 3	2 1
389	Other diseases and conditions of {M eye ... {F	12 26	8 18	10 21	9 18	9 26	7 18	13 20	9 14	14 16	7 18	9 30
380	Refractive errors ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
381	Corneal ulcer ... {M ... {F	— 2	— —	— 1	— —	— 2	— 1	— —	— 2	— 2	— 1	— 1
382	Corneal opacity ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
383	Pterygium ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
384	Strabismus ... {M ... {F	— 1	— 1	— 1	— 2	— 2	— 3	— 2	— 1	— 2	— 1	— 2
385	Cataract ... {M ... {F	5 10	1 6	2 2	4 8	3 10	2 12	5 9	1 8	6 10	2 13	3 16
386	Detachment of retina ... {M ... {F	— —	— 1	— —	— —	— —	— 1	— 1	— —	— 1	— 1	— 1
387	Glaucoma ... {M ... {F	3 10	3 10	6 14	1 5	2 10	1 1	4 9	2 5	3 4	3 1	— 9
388	Other diseases of eye ... {M ... {F	3 3	2 1	1 2	1 2	2 2	1 2	3 —	1 1	— —	— 1	— 1
389	Blindness ... {M ... {F	— 1	— —	— 2	— 1	— 1	— —	— 1	— 2	— —	— 1	— 2
398	Diseases of ear and mastoid {M process ... {F	547 357	641 399	588 405	525 365	475 322	486 308	349 253	311 181	289 168	257 155	219 118
390	Otitis externa ... {M ... {F								— —	— 1	— —	— 1
391	Otitis media without mention {M of mastoiditis ... {F	*295 *193	*359 *245	*325 *199	*289 *192	*287 *185	*273 *183	*234 *181	229 129	207 122	186 124	156 93
392	Otitis media with mastoiditis... {M ... {F								18 8	15 15	21 4	20 6
393	Mastoiditis without mention of {M otitis media ... {F	252 164	282 154	263 206	236 173	188 137	213 125	115 72	56 42	60 28	41 23	36 16

366-369. See 360-364.

\* 390, 391 includes 394-398 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
394	Other inflammatory diseases of ear ... {M F}								2	1	1	1
395	Ménière's disease ... {M F}								2	1	1	—
396	Other diseases of ear and mastoid process ... {M F}	*	*	*	*	*	*	*	4 2	5 1	7 1	—
397	Deaf mutism ... {M F}								—	—	—	—
398	Other deafness... {M F}								—	—	—	—
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM {M F}	67055 68255	68528 71378	71691 72060	72827 75350	76715 78470	84729 83808	79023 78816	89013 91608	92677 93883	97891 99342	9255 9039
400-402	Rheumatic fever ... {M F}	380 513	406 623	446 556	416 521	360 415	350 427	363 449	312 391	259 310	164 214	14 18
400	Rheum: fever without mention of heart involvement ... {M F}	35 27	31 45	40 32	31 29	20 19	23 14	33 26	24 23	21 15	5 11	—
401	Rheumatic fever with heart involvement ... {M F}	332 457	362 542	394 499	376 460	326 366	318 391	324 405	284 355	227 259	150 169	12 14
	0. Active rheumatic pericarditis ... {M F}	60 41	56 45	62 60	65 51	67 39	52 42	65 44	60 39	36 38	35 28	3 3
	1. Acute rheumatic endocarditis ... {M F}	84 116	107 153	116 134	105 113	77 86	85 96	84 100	67 80	42 46	41 43	3 4
	2. Active rheumatic myocarditis ... {M F}	33 45	29 56	31 37	31 47	26 33	25 43	21 39	11 26	10 15	5 9	1 —
	3. Active rheum: fever with other and multiple types of heart involvement. {M F}	155 255	170 288	185 268	175 249	156 208	156 210	154 222	146 210	139 160	69 89	4 5
402	Chorea ... {M F}								4 13	11 36	9 34	— 2
	0. Without mention of heart involvement ... {M F}	13 29	13 36	12 25	9 32	14 30	9 22	6 18	1 7	3 17	6 31	— 2
	1. With heart involvement... {M F}								3 6	8 19	3 3	—
410-416	Chronic rheumatic heart disease {M F}	4233 6226	3929 6320	4207 6260	4041 6214	3868 5989	3991 6025	3680 5745	3733 6075	4251 6940	4076 6777	346 563
410	Diseases of mitral valve ... {M F}	3164 4785	2974 4953	3160 4930	3016 4874	2757 4677	2944 4748	2679 4488	2726 4815	2843 5083	2736 4955	238 437
411	Diseases of aortic valve specified as rheumatic ... {M F}	182 116	176 109	187 112	191 118	203 105	189 103	182 108	198 114	272 109	290 133	30 12
412	Diseases of tricuspid valve ... {M F}								6 4	3 5	3 4	—
413	Diseases of pulmonary valve specified as rheumatic ... {M F}	389 654	381 618	410 631	417 666	436 591	409 578	394 599	— —	2 —	— 2	— —
414	Other endocarditis specified as rheumatic† ... {M F}								419 629	650 1049	555 907	3 49
415	Other myocarditis specified as rheumatic ... {M F}	350 476	258 456	302 409	267 385	298 413	251 356	217 299	174 256	192 281	147 259	12 17
416	Other heart disease specified as rheumatic ... {M F}	148 195	140 184	148 178	150 171	174 203	198 240	208 251	210 257	289 413	345 517	33 46
420-422	Arteriosclerotic and degenerative heart disease ... {M F}	49006 47947	50719 50435	53173 51207	54536 54025	57697 56401	64058 60421	59669 56413	67769 66014	69142 65786	72950 69778	6980 6341
420	Arteriosclerotic heart disease, incl: coronary disease ... {M F}	14275 7819	15579 8510	17237 9172	18661 10126	21019 11468	24409 12984	25740 14590	29902 17226	34708 20047	36965 21344	3899 2243
	0. Arteriosclerotic heart disease, so described... {M F}								99 74	93 104	164 164	17 15
	1. Heart dis: spec'd: as involving coronary arteries {M F}	12676 7059	13993 7770	15606 8350	17070 9359	19513 10719	22993 12278	24506 13913	28574 16462	33611 19378	35955 20678	3816 2188
	2. Angina pectoris without mention of coronary dis: {M F}	1599 760	1586 740	1631 822	1591 767	1506 749	1416 706	1234 677	1229 690	1004 565	846 502	66 38
421	Chronic endocarditis not specified as rheumatic ... {M F}	3419 3355	3296 3215	3237 3200	2988 2996	2786 2704	2584 2520	2169 2160	2313 2142	1520 1215	1298 1023	150 138

\* 394-398. See 390, 391.

† 414. See note to title of 421.4



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
	0. Of mitral valve, specified as non-rheumatic ... {M ... {F	\$	\$	\$	\$	\$	\$	\$	6 7	30 25	14 22	77 87
	1. Of aortic valve, not specified as rheumatic ... {M ... {F	1256 673	1213 647	1133 617	1078 561	1043 573	1027 533	891 526	1028 555	979 590	929 557	914 527
	2. Of tricuspid valve, spec'd: as non-rheumatic... {M ... {F								—	3	3	—
	3. Of pulmonary valve, not specified as rheumatic ... {M ... {F	\$2163 \$2682	\$2083 \$2568	\$2104 \$2583	\$1910 \$2435	\$1743 \$2131	\$1557 \$1987	\$1278 \$1634	1	—	3 2	1 3
	4. Other and ill-defined, not specified as rheumatic† ... {M ... {F								1278 1580	508 600	349 440	514 766
422	Other myocardial degeneration {M ... {F	31312 36773	31844 38710	32699 38835	32887 40903	33892 42229	37065 44917	31760 39663	35554 46646	32914 44524	34687 47411	29306 39600
	0. Fatty degeneration ... {M ... {F	390 674	370 609	386 558	306 522	296 486	291 433	226 373	225 470	215 386	207 308	120 230
	1. With arteriosclerosis ... {M ... {F	8367 8763	8552 9114	9033 9550	9461 10427	10293 11493	11721 12836	10626 11954	12030 14545	12271 15097	13324 16670	11720 14685
	2. Other ... {M ... {F	22555 27336	22922 28987	23280 28727	23120 29954	23303 30250	25053 31648	20908 27336	23299 31631	20428 29041	21156 30433	17466 24685
430-434	Other diseases of heart ... {M ... {F	2693 3171	2534 3046	2400 2920	2293 2906	2230 2863	2327 2899	2041 2668	2443 2974	2592 3068	3346 3749	3270 3673
430	Acute and subacute endo- carditis ... {M ... {F	452 518	463 494	398 440	346 323	293 277	312 250	291 222	255 215	232 167	212 158	182 133
431	Acute myocarditis not specified as rheumatic ... {M ... {F	99 75	87 110	73 87	96 94	87 104	102 130	104 110	96 128	107 96	98 103	77 77
432	Acute pericarditis specified as non-rheumatic ... {M ... {F	14 20	12 22	14 28	17 17	15 20	14 23	16 23	19 25	18 12	15 5	11 18
433	Functional disease of heart ... {M ... {F	1004 1530	979 1467	947 1473	885 1566	1031 1663	1101 1690	982 1588	1130 1733	979 1631	1201 1874	1133 1755
434	Other and unspecified diseases of heart* ... {M ... {F	1124 1028	993 953	968 892	949 906	804 799	798 806	648 725	943 873	1256 1162	1820 1609	1867 1690
440-447	Hypertensive disease* ... {M ... {F	5305 5079	5521 5425	5730 5616	5869 5852	6486 6436	7361 7338	7151 7241	8011 8746	9423 10234	10024 10921	9006 9970
440	Essential benign hypertension with heart disease* ... {M ... {F								9 13	125 138	127 123	82 86
441	Essential malignant hypertension with heart disease*... {M ... {F								32 32	142 118	174 129	93 64
442	Hypertensive heart dis: with arteriolar nephrosclerosis*... {M ... {F	297 301	284 298	276 296	280 301	304 312	317 331	281 282	282 305	255 310	328 366	162 196
443	Other and unspecified hypertensive heart disease* ... {M ... {F	**2400 **2371	**2522 **2524	**2669 **2649	**2766 **2838	**3045 **3150	**3511 **3591	**3360 **3510	3843 4310	6856 7670	7390 8303	4744 5567
444	Essential benign hypertension without mention of heart*... {M ... {F								2021 2290	692 831	721 822	2108 2308
445	Essential malignant hypertension without mention of heart*. {M ... {F	†1932 †1776	†2072 †1978	†2164 †2051	†2191 †2083	†2450 †2324	†2819 †2724	†2877 †2861	310 223	283 171	262 186	349 215
446	Hypertension with arteriolar nephrosclerosis without mention of heart*. {M ... {F	676 631	643 625	621 620	632 630	687 650	714 692	633 588	629 638	626 571	576 546	536 516
447	Other hypertensive disease without mention of heart*... {M ... {F	†	†	†	†	†	†	†	885 935	444 425	446 446	932 1018
450-456	Diseases of arteries ... {M ... {F	5064 4714	4992 4867	5234 4842	5228 5116	5565 5549	6122 5888	5550 5455	6040 6360	6208 6368	6545 6819	6103 6346
450	General arteriosclerosis ... {M ... {F								5325 5617	5701 5891	6038 6366	5320 5701
	0. Without mention of gangrene† ... {M ... {F	4426 4057	4436 4219	4607 4181	4582 4505	4922 4925	5463 5216	4870 4785	4794 5209	5062 5357	5343 5799	4708 5194
	1. With gangrene ... {M ... {F								531 408	639 534	695 567	612 507
451	Aortic aneurysm spec'd: as non-syph., and dissecting aneurysm. {M ... {F								173 189	212 204	234 231	550 456
452	Other aneurysm, except of heart and aorta* ... {M ... {F	265 321	259 316	263 328	264 276	294 328	321 330	340 351	182 214	85 100	33 29	28 28

§ 421.2-421.4 includes 421.0 for these years.

† 421.4. From 1950, inquiry was made at all ages (instead of at ages under 45 only) regarding endocarditis and valvular disease of unspecified cause, with the result that considerable numbers were assigned to 414 and some to 450.0.

† 444, 445 includes 447 for these years. \*\* 443 includes 440, 441 for these years. ¶ 450.0 See note to title of 421.4

\* 434, 440-447, 452. See note ii at head of table. Certain changes in coding practice were also introduced at the beginning of 1952 which resulted in a transfer of deaths in that year from codes (440-443) to codes (444-447).



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
453	Peripheral vascular disease ... {M F	38 26	31 23	46 17	45 24	43 21	48 20	43 20	60 26	52 26	73 23	71 26
	0. Raynaud's disease ... {M F	5 17	3 15	7 10	5 13	8 12	4 10	3 7	4 10	6 12	4 13	5 9
	1. Thrombo-angiitis obliterans ... {M F	33 9	28 8	39 7	40 11	35 9	44 10	40 13	55 14	41 10	52 6	51 11
	2., 3. Other ... {M F								1 2	5 4	17 4	15 6
454	Arterial embolism and throm- bosis ... {M F	13 18	11 20	16 19	23 25	20 19	23 26	15 26	18 34	38 42	51 57	31 23
455	Gangrene of unspecified cause* {M F	296 252	234 249	279 249	278 240	266 210	239 252	244 213	206 203	47 40	27 38	17 20
456	Other diseases of arteries ... {M F	26 40	21 40	23 48	36 46	20 46	28 44	38 60	76 77	73 65	89 75	86 92
460-468	Diseases of veins and other dis- eases of circulatory system... {M F	374 605	427 662	501 659	444 716	509 817	520 810	569 845	705 1048	802 1177	786 1084	755 1166
460	Varicose veins of lower ex- tremities ... {M F	101 231	122 251	116 244	128 251	110 245	88 249	88 229	73 212	83 235	79 225	74 218
461	Hæmorrhoids ... {M F								15 16	21 13	13 10	21 10
462	Varicose veins of other speci- fied sites ... {M F								23 23	17 19	27 14	18 21
463	Phlebitis and thrombophlebitis of lower extremities* ... {M F	** 160	** 288	** 217	** 224	** 224	** 224	** 224	87 160	147 288	119 217	138 224
464	Phlebitis and thrombophlebitis of other sites* ... {M F	** 81	** 24	** 21	** 17	** 17	** 17	** 17	55 81	14 24	23 21	10 17
465	Pulmonary embolism and in- farction ... {M F	107 121	112 130	166 131	123 143	176 205	223 215	228 234	284 312	308 333	335 324	316 360
466	Other venous embolism and thrombosis ... {M F	**120 **213	**145 **232	**177 **239	**159 **294	**186 **331	**182 **311	**218 **352	142 209	163 227	144 239	150 284
467	Other diseases of circulatory system ... {M F	12 10	11 14	11 15	12 8	10 12	4 10	18 9	12 18	36 31	39 29	21 26
468	Certain diseases of lymph nodes and lymph channels... {M F	††34 ††30	††37 ††35	††31 ††30	††22 ††20	††27 ††24	††23 ††25	††17 ††21	14 17	13 7	7 5	7 6
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM {M F	31019 22496	38777 32553	31206 22132	31564 22942	31642 23951	34798 24746	27928 18281	33823 25598	31781 22715	45234 35320	31530 20672
470-475	Acute upper respiratory in- fections ... {M F	155 109	142 101	132 101	113 81	96 68	94 60	82 56	102 75	127 146	124 137	81 81
470	Acute nasopharyngitis (common cold) ... {M F	15 7	13 8	13 9	11 7	10 6	9 6	6 6	6 7	22 47	33 48	10 15
471	Acute sinusitis... {M F	16 4	15 6	13 5	11 4	9 4	10 4	8 4	8 3	4 6	1 4	1 4
472	Acute pharyngitis ... {M F	22 21	21 16	20 18	17 14	20 11	15 11	10 6	9 10	14 14	14 9	7 11
473	Acute tonsillitis ... {M F	86 67	78 58	73 57	63 45	48 38	50 31	50 30	32 30	35 32	22 29	21 27
474	Acute laryngitis and tracheitis {M F	§ 18	§ 23	§ 23	§ 23	§ 23	§ 23	§ 23	39 18	28 23	32 23	29 12
475	Acute upper resp: infection of multiple or unspecified sites {M F	16 10	15 13	13 12	11 11	9 9	10 8	8 10	8 7	24 24	22 24	13 12
480-483	Influenza ... {M F	§§1798 §§1584	§§5867 §§6709	§§2018 §§1858	§§1390 §§1279	§§2460 §§2812	§§1700 §§1603	§§674 §§564	2630 2962	1862 2040	7393 8416	879 871
480	Influenza with pneumonia ... {M F	§§781 §§598	§§2754 §§2793	§§915 §§756	§§633 §§483	§§1161 §§1241	§§788 §§654	§§313 §§234	1209 1282	941 922	3708 4046	449 429
481	'Flu: with other resp: manifes- tations, and 'flu: unqualified {M F	§§1017 §§986	§§3113 §§3916	§§1103 §§1102	§§757 §§796	§§1299 §§1571	§§912 §§949	§§361 §§330	1387 1634	882 1071	3638 4310	404 417
	A. Without mention of re- spiratory complications {M F								? ?	479 632	1550 2088	212 230
	B. With mention of respir- atory complications ... {M F								? ?	403 439	2088 2222	192 187
482	'Flu: with digestive manifesta- tions, but without resp: {M F	24 38	30 41	41 49	16 22	10 3	10 3	8 10	8 7	24 38	30 41	41 49
483	'Flu: with nerv: manifestns, but without dig: or resp: {M F											

\*\* 466 includes 463, 464 for these years.

†† 468 includes 694, and 782.7 (enlargement of lymph node) for these years

§ 474. See 500.

§§ 480-483 includes 340.0 for these years.

\* 455, 463, 464. See note ii at head of table.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
<b>490-493</b>	<b>Pneumonia † ... {M F}</b>	<b>11196 8748</b>	<b>12950 10925</b>	<b>10774 8315</b>	<b>10501 8551</b>	<b>10326 8806</b>	<b>11734 9799</b>	<b>9265 7618</b>	<b>10496 9636</b>	<b>9075 8498</b>	<b>11596 10900</b>	<b>9782 8826</b>
490	Lobar pneumonia † ... {M F}	3582 2245	3773 2651	3257 2005	2892 1946	2815 1949	2884 1973	2429 1545	2399 1773	2229 1587	2382 1697	2171 1443
491	Bronchopneumonia † ... {M F}	6447 5732	7917 7280	6438 5475	6680 5853	6588 6147	7928 7146	6111 5503	7255 7135	6139 6345	8321 8459	6889 6723
492	Primary atypical pneumonia † {M F}	1167 771	1260 994	1079 835	929 752	923 710	922 680	725 570	19 9	55 37	86 58	76 45
493	Pneumonia, other and un- specified † ... {M F}								823 719	652 529	807 686	646 615
<b>500-502</b>	<b>Bronchitis ... {M F}</b>	<b>*15243 *10614</b>	<b>*17031 *13245</b>	<b>*15632 *10471</b>	<b>*16866 *11604</b>	<b>*16132 *10917</b>	<b>*18333 *11866</b>	<b>*15147 *8741</b>	<b>17514 11467</b>	<b>17571 10686</b>	<b>22717 14268</b>	<b>17694 9574</b>
500	Acute bronchitis ... {M F}	*3269 *3263	*3805 *4479	*3000 *2941	*3211 *3453	*2911 *3183	*3352 *3550	*2195 *2153	2605 3042	1959 2495	2824 3552	1885 2051
501	Bronchitis, unqualified ... {M F}	11974 7351	13226 8766	12632 7530	13655 8151	13221 7734	14981 8316	12952 6588	1732 1697	1377 1298	1669 1722	1117 1097
502	Chronic bronchitis ... {M F}								13177 6728	14235 6893	18224 8994	14692 6426
	0. Bronchitis with emphy- sema ... {M F}								4178 932	4890 1000	6483 1460	6026 1279
	1. Other ... {M F}	2627 1441	2787 1573	2650 1387	2694 1427	2628 1348	2937 1418	2760 1302	8999 5796	9345 5893	11741 7534	8666 5147
<b>510-527</b>	<b>Other diseases of respiratory system ... {M F}</b>								<b>3081 1458</b>	<b>3146 1345</b>	<b>3404 1599</b>	<b>3094 1320</b>
510	Hypertrophy of tonsils and adenoids ... {M F}	56 58	51 60	40 43	38 38	33 31	24 32	37 34	18 22	28 21	17 26	28 19
511	Peritonsillar abscess (quinsy)... {M F}	16 29	15 24	17 25	15 21	10 19	11 13	12 13	9 13	6 9	13 7	8 13
512	Chronic pharyngitis and naso- pharyngitis ... {M F}	88 44	84 59	75 56	65 49	51 42	57 38	42 45	— 1	— 2	3 —	2 3
513	Chronic sinusitis ... {M F}								40 31	45 23	31 13	39 16
514	Deflected nasal septum ... {M F}	5 11	8 5	5 8	9 6	2 5	5 5	5 4	— —	2 —	— —	1 —
515	Nasal polyp ... {M F}								5 2	4 3	7 4	3 3
516	Chronic laryngitis ... {M F}	50 45	48 36	44 38	38 33	41 27	35 27	36 20	3 —	4 2	1 —	1 1
517	Other diseases of upper re- spiratory tract ... {M F}								28 22	30 22	25 21	21 14
518	Empyema ... {M F}	245 78	212 88	208 92	182 77	148 62	148 67	125 49	116 40	105 40	81 52	82 56
519	Pleurisy... {M F}	‡260 ‡206	‡236 ‡163	‡193 ‡125	‡175 ‡151	‡143 ‡116	‡158 ‡108	‡137 ‡107	85 56	83 51	78 47	65 37
520	Spontaneous pneumothorax... {M F}	6 2	8 4	5 2	6 3	2 3	2 2	8 3	11 4	7 1	5 —	6 1
521	Abscess of lung ... {M F}	107 44	100 49	83 44	78 29	89 31	100 35	80 29	58 28	45 24	63 28	46 24
522	Pulmonary congestion and hypostasis ... {M F}	278 393	337 460	284 374	274 391	268 408	297 433	252 389	328 495	262 427	322 483	209 349
523	Pneumoconiosis due to silica & silicates (occupational) ... {M F}	259 5	318 3	337 4	387 5	396 7	441 7	433 5	526 9	559 8	594 4	557 3
524	Other spec'd: pneumoconiosis & pul: fibr: of occupat'l: origin {M F}								— 7	18 —	10 —	6 —
525	Other chronic interstitial pneu- monia ... {M F}	177 47	161 73	166 82	151 70	173 62	162 76	185 82	171 78	201 75	188 89	180 87
526	Bronchiectasis ... {M F}	825 408	917 480	900 429	979 473	976 452	1119 488	993 408	1146 530	1143 507	1152 614	1085 487
527	Other diseases of lung and pleural cavity ... {M F}	255 71	292 69	293 65	297 81	296 83	378 87	415 114	529 127	604 130	814 211	755 207

\* 500 includes 474 for these years.

‡ 519 includes 003.1 for these years.

† 490-493. See 763 (Pneumonia of Newborn) for Pneumonia deaths at ages under 4 weeks.



TABLE 7—continued.

Inter-national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
<b>530-587</b>	<b>IX.—DISEASES OF THE DIGESTIVE SYSTEM</b> {M F}	<b>11651</b> 8897	<b>11378</b> 8872	<b>11346</b> 8695	<b>11531</b> 8468	<b>11229</b> 8443	<b>11629</b> 8703	<b>9847</b> 7275	<b>9658</b> 7269	<b>9438</b> 7198	<b>9601</b> 7244	<b>9243</b> 7022
<b>530-539</b>	Diseases of buccal cavity and œsophagus ... {M F}	<b>178</b> 178	<b>146</b> 178	<b>157</b> 139	<b>147</b> 140	<b>133</b> 122	<b>108</b> 112	<b>112</b> 122	<b>131</b> 132	<b>109</b> 165	<b>131</b> 129	<b>111</b> 130
530	Dental caries ... {M F}								3 6	2 1	2 —	— —
531	Abscesses of supporting structures of teeth ... {M F}								2 2	3 3	1 2	— —
532	Other inflammatory diseases of supporting structures of teeth {M F}								17 4	9 16	14 8	6 8
533	Disorders of occlusion, eruption, and tooth development* {M F}	100 45	72 40	74 29	72 30	55 22	51 18	37 19	5 5	24 24	15 12	23 11
534	Toothache from unspecified cause ... {M F}								— —	— —	— —	— —
535	Other diseases of teeth and supporting structures ... {M F}								1 —	— —	1 —	— 1
536	Stomatitis ... {M F}								6 9	7 20	10 14	7 9
537	Diseases of salivary glands ... {M F}	45 96	48 103	43 85	49 83	41 57	38 55	29 60	36 46	18 42	17 46	18 46
538	Other diseases of buccal cavity {M F}								4 6	8 2	9 11	4 4
539	Diseases of œsophagus ... {M F}	33 37	26 35	40 25	26 27	37 43	19 39	46 43	58 53	38 57	63 35	52 52
<b>540-545</b>	<b>Diseases of stomach and duodenum</b> ... {M F}	<b>3994</b> 1226	<b>4030</b> 1223	<b>4081</b> 1288	<b>4232</b> 1231	<b>4045</b> 1190	<b>3947</b> 1283	<b>3830</b> 1240	<b>3958</b> 1291	<b>4092</b> 1365	<b>4506</b> 1486	<b>4253</b> 1461
540	Ulcer of stomach ... {M F}								2019 792	2035 843	2086 917	1967 904
	0. Without mention of perforation ... {M F}	†2233 †767	†2314 †701	†2330 †809	†2320 †729	†2242 †765	†2133 †848	†2080 †790	1363 616	1630 634	1466 702	1374 696
	1. With perforation ... {M F}								656 176	405 209	620 215	593 208
541	Ulcer of duodenum ... {M F}								1737 310	1847 375	2190 437	2092 421
	0. Without mention of perforation ... {M F}	1464 197	1452 255	1510 236	1678 295	1587 225	1621 254	1603 279	1087 197	1170 243	1355 269	1350 251
	1. With perforation ... {M F}								650 113	677 132	835 168	742 170
542	Gastrojejunal ulcer ... {M F}								55 16	63 11	59 10	47 7
	0. Without mention of perforation ... {M F}	†	†	†	†	†	†	†	38 12	43 6	42 7	34 4
	1. With perforation ... {M F}								17 4	20 5	17 3	13 3
543	Gastritis and duodenitis ... {M F}	217 224	190 212	178 205	166 183	148 170	120 145	87 143	79 128	68 93	76 85	63 98
544	Disorders of function of stomach ... {M F}								18 19	10 16	11 10	6 15
545	Other diseases of stomach and duodenum ... {M F}	†180 †38	†74 †55	†63 †38	†68 †24	†68 †30	†73 †36	†60 †28	50 26	69 27	84 27	78 18
<b>550-553</b>	<b>Appendicitis</b> ... {M F}								<b>739</b> <b>507</b>	<b>744</b> <b>555</b>	<b>679</b> <b>493</b>	<b>598</b> <b>447</b>
550	Acute appendicitis ... {M F}								644 451	641 469	592 418	517 367
	0. Without mention of peritonitis ... {M F}								89 56	101 79	89 59	82 46
	1. With peritonitis ... {M F}	1107 820	987 899	1027 854	952 751	867 668	855 636	722 535	555 395	540 390	503 359	435 321
551	Appendicitis, unqualified ... {M F}								91 50	61 59	79 64	79 75
552	Other appendicitis ... {M F}								3 6	6 6	2 6	2 2
553	Other diseases of appendix ... {M F}								1 —	36 21	6 5	— —

\* 533. See note *ii* at head of table.

† 540 includes 542 for these years.

¶ 544, 545 includes 784.1-784.3 (nausea and vomiting, pylorospasm and heartburn) for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
<b>560-561</b>	<b>Hernia of abdominal cavity ... {M F}</b>	<b>1119 1300</b>	<b>1162 1241</b>	<b>986 1120</b>	<b>1031 1081</b>	<b>1163 1203</b>	<b>1021 1188</b>	<b>934 931</b>	<b>842 889</b>	<b>832 866</b>	<b>821 883</b>	<b>822 842</b>
560	Hernia of abdom'l: cavity with- out mention of obstruction... {M F}	225 150	238 146	211 136	221 134	248 148	227 149	208 123	191 124	151 138	170 125	186 145
561	Hernia of abdominal cavity {M with obstruction† ... {F}	894 1150	924 1095	775 984	810 947	915 1055	794 1039	726 808	651 765	681 728	651 758	636 697
<b>570-578</b>	<b>Other diseases of intestines and {M peritoneum ... {F}</b>	<b>4049 3628</b>	<b>3886 3637</b>	<b>3983 3650</b>	<b>4055 3601</b>	<b>3914 3547</b>	<b>4517 3865</b>	<b>3112 2816</b>	<b>2764 2676</b>	<b>2345 2290</b>	<b>2139 2267</b>	<b>2005 2203</b>
570	Intestinal obstruction without {M mention of hernia ... {F}	1092 961	1035 942	1082 950	931 843	1018 920	1116 985	923 844	827 813	732 663	721 704	766 714
	0. Intussusception ... {M F}	193 119	185 125	214 117	190 102	195 118	212 126	167 88	115 68	73 72	85 61	75 45
	1. Paralytic ileus ... {M F}	33 30	36 29	21 26	15 23	26 22	20 20	22 20	29 25	26 15	17 18	10 8
	2. Mesenteric infarction ... {M F}	48 34	43 32	52 27	52 41	47 36	62 38	49 45	72 67	136 136	166 150	187 174
	3. Volvulus ... {M F}	268 202	254 197	263 206	223 179	249 197	273 215	228 184	204 170	193 143	190 149	227 165
	4. Impaction of intestine... {M F}	23 61	20 61	20 53	19 51	18 55	20 48	17 47	16 48	35 60	25 77	30 74
	5. Other ... {M F}	527 515	497 498	512 521	432 447	483 492	529 538	440 460	391 435	269 237	238 249	237 248
571	Gastro-ent: and colitis, exc: {M ulcer've: age 4 w'ks: & over {F}	*2219 *1775	*2196 *1792	*2263 *1882	*2475 *1941	*2276 *1782	*2846 *2147	*1567 *1222	1328 1084	922 743	721 644	590 561
572	Chronic enteritis and ulcer- {M ative colitis ... {F}	? ?	? ?	? ?	? ?	? ?	? ?	? ?	422 583	454 667	434 675	412 674
	0. Regional enteritis ... {M F}	39 38	34 35	33 34	43 43	41 38	29 27	26 25	24 24	19 24	20 19	22 20
	1. Diverticulitis ... {M F}	229 250	219 245	215 248	222 264	213 278	195 266	236 260	240 283	255 336	247 349	228 330
	2. Ulcerative colitis ... {M F}								143 251	154 273	154 283	149 306
	3. Other ... {M F}	201 308	167 350	160 280	167 293	163 292	128 245	158 268	15 25	26 34	13 24	13 18
573	Functional disorders of in- {M testines ... {F}								3 7	17 21	15 22	18 20
574	Anal fissure and fistula ... {M F}								2 3	6 1	4 2	1 2
575	Abscess of anal and rectal {M regions ... {F}	48 22	39 22	41 18	37 16	35 20	37 15	31 15	27 12	21 14	26 7	26 15
576	Peritonitis ... {M F}								62 40	54 53	62 52	52 59
577	Peritoneal adhesion ... {M F}	103 128	97 107	87 112	82 84	75 84	73 75	81 74	8 14	12 7	13 15	4 9
578	Other diseases of intestines and {M peritoneum ... {F}	\$118 \$146	\$99 \$144	\$102 \$126	\$98 \$117	\$93 \$133	\$93 \$105	\$90 \$108	85 120	127 121	143 146	136 149
<b>580-587</b>	<b>Diseases of liver, gallbladder, {M and pancreas ... {F}</b>	<b>1204 1745</b>	<b>1167 1694</b>	<b>1112 1644</b>	<b>1114 1664</b>	<b>1107 1713</b>	<b>1181 1619</b>	<b>1137 1631</b>	<b>1224 1774</b>	<b>1316 1957</b>	<b>1325 1986</b>	<b>1454 1939</b>
580	Acute and subacute yellow at- {M rophy of liver ... {F}	37 67	53 77	41 72	46 84	61 88	69 83	68 85	54 98	52 87	59 85	47 78
581	Cirrhosis of liver ... {M F}	546 293	532 311	491 283	504 282	487 304	538 324	506 310	556 362	574 440	615 502	645 479
582	Suppurative hepatitis and liver {M abscess ... {F}	9 4	14 10	15 12	18 11	25 10	24 10	20 8	24 10	23 14	22 10	23 12
583	Other diseases of liver... {M F}	9 15	12 14	15 14	7 19	10 14	15 15	9 16	10 25	28 18	22 23	29 27
584	Cholelithiasis ... {M F}	218 583	205 587	208 522	201 550	213 548	199 518	210 511	211 521	245 617	213 583	239 569
585	Cholecystitis without mention {M of calculi ... {F}	216 578	222 526	206 538	183 502	157 520	176 447	164 453	169 472	178 461	161 454	191 443

† 561. See note *ii* at head of table.

\* 571 includes 785.6 (Diarrhoea, age 2 years and over) for these years.

§ 578 includes 785.4, 785.5 and 785.7-785.9 (Flatulence, abdominal pain, incontinence of faeces, melæna (age 1 year and over) and visible peristalsis) for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	
586	Other diseases of gallbladder and biliary ducts ... {M F	24 41	21 36	20 42	16 43	21 47	18 42	20 47	28 53	29 57	33 67	30 61	
587	Diseases of pancreas ... {M F	145 164	108 133	116 161	139 173	133 182	142 180	140 201	172 233	187 263	200 262	250 270	
590-637	X.—DISEASES OF THE GENITO-URINARY SYSTEM {M F	11129 5630	10945 5587	10763 5474	10562 5264	10445 5197	10226 5161	9456 4623	9602 4512	9627 4788	9247 4567	8657 4167	
590-594	Nephritis and nephrosis ... {M F	4295 4289	3996 4249	3964 4184	3934 4039	3923 4018	3811 3889	3387 3419	3400 3321	3431 3443	3245 3272	2994 2879	
590	Acute nephritis ... {M F	287 252	245 248	274 237	261 239	243 202	231 192	208 177	178 147	194 157	162 142	128 95	
591	Nephritis with oedema, including nephrosis ... {M F	168 152	148 158	155 151	155 151	152 134	148 126	134 122	129 117	236 231	208 192	199 148	
592	Chronic nephritis ... {M F	3487 3541	3239 3497	3211 3473	3200 3363	3230 3400	3132 3298	2808 2879	2883 2820	2815 2898	2625 2744	2416 2397	
593	Nephritis not specified as acute or chronic* ... {M F	‡314 ‡320	‡327 ‡322	‡289 ‡299	‡282 ‡263	‡259 ‡258	‡260 ‡248	‡202 ‡220	210 208	159 137	231 182	234 215	
594	Other renal sclerosis ... {M F	39 24	37 24	35 24	36 23	39 24	40 25	35 21	— 29	27 20	19 12	17 24	
600-609	Other diseases of urinary system {M F	1380 941	1314 930	1271 890	1197 868	1167 856	1240 940	1157 883	1117 911	1181 1052	1222 1017	1159 1018	
600	Infections of kidney ... {M F	435 506	429 496	415 436	418 457	378 452	494 505	397 513	421 514	464 590	501 573	498 582	
601	Hydronephrosis ... {M F	48 56	61 43	59 62	45 50	47 53	67 46	54 54	62 51	80 62	91 78	79 70	
602	Calculi of kidney and ureter ... {M F	169 140	159 165	145 145	154 142	184 149	136 153	153 132	135 119	140 129	167 126	149 138	
603	Other diseases of kidney and ureter... {M F	8 13	8 9	10 11	6 10	12 4	11 20	9 9	29 18	27 31	23 29	30 40	
604	Calculi of other parts of urinary system {M F	70 12	59 7	63 14	74 8	59 5	52 13	54 9	30 6	49 14	38 8	30 8	
605	Cystitis ... {M F	285 190	271 199	275 203	231 183	235 168	226 182	242 145	217 177	194 188	179 167	168 154	
606	Other diseases of bladder ... {M F	46 19	39 10	53 15	59 16	50 18	51 15	60 15	54 19	63 24	83 24	54 14	
607	Urethritis (nonvenereal) ... {M F	† †	† †	† †	† †	† †	† †	† †	— 1	2 1	1 1	— —	
608	Stricture of urethra ... {M F	293 1	255 1	226 1	195 1	188 3	187 3	170 —	161 3	131 1	117 3	111 —	
609	Other diseases of urethra ... {M F	†26 †4	†33 †—	†25 †3	†15 †1	†14 †4	†16 †3	†18 †6	8 3	31 12	22 8	22 17	
610-617	Diseases of male genital organs	M	5454	5635	5528	5431	5355	5175	4912	5085	5015	4780	4500
610	Hyperplasia of prostate ...	M	**5207	**5394	**5286	**5198	**5149	**4976	**4764	**4932	4762	4553	4353
611	Prostatitis ...	M	**193	**182	**188	**189	**157	**158	**106	110	124	120	99
612	Other diseases of prostate*	M								**13	94	89	22
613	Hydrocele ...	M	5	8	11	3	11	7	3	9	3	—	
614	Orchitis and epididymitis ...	M	21	19	16	13	7	12	2	1	5	—	
615	Redundant prepuce and phimosi	M	24	23	20	25	29	18	17	9	2	11	
616	Sterility, male ...	M	—	—	—	—	—	—	—	—	—	—	
617	Other diseases of male genital organs	M	††4	††9	††7	††3	††2	††4	††7	8	16	8	11
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium.	F	164	156	165	133	95	107	90	81	64	60	54
620	Chronic cystic disease of breast	F	16	8	15	6	3	5	7	1	—	—	—
621	Other diseases of breast ...	F								4	—	2	—
622	Acute salpingitis and oophoritis	F	118	121	123	92	68	78	66	7	8	3	—
623	Chronic salpingitis and oophoritis ...	F								4	—	3	—
624	Salpingitis and oophoritis, unqualified	F								47	36	32	34

\* 593, 612. See note *ii* at head of table.

‡ 593 includes 789.0 (Albuminuria, unqualified) for these years.

† 609 includes 607 for these years.

†† 617 includes 276 for these years.

\*\* 610 includes 612A (Prostatectomy N.O.S.) for years up to 1949 inclusive.



TABLE 7—continued.

Inter-national List No.	Causes of Death.		1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
625	Other diseases of ovary and Fallopian tube	F	†6	†6	†8	†10	†5	†8	†6	3	8	6	4
626	Diseases of parametrium and pelvic peritoneum (female)	F	24	21	19	25	19	16	11	15	12	14	8
630-637	Diseases of uterus and other female genital organs	F	236	252	235	224	228	225	231	199	229	218	212
630	Infective disease of uterus, vagina and vulva	F	32	38	21	28	25	15	27	12	13	15	15
631	Uterovaginal prolapse ...	F	107	108	116	126	119	128	127	119	138	128	129
632	Malposition of uterus ...	F	4	14	5	2	2	5	4	3	4	3	2
633	Other diseases of uterus ...	F	40	50	54	31	52	40	47	37	33	32	28
634	Disorders of menstruation ...	F	29	21	22	20	13	15	18	16	26	22	24
635	Menopausal symptoms ...	F	10	11	12	10	8	6	3	7	4	5	4
636	Sterility, female ...	F	—	3	2	—	1	—	1	—	—	—	1
637	Other diseases of female genital organs	F	14	7	3	7	8	16	4	5	11	13	9
640-689	XI.—DELIVERIES & COMPLICATIONS OF PREGNANCY, CHILDBIRTH & THE PUERPERIUM	F	1672	1620	1492	1260	1209	1060	811	727	620	†566	†498
640-648	Complications of pregnancy ...	F	471	436	381	353	418	329	265	198	225	208	181
640	Pyelitis and pyelonephritis of pregnancy	F	3	3	4	6	3	—	2	5	5	6	3
641	Other infections of genito-urinary tract during pregnancy	F	2	—	—	—	—	—	—	2	—	1	3
642	Toxæmias of pregnancy ...	F	345	326	279	260	311	251	209	120	149	152	131
643	Placenta prævia ...	F	10	11	9	6	15	5	3	6	9	3	1
644	Other hæmorrhage of pregnancy	F	9	11	9	12	10	10	7	10	11	5	4
645	Ectopic pregnancy ...	F	84	53	44	37	57	40	34	36	36	22	22
646	Anæmia of pregnancy ...	F	3	8	6	4	4	2	2	3	3	5	4
647	Pregnancy with malposition of fœtus in uterus	F	—	4	1	4	1	3	1	1	—	—	—
648	Other complications arising from pregnancy	F	15	20	29	24	17	18	7	15	12	14	13
650-652	Abortion ...	F	313	321	313	233	157	143	125	118	103	107	90
650	Abortion without mention of sepsis or toxæmia	F	51	55	41	40	32	27	27	32	32	37	31
651	Abortion with sepsis ...	F	237	242	242	173	110	89	87	78	64	67	47
652	Abortion with toxæmia, without mention of sepsis	F	25	24	30	20	15	27	11	8	7	3	12
660	Delivery without complication	F	9	9	14	9	6	8	5	1	5	3	6
670-678	Delivery with specified complication	F	518	522	508	428	422	370	272	241	158	161	130
670	Placenta prævia or antepartum hæmorrhage	F	68	64	66	50	60	41	36	22	24	29	15
671	Retained placenta ...	F	*198	*187	*179	*158	*162	*156	*115	43	11	23	15
672	Other postpartum hæmorrhage	F								47	27	31	24
673	Abnormality of bony pelvis ...	F	33	30	37	26	17	16	10	9	2	6	4
674	Disproportion or malposition of fœtus	F	66	72	61	60	60	40	23	34	17	10	8

\* 671, 672 includes 688.0 (Anæmia of puerperium) for these years.

† 625 includes 275 for these years.

‡ Including the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months:— 1951:—40; 1952:—35.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952							
675	Prolonged labour of other origin F	59	63	78	62	40	54	33	26	23	24	20							
676	With laceration of perineum, F w'out: mention of other lacer'n.	4	4	8	3	6	3	1	1	1	1	—							
677	With other trauma ... .. F	33	23	29	31	30	27	22	26	18	12	18							
678	With other complications of F childbirth	57	79	50	38	47	33	32	33	35	25	26							
680-689	Complications of the puerperium F	361	332	276	237	206	210	144	169	129	87	91							
680	Puerperal urinary infection F without other sepsis	9	10	9	5	2	1	2	2	1	—	—							
681	Sepsis of childbirth and the F puerperium	\$146	\$129	\$101	\$76	\$50	\$33	\$31	25	21	13	4							
682	Puerperal phlebitis and throm- F bosis	64	59	47	47	47	54	29	31	36	30	28							
683	Pyrexia of unknown origin F during the puerperium	\$	\$	\$	\$	\$	\$	\$	—	—	2	—							
684	Puerperal pulmonary embolism F	†64	†77	†60	†39	†55	†56	†38	25	26	19	25							
685	Puerperal eclampsia ... .. F	55	34	41	39	34	46	33	60	31	14	13							
686	Other forms of puerperal tox- F æmia	10	15	8	22	14	15	7	19	5	2	3							
687	Cerebral hæmorrhage in the F puerperium	—	—	—	—	—	—	—	3	6	3	11							
688	Other and unspecified compli- F cations of the puerperium	†5	†4	†4	†4	†1	†2	†2	3	3	4	2							
689	Mastitis and other disorders of F lactation	8	4	6	5	3	3	2	1	—	—	5							
690-716	XII.—DISEASES OF THE {M SKIN & CELLULAR TISSUE {F	633 544	590 483	555 530	459 443	392 362	355 363	324 295	288 303	287 326	288 360	247 356							
690-698	Infections of skin and subcut- {M aneous tissue ... .. {F	424 342	369 276	350 295	260 216	220 146	169 129	159 105	137 116	124 102	110 135	93 113							
690	Boil and carbuncle ... .. {M F	212 176	167 115	168 126	128 87	94 54	69 42	61 37	58 42	27 22	29 28	24 25							
691	Cellulitis of finger and toe ... {M F	}							2 3	4 4	1 7	3 3							
692	Other cellulitis and abscess {M w'out ment: of lymphangitis {F								181 146	172 139	160 158	119 118	110 83	85 75	88 59	64 58	77 58	64 84	55 62
693	Other cellulitis and abscess {M with lymphangitis ... .. {F								}							5 6	4 1	4 3	— 5
694	Acute lymphadenitis ... .. {M F															† †	† †	† †	† †
695	Impetigo ... .. {M F	24 16	23 18	15 6	6 6	10 5	9 7	5 5	2 —	1 2	1 1	2 —							
696	Infectious warts ... .. {M F	—	—	—	—	—	—	—	—	1 1	—	— 1							
697	Molluscum contagiosum ... {M F	—	—	—	—	—	—	—	—	—	—	—							
698	Other local infections of skin {M and subcutaneous tissue ... {F	7 4	7 4	7 5	7 5	6 4	6 5	5 4	6 5	8 11	10 12	9 17							
700-716	Other diseases of skin and sub- {M cutaneous tissue ... .. {F	209 202	221 207	205 235	199 227	172 216	186 234	165 190	151 187	163 224	178 225	154 243							
700	Seborrhœic dermatitis ... {M F	}							3 3	2 6	3 2	1 1							
701	Eczema ... .. {M F								20 12	27 12	21 8	12 11							
702	Occupational dermatitis ... {M F								87 55	92 57	85 66	83 62	69 59	77 64	68 51	1 —	4 —	2 —	— —
703	Other dermatitis* ... .. {M F								}							36 37	2 5	7 10	6 4

§ 681 includes 683 for these years.

† 684 includes 688.2 (Sudden death from unknown cause in the puerperium) for these years.

† 688. See 671, 672, 684.

†694. See 468.

\* 703. See note # at head of table.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
704	Pemphigus ... {M F	63 51	67 53	62 62	61 58	51 55	56 61	48 48	44 48	46 57	55 57	61 60
705	Erythematous conditions* ... {M F	16 19	17 20	15 23	15 22	13 21	14 22	12 18	11 18	46 48	34 43	31 46
706	Psoriasis and similar disorders {M F								5 5	2 4	5 5	5 9
707	Lichen planus ... {M F								— —	— —	1 1	— 1
708	Pruritus and related conditions {M F								— —	— 1	1 5	1 2
709	Corns and callosities... {M F								— —	— —	1 —	1 —
710	Other hypertrophic and atro- phic conditions of skin ... {M F								8 7	7 23	13 28	13 33
711	Other dermatoses ... {M F	**43 **77	**45 **77	**43 **84	**40 **85	**39 **81	**39 **87	**37 **73	— —	— —	— —	— 1
712	Diseases of nail ... {M F								— —	— —	— 1	— 1
713	Diseases of hair and hair follicles ... {M F								— —	— —	— —	— 1
714	Diseases of sweat and se- baceous glands ... {M F								2 1	1 —	— —	— 1
715	Chronic ulcer of skin ... {M F								21 56	24 66	34 63	21 71
716	Other diseases of skin... {M F								— —	2 2	1 2	2 1
720-749	XIII.—DISEASES OF THE BONES & ORGANS OF MOVEMENT {M F	1011 1460	858 1519	884 1440	822 1450	758 1356	726 1296	696 1283	685 1367	522 954	547 1043	536 957
720-727	Arthritis and rheumatism ex- cept rheumatic fever... {M F	597 1202	546 1270	534 1195	550 1227	480 1167	462 1105	429 1094	456 1169	289 747	302 775	247 739
720	Acute arthritis due to pyogenic organisms ... {M F	66 46	59 34	54 46	53 35	36 27	26 26	28 24	19 9	15 11	18 7	12 11
721	Acute nonpyogenic arthritis ... {M F	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
722	Rheumatoid arthritis and allied conditions †† ... {M F	379 924	322 966	327 904	320 947	293 863	295 841	260 858	276 902	165 562	185 574	155 546
723	Osteo-arthritis (arthrosis) and allied conditions†† ... {M F	101 152	112 149	89 174	115 169	111 203	95 190	100 161	119 186	92 149	84 171	70 160
724	Other specified forms of arth- ritis†† ... {M F	3 6	— 6	1 1	— 2	— 1	— —	1 —	5 13	2 3	4 4	3 5
725	Arthritis, unspecified ... {M F	3 11	7 17	6 8	10 7	6 17	8 9	4 7	7 8	9 14	7 10	4 12
726	Muscular rheumatism ... {M F	5 3	8 8	6 4	7 6	2 4	4 7	6 2	4 3	5 3	1 3	3 1
727	Rheumatism, unspecified ... {M F								26 48	1 5	3 6	— 4
	A, B. Acute and subacute rheumatism (so de- scribed) ... {M F	40 60	38 90	51 58	45 61	32 51	34 32	30 42	13 23	— 1	— 1	— 2
	C, D, E. Other ... {M F								13 25	1 4	3 5	— 2
730-738	Osteomyelitis and other diseases of bone and joint {M F	328 187	245 189	266 173	201 156	188 125	180 120	173 129	151 144	155 130	164 175	170 148
730	Osteomyelitis and periostitis {M F	247 124	179 101	196 105	136 96	116 60	99 56	92 53	70 37	73 31	52 41	52 30
731	Osteitis deformans ... {M F								63 72	61 60	81 83	87 79
732	Osteochondrosis ... {M F	*76 *63	*63 *84	*64 *65	*63 *56	*63 *62	*73 *59	*70 *67	— —	— 1	— 1	— —
733	Other diseases of bone... {M F								10 22	11 24	15 31	15 27

\* 705. See note *ii* at head of table.

\*\* 706-716 includes 096.0 (Herpes febrilis) and 135 for these years.

†† 722-724. In 1940-1949 includes some deaths with associated heart diseases which, from 1950 would be classed to those conditions.

\* 731-733. See 285.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
734	Internal derangement of knee joint ... {M F	— —	— —	— —	— 1	— —	— —	— 1	— —	1 —	1 1	1 —
735	Displacement of intervertebral disc ... {M F	1 —	2 —	5 —	— —	4 —	6 2	— 5	6 5	10 8	9 7	11 4
736	Affection of sacro-iliac joint... {M F	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —
737	Ankylosis of joint ... {M F	1 —	1 1	— —	1 1	— —	1 1	9 —	— 3	— 2	1 1	1 2
738	Other diseases of joint ... {M F	3 —	— 3	1 3	1 2	5 3	1 2	2 3	— 4	— 4	5 10	3 6
740-749	Other diseases of musculoskeletal system ... {M F	86 71	67 60	84 72	71 67	90 64	84 71	94 60	78 54	78 77	81 93	119 70
740	Bunion ... {M F	— 3	— —	— 2	1 2	— —	— 1	— —	2 —	1 1	— 2	1 1
741	Synovitis, bursitis, and teno- synovitis, w/out mention of occupational origin {M F	5 8	5 2	9 7	4 9	3 8	4 6	4 3	3 2	3 4	4 4	1 2
742	Synovitis, bursitis, and teno- synovitis of occupational origin {M F	— —	2 —	1 —	1 —	2 1	— 1	1 1	— 1	— 1	1 3	2 —
743	Infective myositis and other in- flammatory diseases of ten- don and fascia {M F	52 41	42 37	50 53	48 41	59 34	58 41	63 32	58 39	62 55	58 61	90 51
744	Other diseases of muscle, ten- don, and fascia ... {M F	24 15	15 16	18 9	16 10	18 18	16 17	22 20	10 10	3 8	12 13	16 14
745	Curvature of spine ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
746	Flat foot ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
747	Hallux valgus and varus ... {M F	— 1	— 2	2 —	— 2	— 1	— —	— 3	— 2	— 1	— 3	1 1
748	Clubfoot ... {M F	3 3	2 3	4 —	1 2	6 2	5 4	4 1	3 —	1 1	— 2	1 —
749	Other deformities ... {M F	2 —	1 —	— 1	— 1	2 —	1 1	— —	2 —	7 6	6 5	7 1
750-759	XIV.—CONGENITAL MALFORMATIONS {M F	2717 2393	2656 2313	2809 2305	2613 2281	2956 2386	2977 2527	2526 2106	2406 2238	2528 2220	2425 2204	2323 2130
750	Monstrosity ... {M F	46 62	43 48	28 65	29 59	47 59	52 63	46 44	32 43	34 50	37 53	54 66
751	Spina bifida and meningocele... {M F	572 858	576 778	537 771	445 685	555 716	419 644	367 520	350 549	337 441	367 484	372 542
752	Congenital hydrocephalus ... {M F	141 141	141 109	137 108	146 97	144 100	167 137	117 102	115 112	131 143	103 76	117 103
753	Other congen: malformations of nerv: sys'm & sense organs {M F	40 43	41 47	40 32	46 47	63 54	46 58	68 45	48 60	50 59	52 74	62 41
754	Congenital malformations of circulatory system ... {M F	1066 844	1034 866	1157 834	1082 889	1158 900	1247 1040	1077 868	1044 923	1158 975	1050 963	890 804
755	Cleft palate and harelip ... {M F	61 40	49 38	49 48	50 31	47 39	46 34	27 38	25 24	21 20	20 14	24 7
756	Congenital malformations of digestive system ... {M F	526 226	529 234	576 237	515 254	583 260	614 290	456 235	458 245	402 218	348 207	344 197
	0. Congenital hypertrophic pyloric stenosis ... {M F	293 66	269 70	282 59	222 67	252 65	265 71	142 30	152 33	96 24	63 19	67 12
	1. Imperforate anus ... {M F	51 21	42 17	47 19	34 12	45 11	37 16	24 10	24 4	38 16	33 8	28 12
	2. Other ... {M F	182 139	218 147	247 159	259 175	286 184	312 203	290 195	282 208	268 178	252 180	249 173
757	Congenital malformations of genito-urinary system ... {M F	170 111	163 119	179 122	181 127	214 147	239 147	222 127	197 150	247 193	255 175	265 191
	1. Polycystic disease of kidney ... {M F	88 79	84 85	94 95	86 88	105 109	122 118	122 96	104 110	139 146	138 139	163 143
	0, 2, 3. Other ... {M F	82 32	79 34	85 27	95 39	109 38	117 29	100 31	93 40	108 47	117 36	102 48



TABLE 7—continued.

Inter-national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
758	Congenital malformations of bone and joint ... {M ... {F	15 19	15 16	19 22	17 22	19 21	27 25	17 21	15 23	30 27	32 24	31 31
759	Other & unspec'd: congen: malform'ns, not elsewhere classified {M ... {F	80 49	65 58	87 66	102 70	126 90	120 89	129 106	122 109	118 94	161 134	164 148
<b>760-776</b>	<b>XV.—CERTAIN DISEASES OF EARLY INFANCY</b> {M ... {F	<b>8769 6249</b>	<b>8511 6169</b>	<b>8892 6524</b>	<b>8355 5928</b>	<b>9791 6806</b>	<b>10015 7070</b>	<b>7671 5317</b>	<b>7043 4796</b>	<b>6425 4347</b>	<b>6450 4282</b>	<b>5966 4115</b>
<b>760-769</b>	<b>Birth injuries, asphyxia, and infections of newborn...</b> {M ... {F	<b>2850 1937</b>	<b>2838 1891</b>	<b>3108 2224</b>	<b>3418 2195</b>	<b>4010 2671</b>	<b>4357 2948</b>	<b>3439 2193</b>	<b>3393 2207</b>	<b>3404 2056</b>	<b>3509 2246</b>	<b>3360 2182</b>
760	Intracranial and spinal injury at birth ... {M ... {F	753 428	764 432	829 497	894 492	1086 554	1147 678	962 516	943 534	907 497	1033 523	983 533
761	Other birth injury ... {M ... {F	256 224	251 166	244 201	262 173	314 236	349 238	312 214	261 177	251 166	221 176	204 149
762	Postnatal asphyxia and atelectasis ... {M ... {F	791 546	742 522	888 639	1178 765	1427 992	1527 1090	1295 880	1413 989	1461 880	1455 990	1469 985
763	Pneumonia of newborn ... {M ... {F	605 393	587 427	632 464	613 446	739 552	803 578	568 367	521 337	512 331	570 376	534 379
764	Diarrhœa of newborn ... {M ... {F	194 123	196 129	202 139	213 130	198 124	264 168	138 88	118 76	67 33	56 36	40 26
765	Ophthalmia neonatorum ... {M ... {F	† †	† †	† †	† †	† †	† †	† †	— —	3 —	1 —	— —
766	Pemphigus neonatorum ... {M ... {F	44 23	37 32	33 31	21 18	21 19	18 17	11 6	3 4	6 4	1 3	4 1
767	Umbilical sepsis ... {M ... {F	24 20	21 15	19 19	20 16	14 10	29 15	20 19	19 7	8 6	13 9	14 7
768	Other sepsis of newborn ... {M ... {F	†21 †17	†29 †13	†45 †34	†37 †16	†24 †11	†52 †19	†21 †15	15 10	23 17	24 11	23 17
769	Neonatal disorders arising from maternal toxæmia ... {M ... {F	162 163	211 155	216 200	180 139	187 173	168 145	112 88	100 73	166 122	135 122	89 85
<b>770-776</b>	<b>Other diseases peculiar to early infancy ... {M ... {F</b>	<b>5919 4312</b>	<b>5673 4278</b>	<b>5784 4300</b>	<b>4937 3733</b>	<b>5781 4135</b>	<b>5658 4122</b>	<b>4232 3124</b>	<b>3650 2589</b>	<b>3021 2291</b>	<b>2941 2036</b>	<b>2606 1933</b>
770	Hæmolytic disease of newborn (erythroblastosis) ... {M ... {F	260 174	290 170	316 183	325 196	348 240	436 254	350 227	321 231	286 216	325 187	239 203
771	Hæmorrhagic disease of newborn ... {M ... {F	177 150	169 146	189 119	173 110	162 111	214 151	125 89	108 68	122 62	125 96	103 78
772	Nutritional maladjustment ... {M ... {F	49 34	41 30	43 28	34 24	32 26	35 26	18 17	14 12	18 16	18 7	14 5
773	Ill-defined diseases peculiar to early infancy ... {M ... {F	877 600	773 537	826 488	657 425	670 447	693 442	428 291	320 190	225 181	208 124	175 120
774	Immaturity with mention of any other subsidiary cond'n ... {M ... {F	4556 3354	4400 3395	4410 3482	3748 2978	4569 3311	4280 3249	3311 2500	2887 2088	130 109	106 83	98 71
776	Immaturity unqualified ... {M ... {F									2240 1707	2159 1539	1977 1456
<b>780-795</b>	<b>XVI.—SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS</b> {M ... {F	<b>6951 9896</b>	<b>7256 10193</b>	<b>7093 9862</b>	<b>7170 10319</b>	<b>6840 9840</b>	<b>6384 9453</b>	<b>4950 7621</b>	<b>4919 7336</b>	<b>3822 6152</b>	<b>3749 5968</b>	<b>2997 4748</b>
<b>780-789</b>	<b>Symptoms referable to systems or organs ... {M ... {F</b>	<b>871 646</b>	<b>769 541</b>	<b>729 497</b>	<b>623 443</b>	<b>551 397</b>	<b>505 342</b>	<b>378 286</b>	<b>243 210</b>	<b>137 121</b>	<b>139 98</b>	<b>95 76</b>
780	Certain symptoms referable to nerv: system & special senses {M ... {F	†426 †297	†356 †234	†321 †202	†262 †189	†226 †148	†205 †143	†140 †111	77 68	33 42	40 18	13 16
	2. Convulsions ... {M ... {F								77 64	30 38	35 18	12 15
	0, 1, 3-9. Other ... {M ... {F								— 4	3 4	5 —	1 1
781	Other symptoms referable to nerv: system & special senses {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —
782	Symptoms referable to cardiovascular & lymphatic system {M ... {F	§1356 §1275	§1325 §1243	§1300 §1228	§1273 §1194	§1230 §1189	§1209 §1148	§1147 §1116	107 92	66 54	67 56	40 34
	4. Acute heart failure, undefined ... {M ... {F	§350 §265	§318 §231	§293 §209	§263 §183	§226 §171	§198 §142	§137 §106	92 81	63 48	59 51	35 31
	0-3, 5-9. Other ... {M ... {F	¶6 ¶10	¶7 ¶12	¶7 ¶19	¶10 ¶11	¶4 ¶18	¶11 ¶16	¶10 ¶10	15 11	3 6	8 5	5 3

† 768 includes 765 for these years.

‡ 780 includes 788.5 (Tetany) for these years.

§ 782.4 includes 795.2 (Sudden death (cause unknown)), for these years.

¶ 782.7 See 468.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
783	Symptoms referable to respir- atory system ... {M ... {F	**1 **2	**— **1	**1 **—	**— **1	**1 **1	**— **1	**— **1	8 —	4 5	6 5	6 2
784	Symptoms referable to upper gastro-intestinal tract ... {M ... {F	††18 ††28	††22 ††21	††27 ††13	††25 ††16	††30 ††17	††18 ††12	††29 ††18	21 11	11 12	12 9	13 14
785	Syms: referable to abdomen & lower gastro-intestin'l system {M ... {F	‡‡18 ‡‡25	‡‡29 ‡‡26	‡‡20 ‡‡35	‡‡13 ‡‡22	‡‡20 ‡‡18	‡‡25 ‡‡14	‡‡12 ‡‡17	14 23	10 5	5 9	13 4
786	Symptoms referable to genito- urinary system ... {M ... {F	35 13	25 8	49 10	43 16	37 19	36 17	42 16	13 9	8 1	6 —	7 1
787	Symptoms referable to limbs and back ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
788	Other general symptoms ... {M ... {F	¶8 ¶5	¶7 ¶3	¶4 ¶4	¶2 ¶1	¶2 ¶4	¶8 ¶6	¶3 ¶3	3 6	2 2	2 1	1 2
789	Abnormal urinary constituents of unspecified cause... {M ... {F	*9 *1	*5 *5	*7 *5	*5 *4	*5 *1	*4 *1	*5 *4	— 1	— —	1 —	2 3
790-795	Senility and ill-defined diseases {M ... {F	6080 9250	6487 9652	6364 9365	6547 9876	6089 9443	5879 9111	4572 7335	4676 7726	3685 6031	3610 5870	2902 4672
790	Nervousness and debility ... {M ... {F	3 3	— 2	2 2	2 2	3 3	1 1	— 2	— 3	1 1	6 —	3 1
791	Headache ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —
792	Uræmia unqualified ... {M ... {F	97 56	104 57	89 52	87 44	77 44	76 41	56 37	63 38	13 23	19 13	18 12
793	Observation, without need for further medical care ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
794	Senility without mention of psychosis ... {M ... {F	5866 9141	6310 9549	6184 9274	6396 9791	5941 9354	5738 9028	4466 7256	4567 7666	3626 5988	3535 5833	2836 4626
795	Ill-defined and unknown causes of mortality... {M ... {F	§114 §50	§73 §44	§89 §37	§62 §39	§68 §42	§64 §41	§50 §40	46 18	45 19	50 24	45 33
E800-E999	XVII.—ACCIDENTS, POI- SONINGS, AND VIOLENCE {M ... {F	14989 9004	13290 8191	16119 11690	12394 8268	11624 7152	12391 7391	11371 6840	11712 6801	11905 6984	12447 7309	11992 6810
E800-E802	Railway accidents ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	329 29	331 38	301 33	390 59
E800	Involving railroad employee... {M ... {F	— —	— —	— —	— —	— —	— —	— —	181 4	203 —	166 2	184 3
E801	Involving passenger ... {M ... {F	437 48	439 60	457 55	409 58	401 63	445 48	346 63	27 5	33 16	53 19	107 34
E802	Involving other and unspecified person ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	121 20	95 22	82 12	99 22
E810-E825	Motor vehicle traffic accidents   {M ... {F	3421 1211	2604 971	2808 1177	2512 1068	2780 1027	2807 1031	2536 970	2841 923	3099 1035	3293 1099	3013 958
E810	Involving collision with railway train ... {M ... {F	6 —	15 4	7 1	16 1	8 —	6 2	12 2	4 —	13 2	8 2	10 1
E811	Involving collision with street car ... {M ... {F	3 —	2 —	3 2	— —	1 —	— 1	2 —	1 —	1 —	— 1	— —
E812	To pedestrian ... {M ... {F	†1967 †883	†1570 †750	†1688 †899	†1354 †767	†1343 †713	†1304 †711	†1190 †720	1205 674	1140 726	1302 725	1099 663
E813	To pedal cyclist ... {M ... {F	†527 †129	†411 †115	†508 †158	†442 †102	†461 †97	†405 †81	†452 †86	490 78	475 80	473 80	443 74
E814	To rider or pass'r: of m/c: in coll: with non-motor v: or object {M ... {F	‡157 ‡14	‡79 ‡—	‡66 ‡2	‡102 ‡8	‡247 ‡19	‡234 ‡25	‡208 ‡12	130 12	175 9	134 14	60 5
E815	To rider or pass'r: of m/c: in coll: with other m: v: ... {M ... {F	296 17	120 12	149 6	192 16	311 26	379 37	275 12	425 32	640 56	624 50	662 48
E816	Other m: v: traffic acc: involv'g two or more vehicles ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	190 53	216 75	245 116	191 70
E817	To occupant of m: v: in coll: with pedestrian or pedal c: {M ... {F	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	2 —
E818	Involving coll: with animal or animal-drawn v: ... {M ... {F	§§465 §§168	§§407 §§90	§§387 §§109	§§406 §§174	§§409 §§172	§§479 §§174	§§397 §§138	7 —	6 1	4 2	7 —
E819	Involving coll: with fixed or unspecified object ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	62 13	72 21	33 4	4 3
E820	While boarding and alighting... {M ... {F	— —	— —	— —	— —	— —	— —	— —	20 10	22 11	21 15	15 14

\*\* 783.1 (Hæmoptysis)=Hæmoptysis of unstated cause but stated to be non-tuberculous for these years. "Hæmoptysis N.O.S." is included in 002-008.

†† 784. See 544, 545. ‡‡ 785. See 571 and 578. ¶ 788. See 780. \* 789. See 260 and 593.

§ 795. See 782.4. † E812 includes E830, and E813 includes E831 for these years.

‡ E814 includes E821 and E832 for these years.

§§ E816-E820 includes E822-E825 for these years.

|| E810-E825. See note on next page.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
E821	To rider of motor cycle not in- volving collision ... {M F}	‡	‡	‡	‡	‡	‡	‡	133 12	164 14	261 30	280 25
E822	Involving overturning in road- way ... {M F}	§§	§§	§§	§§	§§	§§	§§	48 8	64 7	54 14	57 11
E823	Involving running off roadway {M F}								21 4	14 3	52 19	96 20
E824	Other non-collision motor veh- icle traffic accident... {M F}								104 26	93 28	78 27	78 22
E825	Of unspecified nature ... {M F}								1 —	4 2	4 —	9 2
830-E835	Motor vehicle non-traffic ac- cidents    ... {M F}	73 —	83 10	68 3	87 7	73 1	77 2	69 4	69 3	88 8	103 15	134 12
E830	To pedestrian ... {M F}	†	†	†	†	†	†	†	13 2	32 6	43 10	54 8
E831	To pedal cyclist ... {M F}	†	†	†	†	†	†	†	—	1 —	—	—
E832	To rider or passenger of motor- cycle .. {M F}	‡	‡	‡	‡	‡	‡	‡	6 —	7 —	3 —	10 1
E833	Other m: v: non-traffic acc: in- volv'g two or more v's: ... {M F}	*73 *—	*83 *10	*68 *3	*87 *7	*73 *1	*77 *2	*69 *4	—	2 —	1 —	1 —
E834	While boarding and alighting {M F}								1 —	1 —	2 —	— 1
E835	Of other and unspecified nature {M F}								49 1	45 2	54 5	69 2
840-E845	Other road vehicle accidents ... {M F}	430 129	430 166	387 111	287 120	255 79	257 79	261 80	251 88	294 95	238 68	229 76
E840	Street car accident to ped- estrian ... {M F}	65 26	66 32	48 24	29 21	19 22	17 12	26 11	11 13	18 8	8 10	5 4
E841	Other street car accident, exc: collision with motor vehicle {M F}	15 3	13 14	11 8	14 7	9 5	7 3	6 4	7 3	3 —	4 —	3 1
E842	Accident to pedestrian caused by pedal cycle ... {M F}	61 28	65 39	56 25	32 30	41 14	45 33	52 31	43 34	47 39	40 29	56 23
E843	Acc: to rider of p: cycle not in- volving collision with m: v: {M F}	209 57	212 68	199 43	157 46	150 29	152 25	154 30	152 30	168 31	160 18	125 31
E844	Accident to pedestrian caused by other non-motor road v: {M F}	43 11	38 11	44 7	28 14	22 7	16 5	10 3	13 4	11 4	11 4	12 4
E845	Other non-motor road vehicle accidents ... {M F}	37 4	36 2	29 4	27 2	14 2	20 1	13 1	25 4	47 13	15 7	28 13
850-E858	Water transport accidents ... {M F}	142 4	150 5	139 1	151 2	166 5	158 2	131 6	142 9	186 3	145 8	137 7
E850	Submersion of occupant of small boat ... {M F}	54 4	63 5	53 —	67 1	91 3	92 2	65 6	48 4	57 1	39 3	54 3
E851	Other water transport injury by submersion ... {M F}								33 2	59 1	44 —	28 4
E852	Fall on stairs and ladders in water transport ... {M F}								7 —	10 —	6 —	5 —
E853	Other falls from one level to an- other in water transport ... {M F}	47 —	61 —	49 —	49 1	35 1	32 —	32 —	28 1	25 —	19 —	23 —
E854	Falls on same level in water transport ... {M F}								1 —	1 —	— —	4 —
E855	Unspecified falls in water trans- port ... {M F}								1 —	— —	— —	— —
E856	Machinery accident in water transport ... {M F}	41 —	26 —	37 1	35 —	40 1	34 —	34 —	8 —	6 —	7 —	12 —
E857	Other specified accidents in water transport ... {M F}								16 2	28 1	30 5	20 —
E858	Water transport accident of un- specified cause ... {M F}								— —	— —	— —	1 —

‡ E821 and E832. See E814. §§ E822-E825 See E816-E820. † E830 and E831. See E812 and E813.

\* E833-E835 includes a few non-motor vehicles used in farming, for these years.

|| E810-E835. Motor Vehicle Accidents. An analysis of these deaths for years 1950 and on according to the types of vehicle involved (as provided for in the 1948 International Statistical Classification) is not included in this table, but details are available at the General Register Office.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
<b>E860-E866</b>	Aircraft accidents ... {M F}								<b>76 19</b>	<b>230 10</b>	<b>273 23</b>	<b>291 20</b>
E860	Accident to personnel in military aircraft ... {M F}								11	128	198	222
E861	Inj: to occupant by acc: to comm: "transport" aircraft {M F}								34 14	76 10	45 20	22 8
E862	Other injury in commercial "transport" aircraft ... {M F}								1	—	—	—
E863	Injury to occupant by accident to other aircraft ... {M F}	7	30 6	31 8	23 1	15 1	50 9	88 19	18	21	15 1	13 1
E864	Aircraft accident at airfield to person not in aircraft ... {M F}								3	4	5	28 8
E865	Aircraft accident elsewhere to person not in aircraft ... {M F}								1 5	—	2 2	3 3
E866	Other and unspecified aircraft accidents ... {M F}								8	1	8	3
<b>E870-E888</b>	Accidental poisoning by solid and liquid substances ... {M F}	<b>76 69</b>	<b>69 47</b>	<b>59 56</b>	<b>83 84</b>	<b>85 79</b>	<b>92 106</b>	<b>116 99</b>	<b>93 101</b>	<b>113 142</b>	<b>121 143</b>	<b>154 141</b>
E870	Morphine and other opium de- rivatives ... {M F}	6 3	3 4	4 —	5 2	4 —	6 3	4 3	2 1	3 1	4 —	8 1
E871	Barbituric acid and derivatives {M F}	12 21	12 15	15 18	18 22	20 34	30 47	34 41	27 50	47 80	40 77	61 79
E872	Aspirin and salicylates ... {M F}	5 5	8 3	5 11	10 15	5 15	6 16	16 16	10 17	14 17	18 19	24 26
E873	Bromides ... {M F}	2 —	—	1 —	1 —	—	—	—	—	—	1 1	1 —
E874	Other analgesic and soporific drugs ... {M F}	2 8	8 2	— 4	5 9	2 6	8 10	6 7	8 8	5 3	6 9	11 5
E875	Sulphonamides ... {M F}	—	—	—	—	—	—	—	1 2	—	— 1	—
E876	Strychnine ... {M F}	— 2	2 2	— 1	1 —	— 1	2 1	1 1	3 2	2 —	2 7	2 3
E877	Belladonna, hyoscine, and at- ropine ... {M F}	—	3 1	2 2	1 1	2 1	1 —	1 1	5 —	1 1	1 —	— 3
E878	Other and unspecified drugs... {M F}	8 4	4 4	1 3	9 15	8 6	5 12	10 8	— 4	5 6	9 3	4 6
E879	Noxious foodstuffs ... {M F}	—	—	1 —	2 1	— 1	1 —	1 1	—	1 1	— 1	—
E880	Alcohol... {M F}	7 —	3 1	2 —	2 3	7 —	1 3	6 3	5 —	4 2	4 2	8 —
E881	Petroleum products ... {M F}	1 —	—	— 2	3 —	—	1 —	2 —	—	1 —	—	2 —
E882	Industrial solvents ... {M F}	2 1	4 —	—	3 —	4 —	3 1	6 —	3 —	5 —	4 1	1 1
E883	Corrosive aromatics, acids, and caustic alkalis ... {M F}	13 9	12 9	13 5	12 13	14 10	13 6	10 4	10 4	15 9	8 9	9 4
E884	Mercury and its compounds ... {M F}	1 2	— 1	—	—	—	— 1	2 —	1 —	— 1	1 —	1 —
E885	Lead and its compounds ... {M F}	11 1	3 —	5 —	3 1	7 —	5 1	1 1	2 1	— 2	4 —	3 1
E886	Arsenic and antimony, and their compounds ... {M F}	— 1	—	2 —	—	1 —	—	3 1	1 —	— 3	—	1 —
E887	Fluorides ... {M F}	—	—	—	—	—	—	—	—	—	1 —	—
E888	Other and unspecified solid and liquid substances ... {M F}	6 12	7 5	8 10	8 2	11 5	10 5	13 12	15 12	10 16	18 13	18 12
<b>E890-E895</b>	Accidental poisoning by gases and vapours ... {M F}	<b>150 133</b>	<b>125 126</b>	<b>155 155</b>	<b>214 204</b>	<b>185 213</b>	<b>211 269</b>	<b>195 207</b>	<b>229 235</b>	<b>208 255</b>	<b>252 304</b>	<b>246 302</b>
E890	Utility (illuminating) gas ... {M F}				171 197	152 199	170 250	166 195	195 226	158 248	215 300	203 295
E891	Motor vehicle exhaust gas ... {M F}	136 131	101 124	141 152	—	4 —	4 1	1 2	7 1	7 1	11 —	8 —
E892	Other carbon monoxide gas {M F}				25 5	10 9	16 14	13 5	13 2	27 2	16 3	24 7



TABLE 7—continued.

Inter-national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
E893	Cyanide gas ... {M F	1 —	1 —	1 —	— —	1 —	— —	2 —	1 1	— —	— —	— —
E894	Other specified gases and vapours ... {M F	13 1	19 2	11 3	16 2	16 5	21 4	13 5	9 4	16 4	9 1	9 —
E895	Unspecified gases and vapours {M F	— 1	4 —	2 —	2 —	2 —	— —	— —	4 1	— —	1 —	2 —
E900-E904	Accidental falls ... {M F	2131 2568	1929 2447	1740 2393	1691 2396	1631 2425	1842 2446	1581 2227	1661 2365	1577 2551	1816 2657	1676 2402
E900	Fall on stairs ... {M F								290 463	260 458	320 502	321 488
E901	Fall from ladders ... {M F								81 10	83 6	95 5	88 13
E902	Other falls from one level to another ... {M F								614 355	555 365	607 423	507 267
E903	Fall on same level ... {M F								509 1131	448 1115	516 1111	485 1004
E904	Unspecified falls ... {M F								167 406	231 607	278 616	275 630
E910-E936	Other accidents ... {M F	3854 1639	3565 1466	3488 1543	3367 1556	3113 1493	3535 1586	2850 1296	2801 1199	2596 1112	2766 1206	2635 1151
E910	Blow from falling object ... {M F	667 21	602 24	510 9	475 17	477 19	469 17	411 6	437 17	387 10	392 17	365 13
E911	Caused by vehicle ... {M F	*150 *—	*156 *—	*147 *—	*111 *—	*116 *—	*116 *—	*109 *—	98 —	90 1	101 —	105 —
E912	Caused by machinery ... {M F	299 19	259 20	261 15	219 11	206 9	224 3	245 4	198 7	176 5	181 4	186 3
E913	Caused by cutting and piercing instruments ... {M F	23 1	23 6	24 8	22 9	25 4	22 11	14 8	16 2	15 11	17 6	15 7
E914	Caused by electric current ... {M F	88 14	94 20	79 22	81 29	90 16	78 16	77 19	68 21	69 20	85 17	94 18
E915	Caused by explosion of pressure vessel ... {M F	682 830	525 684	502 699	444 678	365 604	536 603	264 449	19 2	8 —	12 —	9 2
E916	Caused by fire and explosion of combustible material ... {M F								191 367	†180 366	311 440	†266 439
E917	Caused by hot substance, corrosive liquid, and steam ... {M F								80 89	78 74	73 64	55 71
E918	Caused by radiation ... {M F								— —	— —	— —	— —
E919	Caused by firearm ... {M F	135 26	119 18	101 31	107 20	78 5	77 5	82 13	84 7	93 6	87 5	104 3
E920	Foreign body entering the eye and adnexa ... {M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —
E921	Inhalat'n and ingest'n of food causing obstr: or suffocation {M F	400 287	392 233	445 337	469 327	558 394	658 470	528 383	241 169	226 181	228 163	242 159
E922	Inhalat'n and ingest'n of other obj: causing obstr: or suff'n: {M F								21 15	23 9	14 14	10 6
E923	Foreign body entering other orifice ... {M F								17 22	17 14	14 13	20 21
E924	Acc: mechanical suffocation in bed and cradle ... {M F								210 138	180 106	165 130	154 93
E925	Acc: mechanical suffocation in other and unspecified circs: {M F	87 89	72 106	85 104	88 107	61 86	74 80	66 65	30 10	49 5	56 6	48 9
E926	Lack of care of infants under 1 year of age ... {M F								65 65	51 41	63 41	50 46
E927	Acc: caused by bites and stings of ven: animals and insects... {M F								2 8	2 —	1 3	2 3
E928	Other accidents caused by animals ... {M F								28 5	36 6	24 4	17 5
E929	Accidental drowning and submersion ... {M F	993 215	988 235	1016 210	1059 243	810 248	979 231	793 235	822 185	763 200	754 214	713 182

\* E911. See E833-E835. † E916. 80 male deaths which occurred in the Creswell Colliery Disaster on the 26th September, 1950 were registered in 1952, and are therefore included in the 1952 deaths for this cause.



TABLE 7—continued.

Inter-national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
E930	High and low air pressure ... {M F	— —	— —	1 —	1 —	— —	— —	— —	1 —	2 —	2 —	1 —
E931	Excessive heat and insolation... {M F	8 3	8 3	8 5	2 4	3 2	11 13	18 8	10 5	9 3	1 4	4 5
E932	Excessive cold... {M F	43 24	35 11	24 12	39 12	38 24	41 26	20 15	4 2	4 2	6 4	7 3
E933	Hunger, thirst, and exposure... {M F	— —	— —	2 4	— —	3 1	6 7	1 1	1 3	— —	— —	17 12
E934	Cataclysm ... {M F	3 —	7 —	8 2	6 1	12 3	6 1	9 2	9 3	11 2	3 2	11 —
E935	Lightning ... {M F	226 93	240 85	223 75	197 89	219 62	198 86	168 71	132 49	104 36	153 43	129 42
E940-E946	Complications due to nonthera- {M F	4 9	5 1	7 14	5 7	3 3	6 9	6 2	6 6	4 4	3 5	2 4
E940	Generalized vaccinia following {M F	4 3	3 1	3 3	4 2	1 1	2 3	4 —	— —	— —	1 —	1 2
E941	Postvaccinal encephalitis ... {M F	— —	— —	— 2	— —	— —	1 2	— —	— —	1 1	— —	— —
E942	Other complications of small- {M F	— —	— —	— 2	— —	— —	1 2	— —	— —	1 1	— —	— —
E943	Post-immunization jaundice & {M F	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —
E944	Other complication of prophylactic inoculation ... {M F	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —
E945	Complications of anæsthesia for nontherapeutic purpose {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E946	Other compl'ns due to non-therap: med: & surg: procs: {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E950	Therapeutic misadventure in surgical treatment ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E951	Therapeutic misadventure in infusion or transfusion ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E952	Therapeutic misadventure in local application ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E953	Therapeutic misadv: in admin: of drugs or biologicals ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E954	Therapeutic misadventure in anæsthesia ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E955	Other and unspecified therapeutic misadventure ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E956	Late complication of surgical operation ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E957	Late complication of amputation stump ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E958	Late complication of irradiation ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E959	Late complications of other forms of treatment... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E960-E965	Late effects of injury and poisoning ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E960	Late effect of motor vehicle accident ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E961	Late effect of accidental poisoning ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E962	Late effect of other accidental injury... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

† E943, E944 include E946 for these years.

‡ E960. Included in E810-E835 for these years.

‡ E961. Included in E870-E895 for these years.

‡ E962. Included in rest of E800-E946 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
E963	Late effect of self-inflicted in- jury ... .. { M F	‡	‡	‡	‡	‡	‡	‡	1	—	—	—
E964	Late effect of injury purposely inflicted by another person { M (not in war). F	‡	‡	‡	‡	‡	‡	‡	—	—	—	—
E965	Late effects of injuries due to war operations ... .. { M F	*	*	*	*	*	*	*	74 2	120 1	131 —	103 2
<b>E970-E979</b>	<b>Suicide and self-inflicted injury</b> { M F	<b>2095 1321</b>	<b>2185 1343</b>	<b>2190 1257</b>	<b>2238 1432</b>	<b>2673 1639</b>	<b>2694 1680</b>	<b>2961 1757</b>	<b>3023 1697</b>	<b>2885 1586</b>	<b>2831 1638</b>	<b>2788 1550</b>
E970	Poisoning by analgesic and soporific substances ... { M F	36 58	39 67	29 69	49 82	53 116	97 142	142 217	148 207	176 245	152 221	241 295
E971	Poisoning by other solid and liquid substances ... { M F	97 135	110 106	106 98	121 99	134 103	120 113	122 78	119 99	110 83	111 64	113 62
E972	Poisoning by gases in domestic use ... .. { M F	635 612	664 619	750 599	732 683	851 786	919 856	1098 904	1081 852	1034 757	1080 876	1092 780
E973	Poisoning by other gases ... { M F	12 —	9 2	4 —	12 2	16 1	20 2	36 6	21 —	24 5	33 8	24 3
E974	Injury by hanging and strang- ulation ... .. { M F	411 110	448 122	390 116	483 130	590 167	582 165	589 131	632 143	569 128	536 133	531 119
E975	Injury by submersion (drowning) ... .. { M F	262 237	297 272	305 234	295 267	344 266	301 234	340 251	357 235	330 221	326 218	270 189
E976	Injury by firearms and ex- plosives ... .. { M F	237 17	236 11	191 15	184 22	211 10	241 13	205 13	220 10	198 9	189 13	170 4
E977	Injury by cutting and piercing instruments ... .. { M F	220 46	238 57	247 42	222 41	275 55	216 44	187 37	232 38	198 40	162 25	155 29
E978	Injury by jumping from high place ... .. { M F	83 55	59 50	65 48	52 61	72 69	70 68	95 61	80 66	84 51	90 41	54 38
E979	Injury by other and unspecified means ... .. { M F	102 51	85 37	103 36	88 45	127 66	128 43	147 59	133 47	162 47	152 39	138 31
<b>E980-E985</b>	<b>Homicide and injury purposely inflicted by other persons (not in war) ... .. { M F</b>	<b>125 126</b>	<b>105 112</b>	<b>75 103</b>	<b>125 131</b>	<b>90 114</b>	<b>94 123</b>	<b>123 102</b>	<b>86 114</b>	<b>107 107</b>	<b>99 83</b>	<b>102 93</b>
E980	Non-accidental poisoning by another person ... { M F								5 18	7 8	5 10	17 12
E981	Assault by firearm and ex- plosive ... .. { M F								8 7	13 11	3 13	10 9
E982	Assault by cutting and piercing instruments ... .. { M F	114 126	95 112	68 103	121 131	74 114	84 123	115 102	8 11	7 17	3 8	12 18
E983	Assault by other means ... { M F								51 77	62 71	73 52	40 54
E984	Injury by intervention of police { M F								— —	— —	1 —	— —
E985	Execution ... .. { M F	11 —	10 —	7 —	4 —	16 —	10 —	8 —	14 1	18 —	14 —	23 —
<b>E990-E999</b>	<b>Injury resulting from operations of war ... .. { M F</b>								<b>24 1</b>	<b>2 —</b>	<b>— —</b>	<b>2 —</b>
E990	By gas and chemicals ... { M F								— —	— —	— —	— —
E991	By gunshot ... .. { M F								— —	— —	— —	— —
E992	By grenade and land mine ... { M F								— —	— —	— —	— —
E993	By bomb ... .. { M F								1 —	— —	— —	— —
E994	By marine mine, depth charge, and torpedo ... { M F	*2044 *1747	*1571 *1431	*4515 *4814	*1202 *1202	*154 *10	*124 *1	*108 *8	— —	— —	— —	— —
E995	By explosion of artillery shell... { M F								— —	— —	— —	— —
E996	By explosion of undetermined origin ... .. { M F								— —	— —	— —	— —
E997	By aircraft destruction ... { M F								— —	— —	— —	— —
E998	By other and unspecified means { M F								— —	— —	— —	— —
E999	Inj: due war ops: but occurring after cess'n: of hostilities ... { M F								24 —	2 —	— —	2 —

‡ E 963. Included in E970-E979 for these years.  
E 964. Included in E980-E985 for these years.

\* E 990-E999. Includes E965 for these years.



TABLE 7—continued.

Inter- national List No.	Causes of Death.	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
N800-N999	XVII.—ALTER'VE CLASS- IFICATION OF AC'NTS } M } F } POIS'NGS, & VIO- } LENCE (NATURE OF } INJURY).	?	?	?	?	?	?	?	11712	11905	12447	11992
		?	?	?	?	?	?	?	6801	6984	7309	6810
N800-N804	Fracture of skull ... { M } F	?	?	?	?	?	?	?	2974	3248	3477	3189
		?	?	?	?	?	?	?	890	961	965	847
N805-N809	Fracture of spine and trunk ... { M } F	?	?	?	?	?	?	?	759	703	674	677
		?	?	?	?	?	?	?	210	245	251	271
N810-N829	Fracture of limbs ... { M } F	?	?	?	?	?	?	?	836	837	960	808
		?	?	?	?	?	?	?	1798	1995	2069	1786
N830-N839	Dislocation without fracture ... { M } F	?	?	?	?	?	?	?	6	24	49	43
		?	?	?	?	?	?	?	5	9	24	19
N840-N848	Sprains and strains of joints { M and adjacent muscles ... { F	?	?	?	?	?	?	?	7	4	2	1
		?	?	?	?	?	?	?	1	1	4	2
N850-N856	Head injury (excluding frac- { M ture) ... { F	?	?	?	?	?	?	?	817	902	973	839
		?	?	?	?	?	?	?	373	387	405	361
N860-N869	Internal injury of chest, ab- { M domen, and pelvis ... { F	?	?	?	?	?	?	?	580	746	839	955
		?	?	?	?	?	?	?	125	151	166	173
N870-N908	Laceration and open wounds { M } F	?	?	?	?	?	?	?	490	402	362	468
		?	?	?	?	?	?	?	89	94	77	109
N910-N929	Superficial injury, contusion & { M crushing with intact skin { F	?	?	?	?	?	?	?	55	38	52	34
	surface.	?	?	?	?	?	?	?	57	61	63	58
N930-N936	Effects of foreign body entering { M through orifice ... { F	?	?	?	?	?	?	?	280	271	265	275
		?	?	?	?	?	?	?	213	206	196	189
N940-N949	Burns ... { M } F	?	?	?	?	?	?	?	272	257	306	245
		?	?	?	?	?	?	?	449	426	485	492
N960-N979	Effects of poisons ... { M } F	?	?	?	?	?	?	?	1759	1752	1893	2042
		?	?	?	?	?	?	?	1542	1522	1664	1624
N950-N959	} All other & unspecified effects { M of external causes ... { F	?	?	?	?	?	?	?	2877	2721	2595	2416
N980-N999		?	?	?	?	?	?	?	1049	926	940	879

**TABLE 8.—Crude Death Rates by Sex from Certain Causes at All Ages to a Million Living, 1942-1952.** } England and Wales.

*Note :* (1) Rates for years up to 1949 are based on civilian deaths and civilian populations. Rates from 1950 are based on total deaths and Home Populations. *See Explanatory notes on page v.*

(2) Footnotes to individual causes in Table 7 apply also to those causes in this table.

Inter- national List No.	Causes of Death		1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
	Estimated mid-year popula- tion (in thousands)	{ M F P	16802 21441 38243	16334 21484 37818	16188 21597 37785	16412 21745 38157	18616 21979 40595	19612 22174 41786	20370 22380 42750	20580 22520 43100	21169 22661 43830	21049 22751 43800	21119 22821 43940
	ALL CAUSES .. ..	{ M F P	14408 10660 12307	15282 11260 12997	15252 10842 12731	14955 10846 12613	13400 10901 12047	13550 11268 12339	11864 10142 10962	12631 11103 11832	12337 10995 11643	13384 11765 12543	12205 10505 11322
001-138	I.—INFECTIVE & PARA- SITIC DISEASES .. ..	{ M F P	1188 675 900	1216 660 900	1113 596 817	1072 585 795	891 533 697	878 561 710	772 489 624	722 440 575	605 355 475	543 296 415	441 220 326
001-019	Tuberculosis (all forms) ..	{ M F P	867 493 657	914 481 668	860 453 628	835 449 615	706 421 552	683 437 552	628 397 507	579 350 459	469 267 364	419 219 315	337 152 241
001-008	Respiratory system ..	{ M F P	730 395 542	785 385 557	739 364 524	716 364 515	613 345 468	595 364 473	555 334 440	518 303 405	422 227 321	375 181 275	304 128 212
010-019	Other forms .. ..	{ M F P	137 98 115	129 96 111	122 89 103	119 85 100	93 75 83	87 73 80	73 63 67	61 47 54	47 40 43	44 37 41	33 24 28
010	Meninges and central nervous system .. ..	{ M F P	58 45 50	56 45 50	53 41 46	52 42 46	42 36 39	40 34 37	32 30 31	27 24 25	20 20 20	21 19 20	13 11 12
011	Intestines, peritoneum, and mesenteric glands .. ..	{ M F P	22 19 21	18 17 17	18 14 16	17 12 14	12 9 11	10 11 11	8 9 9	7 7 7	4 4 4	4 4 4	3 3 3
012-013	Bones and joints ..	{ M F P	22 12 16	21 11 15	18 10 14	17 9 12	12 9 11	10 7 9	10 7 9	7 5 6	7 5 6	6 4 5	5 3 4
016	Genito-urinary system ..	{ M F P	12 6 8	12 6 8	13 6 9	12 6 9	8 5 7	9 5 7	9 5 7	10 4 7	8 4 6	8 4 6	7 3 5
019	Disseminated tuberculosis	{ M F P	18 13 15	17 13 15	15 13 14	16 12 14	14 12 13	14 12 13	10 9 10	8 5 6	4 4 4	4 3 3	3 3 3
020-029	Syphilis and its sequelæ ..	{ M F P	116 33 69	110 34 67	100 31 61	94 28 56	85 28 54	74 26 48	64 23 42	63 22 41	57 23 39	60 22 40	52 23 37
022	Aneurysm of aorta ..	{ M F P	28 7 16	27 7 16	26 8 16	27 6 15	27 7 16	26 8 16	23 8 15	25 8 16	20 10 15	23 9 16	21 10 15
023	Other cardiovascular syphilis .. ..	{ M F P	39 12 24	36 13 23	32 11 20	30 9 18	27 10 18	23 9 15	23 9 15	17 6 11	21 7 14	22 7 14	18 8 13
024	Tabes dorsalis .. ..	{ M F P	14 3 8	15 3 8	14 2 7	13 2 7	10 2 6	8 2 5	5 1 3	6 1 3	5 1 3	5 1 3	5 1 3
025	General paralysis of insane .. ..	{ M F P	30 8 17	25 7 15	23 6 13	20 6 12	17 6 11	14 5 10	10 3 6	8 3 5	5 2 4	6 2 4	4 2 3
026	Other syphilis of central nervous system .. ..	{ M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	1 1 1	2 1 2	2 1 2	2 1 2
040-049	Infectious diseases commonly arising in intestinal tract ..	{ M F P	10 6 8	5 5 5	8 5 6	7 5 6	7 4 5	5 3 4	5 3 4	4 3 3	4 3 3	4 3 3	3 2 2
040, 041	Typhoid and paratyphoid fevers .. ..	{ M F P	3 2 2	2 2 2	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	0 0 0	0 0 0	0 0 0
042	Other salmonella infections .. ..	{ M F P	0 0 0	1 0 0	1 0 1	1 0 1	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1



TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
045-048	Dysentery (all forms) .. { M F P	6 4 5	3 3 3	5 3 4	5 3 4	4 2 3	3 1 2	2 1 2	1 1 1	2 1 1	2 1 2	1 1 1
045	Bacillary dysentery .. { M F P	4 3 3	2 3 2	3 2 3	3 3 3	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	1 0 0
050-064	Other bacterial diseases .. { M F P	141 108 122	126 96 109	103 80 90	78 61 68	59 53 56	53 50 51	40 37 38	32 28 30	27 24 25	26 23 24	19 17 18
050	Scarlet fever .. { M F P	3 2 3	4 3 3	3 3 3	2 2 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 1 1
051	Streptococcal sore throat { M F P	5 5 5	5 5 5	4 4 4	3 3 3	2 2 2	2 3 2	2 2 2	1 2 2	2 1 1	1 1 1	1 1 1
052	Erysipelas .. { M F P	5 3 4	3 3 3	4 3 3	2 4 3	2 2 2	1 2 1	1 1 1	1 1 1	1 1 1	0 0 0	0 0 0
053	Septicæmia and pyæmia { M F P	13 8 10	12 9 10	13 8 10	9 6 8	7 5 6	5 4 5	5 4 4	4 3 3	4 3 4	3 2 3	2 3 3
055	Diphtheria .. { M F P	53 43 47	41 32 36	27 22 24	21 16 18	11 11 11	6 5 6	4 3 4	2 2 2	1 1 1	1 1 1	1 1 1
056	Whooping cough .. { M F P	21 21 21	30 29 29	28 28 28	18 18 18	19 21 20	20 23 22	16 18 17	12 13 12	8 10 9	10 11 10	4 4 4
057	Meningococcal infections { M F P	37 24 30	26 15 20	20 11 15	19 10 14	14 10 12	15 11 13	8 6 7	7 6 7	7 6 6	7 6 7	8 6 7
080-096	Diseases attributable to viruses .. { M F P	45 32 38	52 40 46	35 25 29	51 40 45	29 25 27	59 43 51	32 27 29	41 36 38	43 36 39	29 27 28	25 24 25
080, 081	Acute poliomyelitis, including late effects .. { M F P	4 3 3	3 2 2	4 2 3	4 3 3	3 3 3	21 13 16	7 4 6	17 13 15	20 15 17	6 4 5	8 5 7
082, 083	Acute infectious enceph- alitis, including late effects .. { M F P	19 14 16	18 11 14	15 9 12	15 11 13	13 11 11	12 10 11	11 8 9	9 8 9	9 8 8	7 8 8	6 6 6
085	Measles .. { M F P	15 10 12	23 19 20	7 6 6	23 16 19	6 4 5	17 14 15	8 7 8	7 7 7	6 4 5	8 6 7	3 3 3
092	Infectious hepatitis .. { M F P	4 3 4	7 5 6	6 5 5	6 6 6	6 5 5	6 4 5	4 4 4	6 5 5	7 6 6	6 5 6	5 6 6
140-239	II.—NEOPLASMS .. { M F P	2134 1778 1934	2252 1814 2003	2270 1798 2000	2327 1825 2041	2108 1839 1962	2081 1850 1958	2073 1854 1958	2095 1867 1976	2099 1890 1991	2163 1865 2008	2189 1890 2034
140-205	Cancer, including Hodgkin's disease, leukæmia and aleukæmia .. { M F P	2080 1720 1878	2200 1752 1945	2217 1741 1945	2274 1766 1984	2058 1783 1909	2036 1797 1909	2028 1803 1910	2050 1821 1930	2058 1840 1945	2120 1822 1965	2151 1850 1995
140-200 202, 203, 205	Cancer, excluding Hodgkin's disease, leukæmia and aleukæmia .. { M F P	2025 1686 1835	2141 1716 1900	2156 1705 1898	2211 1725 1934	1995 1743 1859	1977 1756 1859	1966 1762 1859	1984 1775 1875	1992 1792 1889	2051 1377 1701	2076 1796 1931
140-143	Malignant neoplasm of buccal cavity and pharynx { M F P	126 25 69	126 26 69	123 26 68	116 26 65	95 25 57	87 25 54	81 24 51	76 26 50	75 27 50	74 28 50	70 28 48
140	Lip .. { M F P	13 1 7	13 1 7	13 1 6	11 1 5	10 1 5	8 1 4	7 1 4	8 1 4	7 1 4	6 1 3	5 1 3
141	Tongue .. { M F P	46 6 24	45 8 24	47 7 24	40 7 21	32 6 18	31 6 18	29 6 17	24 7 15	25 6 15	23 7 15	21 6 13
142-148	Other or unspecified parts of buccal cavity and pharynx .. { M F P	66 17 39	68 17 39	64 18 38	65 19 38	52 18 34	48 18 32	45 17 30	44 18 30	43 20 31	45 20 32	44 22 32
150-159	Malignant neoplasm of digestive organs and peritoneum .. { M F P	1155 795 953	1207 812 983	1224 809 987	1244 825 1005	1093 832 952	1052 832 935	1029 826 923	1001 823 908	965 826 893	969 801 882	955 806 878

TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
150	Esophagus .. .. .	M 94 F 32 P 59	93 36 60	93 32 58	91 36 59	77 37 56	79 36 56	74 36 54	70 35 52	71 37 54	71 37 53	70 37 53
151	Stomach .. .. .	M 423 F 259 P 331	431 266 337	453 269 348	462 270 353	405 280 338	398 280 335	401 278 337	392 273 330	379 284 330	387 286 335	382 278 328
152	Small intestine, including duodenum .. .. .	M 7 F 5 P 6	8 6 6	7 5 6	7 5 6	7 4 5	5 5 5	5 4 4	5 5 5	5 4 4	4 5 5	5 4 5
153	Large intestine, except rectum .. .. .	M 260 F 251 P 255	279 260 268	276 263 269	286 264 273	253 269 262	241 272 257	225 261 244	219 263 242	204 257 232	202 240 221	197 248 224
154	Rectum .. .. .	M 220 F 114 P 161	231 113 164	230 109 161	238 114 167	206 112 155	193 114 151	192 114 151	183 116 148	175 112 142	172 106 138	162 105 132
155	Biliary passages and liver (stated to be primary site) .. .. .	M 74 F 76 P 75	84 74 78	80 74 77	77 71 73	65 65 65	58 62 60	54 62 58	22 32 28	23 36 30	23 34 28	25 35 30
156	Liver (secondary and unspecified) .. .. .	M 75 F 75 P 75	78 75 75	77 75 75	73 75 75	65 65 65	60 65 65	58 65 65	29 29 29	28 25 26	27 24 25	26 21 23
157	Pancreas .. .. .	M 68 F 49 P 58	74 49 60	77 47 60	75 54 63	72 56 63	70 53 61	71 59 65	74 61 67	74 63 68	77 60 68	82 68 75
158	Peritoneum .. .. .	M 9 F 10 P 9	8 9 9	7 9 8	8 11 10	8 8 8	6 10 8	7 11 9	7 9 8	7 8 7	7 8 8	6 10 8
160-165	Malignant neoplasm of respiratory system .. .. .	M 331 F 70 P 184	372 72 201	397 74 212	419 80 226	413 81 234	438 89 253	465 95 271	495 98 288	536 104 312	581 107 335	614 113 354
160	Nose, nasal cavities, middle ear, and accessory sinuses .. .. .	M 5 F 4 P 4	6 4 5	6 4 5	6 4 5	5 4 5	5 3 4	5 4 4	6 4 5	6 5 5	6 4 5	6 4 5
161	Larynx .. .. .	M 48 F 8 P 26	51 9 27	49 9 26	48 9 26	44 8 25	39 9 23	41 9 24	38 9 23	38 8 23	38 9 23	36 8 21
162	Trachea, and bronchus and lung specified as primary .. .. .	M 265 F 53 P 146	303 54 162	329 57 174	354 62 188	355 65 198	387 73 220	413 79 238	108 22 63	135 26 79	142 27 83	172 33 99
163	Lung and bronchus, un- specified as to whether primary or secondary .. .. .	M 146 F 146 P 146	162 162 162	174 174 174	188 188 188	198 198 198	220 220 220	238 238 238	336 60 192	350 61 201	388 64 220	396 65 224
164	Mediastinum .. .. .	M 12 F 4 P 8	12 4 8	12 4 7	11 4 7	8 4 6	8 3 5	7 3 5	6 3 5	6 3 4	5 2 4	5 2 4
170-181	Malignant neoplasm of breast and genito-urinary organs .. .. .	M 265 F 702 P 510	279 712 525	261 700 512	275 695 514	259 706 501	262 707 498	258 713 496	270 710 500	274 714 502	277 713 503	282 723 511
170	Breast .. .. .	M 4 F 336 P 190	6 341 196	4 338 195	4 335 193	4 351 192	4 349 187	3 350 185	4 350 185	3 350 182	3 352 184	3 363 190
171-174	Uterus .. .. .	F 213	212	201	201	195	193	193	189	183	178	176
175	Ovary, Fallopian tube and broad ligament .. .. .	F 88	93	98	96	95	100	101	104	110	112	110
176	Other and unspecified female genital organs .. .. .	F 22	23	21	20	19	20	19	19	21	19	21
177	Prostate .. .. .	M 142	146	135	145	139	143	137	144	146	143	142
178	Testis .. .. .	M 10	8	9	9	10	9	10	9	10	9	10
179	Other and unspecified male genital organs .. .. .	M 13	12	12	10	9	9	8	8	8	8	7
180	Kidney .. .. .	M 21 F 14 P 17	26 15 20	24 16 20	26 14 19	23 16 19	25 16 20	26 17 21	27 17 22	28 16 22	28 19 23	30 21 25
181	Bladder and other urinary organs .. .. .	M 76 F 28 P 49	81 28 51	76 27 48	82 28 51	74 30 50	72 29 49	76 32 53	79 31 54	79 34 56	85 32 58	89 33 60



TABLE 8—continued.

Inter- national List No.	Causes of Death				1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
190-199	Malignant neoplasm of other and unspecified sites	M	F	P	131	138	133	136	116	119	113	116	116	117	121
					86	87	87	90	88	91	93	101	104	98	103
					106	109	107	110	101	104	103	108	110	107	112
190, 191	Skin .. ..	M	F	P	34	40	36	37	30	29	27	25	26	23	23
					22	22	22	22	20	21	20	20	21	18	21
					27	30	28	29	24	25	23	23	23	21	22
192	Eye .. ..	M	F	P	2	3	3	3	3	2	2	3	3	3	2
					2	2	2	2	2	2	2	2	3	2	3
					2	2	2	2	2	2	2	2	3	3	2
193	Brain and other parts of nervous system ..	M	F	P	25	27	25	29	24	28	30	32	32	35	39
					14	15	15	17	17	17	17	21	23	22	23
					19	20	19	22	20	22	23	26	27	28	31
194	Thyroid gland ..	M	F	P	5	4	5	5	4	5	4	4	3	4	5
					10	9	10	10	10	10	10	11	11	11	11
					8	7	8	8	7	8	7	8	7	8	8
195	Other endocrine glands ..	M	F	P	2	3	2	3	3	3	3	2	3	2	4
					2	1	2	2	2	2	1	3	2	2	2
					2	2	2	2	2	2	2	2	3	2	3
196	Bone (including jaw bone)	M	F	P	38	38	37	35	30	28	24	24	21	21	19
					20	20	19	18	19	17	17	18	14	14	14
					28	28	27	25	24	22	21	21	18	17	16
197-199	Other and unspecified sites	M	F	P	24	24	25	25	24	24	23	26	27	28	29
					18	17	17	19	19	22	25	26	30	28	29
					21	20	21	22	21	23	24	26	29	28	29
200-205	Neoplasms of lymphatic and hæmatopoietic tissues ..	M	F	P	72	78	79	84	82	78	81	92	92	101	109
					42	43	45	50	52	53	54	64	66	76	76
					55	58	59	65	65	65	67	77	79	88	92
200	Lymphosarcoma and reticulosarcoma ..	M	F	P	15	16	15	17	15	14	14	19	18	20	21
					6	7	6	7	7	7	7	11	11	13	13
					10	11	10	11	11	11	10	15	14	16	17
201	Hodgkin's disease ..	M	F	P	21	21	23	23	22	21	22	22	20	22	23
					10	10	10	11	10	10	11	11	11	12	12
					15	15	16	16	16	15	16	16	15	17	17
204	Leukæmia and aleukæmia	M	F	P								44	47	47	52
												35	37	41	41
												40	42	44	46
	0. Lymphatic leukæmia	M	F	P								16	20	20	21
												10	14	14	13
					34	38	38	40	41	38	40	13	17	17	17
	1. Myeloid leukæmia ..	M	F	P	24	25	26	29	30	32	31				
					28	30	31	34	35	35	35	15	19	19	21
												14	18	21	20
												14	18	20	21
	2-4 Other and unspecified leukæmia ..	M	F	P								13	8	7	10
												12	6	6	8
												12	7	7	9
210-229	Benign neoplasm ..	M	F	P	21	20	23	21	19	18	19	18	18	18	16
					36	41	35	36	33	32	30	28	30	25	26
					29	32	30	29	26	26	25	23	24	22	21
214	Uterine fibromyoma ..	F			12	16	13	11	10	8	9	8	8	6	6
216	Ovary .. ..	F			10	9	10	9	8	8	6	6	7	5	5
219	Kidney and other urin- ary organs ..	M	F	P	9	9	10	9	7	5	6	6	6	6	5
					3	2	2	2	2	2	2	1	2	2	1
					5	5	5	5	5	4	4	3	4	4	3
223	Brain and other parts of nervous system ..	M	F	P	5	6	6	6	6	7	6	6	6	6	5
					5	6	5	6	6	7	7	7	7	7	7
					5	6	5	6	6	7	6	6	7	7	6
230-239	Neoplasm of unspecified nature .. ..	M	F	P	33	32	30	32	31	27	27	27	23	24	21
					22	22	22	24	23	20	20	19	20	18	15
					27	26	25	28	26	24	24	23	21	21	18
240-289	III.—ALLERGIC, ENDO- CRINE SYSTEM, META- BOLIC, & NUTRITION- AL DISEASES	M	F	P	202	212	197	205	174	165	136	151	152	166	139
					251	252	229	235	223	228	204	213	223	236	201
					229	235	215	222	201	198	172	184	189	203	171
240-245	Allergic disorders ..	M	F	P	78	94	89	96	87	85	70	82	77	88	67
					53	63	55	61	60	64	56	63	65	76	54
					64	76	70	76	72	74	63	72	70	82	60
241	Asthma .. ..	M	F	P	?	?	?	?	?	?	?	82	77	88	67
					?	?	?	?	?	?	?	63	65	75	54
					?	?	?	?	?	?	?	72	70	81	60

TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
250-254	Diseases of thyroid gland .. { M F P	9 50 32	8 46 30	6 38 25	8 38 25	6 39 24	6 41 25	5 34 20	6 34 20	6 35 21	6 34 21	5 30 18
252	Thyrototoxicosis with or without goitre .. { M F P	7 36 23	7 34 22	5 27 18	5 26 17	4 27 17	4 28 17	3 25 15	4 23 14	3 22 13	4 21 13	3 17 10
253	Myxædema and cretinism { M F P	2 9 6	1 8 5	1 7 5	1 8 5	1 8 5	2 9 6	1 6 3	1 7 4	1 9 5	1 10 6	1 9 5
260	Diabetes mellitus .. { M F P	97 130 116	93 129 114	87 122 107	83 122 106	68 111 91	59 107 84	51 98 76	53 104 80	58 109 84	58 109 85	52 98 76
270-277	Diseases of other endocrine glands .. { M F P	10 12 11	9 9 9	8 8 8	9 9 9	7 8 7	7 10 8	5 8 7	6 8 7	7 8 7	8 10 9	7 9 8
272	Diseases of pituitary gland .. { M F P	1 1 1	1 2 2	1 1 1	2 2 2	1 1 1	1 2 1	1 2 1	1 2 2	2 2 2	2 3 3	2 3 2
274	Diseases of adrenal glands { M F P	5 8 6	4 5 5	3 5 4	4 5 5	4 4 4	4 6 5	2 5 4	3 5 4	3 4 4	3 5 4	2 5 4
280-289	Avitaminoses, and other metabolic diseases .. { M F P	8 5 7	7 5 6	7 5 6	8 5 7	7 6 6	7 6 6	5 6 6	4 5 5	6 6 6	7 7 7	9 9 9
290-299	IV.—DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS ... { M F P	80 95 88	76 91 84	70 83 77	76 93 85	49 75 63	52 73 63	44 64 54	42 65 54	38 67 53	40 64 53	39 60 50
290	Pernicious and other hyperchromic anæmias { M F P	52 68 61	49 63 57	45 56 51	50 64 58	28 46 38	29 45 38	23 36 30	21 37 30	19 37 28	18 34 27	15 29 22
	0. Pernicious anæmia .. { M F P	51 67 60	48 62 56	45 55 50	49 63 57	28 46 38	28 45 37	22 36 29	20 35 28	16 33 25	16 31 24	13 26 20
	1. Subacute combined degeneration of spinal cord .. { M F P	60	56	50	57	38	37	29	1 2 2	2 3 2	2 2 2	2 2 2
291	Iron deficiency anæmias (hypochromic anæmias) { M F P	1 3 2	1 2 2	1 3 2	2 4 3	1 3 2	1 4 3	1 4 3	2 4 3	2 6 4	2 7 5	3 6 5
292, 293	Other anæmias .. { M F P	11 11 11	10 13 12	10 11 11	9 12 11	8 12 10	10 12 11	9 11 10	9 13 11	8 14 11	10 11 11	10 15 13
300-326	V.—MENTAL, PSYCHO- NEUROTIC, AND PER- SONALITY DISORDERS { M F P	42 45 43	38 40 39	40 43 42	33 42 38	29 36 33	27 39 33	23 31 27	22 32 27	23 35 29	25 36 31	23 30 26
300-309	Psychoses .. { M F P	32 40 36	28 35 32	30 37 34	24 36 31	20 31 26	19 32 25	15 24 20	16 25 20	15 28 22	18 28 23	16 23 20
320-326	Disorders of character, be- haviour, and intelligence { M F P	9 5 7	9 6 7	10 6 8	9 6 7	9 6 7	8 7 8	8 7 7	5 5 5	7 4 6	6 5 6	6 5 5
325	Mental deficiency .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	4 4 4	5 4 5	5 4 4	4 4 4
330-398	VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS { M F P	1484 1451 1466	1522 1473 1494	1594 1508 1545	1596 1537 1562	1436 1590 1519	1464 1681 1579	1266 1546 1412	1379 1684 1538	1436 1796 1622	1521 1873 1704	1513 1887 1707
330-334	Vascular lesions affecting central nervous system .. { M F P	1258 1281 1271	1290 1307 1300	1365 1344 1353	1381 1374 1377	1249 1440 1352	1284 1524 1411	1125 1413 1275	1228 1544 1393	1284 1656 1476	1378 1734 1563	1381 1763 1579
330	Subarachnoid hæmorrhage { M F P	763 801 784	784 824 807	830 837 834	831 846 839	745 885 821	730 902 821	635 832 738	26 35 31	32 44 38	39 54 47	48 72 60
331	Cerebral hæmorrhage .. { M F P	784	807	834	839	821	821	738	646 843 749	644 864 758	653 857 759	621 823 726
332	Cerebral embolism and thrombosis .. { M F P	424 421 422	432 419 425	458 445 451	475 465 469	435 487 463	482 552 519	427 517 474	489 595 544	544 677 612	602 726 667	619 763 694



TABLE 8—continued.

Inter- national List No.	Causes of Death		1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
333,334	Spasm of cerebral arteries, and other and ill-defined vascular lesions affecting central nervous system ..	{ M F P	71 60 65	73 64 68	78 62 69	76 64 69	70 67 68	71 70 71	63 64 63	67 72 70	64 71 67	83 96 90	92 105 99
340-345	Inflammatory diseases of central nervous system ..	{ M F P	62 48 54	60 44 51	60 44 51	55 43 48	48 35 41	43 40 42	35 34 34	39 34 36	37 34 36	36 38 37	32 32 32
340	Meningitis, except menin- gococcal and tuberculous	{ M F P	23 15 19	22 13 17	23 13 17	19 12 15	16 8 12	16 10 13	12 8 10	13 9 11	11 8 9	11 7 9	9 6 8
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious) ..	{ M F P	8 6 7	8 6 7	7 6 6	7 6 6	6 4 5	6 5 5	4 5 4	5 5 5	5 3 4	4 3 3	3 2 3
345	Multiple sclerosis ..	{ M F P	24 24 24	23 22 22	23 22 22	22 23 23	19 20 20	17 22 19	14 19 16	16 18 17	15 20 18	17 25 21	15 20 18
350-357	Other diseases of central nervous system ..	{ M F P	126 101 112	127 98 111	126 97 109	123 98 109	109 96 102	105 98 101	85 84 84	91 92 92	97 94 96	91 91 91	87 83 85
350	Paralysis agitans ..	{ M F P	33 27 29	36 27 31	37 30 33	39 34 36	33 31 32	32 33 33	25 31 28	30 36 33	30 36 33	34 39 37	31 38 35
351, 352	Cerebral spastic infantile paralysis and other cerebral paralysis ..	{ M F P	21 21 21	20 24 22	21 21 21	19 21 20	17 21 19	17 21 19	14 19 17	16 20 18	23 23 23	14 19 17	14 13 13
353	Epilepsy .. ..	{ M F P	47 35 41	46 29 36	41 30 35	38 27 32	35 26 31	33 26 29	25 21 23	23 20 21	22 20 21	22 19 21	22 18 20
356	Motor neurone disease and muscular atrophy ..	{ M F P	16 10 13	17 11 14	19 10 14	19 10 14	17 10 13	16 11 13	16 8 12	16 11 14	15 10 12	14 8 11	15 9 12
	0. Progressive muscular atrophy .. ..	{ M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	12 8 10	10 7 8	10 6 8	10 6 8
360-369	Diseases of nerves and peripheral ganglia ..	{ M F P	4 3 3	4 4 4	4 3 3	4 3 3	4 3 3	6 4 5	4 3 3	4 4 4	4 3 3	4 2 3	3 2 2
390-398	Diseases of ear and mastoid process .. ..	{ M F P	33 17 24	39 19 28	36 19 26	32 17 23	26 15 20	25 14 19	17 11 14	15 8 11	14 7 10	12 7 9	10 5 8
391	Otitis media without men- tion of mastoiditis ..	{ M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	11 6 8	10 5 8	9 5 7	7 4 6
392, 393	Otitis media with mastoid- itis, and mastoiditis with- out mention of otitis media	{ M F P	15 8 11	17 7 12	16 10 12	14 8 11	10 6 8	11 6 8	6 3 4	4 2 3	4 2 3	3 1 2	3 1 2
<del>400-468</del>	<b>VII.—DISEASES OF THE CIRCULATORY SYSTEM</b>	{ M F P	<b>3991 3183 3538</b>	<b>4195 3322 3699</b>	<b>4429 3337 3804</b>	<b>4437 3465 3883</b>	<b>4121 3570 3823</b>	<b>4320 3780 4033</b>	<b>3879 3522 3692</b>	<b>4325 4068 4191</b>	<b>4378 4143 4256</b>	<b>4651 4366 4503</b>	<b>4383 3961 4164</b>
400-402	Rheumatic fever .. ..	{ M F P	23 24 23	25 29 27	28 26 27	25 24 25	19 19 19	18 19 19	18 20 19	15 17 16	12 14 13	8 9 9	7 8 7
410-416	Chronic rheumatic heart disease .. ..	{ M F P	252 290 273	241 294 271	260 290 277	246 286 269	208 272 243	203 272 240	181 257 220	181 270 228	201 306 255	194 298 248	164 247 207
410	Diseases of mitral valve ..	{ M F P	188 223 208	182 231 210	195 228 214	184 224 207	148 213 183	150 214 184	132 201 168	132 214 175	134 224 181	130 218 176	113 192 154
411	Diseases of aortic valve specified as rheumatic ..	{ M F P	11 5 8	11 5 8	12 5 8	12 5 8	11 5 8	10 5 7	9 5 7	10 5 7	13 5 9	14 6 10	14 6 10
412-414	Dis: of tricuspid v: pulm: v: specified as rh: & other en- docarditis specified as rh:	{ M F P	23 31 27	23 29 26	25 29 28	25 31 28	23 27 25	21 26 24	19 27 23	21 28 25	31 47 39	27 40 34	15 22 19
415	Other myocarditis specified as rheumatic .. ..	{ M F P	21 22 22	16 21 19	19 19 19	16 18 17	16 19 18	13 16 15	11 13 12	8 11 10	9 12 11	7 11 9	6 8 7
416	Other heart disease specified as rheumatic ..	{ M F P	9 9 9	9 9 9	9 8 9	9 8 8	9 9 9	10 11 10	10 11 11	10 11 11	14 18 16	16 23 20	16 20 18

TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
420-422	Arteriosclerotic and degener- ative heart disease ..	M 2917 F 2236 P 2535	M 3105 F 2348 P 2675	M 3285 F 2371 P 2762	M 3323 F 2484 P 2845	M 3099 F 2566 P 2811	M 3266 F 2725 P 2979	M 2929 F 2521 P 2715	M 3293 F 2931 P 3104	M 3266 F 2903 P 3078	M 3466 F 3067 P 3259	M 3306 F 2779 P 3032
420	Arteriosclerotic heart disease, including coronary disease ..	M 850 F 365 P 578	M 954 F 396 P 637	M 1065 F 425 P 699	M 1137 F 466 P 754	M 1129 F 522 P 800	M 1245 F 586 P 895	M 1264 F 652 P 943	M 1453 F 765 P 1093	M 1640 F 885 P 1249	M 1756 F 938 P 1331	M 1847 F 983 P 1398
	0. Arteriosclerotic heart disease so described ..	M } F } P }	M } F } P }	M } F } P }	M } F } P }	M } F } P }	M } F } P }	M } F } P }	M } F } P }	M } F } P }	M } F } P }	M } F } P }
	1. Heart disease specified as involving coronary arteries ..	M 516 F 329 P 329	M 575 F 362 P 362	M 634 F 387 P 387	M 693 F 430 P 430	M 745 F 488 P 488	M 844 F 554 P 554	M 899 F 622 P 622	M 1388 F 731 P 1045	M 1588 F 855 P 1209	M 1708 F 909 P 1293	M 1807 F 959 P 1367
	2. Angina pectoris without mention of coronary disease ..	M 95 F 35 P 62	M 97 F 34 P 62	M 101 F 38 P 65	M 97 F 35 P 62	M 81 F 34 P 56	M 72 F 32 P 51	M 61 F 30 P 45	M 60 F 31 P 45	M 47 F 25 P 36	M 40 F 22 P 31	M 31 F 17 P 24
421	Chronic endocarditis not specified as rheumatic ..	M 203 F 156 P 177	M 202 F 150 P 172	M 200 F 148 P 170	M 182 F 138 P 157	M 150 F 123 P 135	M 132 F 114 P 122	M 106 F 97 P 101	M 112 F 95 P 103	M 72 F 54 P 62	M 62 F 45 P 53	M 71 F 61 P 66
	0. Of mitral valve, speci- fied as non-rheumatic	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 0 F 0 P 0	M 1 F 1 P 1	M 1 F 1 P 1	M 4 F 4 P 4
	1. Of aortic valve, not specified as rheumatic	M 75 F 31 P 50	M 74 F 30 P 49	M 70 F 29 P 46	M 66 F 26 P 43	M 56 F 26 P 40	M 52 F 24 P 37	M 44 F 24 P 33	M 50 F 25 P 37	M 46 F 26 P 36	M 44 F 24 P 34	M 43 F 23 P 33
	2-4 Of tricusp: v: specified as non-rh.; pulm: v: not specified as rh.; & other & ill-def: not specified as rh:	M 129 F 125 P 127	M 128 F 120 P 123	M 130 F 120 P 124	M 116 F 112 P 114	M 94 F 97 P 95	M 79 F 90 P 85	M 63 F 73 P 68	M 62 F 70 P 66	M 24 F 26 P 25	M 17 F 20 P 18	M 24 F 34 P 29
422	Other myocardial degener- ation ..	M 1864 F 1715 P 1780	M 1950 F 1802 P 1866	M 2020 F 1798 P 1893	M 2004 F 1881 P 1934	M 1821 F 1921 P 1875	M 1890 F 2026 P 1962	M 1559 F 1772 P 1671	M 1728 F 2071 P 1907	M 1555 F 1965 P 1767	M 1648 F 2084 P 1874	M 1388 F 1735 P 1568
	0. Fatty degeneration ..	M 23 F 31 P 28	M 23 F 28 P 26	M 24 F 26 P 25	M 19 F 24 P 22	M 16 F 22 P 19	M 15 F 20 P 17	M 11 F 17 P 14	M 11 F 21 P 16	M 10 F 17 P 14	M 10 F 14 P 12	M 6 F 10 P 8
	1. With arteriosclerosis ..	M 498 F 409 P 448	M 524 F 424 P 467	M 558 F 442 P 492	M 576 F 480 P 521	M 553 F 523 P 537	M 598 F 579 P 588	M 522 F 534 P 528	M 585 F 646 P 617	M 580 F 666 P 624	M 633 F 733 P 685	M 555 F 643 P 601
	2. Other ..	M 1342 F 1275 P 1305	M 1403 F 1349 P 1373	M 1438 F 1330 P 1376	M 1409 F 1378 P 1391	M 1252 F 1376 P 1319	M 1277 F 1427 P 1357	M 1026 F 1221 P 1129	M 1132 F 1405 P 1274	M 965 F 1282 P 1129	M 1005 F 1338 P 1178	M 827 F 1082 P 959
430-434	Other diseases of heart ..	M 160 F 148 P 153	M 155 F 142 P 148	M 148 F 135 P 141	M 140 F 134 P 136	M 120 F 130 P 125	M 119 F 131 P 125	M 100 F 119 P 110	M 119 F 132 P 126	M 122 F 135 P 129	M 159 F 165 P 162	M 155 F 161 P 158
430	Acute and subacute endocarditis ..	M 27 F 24 P 25	M 28 F 23 P 25	M 25 F 20 P 22	M 21 F 15 P 18	M 16 F 13 P 14	M 16 F 11 P 13	M 14 F 10 P 12	M 12 F 10 P 11	M 11 F 7 P 9	M 10 F 7 P 8	M 9 F 6 P 7
431	Acute myocarditis not specified as rheumatic ..	M 6 F 3 P 5	M 5 F 5 P 5	M 5 F 4 P 4	M 6 F 4 P 5	M 5 F 5 P 5	M 5 F 6 P 6	M 5 F 5 P 5	M 5 F 6 P 5	M 5 F 4 P 5	M 5 F 5 P 5	M 4 F 3 P 4
432	Acute pericarditis specified as non-rheumatic ..	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 1 P 1	M 1 F 0 P 0	M 1 F 1 P 1
433	Functional disease of heart	M 60 F 71 P 66	M 60 F 68 P 65	M 59 F 68 P 64	M 54 F 72 P 64	M 55 F 76 P 66	M 56 F 76 P 67	M 48 F 71 P 60	M 55 F 77 P 66	M 46 F 72 P 60	M 57 F 82 P 70	M 54 F 77 P 66
434	Other and unspecified diseases of heart ..	M 67 F 48 P 56	M 61 F 44 P 51	M 60 F 41 P 49	M 58 F 42 P 49	M 43 F 36 P 39	M 41 F 36 P 38	M 32 F 32 P 32	M 46 F 39 P 42	M 59 F 51 P 55	M 86 F 71 P 78	M 88 F 74 P 81
440-447	Hypertensive disease..	M 316 F 237 P 272	M 338 F 253 P 289	M 354 F 260 P 300	M 358 F 269 P 307	M 348 F 293 P 318	M 375 F 331 P 352	M 351 F 324 P 337	M 389 F 388 P 389	M 445 F 452 P 448	M 476 F 480 P 478	M 426 F 437 P 432
440	Essential benign hyperten- sion with heart disease ..	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 0 F 1 P 1	M 6 F 6 P 6	M 6 F 5 P 6	M 4 F 4 P 4
441	Essential malignant hyper- tension with heart disease	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 2 F 1 P 1	M 7 F 5 P 6	M 8 F 6 P 7	M 4 F 3 P 4
442	Hypertensive heart disease with arteriolar nephro- sclerosis ..	M 18 F 14 P 16	M 17 F 14 P 15	M 17 F 14 P 15	M 17 F 14 P 15	M 16 F 14 P 15	M 16 F 15 P 16	M 14 F 13 P 13	M 14 F 14 P 14	M 12 F 14 P 13	M 16 F 16 P 16	M 8 F 9 P 8



TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
443	Other & unspecified hyper- tensive heart disease .. {M F P}	143 111 125	154 117 133	165 123 141	169 131 147	164 143 153	179 162 170	165 157 161	187 191 189	324 338 331	351 365 358	225 244 235
444	Essential benign hyperten- sion without mention of heart .. .. {M F P}	115 83 97	127 92 107	134 95 112	133 96 112	132 106 118	144 123 133	141 128 134	98 102 100	33 37 35	34 36 35	100 101 101
445	Essential malignant hyper- tension without mention of heart .. .. {M F P}	97	107	112	112	118	133	134	15 10 12	13 8 10	12 8 10	17 9 13
446	Hypertension with arter- iolar nephrosclerosis with- out mention of heart .. {M F P}	40 29 34	39 29 34	38 29 33	39 29 33	37 30 33	36 31 34	31 26 29	31 28 29	30 25 27	27 24 26	25 23 24
447	Other hypertensive disease without mention of heart .. .. {M F P}	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	43 42 42	21 19 20	21 20 20	44 45 44
450-456	Diseases of arteries .. {M F P}	301 220 256	306 227 261	323 224 267	319 235 271	299 252 274	312 266 287	272 244 257	293 282 288	293 281 287	311 300 305	289 278 283
450	General arteriosclerosis .. {M F P}								259 249 254	269 260 264	287 280 283	252 250 251
	0. Without mention of gangrene .. .. {M F P}	263 189 222	272 196 229	285 194 233	279 207 238	264 224 243	279 235 256	239 214 226	233 231 232	239 236 238	254 255 254	223 228 225
	1. With gangrene .. {M F P}								26 18 22	30 24 27	33 25 29	29 22 25
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm .. {M F P}	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	8 8 8	10 9 9	11 10 11	26 20 23
460-468	Diseases of veins and other diseases of circulatory system .. .. {M F P}	22 28 26	26 31 29	31 31 31	27 33 30	27 37 33	27 37 32	28 38 33	34 47 41	38 52 45	37 48 43	36 51 44
460	Varicose veins of lower extremities .. .. {M F P}								4 9 7	4 10 7	4 10 7	4 10 7
461	Hæmorrhoids .. .. {M F P}	6 11 9	7 12 10	7 11 10	8 12 10	6 11 9	4 11 8	4 10 7	1 1 1	1 1 1	1 0 1	1 0 1
462	Varicose veins of other specified sites .. {M F P}								1 1 1	1 1 1	1 1 1	1 1 1
463	Phlebitis and thrombo- phlebitis of lower extre- mities .. .. {M F P}	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	4 7 6	7 13 10	6 10 8	7 10 8
464	Phlebitis and thrombo- phlebitis of other sites .. {M F P}	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	3 4 3	1 1 1	1 1 1	0 1 1
465	Pulmonary embolism and infarction .. .. {M F P}	6 6 6	7 6 6	10 6 8	7 7 7	9 9 9	11 10 10	11 10 11	14 14 14	15 15 15	16 14 15	15 16 15
466	Other venous embolism and thrombosis .. {M F P}	7 10 9	9 11 10	11 11 11	10 14 12	10 15 13	9 14 12	11 16 13	7 9 8	8 10 9	7 11 9	7 12 10
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM {M F P}	1846 1049 1399	2374 1515 1836	1928 1025 1412	1923 1055 1428	1700 1090 1369	1774 1116 1425	1371 817 1081	1643 1137 1379	1501 1002 1243	2149 1552 1839	1493 906 1188
470-475	Acute upper respiratory infections .. .. {M F P}	9 5 7	9 5 6	8 5 6	7 4 5	5 3 4	5 3 4	4 3 3	5 3 4	6 6 6	6 6 6	4 4 4
480-483	Influenza .. .. {M F P}	107 74 88	359 312 333	125 86 103	85 59 70	132 128 130	87 72 79	33 25 29	128 132 130	88 90 89	351 370 361	42 38 40
480	Influenza with pneumonia {M F P}	46 28 36	169 130 147	57 35 44	39 22 29	62 56 59	40 29 35	15 10 13	59 57 58	44 41 43	176 178 177	21 19 20
481	Influenza with other res- piratory manifestations, & influenza unqualified {M F P}	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	67 73 70	42 47 45	173 189 181	19 18 19

TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
490-493 763	Pneumonia .. .. .	M 702 F 426 P 548	829 528 658	705 406 534	677 414 527	594 426 503	639 468 548	483 357 417	535 443 487	453 390 420	578 496 535	488 403 444
90	Lobar pneumonia (age 4 weeks and over) ..	M 213 F 105 P 152	231 123 170	201 93 139	176 89 127	151 89 117	147 89 116	119 69 93	117 79 97	105 70 87	113 75 93	103 63 82
91	Bronchopneumonia (age 4 weeks and over) ..	M 384 F 267 P 318	485 339 402	398 254 315	407 269 328	354 280 314	404 322 361	300 246 272	353 317 334	290 280 285	395 372 383	326 295 310
92	Primary atypical pneu- monia (age 4 weeks and over) .. .. .	M } F } P }	69 77 46	67 39 51	57 35 44	50 32 40	47 31 38	36 25 30	1 0 1	3 2 2	4 3 3	4 2 3
93	Pneumonia, other and unspecified .. .. .	M } F } P }	51 60 36	60 51 46	44 51 39	40 40 32	38 38 31	30 30 25	40 32 36	31 23 27	38 30 34	31 27 29
763	Pneumonia of the newborn* .. .. .	M 1.81 F 1.25 P 1.54	1.66 1.29 1.48	1.64 1.28 1.47	1.74 1.35 1.55	1.77 1.40 1.59	1.76 1.35 1.56	1.42 0.97 1.20	1.38 0.95 1.17	1.43 0.98 1.21	1.63 1.14 1.39	1.55 1.16 1.36
00-502	Bronchitis .. .. .	M 907 F 495 P 676	1043 617 801	966 485 691	1028 534 746	867 497 666	935 535 723	744 390 559	851 509 672	830 472 645	1079 627 844	838 420 621
00	Acute bronchitis .. ..	M 195 F 152 P 171	233 208 219	185 136 157	196 159 175	156 145 150	171 160 165	108 96 102	127 135 131	93 110 102	134 156 146	89 90 90
01	Bronchitis unqualified ..	M } F } P }	84 75 80	65 57 61	79 76 77	53 48 50						
02	Chronic bronchitis .. ..	M } F } P }	713 343 505	810 408 582	780 349 534	832 375 571	710 352 516	764 375 558	636 294 457	640 299 462	672 304 482	696 282 481
	0. Bronchitis with em- physema .. .. .	M } F } P }	41 119 119	44 134 181	64 181 166	56 166 166						
	1. Other .. .. .	M } F } P }	437 257 343	441 260 348	558 331 440	410 226 314						
10-527	Other diseases of respiratory system .. .. .	M 156 F 67 P 106	171 73 115	164 64 107	164 66 108	141 61 98	150 64 104	135 58 95	150 65 105	149 59 102	162 70 114	147 58 100
18	Empyema .. .. .	M 15 F 4 P 8	13 4 8	13 4 8	11 4 7	8 3 5	8 3 5	6 2 4	6 2 4	5 2 3	4 2 3	4 2 3
19	Pleurisy .. .. .	M 15 F 10 P 12	14 8 11	12 6 8	11 7 9	8 5 6	8 5 6	7 5 6	4 2 3	4 2 3	4 2 3	3 2 2
22	Pulmonary congestion and hypostasis .. .. .	M 17 F 18 P 18	21 21 21	18 17 17	17 18 17	14 19 17	15 20 17	12 17 15	16 22 19	12 19 16	15 21 18	10 15 13
23, 524	Silicosis, and occupational pulmonary fibrosis ..	M 15 F 0 P 7	19 0 8	21 0 9	24 0 10	21 0 10	22 0 11	21 0 10	26 0 13	27 0 13	29 0 14	27 0 13
25	Other chronic interstitial pneumonia .. .. .	M 11 F 2 P 6	10 3 6	10 4 7	9 3 6	9 3 6	8 3 6	9 4 6	8 3 6	9 3 6	9 4 6	9 4 6
26	Bronchiectasis .. .. .	M 49 F 19 P 32	56 22 37	56 20 35	60 22 38	52 21 35	57 22 38	49 18 33	56 24 39	54 22 38	55 27 40	51 21 36
27	Other diseases of lung and pleural cavity .. .. .	M 15 F 3 P 9	18 3 10	18 3 9	18 4 10	16 4 9	19 4 11	20 5 12	26 6 15	29 6 17	39 9 23	36 9 22
	1. Emphysema without mention of bronchitis	M 14 F 2 P 7	16 2 8	16 2 8	17 3 9	15 3 8	17 3 10	19 3 11	23 4 13	27 4 15	36 8 21	34 7 20
30-587	IX.—DISEASES OF THE DIGESTIVE SYSTEM ..	M 693 F 415 P 537	697 413 535	701 403 530	703 389 524	603 384 485	593 392 487	483 325 401	469 323 393	446 318 380	456 318 385	438 308 370
30-539	Diseases of buccal cavity and œsophagus .. ..	M 11 F 8 P 9	9 8 9	10 6 8	9 6 8	7 6 6	6 5 5	5 5 5	6 6 6	5 7 6	6 6 6	5 6 5

\*Rates per 1,000 related live births.



TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
540-545	Diseases of stomach and duodenum .. .. .	M 238 F 57 P 136	M 247 F 57 P 139	M 252 F 60 P 142	M 258 F 57 P 143	M 217 F 54 P 129	M 201 F 58 P 125	M 188 F 55 P 119	M 192 F 57 P 122	M 193 F 60 P 125	M 214 F 65 P 137	M 201 F 64 P 130
540	Ulcer of stomach .. .. .	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M 98 F 35 P 65	M 96 F 37 P 66	M 99 F 40 P 69	M 93 F 40 P 65
	0. Without mention of perforation .. .. .	M 133 F 36 P 78	M 142 F 33 P 80	M 144 F 37 P 83	M 141 F 34 P 80	M 120 F 35 P 74	M 109 F 38 P 71	M 102 F 35 P 67	M 66 F 27 P 46	M 77 F 28 P 52	M 70 F 31 P 49	M 65 F 30 P 47
	1. With perforation .. .. .	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M 32 F 8 P 19	M 19 F 9 P 14	M 29 F 9 P 19	M 28 F 9 P 18
541	Ulcer of duodenum .. .. .	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M 84 F 14 P 47	M 87 F 17 P 51	M 104 F 19 P 60	M 99 F 18 P 57
	0. Without mention of perforation .. .. .	M 87 F 9 P 43	M 89 F 12 P 45	M 93 F 11 P 46	M 102 F 14 P 52	M 85 F 10 P 45	M 83 F 11 P 45	M 79 F 12 P 44	M 53 F 9 P 30	M 55 F 11 P 32	M 64 F 12 P 37	M 64 F 11 P 36
	1. With perforation .. .. .	M F P	M F P	M F P	M F P	M F P	M F P	M F P	M 32 F 5 P 18	M 32 F 6 P 18	M 40 F 7 P 23	M 35 F 7 P 21
550-553	Appendicitis .. .. .	M 66 F 38 P 50	M 60 F 42 P 50	M 63 F 40 P 50	M 58 F 35 P 45	M 47 F 30 P 38	M 44 F 29 P 36	M 35 F 24 P 29	M 36 F 23 P 29	M 35 F 24 P 30	M 32 F 22 P 27	M 28 F 20 P 24
560, 561	Hernia of abdominal cavity .. .. .	M 67 F 61 P 63	M 71 F 58 P 64	M 61 F 52 P 56	M 63 F 50 P 55	M 62 F 55 P 58	M 52 F 54 P 53	M 46 F 42 P 44	M 41 F 39 P 40	M 39 F 38 P 39	M 39 F 39 P 39	M 39 F 37 P 38
560	Hernia of abdominal cavity without mention of obstruction .. .. .	M 13 F 7 P 10	M 15 F 7 P 10	M 13 F 6 P 9	M 13 F 6 P 9	M 13 F 7 P 10	M 12 F 7 P 9	M 10 F 5 P 8	M 9 F 6 P 7	M 7 F 6 P 7	M 8 F 5 P 7	M 9 F 6 P 8
561	Hernia of abdominal cavity with obstruction .. .. .	M 53 F 54 P 53	M 57 F 51 P 53	M 48 F 46 P 47	M 49 F 44 P 46	M 49 F 48 P 49	M 40 F 47 P 44	M 36 F 36 P 36	M 32 F 34 P 33	M 32 F 32 P 32	M 31 F 33 P 32	M 30 F 31 P 30
570-578	Other diseases of intestines and peritoneum .. .. .	M 241 F 169 P 201	M 238 F 169 P 199	M 246 F 169 P 202	M 247 F 166 P 201	M 210 F 161 P 184	M 230 F 174 P 201	M 153 F 126 P 139	M 134 F 119 P 126	M 111 F 101 P 106	M 102 F 100 P 101	M 95 F 97 P 96
570	Intestinal obstruction without mention of hernia .. .. .	M 65 F 45 P 54	M 63 F 44 P 52	M 67 F 44 P 54	M 57 F 39 P 46	M 55 F 42 P 48	M 57 F 44 P 50	M 45 F 38 P 41	M 40 F 36 P 38	M 35 F 29 P 32	M 34 F 31 P 33	M 36 F 31 P 34
	2. Mesenteric infarction .. .. .	M 3 F 2 P 2	M 3 F 1 P 2	M 3 F 1 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 2 F 2 P 2	M 3 F 3 P 3	M 6 F 6 P 6	M 8 F 7 P 7	M 9 F 8 P 8
	3. Volvulus .. .. .	M 16 F 9 P 12	M 16 F 9 P 12	M 16 F 10 P 12	M 14 F 8 P 11	M 13 F 9 P 11	M 14 F 10 P 12	M 11 F 8 P 10	M 10 F 8 P 9	M 9 F 6 P 8	M 9 F 7 P 8	M 11 F 7 P 9
571	Gastro-enteritis and colitis except ulcerative, (age 4 weeks and over) .. .. .	M 132 F 83 P 104	M 134 F 83 P 105	M 140 F 87 P 110	M 151 F 89 P 116	M 122 F 81 P 100	M 145 F 97 P 119	M 77 F 55 P 65	M 65 F 48 P 56	M 44 F 33 P 38	M 34 F 28 P 31	M 28 F 25 P 26
	0. Ages between 4 weeks and 2 years * .. .. .	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 1434 F 1039 P 1242	M 971 F 624 P 802	M 689 F 487 P 590	M 591 F 442 P 518
	1. Age 2 years and over .. .. .	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 11 F 15 P 13	M 10 F 14 P 12	M 11 F 14 P 13	M 9 F 12 P 11
572	Chronic enteritis and ulcerative colitis .. .. .	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M ? F ? P ?	M 21 F 26 P 23	M 21 F 29 P 26	M 21 F 30 P 25	M 20 F 30 P 25
	1. Diverticulitis .. .. .	M 14 F 12 P 13	M 13 F 11 P 12	M 13 F 11 P 12	M 14 F 12 P 13	M 11 F 13 P 12	M 10 F 12 P 11	M 12 F 12 P 12	M 12 F 13 P 12	M 12 F 15 P 13	M 12 F 15 P 14	M 11 F 14 P 13
	2. Ulcerative colitis † .. .. .	M 12 F 14 P 13	M 10 F 16 P 14	M 10 F 13 P 12	M 10 F 13 P 12	M 9 F 13 P 11	M 7 F 11 P 9	M 8 F 12 P 10	M 7 F 11 P 9	M 7 F 12 P 10	M 7 F 12 P 10	M 7 F 13 P 10
580-587	Diseases of liver, gall bladder, and pancreas .. .. .	M 72 F 81 P 77	M 71 F 79 P 76	M 69 F 76 P 73	M 68 F 77 P 73	M 59 F 78 P 69	M 60 F 73 P 67	M 56 F 73 P 65	M 59 F 79 P 70	M 62 F 86 P 75	M 63 F 87 P 76	M 69 F 85 P 77
581	Cirrhosis of liver .. .. .	M 32 F 14 P 22	M 33 F 14 P 22	M 30 F 13 P 20	M 31 F 13 P 21	M 26 F 14 P 19	M 27 F 15 P 21	M 25 F 14 P 19	M 27 F 16 P 21	M 27 F 19 P 23	M 29 F 22 P 26	M 31 F 21 P 26

\*571.0 Rates per million population aged under 2 years.

†572.2 includes 572.3 and 573 for years up to 1948 inclusive.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
584	Cholelithiasis .. .. . { M F P	13 27 21	13 27 21	13 24 19	12 25 20	11 25 19	10 23 17	10 23 17	10 23 17	12 27 20	10 26 18	11 25 18
585	Cholecystitis without men- tion of calculi .. .. . { M F P	13 27 21	14 24 20	13 25 20	11 23 18	8 24 17	9 20 15	8 20 14	8 21 15	8 20 15	8 20 14	9 19 14
587	Diseases of pancreas .. .. . { M F P	9 8 8	7 6 6	7 7 7	8 8 8	7 8 8	7 8 8	7 9 8	8 10 9	9 12 10	10 12 11	12 12 12
	0. Acute pancreatitis .. .. . { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	6 7 7	6 9 7	6 8 7	7 8 8
590-637	X.—DISEASES OF THE GENITO-URINARY SYS- TEM .. .. . { M F P	662 263 438	670 260 437	665 253 430	644 242 415	561 236 385	521 233 368	464 207 329	467 200 327	455 211 329	439 201 315	410 183 292
590-594	Nephritis and nephrosis .. .. . { M F P	256 200 224	245 198 218	245 194 216	240 186 209	211 183 196	194 175 184	166 153 159	165 147 156	162 152 157	154 144 149	142 126 134
590	Acute nephritis .. .. . { M F P	17 12 14	15 12 13	17 11 14	16 11 13	13 9 11	12 9 10	10 8 9	9 7 8	9 7 8	8 6 7	6 4 5
591	Nephritis with œdema, including nephrosis .. .. . { M F P	10 7 8	9 7 8	10 7 8	9 7 8	8 6 7	8 6 7	7 5 6	6 5 6	11 10 11	10 8 9	9 6 8
592	Chronic nephritis .. .. . { M F P	208 165 184	198 163 178	198 161 177	195 155 172	174 155 163	160 149 154	138 129 133	140 125 132	133 128 130	125 121 123	114 105 110
593	Nephritis not specified as acute or chronic .. .. . { M F P	19 15 17	20 15 17	18 14 16	17 12 14	14 12 13	13 11 12	10 10 10	10 9 10	8 6 7	11 8 9	11 9 10
600-609	Other diseases of urinary system .. .. . { M F P	82 44 61	80 43 59	79 41 57	73 40 54	63 39 50	63 42 52	57 39 48	54 40 47	56 46 51	58 45 51	55 45 50
600	Infections of kidney .. .. . { M F P	26 24 25	26 23 24	26 20 23	25 21 23	20 21 20	25 23 24	19 23 21	20 23 22	22 26 24	24 25 25	24 26 25
	0. Pyelitis, pyelocystitis and pyelonephritis .. .. . { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	19 21 20	20 25 23	22 24 23	22 24 23
602	Calculi of kidney and ureter .. .. . { M F P	10 7 8	10 8 9	9 7 8	9 7 8	10 7 8	7 7 7	8 6 7	7 5 6	7 6 6	8 6 7	7 6 7
605	Cystitis .. .. . { M F P	17 9 12	17 9 12	17 9 13	14 8 11	13 8 10	12 8 10	12 6 9	11 8 9	9 8 9	9 7 8	8 7 7
608	Stricture of urethra .. .. . { M F P	17 0 8	16 0 7	14 0 6	12 0 5	10 0 5	10 0 5	8 — 4	8 0 4	6 0 3	6 0 3	5 0 3
610-617	Diseases of male genital organs M	325	345	341	331	288	264	241	247	237	227	213
610	Hyperplasia of prostate M	310	330	327	317	277	254	234	240	225	216	206
611	Prostatitis .. .. . M	?	?	?	?	?	?	?	5	6	6	5
620-626	Diseases of breast, ovary, Fal- lopian tube, and parametrium F	8	7	8	6	4	5	4	4	3	3	3
630-637	Diseases of uterus and other female genital organs .. F	11	12	11	10	10	10	10	9	10	10	9
631	Uterovaginal prolapse .. F	5	5	5	6	5	6	6	5	6	6	6
640-689	XI—DELIVERIES & COM- PLICATIONS OF PREG- NANCY, CHILDBIRTH & THE PUERPERIUM .. F	2.48	2.30	1.93	1.80	1.43	1.17	1.02	0.97	0.87	0.82	0.72
* 640-649 660-689	Deliveries and complications of pregnancy, childbirth and the puerperium, excl. abortion F	2.02	1.84	1.53	1.47	1.25	1.02	0.86	0.81	0.72	0.66	0.59
640-648	Complications of pregnancy F	0.70	0.62	0.49	0.50	0.50	0.36	0.33	0.26	0.32	0.30	0.26
642	Toxæmias of pregnancy .. F	0.51	0.46	0.36	0.37	0.37	0.28	0.26	0.16	0.21	0.22	0.19
645	Ectopic pregnancy .. F	0.12	0.08	0.06	0.05	0.07	0.04	0.04	0.05	0.05	0.03	0.03
650-652	Abortion .. .. . F	32	33	33	24	16	15	13	12	11	11	10
† 650	Without mention of sepsis or toxæmia .. .. . F	5	6	4	4	3	3	3	3	3	4	3
651	With sepsis .. .. . F	24	25	25	18	11	9	9	8	7	7	5
652	With toxæmia, without mention of sepsis .. F	3	3	3	2	2	3	1	1	1	0	1

\* Rates per 1,000 total (live and still) births.

† Rates per million women aged 15-44 years.



TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
670-678	Delivery with specified complication .. F	0·77	0·74	0·66	0·61	0·50	0·41	0·34	0·32	0·22	0·23	0·19
670	Placenta prævia or ante- partum hæmorrhage .. F	0·10	0·09	0·09	0·07	0·07	0·05	0·05	0·03	0·03	0·04	0·02
671, 672	Retained placenta, and other postpartum hæmorrhage .. F	0·29	0·27	0·23	0·23	0·19	0·17	0·14	0·12	0·05	0·08	0·06
673-675	Abnormality of bony pelvis, disproportion or malposition of fœtus, and prolonged labour of other origin .. F	0·23	0·23	0·23	0·21	0·14	0·12	0·08	0·09	0·06	0·06	0·05
* 680-689	Complications of the puer- perium .. F	0·54	0·47	0·36	0·34	0·24	0·23	0·18	0·23	0·18	0·13	0·13
681	Sepsis of childbirth and the puerperium .. F	0·22	0·18	0·13	0·11	0·06	0·04	0·04	0·03	0·03	0·02	0·01
682	Puerperal phlebitis and thrombosis .. F	0·09	0·08	0·06	0·07	0·06	0·06	0·04	0·04	0·05	0·04	0·04
684	Puerperal pulmonary embolism .. F	0·09	0·11	0·08	0·06	0·07	0·06	0·05	0·03	0·04	0·03	0·04
685	Puerperal eclampsia .. F	0·08	0·05	0·05	0·06	0·04	0·05	0·04	0·08	0·04	0·02	0·02
690-716	XII.—DISEASES OF THE SKIN AND CELLULAR TISSUE .. M	38	36	34	28	21	18	16	14	14	14	12
	.. F	25	22	25	20	16	16	13	13	14	16	16
	.. P	31	28	29	24	19	17	14	14	14	15	14
690-698	Infections of skin and sub- cutaneous tissue .. M	25	23	22	16	12	9	8	7	6	5	4
	.. F	16	13	14	10	7	6	5	5	5	6	5
	.. P	20	17	17	12	9	7	6	6	5	6	5
700-716	Other diseases of skin and subcutaneous tissue .. M	12	14	13	12	9	9	8	7	8	8	7
	.. F	9	10	11	10	10	11	8	8	10	10	11
	.. P	11	11	12	11	10	10	8	8	9	9	9
720-749	XIII.—DISEASES OF THE BONES AND ORGANS OF MOVEMENT .. M	60	53	55	50	41	37	34	33	25	26	25
	.. F	68	71	67	67	62	58	57	61	42	46	42
	.. P	65	63	62	60	52	48	46	48	34	36	34
720-727	Arthritis and rheumatism, except rheumatic fever .. M	36	33	33	34	26	24	21	22	14	14	12
	.. F	56	59	55	56	53	50	49	52	33	34	32
	.. P	47	48	46	47	41	38	36	38	24	25	22
722	Rheumatoid arthritis and allied conditions .. M	23	20	20	19	16	15	13	13	8	9	7
	.. F	43	45	42	44	39	38	38	40	25	25	24
	.. P	34	34	33	33	28	27	26	27	17	17	16
	0. Rheumatoid arthritis .. M	23	20	20	19	16	15	12	13	7	8	6
	.. F	43	45	42	44	39	38	38	40	25	25	24
	.. P	34	34	32	33	28	27	26	27	16	17	15
723	Osteo-arthritis (arthrosis) and allied conditions .. M	6	7	5	7	6	5	5	6	4	4	3
	.. F	7	7	8	8	9	9	7	8	7	8	7
	.. P	7	7	7	7	8	7	6	7	5	6	5
	0. Osteo-arthritis (arthrosis) .. M	6	6	5	7	6	5	5	5	4	3	2
	.. F	7	7	8	7	9	8	7	8	6	7	6
	.. P	6	7	7	7	7	7	6	6	5	5	4
730-738	Osteomyelitis and other diseases of bone and joint .. M	20	15	16	12	10	9	8	7	7	8	8
	.. F	9	9	8	7	6	5	6	6	6	8	6
	.. P	13	11	12	9	8	7	7	7	7	8	7
730	Osteomyelitis & periostitis .. M	15	11	12	8	6	5	5	3	3	2	2
	.. F	6	5	5	4	3	3	2	2	1	2	1
	.. P	10	7	8	6	4	4	3	2	2	2	2
750-759	XIV.—CONGENITAL MALFORMATIONS .. M	162	163	174	159	159	152	124	117	119	115	110
	.. F	112	108	107	105	109	114	94	99	98	97	93
	.. P	134	131	135	128	132	132	108	108	108	106	101
750	Monstrosity .. M	3	3	2	2	3	3	2	2	2	2	3
	.. F	3	2	3	3	3	3	2	2	2	2	3
	.. P	3	2	2	2	3	3	2	2	2	2	3
751	Spina bifida and meningocele .. M	34	35	33	27	30	21	18	17	16	17	18
	.. F	40	36	36	32	33	29	23	24	19	21	24
	.. P	37	36	35	30	31	25	21	21	18	19	21
752	Congenital hydrocephalus .. M	8	9	8	9	8	9	6	6	6	5	6
	.. F	7	5	5	4	5	6	5	5	6	3	5
	.. P	7	7	6	6	6	7	5	5	6	4	5
753	Other congenital malforma- tions of nervous system and sense organs .. M	2	3	2	3	3	2	3	2	2	2	3
	.. F	2	2	1	2	2	3	2	3	3	3	2
	.. P	2	2	2	2	3	2	3	3	2	3	2
754	Congenital malformations of circulatory system .. M	63	63	71	66	62	64	53	51	55	50	42
	.. F	39	40	39	41	41	47	39	41	43	42	35
	.. P	50	50	53	52	51	55	45	46	49	46	39
756	Congenital malformations of digestive system .. M	31	32	36	31	31	31	22	22	19	17	16
	.. F	11	11	11	12	12	13	11	11	10	9	9
	.. P	20	20	22	20	21	22	16	16	14	13	12
757	Congenital malformations of genito-urinary system .. M	10	10	11	11	11	12	11	10	12	12	13
	.. F	5	6	6	6	7	7	6	7	9	8	8
	.. P	7	7	8	8	9	9	8	8	10	10	10

\*Rates per 1,000 total (live and still) births.

TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
60-776†	XV.—CERTAIN DISEASES OF EARLY INFANCY* { M F P	26·21 19·86 23·13	24·14 18·62 21·46	23·04 18·01 20·61	23·76 17·89 20·92	23·44 17·27 20·45	21·96 16·45 19·29	19·17 14·10 16·71	18·68 13·49 16·16	17·79 12·73 15·33	18·39 12·94 15·74	17·28 12·58 14·99
80-795	XVI.—SYMPTOMS, SEN- ILITY, & ILL-DEFINED CONDITIONS .. .. { M F P	414 462 441	444 474 461	438 457 449	437 475 458	357 448 406	326 426 379	243 341 294	239 352 298	181 271 228	178 262 222	142 208 176
80-789	Symptoms referable to systems or organs .. { M F P	52 30 40	47 25 35	45 23 32	38 20 28	30 18 23	26 15 20	19 13 16	12 9 11	6 5 6	7 4 5	4 3 4
90-795	Senility and ill-defined diseases .. .. { M F P	362 431 401	397 449 427	393 434 416	399 454 430	327 430 383	300 411 359	224 328 279	227 343 288	174 266 222	172 258 216	137 205 172
94	Senility without mention of psychosis .. .. { M F P	349 426 392	386 444 419	382 429 409	390 450 424	319 426 377	293 407 353	219 324 274	222 340 284	171 264 219	168 256 214	134 203 170
800-E999	XVII.—ACCIDENTS, POI- SONINGS, & VIOLENCE (EXTERNAL CAUSE) { M F P	892 420 627	814 381 568	996 541 736	755 380 541	624 325 463	632 333 473	558 306 426	569 302 430	562 308 431	591 321 451	568 298 428
800-E802	Railway accidents .. { M F P	26 2 13	27 3 13	28 3 14	25 3 12	22 3 11	23 2 12	17 3 10	16 1 8	16 2 8	14 1 8	18 3 10
810-E835	Motor vehicle accidents .. { M F P	208 56 123	165 46 97	178 55 107	158 49 96	153 47 96	147 47 94	128 44 84	141 41 89	151 46 97	161 49 103	149 43 94
840-E845	Other road vehicle accidents { M F P	26 6 15	26 8 16	24 5 13	17 6 11	14 4 8	13 4 8	13 4 8	12 4 8	14 4 9	11 3 7	11 3 7
850-E858	Water transport accidents { M F P	8 0 4	9 0 4	9 0 4	9 0 4	9 0 4	8 0 4	6 0 3	7 0 4	9 0 4	7 0 3	6 0 3
860-E866	Aircraft accidents .. { M F P	0 — 0	2 0 1	2 0 1	1 0 1	1 0 0	3 0 1	4 1 3	4 1 2	11 0 5	13 1 7	14 1 7
870-E888	Accidental poisoning by solid and liquid substances .. { M F P	5 3 4	4 2 3	4 3 3	5 4 4	5 4 4	5 5 5	6 4 5	5 4 5	5 6 6	6 6 6	7 6 7
890-E895	Accidental poisoning by gases and vapours .. { M F P	9 6 7	8 6 7	10 7 8	13 9 11	10 10 10	11 12 11	10 9 9	11 10 11	10 11 11	12 13 13	12 13 12
900-E904	Accidental falls .. { M F P	127 120 123	118 114 116	107 111 109	103 110 107	88 110 100	94 110 103	78 100 89	81 105 93	74 113 94	86 117 102	79 105 93
910-E936	Other accidents .. { M F P	229 76 144	218 68 133	215 71 133	205 72 129	167 68 113	180 72 123	140 58 97	136 53 93	123 49 85	131 53 91	125 50 86
910	Blow from falling object .. { M F P	40 1 18	37 1 17	32 0 14	29 1 13	26 1 12	24 1 12	20 0 10	21 1 11	18 0 9	19 1 9	17 1 9
912	Caused by machinery .. { M F P	18 1 8	16 1 7	16 1 7	13 1 6	11 0 5	11 0 5	12 0 6	10 0 5	8 0 4	9 0 4	9 0 4
916	Caused by fire and explosion of combustible material .. .. { M F P	41 39 40	32 32 32	31 32 32	27 31 29	20 27 24	27 27 27	13 20 17	**9 16 13	**9 16 12	15 19 17	**13 19 16
921-E925	Accidental mechanical obstruction or suffocation { M F P	24 13 18	24 11 17	27 16 21	29 15 21	30 18 23	34 21 27	26 17 21	25 16 20	23 14 18	23 14 18	22 13 17
929	Accidental drowning and submersion .. { M F P	59 10 32	60 11 32	63 10 32	65 11 34	44 11 26	50 10 29	39 11 24	40 8 23	36 9 22	36 9 22	34 8 20
960-E965	Late effects of injury and poisoning .. .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	4 0 2	8 1 5	10 1 5	9 1 5
970-E979	Suicide and self-inflicted injury .. .. { M F P	125 62 89	134 63 93	135 58 91	136 66 96	144 75 106	137 76 105	145 79 110	147 75 110	136 70 102	134 72 102	132 68 99
970	Poisoning by analgesic and soporific substances .. { M F P	2 3 2	2 3 3	2 3 3	3 4 3	3 5 4	5 6 6	7 10 8	7 9 8	8 11 10	7 10 9	11 13 12

† Rates per 1,000 related live births.

\* For detail of causes 760-776, see Table 11.

\*\* E916 See footnote to this cause in Table 7.



TABLE 8—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
E971	Poisoning by other solid and liquid substances .. { M F P	6 6 6	7 5 6	7 5 5	7 5 6	7 5 6	6 5 6	6 3 5	6 4 5	5 4 4	5 3 4	5 3 4
E972	Poisoning by gases in domestic use .. { M F P	38 29 33	41 29 34	46 28 36	45 31 37	46 36 40	47 39 42	54 40 47	53 38 45	49 33 41	51 39 45	52 34 43
E974	Hanging and strangulation .. { M F P	24 5 14	27 6 15	24 5 13	29 6 16	32 8 19	30 7 18	29 6 17	31 6 18	27 6 16	25 6 15	25 5 15
E975	Submersion (drowning) { M F P	16 11 13	18 13 15	19 11 14	18 12 15	18 12 15	15 11 13	17 11 14	17 10 14	16 10 13	15 10 12	13 8 10
E976	Firearms and explosives .. { M F P	14 1 7	14 1 7	12 1 5	11 1 5	11 0 5	12 1 6	10 1 5	11 0 5	9 0 5	9 1 5	8 0 4
E977	Cutting and piercing instruments .. { M F P	13 2 7	15 3 8	15 2 8	14 2 7	15 3 8	11 2 6	9 2 5	11 2 6	9 2 5	8 1 4	7 1 4
E978	Jumping from high place { M F P	5 3 4	4 2 3	4 2 3	3 3 3	4 3 3	4 3 3	5 3 4	4 3 3	4 2 3	4 2 3	3 2 2
E979	Other and unspecified means .. { M F P	6 2 4	5 2 3	6 2 4	5 2 3	7 3 5	7 2 4	7 3 5	6 2 4	8 2 5	7 2 4	7 1 4
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) .. { M F P	7 6 7	6 5 6	5 5 5	8 6 7	5 5 5	5 6 5	6 5 5	4 5 5	5 5 5	5 4 4	5 4 4
N800-N999	NXVII.—ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, & VIOLENCE (NATURE OF INJURY) { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	569 302 430	562 308 431	591 321 451	568 298 428
N800-N804	Fracture of skull .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	145 40 90	153 42 96	165 42 101	151 37 92
N805-N809	Fracture of spine and trunk { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	37 9 22	33 11 22	32 11 21	32 12 22
N810-N829	Fracture of limbs .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	41 80 61	40 88 65	46 91 69	38 78 59
N830-N839	Dislocation without fracture { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	0 0 0	1 0 1	2 1 2	2 1 1
N840-N848	Sprains and strains of joints and adjacent muscles .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	0 0 0	0 0 0	0 0 0	0 0 0
N850-N856	Head injury (excluding fracture) .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	40 17 28	43 17 29	46 18 31	40 16 27
N860-N869	Internal injury of chest, abdomen and pelvis .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	28 6 16	35 7 20	40 7 23	45 8 26
N870-N908	Laceration and open wounds .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	24 4 13	19 4 11	17 3 10	22 5 13
N910-N929	Superficial injury, contusion and crushing with intact skin surface .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	3 3 3	2 3 2	2 3 3	2 3 2
N930-N936	Effects of foreign body entering through orifice { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	14 9 11	13 9 11	13 9 11	13 8 11
N940-N949	Burns .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	13 20 17	12 19 16	15 21 18	12 22 17
N960-N979	Effects of poisons .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	85 68 77	83 67 75	90 73 81	97 71 83
N950-N959 N980-N999	All other and unspecified effects of external causes .. { M F P	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	? ? ?	140 47 91	129 41 83	123 41 81	114 39 75

TABLE 9.—Comparative Mortality Indices (Base Year 1938) by } England and Wales.  
Sex for Certain Causes of Death, 1942-1952.

Notes: (1) The C.M.I. expresses each cause mortality (all ages) of each year as a ratio to that of 1938 adopted as a base, after adjustment for age differences in the populations exposed to risk. For years prior to 1950, including the base year 1938, mortality has been adjusted to the new (1948) method of classification to eliminate the effects of changing methods of cause assignment through those years. Owing to the degree of estimation thus involved, C.M.I.'s are shown to two decimal places only instead of three as in past years.

(2) In years up to 1949, C.M.I.'s are based on civilian death rates and age distribution.

(3) Footnotes to Table 7 for individual causes apply also to this table.

(4) See Explanatory notes on page v.

Inter- national List No.	Causes of Death		1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
	ALL CAUSES .. ..	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 0.97 \\ 0.92 \\ 0.94 \end{matrix}$	$\begin{matrix} 0.98 \\ 0.94 \\ 0.96 \end{matrix}$	$\begin{matrix} 0.95 \\ 0.89 \\ 0.92 \end{matrix}$	$\begin{matrix} 0.92 \\ 0.87 \\ 0.89 \end{matrix}$	$\begin{matrix} 0.89 \\ 0.88 \\ 0.88 \end{matrix}$	$\begin{matrix} 0.92 \\ 0.89 \\ 0.91 \end{matrix}$	$\begin{matrix} 0.82 \\ 0.79 \\ 0.80 \end{matrix}$	$\begin{matrix} 0.86 \\ 0.85 \\ 0.86 \end{matrix}$	$\begin{matrix} 0.85 \\ 0.83 \\ 0.84 \end{matrix}$	$\begin{matrix} 0.92 \\ 0.88 \\ 0.90 \end{matrix}$	$\begin{matrix} 0.84 \\ 0.78 \\ 0.81 \end{matrix}$
001-019	Tuberculosis (all forms) ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.19 \\ 0.99 \end{matrix}$	$\begin{matrix} 1.26 \\ 0.98 \end{matrix}$	$\begin{matrix} 1.20 \\ 0.92 \end{matrix}$	$\begin{matrix} 1.17 \\ 0.92 \end{matrix}$	$\begin{matrix} 0.94 \\ 0.85 \end{matrix}$	$\begin{matrix} 0.90 \\ 0.89 \end{matrix}$	$\begin{matrix} 0.83 \\ 0.82 \end{matrix}$	$\begin{matrix} 0.76 \\ 0.72 \end{matrix}$	$\begin{matrix} 0.62 \\ 0.55 \end{matrix}$	$\begin{matrix} 0.55 \\ 0.45 \end{matrix}$	$\begin{matrix} 0.44 \\ 0.31 \end{matrix}$
001-008	Respiratory system ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.27 \\ 0.97 \end{matrix}$	$\begin{matrix} 1.33 \\ 0.96 \end{matrix}$	$\begin{matrix} 1.27 \\ 0.91 \end{matrix}$	$\begin{matrix} 1.23 \\ 0.91 \end{matrix}$	$\begin{matrix} 0.97 \\ 0.86 \end{matrix}$	$\begin{matrix} 0.93 \\ 0.92 \end{matrix}$	$\begin{matrix} 0.87 \\ 0.85 \end{matrix}$	$\begin{matrix} 0.80 \\ 0.77 \end{matrix}$	$\begin{matrix} 0.66 \\ 0.58 \end{matrix}$	$\begin{matrix} 0.58 \\ 0.46 \end{matrix}$	$\begin{matrix} 0.47 \\ 0.32 \end{matrix}$
010-019	Other forms ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.21 \\ 1.07 \end{matrix}$	$\begin{matrix} 1.14 \\ 1.05 \end{matrix}$	$\begin{matrix} 1.06 \\ 0.97 \end{matrix}$	$\begin{matrix} 1.03 \\ 0.92 \end{matrix}$	$\begin{matrix} 0.80 \\ 0.81 \end{matrix}$	$\begin{matrix} 0.74 \\ 0.77 \end{matrix}$	$\begin{matrix} 0.61 \\ 0.65 \end{matrix}$	$\begin{matrix} 0.52 \\ 0.50 \end{matrix}$	$\begin{matrix} 0.40 \\ 0.41 \end{matrix}$	$\begin{matrix} 0.37 \\ 0.39 \end{matrix}$	$\begin{matrix} 0.28 \\ 0.26 \end{matrix}$
010	Meninges and central nervous system ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.20 \\ 1.13 \end{matrix}$	$\begin{matrix} 1.13 \\ 1.14 \end{matrix}$	$\begin{matrix} 1.05 \\ 1.02 \end{matrix}$	$\begin{matrix} 1.01 \\ 1.04 \end{matrix}$	$\begin{matrix} 0.87 \\ 0.89 \end{matrix}$	$\begin{matrix} 0.81 \\ 0.81 \end{matrix}$	$\begin{matrix} 0.64 \\ 0.70 \end{matrix}$	$\begin{matrix} 0.55 \\ 0.56 \end{matrix}$	$\begin{matrix} 0.42 \\ 0.48 \end{matrix}$	$\begin{matrix} 0.43 \\ 0.46 \end{matrix}$	$\begin{matrix} 0.26 \\ 0.26 \end{matrix}$
011	Intestines, peritoneum, mesenteric glands ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.27 \\ 1.08 \end{matrix}$	$\begin{matrix} 1.02 \\ 0.96 \end{matrix}$	$\begin{matrix} 0.97 \\ 0.81 \end{matrix}$	$\begin{matrix} 0.93 \\ 0.71 \end{matrix}$	$\begin{matrix} 0.69 \\ 0.53 \end{matrix}$	$\begin{matrix} 0.56 \\ 0.62 \end{matrix}$	$\begin{matrix} 0.45 \\ 0.51 \end{matrix}$	$\begin{matrix} 0.39 \\ 0.37 \end{matrix}$	$\begin{matrix} 0.23 \\ 0.25 \end{matrix}$	$\begin{matrix} 0.21 \\ 0.24 \end{matrix}$	$\begin{matrix} 0.17 \\ 0.16 \end{matrix}$
020-029	Syphilis and its sequelæ ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.83 \\ 0.76 \end{matrix}$	$\begin{matrix} 0.76 \\ 0.78 \end{matrix}$	$\begin{matrix} 0.68 \\ 0.70 \end{matrix}$	$\begin{matrix} 0.64 \\ 0.63 \end{matrix}$	$\begin{matrix} 0.62 \\ 0.63 \end{matrix}$	$\begin{matrix} 0.56 \\ 0.58 \end{matrix}$	$\begin{matrix} 0.49 \\ 0.50 \end{matrix}$	$\begin{matrix} 0.48 \\ 0.48 \end{matrix}$	$\begin{matrix} 0.44 \\ 0.50 \end{matrix}$	$\begin{matrix} 0.47 \\ 0.48 \end{matrix}$	$\begin{matrix} 0.40 \\ 0.49 \end{matrix}$
040, 041	Typhoid and paratyphoid fevers .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.64 \\ 0.47 \end{matrix}$	$\begin{matrix} 0.41 \\ 0.55 \end{matrix}$	$\begin{matrix} 0.37 \\ 0.36 \end{matrix}$	$\begin{matrix} 0.20 \\ 0.41 \end{matrix}$	$\begin{matrix} 0.25 \\ 0.40 \end{matrix}$	$\begin{matrix} 0.22 \\ 0.14 \end{matrix}$	$\begin{matrix} 0.25 \\ 0.35 \end{matrix}$	$\begin{matrix} 0.16 \\ 0.23 \end{matrix}$	$\begin{matrix} 0.08 \\ 0.11 \end{matrix}$	$\begin{matrix} 0.06 \\ 0.20 \end{matrix}$	$\begin{matrix} 0.10 \\ 0.15 \end{matrix}$
050	Scarlet fever .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.34 \\ 0.33 \end{matrix}$	$\begin{matrix} 0.45 \\ 0.42 \end{matrix}$	$\begin{matrix} 0.36 \\ 0.34 \end{matrix}$	$\begin{matrix} 0.22 \\ 0.31 \end{matrix}$	$\begin{matrix} 0.12 \\ 0.14 \end{matrix}$	$\begin{matrix} 0.11 \\ 0.15 \end{matrix}$	$\begin{matrix} 0.10 \\ 0.12 \end{matrix}$	$\begin{matrix} 0.06 \\ 0.05 \end{matrix}$	$\begin{matrix} 0.09 \\ 0.10 \end{matrix}$	$\begin{matrix} 0.08 \\ 0.13 \end{matrix}$	$\begin{matrix} 0.05 \\ 0.08 \end{matrix}$
052	Erysipelas .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.42 \\ 0.37 \end{matrix}$	$\begin{matrix} 0.30 \\ 0.37 \end{matrix}$	$\begin{matrix} 0.30 \\ 0.34 \end{matrix}$	$\begin{matrix} 0.21 \\ 0.42 \end{matrix}$	$\begin{matrix} 0.20 \\ 0.21 \end{matrix}$	$\begin{matrix} 0.13 \\ 0.18 \end{matrix}$	$\begin{matrix} 0.12 \\ 0.12 \end{matrix}$	$\begin{matrix} 0.12 \\ 0.13 \end{matrix}$	$\begin{matrix} 0.09 \\ 0.10 \end{matrix}$	$\begin{matrix} 0.04 \\ 0.04 \end{matrix}$	$\begin{matrix} 0.03 \\ 0.05 \end{matrix}$
055	Diphtheria .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.66 \\ 0.64 \end{matrix}$	$\begin{matrix} 0.50 \\ 0.47 \end{matrix}$	$\begin{matrix} 0.32 \\ 0.33 \end{matrix}$	$\begin{matrix} 0.25 \\ 0.24 \end{matrix}$	$\begin{matrix} 0.14 \\ 0.17 \end{matrix}$	$\begin{matrix} 0.08 \\ 0.08 \end{matrix}$	$\begin{matrix} 0.05 \\ 0.05 \end{matrix}$	$\begin{matrix} 0.03 \\ 0.02 \end{matrix}$	$\begin{matrix} 0.02 \\ 0.01 \end{matrix}$	$\begin{matrix} 0.01 \\ 0.01 \end{matrix}$	$\begin{matrix} 0.01 \\ 0.01 \end{matrix}$
056	Whooping cough .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.78 \\ 0.76 \end{matrix}$	$\begin{matrix} 1.00 \\ 1.00 \end{matrix}$	$\begin{matrix} 0.88 \\ 0.90 \end{matrix}$	$\begin{matrix} 0.55 \\ 0.59 \end{matrix}$	$\begin{matrix} 0.65 \\ 0.66 \end{matrix}$	$\begin{matrix} 0.63 \\ 0.67 \end{matrix}$	$\begin{matrix} 0.54 \\ 0.52 \end{matrix}$	$\begin{matrix} 0.41 \\ 0.38 \end{matrix}$	$\begin{matrix} 0.29 \\ 0.32 \end{matrix}$	$\begin{matrix} 0.38 \\ 0.35 \end{matrix}$	$\begin{matrix} 0.00 \\ 0.00 \end{matrix}$
057	Meningococcal infections ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.79 \\ 2.00 \end{matrix}$	$\begin{matrix} 1.24 \\ 1.17 \end{matrix}$	$\begin{matrix} 0.90 \\ 0.88 \end{matrix}$	$\begin{matrix} 0.84 \\ 0.79 \end{matrix}$	$\begin{matrix} 0.64 \\ 0.80 \end{matrix}$	$\begin{matrix} 0.65 \\ 0.77 \end{matrix}$	$\begin{matrix} 0.35 \\ 0.44 \end{matrix}$	$\begin{matrix} 0.34 \\ 0.43 \end{matrix}$	$\begin{matrix} 0.34 \\ 0.42 \end{matrix}$	$\begin{matrix} 0.35 \\ 0.47 \end{matrix}$	$\begin{matrix} 0.37 \\ 0.44 \end{matrix}$
080, 081	Acute poliomyelitis incl. late effects .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.59 \\ 0.48 \end{matrix}$	$\begin{matrix} 0.37 \\ 0.40 \end{matrix}$	$\begin{matrix} 0.53 \\ 0.33 \end{matrix}$	$\begin{matrix} 0.69 \\ 0.47 \end{matrix}$	$\begin{matrix} 0.45 \\ 0.51 \end{matrix}$	$\begin{matrix} 3.19 \\ 2.35 \end{matrix}$	$\begin{matrix} 1.07 \\ 0.81 \end{matrix}$	$\begin{matrix} 2.61 \\ 2.39 \end{matrix}$	$\begin{matrix} 2.95 \\ 2.73 \end{matrix}$	$\begin{matrix} 0.83 \\ 0.79 \end{matrix}$	$\begin{matrix} 1.24 \\ 0.98 \end{matrix}$
082, 083	Acute infectious encephalitis incl. late effects ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.32 \\ 1.14 \end{matrix}$	$\begin{matrix} 1.18 \\ 0.92 \end{matrix}$	$\begin{matrix} 1.03 \\ 0.75 \end{matrix}$	$\begin{matrix} 1.03 \\ 0.93 \end{matrix}$	$\begin{matrix} 0.81 \\ 0.85 \end{matrix}$	$\begin{matrix} 0.80 \\ 0.77 \end{matrix}$	$\begin{matrix} 0.69 \\ 0.68 \end{matrix}$	$\begin{matrix} 0.57 \\ 0.66 \end{matrix}$	$\begin{matrix} 0.59 \\ 0.61 \end{matrix}$	$\begin{matrix} 0.48 \\ 0.62 \end{matrix}$	$\begin{matrix} 0.41 \\ 0.51 \end{matrix}$
085	Measles .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.31 \\ 0.30 \end{matrix}$	$\begin{matrix} 0.45 \\ 0.55 \end{matrix}$	$\begin{matrix} 0.13 \\ 0.16 \end{matrix}$	$\begin{matrix} 0.42 \\ 0.44 \end{matrix}$	$\begin{matrix} 0.12 \\ 0.12 \end{matrix}$	$\begin{matrix} 0.33 \\ 0.35 \end{matrix}$	$\begin{matrix} 0.15 \\ 0.18 \end{matrix}$	$\begin{matrix} 0.15 \\ 0.17 \end{matrix}$	$\begin{matrix} 0.13 \\ 0.10 \end{matrix}$	$\begin{matrix} 0.17 \\ 0.17 \end{matrix}$	$\begin{matrix} 0.07 \\ 0.08 \end{matrix}$
140-205	Neoplasms, malignant, & of lymphatic and hæmato-poietic tissues .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.02 \\ 0.97 \end{matrix}$	$\begin{matrix} 1.03 \\ 0.96 \end{matrix}$	$\begin{matrix} 1.01 \\ 0.94 \end{matrix}$	$\begin{matrix} 1.03 \\ 0.94 \end{matrix}$	$\begin{matrix} 1.03 \\ 0.95 \end{matrix}$	$\begin{matrix} 1.05 \\ 0.96 \end{matrix}$	$\begin{matrix} 1.06 \\ 0.95 \end{matrix}$	$\begin{matrix} 1.07 \\ 0.95 \end{matrix}$	$\begin{matrix} 1.09 \\ 0.95 \end{matrix}$	$\begin{matrix} 1.12 \\ 0.93 \end{matrix}$	$\begin{matrix} 1.13 \\ 0.94 \end{matrix}$
140-200, 202, 203, 205	Neoplasms, malignant excl. Hodgkin's disease & leukæmia and aleukæmia ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.01 \\ 0.96 \end{matrix}$	$\begin{matrix} 1.02 \\ 0.96 \end{matrix}$	$\begin{matrix} 1.01 \\ 0.94 \end{matrix}$	$\begin{matrix} 1.02 \\ 0.94 \end{matrix}$	$\begin{matrix} 1.02 \\ 0.95 \end{matrix}$	$\begin{matrix} 1.05 \\ 0.95 \end{matrix}$	$\begin{matrix} 1.06 \\ 0.94 \end{matrix}$	$\begin{matrix} 1.06 \\ 0.94 \end{matrix}$	$\begin{matrix} 1.08 \\ 0.94 \end{matrix}$	$\begin{matrix} 1.11 \\ 0.92 \end{matrix}$	$\begin{matrix} 1.12 \\ 0.92 \end{matrix}$
140-148	Buccal cavity and pharynx ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.85 \\ 0.91 \end{matrix}$	$\begin{matrix} 0.81 \\ 0.92 \end{matrix}$	$\begin{matrix} 0.77 \\ 0.89 \end{matrix}$	$\begin{matrix} 0.71 \\ 0.89 \end{matrix}$	$\begin{matrix} 0.65 \\ 0.83 \end{matrix}$	$\begin{matrix} 0.62 \\ 0.84 \end{matrix}$	$\begin{matrix} 0.58 \\ 0.79 \end{matrix}$	$\begin{matrix} 0.54 \\ 0.85 \end{matrix}$	$\begin{matrix} 0.54 \\ 0.89 \end{matrix}$	$\begin{matrix} 0.54 \\ 0.89 \end{matrix}$	$\begin{matrix} 0.50 \\ 0.90 \end{matrix}$
150-159	Digestive organs and peritoneum .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 0.98 \\ 0.94 \end{matrix}$	$\begin{matrix} 0.98 \\ 0.93 \end{matrix}$	$\begin{matrix} 0.97 \\ 0.91 \end{matrix}$	$\begin{matrix} 0.98 \\ 0.91 \end{matrix}$	$\begin{matrix} 0.95 \\ 0.92 \end{matrix}$	$\begin{matrix} 0.95 \\ 0.91 \end{matrix}$	$\begin{matrix} 0.94 \\ 0.89 \end{matrix}$	$\begin{matrix} 0.91 \\ 0.88 \end{matrix}$	$\begin{matrix} 0.89 \\ 0.87 \end{matrix}$	$\begin{matrix} 0.89 \\ 0.84 \end{matrix}$	$\begin{matrix} 0.87 \\ 0.83 \end{matrix}$
160-165	Respiratory system ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.23 \\ 1.14 \end{matrix}$	$\begin{matrix} 1.34 \\ 1.15 \end{matrix}$	$\begin{matrix} 1.40 \\ 1.18 \end{matrix}$	$\begin{matrix} 1.48 \\ 1.25 \end{matrix}$	$\begin{matrix} 1.60 \\ 1.28 \end{matrix}$	$\begin{matrix} 1.76 \\ 1.39 \end{matrix}$	$\begin{matrix} 1.90 \\ 1.47 \end{matrix}$	$\begin{matrix} 2.02 \\ 1.51 \end{matrix}$	$\begin{matrix} 2.22 \\ 1.59 \end{matrix}$	$\begin{matrix} 2.39 \\ 1.62 \end{matrix}$	$\begin{matrix} 2.51 \\ 1.69 \end{matrix}$
170	Breast .. ..	$\begin{cases} M \\ F \end{cases}$	$\begin{matrix} 1.05 \\ 0.99 \end{matrix}$	$\begin{matrix} 1.55 \\ 0.99 \end{matrix}$	$\begin{matrix} 1.02 \\ 0.97 \end{matrix}$	$\begin{matrix} 1.12 \\ 0.95 \end{matrix}$	$\begin{matrix} 1.12 \\ 1.00 \end{matrix}$	$\begin{matrix} 1.11 \\ 0.99 \end{matrix}$	$\begin{matrix} 0.98 \\ 0.98 \end{matrix}$	$\begin{matrix} 1.19 \\ 0.97 \end{matrix}$	$\begin{matrix} 0.97 \\ 0.96 \end{matrix}$	$\begin{matrix} 0.96 \\ 0.96 \end{matrix}$	$\begin{matrix} 0.88 \\ 0.98 \end{matrix}$



TABLE 9—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
171-174	Uterus .. .. . F	0·98	0·96	0·90	0·89	0·87	0·85	0·85	0·82	0·79	0·77	0·75
175, 176	Other female genital organs F	0·99	1·02	1·03	1·00	0·99	1·03	1·03	1·05	1·11	1·10	1·08
177-179	Male genital organs .. M	1·13	1·07	0·98	1·02	1·08	1·14	1·10	1·14	1·18	1·15	1·13
180, 181	Kidney, bladder and other urinary organs .. {M .. .. . F	1·07 1·18	1·13 1·18	1·04 1·14	1·10 1·10	1·10 1·21	1·38 1·18	1·21 1·26	1·26 1·22	1·29 1·26	1·36 1·28	1·42 1·31
190, 191	Skin .... .. {M .. .. . F	0·85 0·89	0·93 0·89	0·81 0·87	0·83 0·86	0·73 0·75	0·74 0·79	0·70 0·72	0·64 0·74	0·67 0·76	0·59 0·66	0·58 0·74
193	Brain and other parts of nervous system .. {M .. .. . F	1·05 0·91	1·10 0·95	1·03 0·98	1·18 1·07	1·02 1·09	1·20 1·11	1·30 1·12	1·37 1·33	1·39 1·48	1·51 1·40	1·69 1·48
201	Hodgkin's disease .. {M .. .. . F	1·19 0·92	1·22 0·96	1·30 0·93	1·27 1·04	1·23 0·95	1·15 0·93	1·20 0·96	1·22 1·00	1·09 0·99	1·25 1·10	1·27 1·10
204	Leukæmia & aleukæmia {M .. .. . F	1·12 1·07	1·22 1·08	1·21 1·15	1·29 1·25	1·36 1·30	1·28 1·37	1·34 1·30	1·49 1·51	1·61 1·57	1·60 1·75	1·77 1·72
240, 241	Hay fever, asthma .. {M .. .. . F	0·96 0·92	1·12 1·07	1·04 0·94	1·12 1·02	1·10 1·01	1·11 1·08	0·92 0·94	1·07 1·04	1·02 1·05	1·16 1·22	0·88 0·87
252	Thyrotoxicosis .. {M .. .. . F	0·72 0·60	0·70 0·56	0·54 0·45	0·57 0·43	0·44 0·45	0·43 0·46	0·36 0·41	0·42 0·37	0·33 0·36	0·44 0·34	0·33 0·28
260	Diabetes mellitus .. {M .. .. . F	0·91 0·87	0·84 0·84	0·76 0·78	0·72 0·77	0·63 0·70	0·57 0·66	0·50 0·60	0·52 0·63	0·56 0·65	0·57 0·65	0·50 0·57
290·0 290·1	Pernicious anæmias and sub-acute combined degener- ation of spinal cord .. {M .. .. . F	1·18 1·18	1·05 1·05	0·95 0·92	1·03 1·04	0·64 0·75	0·68 0·72	0·54 0·57	0·50 0·58	0·44 0·56	0·42 0·51	0·36 0·42
330-334	Vascular lesions affecting central nervous system .. {M .. .. . F	0·98 1·02	0·94 1·00	0·97 1·01	0·96 1·01	0·97 1·05	1·03 1·10	0·92 1·00	0·99 1·08	1·05 1·14	1·13 1·18	1·12 1·18
345	Multiple sclerosis .. {M .. .. . F	1·12 1·30	1·07 1·20	1·04 1·20	1·00 1·24	0·90 1·11	0·80 1·19	0·65 1·04	0·74 0·98	0·74 1·10	0·81 1·33	0·71 1·12
350	Paralysis agitans .. {M .. .. . F	1·00 0·95	1·02 0·94	1·03 1·01	1·07 1·13	1·02 1·04	1·01 1·09	0·80 0·99	0·95 1·13	0·97 1·13	1·10 1·22	1·01 1·15
353	Epilepsy .. .. {M .. .. . F	1·15 1·09	1·12 0·89	1·02 0·91	0·96 0·84	0·86 0·80	0·79 0·80	0·60 0·63	0·55 0·59	0·53 0·59	0·52 0·58	0·51 0·54
400-468	Diseases of the circulatory system .. {M .. .. . F	0·95 0·91	0·95 0·91	0·97 0·90	0·96 0·91	0·98 0·93	1·06 0·97	0·97 0·89	1·07 1·01	1·09 1·01	1·16 1·06	1·08 0·94
430	Acute and subacute endo- carditis .. .. {M .. .. . F	0·97 0·91	1·04 0·87	0·90 0·77	0·77 0·57	0·54 0·47	0·54 0·43	0·48 0·38	0·42 0·36	0·37 0·28	0·34 0·26	0·29 0·22
480-483	Influenza .. .. {M .. .. . F	0·74 0·74	2·37 3·02	0·81 0·82	0·53 0·55	0·91 1·19	0·61 0·67	0·24 0·23	0·90 1·17	0·63 0·79	2·51 3·24	0·29 0·33
490-493, 763	Pneumonia .. .. {M .. .. . F	0·72 0·76	0·82 0·92	0·68 0·70	0·64 0·70	0·60 0·71	0·66 0·76	0·50 0·56	0·55 0·69	0·47 0·60	0·60 0·76	0·51 0·62
490	Lobar pneumonia .. {M .. .. . F	0·59 0·62	0·62 0·71	0·53 0·53	0·46 0·50	0·42 0·50	0·41 0·49	0·34 0·37	0·33 0·42	0·30 0·37	0·32 0·39	0·29 0·33
491	Bronchopneumonia .. {M .. .. . F	0·78 0·81	0·94 1·00	0·75 0·74	0·75 0·76	0·71 0·78	0·82 0·87	0·61 0·65	0·71 0·82	0·59 0·72	0·81 0·95	0·67 0·75
500-502	Bronchitis .. .. {M .. .. . F	1·03 0·88	1·12 1·05	1·01 0·81	1·06 0·87	0·98 0·80	1·09 0·85	0·88 0·60	1·00 0·78	0·99 0·71	1·29 0·94	0·99 0·61
500	Acute bronchitis .. {M .. .. . F	1·24 1·01	1·40 1·34	1·08 0·85	1·12 0·97	0·98 0·87	1·09 0·95	0·70 0·55	0·81 0·77	0·60 0·62	0·87 0·87	0·57 0·49
501, 502	Chronic and unqualified {M .. .. . F	0·94 0·86	1·10 0·99	1·05 0·84	1·11 0·90	1·07 0·84	1·20 0·89	1·04 0·72	1·18 0·90	1·22 0·86	1·56 1·11	1·22 0·76
530-587	Diseases of the digestive system .. {M .. .. . F	0·90 0·84	0·87 0·82	0·86 0·79	0·85 0·75	0·78 0·74	0·78 0·74	0·65 0·60	0·63 0·59	0·60 0·58	0·61 0·58	0·59 0·55
540	Ulcer of stomach .. {M .. .. . F	0·94 0·87	0·98 0·78	0·98 0·88	0·95 0·78	0·87 0·81	0·81 0·88	0·77 0·80	0·76 0·80	0·73 0·82	0·74 0·88	0·69 0·85
541	Ulcer of duodenum .. {M .. .. . F	1·13 0·81	1·13 1·02	1·17 0·93	1·27 1·14	1·12 0·85	1·12 0·95	1·08 1·03	1·16 1·12	1·21 1·33	1·43 1·52	1·35 1·45
550-553	Appendicitis .. .. {M .. .. . F	0·70 0·64	0·63 0·70	0·66 0·65	0·60 0·57	0·49 0·50	0·47 0·47	0·38 0·39	0·38 0·36	0·37 0·39	0·34 0·34	0·30 0·30

TABLE 9—continued.

Inter- national List No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
60, 561	Hernia of abdominal cavity {M F	1·09 1·22	1·11 1·13	0·92 0·99	0·94 0·93	1·01 1·03	0·88 1·00	0·78 0·76	0·69 0·71	0·67 0·68	0·67 0·69	0·66 0·65
70	Intestinal obstruction, with- out mention of hernia .. {M F	1·17 1·14	1·10 1·09	1·14 1·09	0·95 0·94	0·98 1·01	1·13 1·06	0·83 0·88	0·74 0·84	0·64 0·67	0·64 0·71	0·67 0·71
81	Cirrhosis of liver .. .. {M F	0·66 0·61	0·64 0·63	0·58 0·57	0·58 0·55	0·55 0·60	0·59 0·63	0·55 0·59	0·59 0·68	0·60 0·81	0·65 0·92	0·67 0·86
84	Cholelithiasis .. .. {M F	0·66 0·65	0·60 0·64	0·60 0·56	0·57 0·57	0·58 0·57	0·54 0·53	0·55 0·51	0·55 0·51	0·63 0·59	0·55 0·55	0·61 0·53
85	Cholecystitis without mention of calculi .. .. {M F	0·64 0·65	0·65 0·57	0·59 0·57	0·51 0·52	0·42 0·53	0·46 0·45	0·42 0·44	0·43 0·45	0·44 0·43	0·40 0·42	0·47 0·40
87	Diseases of pancreas.. .. {M F	0·74 0·68	0·55 0·55	0·58 0·65	0·69 0·68	0·62 0·72	0·65 0·70	0·62 0·76	0·76 0·87	0·80 0·97	0·86 0·95	1·07 0·98
05	Cystitis .. .. {M F	0·54 0·48	0·49 0·48	0·49 0·48	0·40 0·42	0·39 0·38	0·37 0·40	0·38 0·31	0·34 0·37	0·30 0·39	0·28 0·34	0·25 0·31
08	Stricture of urethra .. .. M	0·87	0·74	0·64	0·54	0·51	0·50	0·44	0·42	0·33	0·29	0·28
10-612	Diseases of prostate .. .. M	1·04	1·04	0·99	0·94	0·91	0·86	0·79	0·81	0·78	0·75	0·69
50-759	Congenital malformations .. {M F	1·12 1·15	1·08 1·09	1·11 1·06	1·00 1·02	1·06 1·02	1·00 1·02	0·82 0·82	0·77 0·86	0·80 0·85	0·77 0·84	0·77 0·85
800-E999	Accidents, poisonings and violence .. .. {M F	1·12 1·12	1·01 1·00	1·22 1·41	0·92 0·97	0·77 0·82	0·79 0·82	0·70 0·75	0·71 0·73	0·71 0·74	0·74 0·77	0·71 0·71
810-E825 830-E835	Motor vehicle accidents .. {M F	0·98 0·88	0·77 0·70	0·82 0·84	0·75 0·75	0·74 0·70	0·70 0·70	0·61 0·64	0·68 0·61	0·72 0·67	0·77 0·71	0·71 0·62
870-E888	Accidental poisoning by solid or liquid substances .. {M F	0·82 0·86	0·76 0·58	0·68 0·67	0·91 1·00	0·84 0·92	0·87 1·22	1·07 1·13	0·85 1·13	1·02 1·58	1·09 1·58	1·40 1·55
890-E895	Accidental poisoning by gases and vapours .. .. {M F	1·16 1·22	1·02 1·12	1·26 1·36	1·61 1·74	1·22 1·78	1·34 2·21	1·19 1·66	1·38 1·84	1·23 1·96	1·50 2·32	1·46 2·26
900-E904	Accidental falls .. .. {M F	1·05 0·91	0·95 0·83	0·85 0·79	0·81 0·77	0·71 0·76	0·77 0·75	0·64 0·66	0·66 0·69	0·61 0·73	0·71 0·75	0·64 0·66
970-E979	Suicide and self-inflicted wounds .. .. {M F	0·63 0·74	0·67 0·75	0·67 0·69	0·67 0·78	0·72 0·89	0·71 0·90	0·76 0·93	0·76 0·89	0·71 0·82	0·70 0·84	0·69 0·79



**TABLE 10.—Deaths under One Year of Age from } England and Wales.  
Certain Causes, 1942-1952.**

*Note:* For years 1942-48 inclusive, deaths and rates classified in this table and in Table 11 according to the 1948 International Statistical Classification have been estimated from available material based on the 1938 International List in the light of experience gained in 1949, when both lists were employed. For those years, therefore, figures must be regarded as approximate.

*See Explanatory notes on page v.*

Inter- national Classifica- tion No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
	<b>ALL CAUSES .. ..</b>	<b>32,258</b>	<b>33,431</b>	<b>33,455</b>	<b>31,959</b>	<b>33,541</b>	<b>36,849</b>	<b>26,766</b>	<b>23,882</b>	<b>20,817</b>	<b>20,223</b>	<b>18,555</b>
010	Tuberculosis of meninges and central nervous system ..	188	179	164	181	149	153	113	85	52	56	38
001-008, 011-019	Other tuberculosis .. ..	157	174	150	131	140	191	138	81	74	43	30
020	Congenital syphilis .. ..	121	156	110	108	124	84	76	62	31	19	20
055	Diphtheria .. ..	43	57	26	18	23	16	6	2	—	1	—
056	Whooping cough .. ..	487	621	686	412	512	564	484	357	277	273	111
057	Meningococcal infections ..	219	187	159	190	142	182	98	112	103	104	115
080, 081	Acute poliomyelitis .. ..	7	8	2	6	7	39	5	25	48	6	12
085	Measles .. ..	136	256	89	252	88	252	107	86	70	98	37
Rem. of 001-138	Other infective and parasitic diseases .. ..	177	204	212	183	152	192	125	106	86	81	80
295,296,771	Hæmorrhagic conditions ..	370	349	352	321	301	399	234	192	198	239	190
340-343	Inflammatory diseases of central nervous system ..	260	261	253	278	225	290	223	197	203	171	141
365	Pink disease .. ..	30	35	32	31	35	75	49	47	33	39	18
390-396	Diseases of ear and mastoid process .. ..	242	317	351	348	329	335	231	151	146	114	68
480-483	Influenza .. ..	119	257	148	129	174	135	76	115	77	161	37
490-493,763	Pneumonia .. ..	4,905	6,006	5,392	5,747	5,439	6,462	4,615	4,012	3,276	3,469	3,009
500-502	Bronchitis .. ..	1,015	1,173	1,041	1,022	833	807	621	484	477	455	375
470-475, 510-527	Other respiratory diseases	*	*	*	*	*	*	*	91	119	114	91
543	Gastritis and duodenitis ..	110	94	92	84	61	79	37	25	17	16	21
571, 764	Gastro-enteritis .. ..	3,226	3,324	3,493	3,559	3,317	4,571	2,289	1,945	1,160	831	676
690-716	Diseases of the skin and sub-cutaneous tissue .. ..	230	212	198	159	97	117	63	45	51	43	46
751	Spina bifida & meningocele	1,377	1,303	1,251	1,074	1,224	1,006	833	843	727	797	855
752	Congenital hydrocephalus ..	219	187	189	188	187	230	162	164	198	117	152
754.0- 754.4	Congenital malformations of heart .. ..	1,280	1,248	1,277	1,253	1,331	1,462	1,108	1,049	1,085	981	1,009
757	Congenital malformations of of genito-urinary system ..	81	81	88	87	109	106	91	105	106	92	104
Rem. of 750-759	Other congenital malformations .. ..	933	930	1,012	1,010	1,151	1,260	1,066	993	920	877	946
760, 761	Injury at birth .. ..	1,667	1,614	1,774	1,830	2,204	2,433	2,028	1,915	1,820	1,953	1,869
762	Postnatal asphyxia and atelectasis .. ..	1,289	1,216	1,476	1,898	2,367	2,567	2,138	2,401	2,340	2,441	2,452
766-768	Pemphigus and sepsis of newborn .. ..	153	151	187	132	100	154	94	58	64	61	66
770	Hæmolytic disease of newborn	427	456	498	527	593	704	591	552	502	505	435
774, 776	Immaturity .. ..	7,916	7,796	7,889	6,727	7,883	7,533	5,817	4,975	4,185	3,886	3,602
780.2	Convulsions .. ..	569	456	408	350	297	270	185	118	59	42	20
E900-E904	Accidental falls .. ..	22	19	20	15	14	32	15	16	13	14	16
E916, E917	Accident by fire or hot substance .. ..	54	60	63	48	45	46	33	34	19	18	23
E921, E922	Obstruction by inhalation or ingestion .. ..	142	121	182	185	273	389	315	309	306	281	263
E924, E925	Accidental mechanical suffocation .. ..	357	360	452	409	446	515	376	343	286	294	243
E926	Lack of care of newborn ..	176	178	189	195	147	154	131	130	92	104	96
Rem. of E800-E965	Other accidents .. ..	34	49	45	60	38	56	41	28	24	34	37
	All other causes .. ..	*	*	*	*	*	*	*	1,629	1,573	1,393	1,252

\* Not available

**TABLE 11.—Infant Mortality (Deaths under 1 Year per 1,000 Related Live Births) from Certain Causes, 1942-1952.** } England and Wales.

*See Note at head of Table 10.*

Inter- national Classifica- tion No.	Causes of Death	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952
	<b>ALL CAUSES .. ..</b>	<b>50·62</b>	<b>49·12</b>	<b>45·44</b>	<b>46·00</b>	<b>42·85</b>	<b>41·37</b>	<b>33·93</b>	<b>32·37</b>	<b>29·63</b>	<b>29·66</b>	<b>27·59</b>
010	Tuberculosis of meninges and central nervous system ..	0·30	0·27	0·23	0·25	0·21	0·18	0·13	0·11	0·06	0·08	0·06
01-008, 11-019	Other tuberculosis .. ..	0·25	0·25	0·22	0·18	0·20	0·21	0·17	0·10	0·11	0·06	0·04
020	Congenital syphilis .. ..	0·19	0·23	0·16	0·15	0·15	0·09	0·09	0·08	0·04	0·03	0·03
055	Diphtheria .. .. .	0·08	0·08	0·04	0·02	0·03	0·01	0·00	0·00	—	0·00	—
056	Whooping cough .. ..	0·79	0·92	0·96	0·57	0·69	0·63	0·59	0·48	0·38	0·40	0·17
057	Meningococcal infections ..	0·36	0·27	0·22	0·27	0·20	0·21	0·11	0·15	0·14	0·15	0·17
80, 081	Acute poliomyelitis .. ..	0·01	0·01	0·00	0·01	0·01	0·04	0·01	0·03	0·08	0·01	0·02
085	Measles .. .. .	0·23	0·38	0·12	0·34	0·12	0·27	0·13	0·11	0·10	0·14	0·05
Rem. of 01-138	Other infective and parasitic diseases .. .. .	0·28	0·30	0·29	0·26	0·19	0·22	0·16	0·14	0·12	0·12	0·12
95,296,771	Hæmorrhagic conditions ..	0·57	0·52	0·49	0·46	0·37	0·45	0·32	0·27	0·29	0·35	0·28
40-343	Inflammatory diseases of central nervous system ..	0·41	0·38	0·34	0·40	0·29	0·33	0·28	0·26	0·28	0·25	0·21
365	Pink disease .. .. .	0·05	0·05	0·04	0·05	0·05	0·08	0·06	0·06	0·05	0·06	0·03
90-396	Diseases of ear and mastoid process .. .. .	0·38	0·47	0·50	0·49	0·44	0·38	0·29	0·21	0·20	0·17	0·10
80-483	Influenza .. .. .	0·20	0·38	0·21	0·18	0·24	0·14	0·10	0·16	0·11	0·24	0·05
90-493, 63	Pneumonia .. .. .	7·84	8·87	7·42	8·17	7·20	7·22	5·77	5·40	4·63	5·09	4·48
00-502	Bronchitis .. .. .	1·63	1·73	1·43	1·45	1·11	0·89	0·76	0·65	0·67	0·67	0·56
70-475, 10-527	Other respiratory diseases	*	*	*	*	*	*	*	0·13	0·17	0·17	0·13
543	Gastritis and duodenitis ..	0·18	0·14	0·13	0·12	0·08	0·09	0·04	0·03	0·02	0·02	0·03
71, 764	Gastro-enteritis .. ..	5·06	4·89	4·75	5·12	4·24	5·13	2·90	2·59	1·63	1·22	1·01
90-716	Diseases of the skin and sub-cutaneous tissue .. ..	0·36	0·31	0·27	0·23	0·12	0·13	0·08	0·06	0·07	0·06	0·07
751	Spina bifida & meningocele	2·16	1·92	1·70	1·55	1·56	1·13	1·06	1·15	1·03	1·17	1·27
752	Congenital hydrocephalus ..	0·34	0·27	0·26	0·27	0·24	0·26	0·21	0·22	0·29	0·17	0·23
54·0- 54·4	Congenital malformations of heart .. .. .	2·01	1·83	1·73	1·80	1·70	1·64	1·40	1·43	1·55	1·44	1·50
757	Congenital malformations of genito-urinary system ..	0·13	0·12	0·12	0·13	0·14	0·12	0·12	0·14	0·16	0·13	0·15
Rem. of 50-759	Other congenital malformations .. .. .	1·46	1·37	1·38	1·45	1·47	1·41	1·35	1·34	1·31	1·29	1·41
60, 761	Injury at birth .. .. .	2·57	2·36	2·37	2·66	2·72	2·74	2·60	2·61	2·61	2·87	2·78
762	Postnatal asphyxia and atelectasis .. .. .	1·98	1·77	1·96	2·77	2·92	2·90	2·75	3·28	3·34	3·58	3·64
66-768	Pemphigus and sepsis of newborn .. .. .	0·24	0·22	0·25	0·19	0·13	0·17	0·12	0·08	0·08	0·09	0·10
770	Hæmolytic disease of newborn	0·67	0·67	0·68	0·76	0·76	0·79	0·75	0·75	0·71	0·74	0·65
74, 776	Immaturity .. .. .	12·42	11·46	10·72	9·69	10·07	8·46	7·38	6·79	5·99	5·70	5·35
780·2	Convulsions .. .. .	0·89	0·67	0·55	0·50	0·38	0·30	0·23	0·15	0·08	0·06	0·03
900-E904	Accidental falls .. .. .	0·03	0·03	0·03	0·02	0·02	0·04	0·02	0·02	0·01	0·02	0·02
916, E917	Accident by fire or hot substance .. .. .	0·08	0·09	0·09	0·07	0·06	0·05	0·04	0·04	0·02	0·03	0·03
921, E922	Obstruction by inhalation or ingestion .. .. .	0·22	0·18	0·25	0·27	0·35	0·44	0·40	0·41	0·44	0·41	0·39
924, E925	Accidental mechanical suffocation .. .. .	0·56	0·53	0·61	0·59	0·57	0·58	0·48	0·47	0·40	0·43	0·36
E926	Lack of care of newborn ..	0·26	0·26	0·25	0·28	0·18	0·17	0·16	0·18	0·12	0·15	0·14
Rem. of 800-E965	Other accidents .. .. .	0·05	0·07	0·06	0·09	0·05	0·06	0·05	0·03	0·03	0·05	0·05
	<b>All other causes .. ..</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>2·26</b>	<b>2·23</b>	<b>2·04</b>	<b>1·86</b>

\* Not available.



TABLE 12.—Home Population, Births, Deaths and { England and Wales, Standard Regions, Conurbations, Counties, Boroughs, Infant Mortality, 1952. other Urban Districts and Rural Districts.

See Explanatory notes on page vi.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.				
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
ENGLAND AND WALES	43,940,000	329,083	312,103	16,795	15,754	673,735	15.3	1.00	1.00	257,760	239,724	497,484	11.3	1.00	1.00	18,555	28	12,331	15,636
Regional Summary :																			
Northern	3,126,000	26,516	25,165	1,078	1,034	53,793	17.2	1.02	1.12	19,126	16,305	35,431	11.3	1.07	1.07	1,723	32	1,084	1,375
Tyneside conurbation	834,900	7,024	6,682	292	291	14,289	17.1	0.98	1.12	5,225	4,402	9,627	11.5	1.10	1.12	474	33	303	405
Remainder of Northern	2,291,100	19,492	18,483	786	743	39,504	17.2	1.04	1.12	13,901	11,903	25,804	11.3	1.06	1.06	1,249	32	781	970
East and West Ridings	4,087,000	31,010	29,246	1,588	1,434	63,278	15.5	1.01	1.01	25,288	23,160	48,448	11.9	1.04	1.10	1,889	30	1,195	1,552
West Yorkshire conurbation	1,680,000	12,355	11,546	745	651	25,297	15.1	1.00	0.99	11,094	10,832	21,926	13.1	1.00	1.16	741	29	464	636
Remainder of East and West Ridings	2,407,000	18,655	17,700	843	783	37,981	15.8	1.02	1.03	14,194	12,328	26,522	11.0	1.07	1.04	1,148	30	731	916
North Western	6,433,000	49,853	46,921	2,466	2,423	101,663	15.8	1.00	1.03	40,547	38,491	79,038	12.3	1.04	1.13	3,284	32	2,146	2,629
South East Lancashire conurbation	2,415,300	18,343	17,110	999	1,009	37,461	15.5	0.97	1.01	15,487	14,910	30,397	12.6	1.04	1.16	1,206	32	770	992
*Merseyside conurbation	1,386,200	12,676	12,062	657	637	26,032	18.8	0.98	1.23	8,061	7,506	15,567	11.2	1.14	1.13	897	35	581	665
*Remainder of North Western	2,631,500	18,834	17,749	810	777	38,170	14.5	1.03	0.95	16,999	16,075	33,074	12.6	0.98	1.09	1,181	31	795	972
North Midland	3,391,000	26,268	24,812	1,385	1,204	53,669	15.8	1.02	1.03	18,937	16,915	35,852	10.6	1.01	0.95	1,528	29	1,014	1,235
Midland	4,444,000	34,946	33,227	1,604	1,540	71,317	16.0	0.99	1.05	24,321	21,376	45,697	10.3	1.09	0.99	2,050	29	1,325	1,656
West Midlands conurbation	2,242,800	17,583	16,836	782	775	35,976	16.0	0.97	1.05	12,225	10,666	22,891	10.2	1.14	1.03	1,047	29	674	799
Remainder of Midland	2,201,200	17,363	16,391	822	765	35,341	16.1	1.02	1.05	12,096	10,710	22,806	10.4	1.05	0.97	1,003	28	651	857
Eastern	3,161,000	23,150	22,186	1,257	1,165	47,758	15.1	1.04	0.99	17,465	16,623	34,088	10.8	0.92	0.88	1,110	23	774	1,031
London and South Eastern	10,958,000	74,988	70,963	4,290	3,980	154,221	14.1	0.95	0.92	62,308	60,584	122,892	11.2	0.98	0.97	3,472	23	2,413	3,150
Greater London	8,364,000	57,515	54,357	3,340	3,090	118,302	14.1	0.92	0.92	46,737	44,216	90,953	10.0	1.03	0.99	2,607	22	1,804	2,372
Remainder of South Eastern	2,594,000	17,473	16,606	950	890	35,919	13.8	1.06	0.90	15,571	16,368	31,939	12.3	0.83	0.90	865	24	609	778
Southern	2,716,000	20,135	19,198	1,165	1,146	41,644	15.3	1.05	1.00	14,839	14,264	29,103	10.7	0.93	0.88	971	23	678	851
South Western	3,036,000	21,859	20,966	1,125	1,054	45,004	14.8	1.05	0.97	17,944	17,986	35,930	11.8	0.89	0.93	1,151	26	844	965

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Wales ...	2,588,000	20,358	19,419	837	774	41,388	16.0	1.03	1.05	16,985	14,020	31,005	12.0	1.00	1.06	1,377	33	858	1,192
Wales I ...	1,848,000	14,730	14,254	566	508	30,058	16.3	1.02	1.07	11,986	9,527	21,513	11.6	1.05	1.08	1,011	34	618	886
Wales II ...	740,000	5,628	5,165	271	266	11,330	15.3	1.07	1.00	4,999	4,493	9,492	12.8	0.89	1.01	366	32	240	306
<b>Density Aggregates Summary :</b>																			
*Conurbations ...	16,923,200	125,496	118,593	6,815	6,453	257,357	15.2	0.95	0.99	98,829	92,532	191,361	11.3	1.05	1.05	6,972	27	4,596	5,869
Areas outside the conurbations	27,016,800	203,587	193,510	9,980	9,301	416,378	15.4	1.03	1.01	158,931	147,192	306,123	11.3	0.96	0.96	11,583	28	7,735	9,767
*Urban areas, with popula-	5,804,700	44,094	42,546	2,489	2,302	91,431	15.8	1.00	1.03	34,703	32,141	66,844	11.5	1.03	1.05	2,599	28	1,689	2,155
tions of 100,000 and over...	3,347,120	24,993	23,523	1,404	1,271	51,191	15.3	1.02	1.00	19,916	19,142	39,058	11.7	0.96	0.99	1,476	29	978	1,245
*Urban areas, with popula-	9,371,120	70,646	66,859	3,140	3,052	143,697	15.3	1.03	1.00	57,018	53,548	110,566	11.8	0.95	0.99	4,082	28	2,698	3,413
tions under 50,000...	8,493,860	63,854	60,582	2,947	2,676	130,059	15.3	1.08	1.00	47,294	42,361	89,655	10.6	0.95	0.89	3,426	26	2,370	2,954
*Rural areas ...																			
<b>ENGLAND (excluding Monmouth)</b>																			
<b>BEDFORDSHIRE :</b>	<b>319,800</b>	<b>2,309</b>	<b>2,122</b>	<b>143</b>	<b>115</b>	<b>4,689</b>	<b>14.7</b>	<b>1.00</b>	<b>0.96</b>	<b>1,712</b>	<b>1,516</b>	<b>3,228</b>	<b>10.1</b>	<b>1.01</b>	<b>0.90</b>	<b>113</b>	<b>24</b>	<b>74</b>	<b>110</b>
Admin. County ...																			
Urban Districts ...	214,500	1,565	1,458	98	94	3,215	15.0	0.97	0.98	1,186	1,040	2,226	10.4	1.03	0.95	74	23	50	73
Amphill ...	3,000	19	21	2	2	44	14.7	1.12	0.96	26	16	42	14.0	0.70	0.87	—	—	—	—
Bedford M.B. ...	54,400	379	376	34	31	820	15.1	1.00	0.99	304	308	612	11.3	0.94	0.94	16	20	12	21
Biggleswade ...	7,420	44	61	4	1	110	14.8	1.03	0.97	55	44	99	13.3	0.89	1.05	4	36	4	—
Dunstable M.B. ...	17,090	99	114	6	7	226	13.2	0.94	0.86	98	94	192	11.2	1.06	1.05	3	13	—	6
Kempston ...	9,230	70	47	3	4	124	13.4	1.00	0.88	46	35	81	8.8	1.05	0.82	2	16	2	3
Leighton Buzzard ...	9,195	100	71	4	9	184	20.0	0.96	1.31	69	44	113	12.3	0.91	0.99	6	33	3	4
Luton M.B. ...	110,500	833	750	45	39	1,667	15.1	0.95	0.99	559	481	1,040	9.4	1.12	0.93	43	26	29	37
Sandy ...	3,665	21	18	—	1	40	10.9	1.04	0.71	29	18	47	12.8	0.84	0.95	—	—	—	2
Rural Districts ...	105,300	744	664	45	21	1,474	14.0	1.09	0.92	526	476	1,002	9.5	0.96	0.81	39	27	24	37
Amphill ...	23,480	170	155	13	1	339	14.4	1.05	0.94	125	130	255	10.9	0.90	0.87	12	35	7	12
Bedford ...	35,190	236	214	10	9	469	13.3	1.19	0.87	172	146	318	9.0	0.95	0.76	10	21	7	13
Biggleswade ...	26,920	174	167	11	6	358	13.3	1.11	0.87	134	108	242	9.0	1.01	0.80	9	25	6	9
Luton ...	19,710	164	128	11	5	308	15.6	0.98	1.02	95	92	187	9.5	0.98	0.82	8	26	4	3
<b>BERKSHIRE</b>	<b>418,600</b>	<b>3,248</b>	<b>3,057</b>	<b>201</b>	<b>186</b>	<b>6,692</b>	<b>16.0</b>	<b>1.02</b>	<b>1.05</b>	<b>2,224</b>	<b>2,149</b>	<b>4,373</b>	<b>10.4</b>	<b>0.94</b>	<b>0.87</b>	<b>149</b>	<b>22</b>	<b>102</b>	<b>141</b>
County Borough :																			
Reading ...	115,800	835	777	59	51	1,722	14.9	0.99	0.97	643	642	1,285	11.1	0.94	0.92	40	23	22	47
Admin. County ...	<b>302,800</b>	<b>2,413</b>	<b>2,280</b>	<b>142</b>	<b>135</b>	<b>4,970</b>	<b>16.4</b>	<b>1.04</b>	<b>1.07</b>	<b>1,581</b>	<b>1,507</b>	<b>3,088</b>	<b>10.2</b>	<b>0.94</b>	<b>0.85</b>	<b>109</b>	<b>22</b>	<b>80</b>	<b>94</b>
*Urban Districts ...	97,850	801	759	48	45	1,653	16.9	1.00	1.10	533	589	1,122	11.5	0.88	0.90	37	22	26	28
*Abingdon M.B. ...	11,180	132	99	2	2	235	21.0	1.37	1.07	50	46	96	8.6	1.00	0.76	5	21	4	5
Maidenhead M.B. ...	27,250	200	200	16	9	445	16.3	0.99	1.07	154	167	321	11.8	0.88	0.92	5	11	5	8
Newbury M.B. ...	18,030	129	144	9	13	295	16.4	1.03	1.07	97	105	202	11.2	0.85	0.84	8	27	5	8
New Windsor M.B. ...	23,730	158	181	14	12	365	15.4	0.92	1.01	131	143	274	11.5	0.96	0.98	12	33	6	4
Wallingford M.B. ...	3,618	35	29	2	2	68	18.8	1.08	1.23	17	19	36	10.0	0.81	0.72	3	44	2	1
Wantage ...	5,399	55	43	2	2	102	18.9	1.11	1.24	23	28	51	9.4	0.81	0.67	1	10	1	1
Wokingham M.B. ...	8,643	72	63	3	5	143	16.5	1.12	1.08	61	81	142	16.4	0.70	1.02	3	21	3	1

\*Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.	
		M.	F.	M.	F.															
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)	(15)
(1) BERKSHIRE—contd.																				
*Rural Districts	204,950	1,612	1,521	94	90	3,317	16.2	1.06	1.06	1.06	1,048	918	1,966	9.6	0.97	0.82	72	22	54	66
*Abingdon	23,870	211	195	11	8	425	17.8	1.07	1.16	1.02	102	81	183	7.7	1.21	0.82	9	21	6	9
Bradfield	20,420	172	183	8	11	374	18.3	0.98	1.20	1.22	122	113	235	11.5	0.92	0.94	6	16	3	6
Cookham	14,170	98	115	5	5	223	15.7	0.98	1.03	87	67	154	10.9	0.97	0.94	5	22	4	5	
Easthampstead	25,620	187	159	4	7	357	13.9	1.14	0.91	118	113	231	9.0	0.89	0.71	12	34	10	11	
Faringdon	13,650	124	100	8	8	240	17.6	1.00	1.15	54	68	122	8.9	1.01	0.80	10	42	8	3	
Hungerford	9,650	81	75	6	4	166	17.2	1.19	1.12	57	44	101	10.5	0.88	0.82	2	12	2	3	
Newbury	16,510	131	117	14	10	272	16.5	1.06	1.08	87	72	159	9.6	0.92	0.78	4	15	4	1	
Wallingford	15,840	125	120	11	10	266	16.8	1.08	1.10	61	61	122	7.7	1.01	0.69	2	8	1	6	
Wantage	15,050	123	137	7	8	275	18.3	1.07	1.20	77	62	139	9.2	0.96	0.78	7	26	5	4	
Windsor	11,710	92	88	4	8	192	16.4	1.06	1.07	76	67	143	12.2	0.92	0.99	3	16	2	3	
Wokingham	38,460	268	232	16	11	527	13.7	1.06	0.90	207	170	377	9.8	0.99	0.86	12	23	9	15	
BUCKINGHAMSHIRE :																				
Admin. County	394,700	2,984	2,758	133	133	6,008	15.2	1.00	0.99	1,981	1,926	3,907	9.9	0.97	0.85	150	25	105	107	
Urban Districts	196,000	1,507	1,376	63	78	3,024	15.4	0.97	1.01	976	958	1,934	9.9	1.03	0.90	80	27	55	58	
Aylesbury M.B.	20,860	174	161	11	10	356	17.1	0.93	1.12	103	90	193	9.3	1.03	0.85	10	28	8	3	
Beaconsfield	7,984	66	51	2	3	122	15.3	1.00	1.00	42	44	86	10.8	0.92	0.88	10	82	6	3	
Bletchley	11,130	105	91	5	5	206	18.5	1.04	1.21	43	45	88	7.9	1.08	0.76	8	39	6	5	
Buckingham M.B.	3,991	21	30	1	2	54	13.5	1.05	0.88	31	25	56	14.0	0.90	1.12	1	19	2	2	
Chesham	11,470	90	74	1	4	169	14.7	1.00	0.96	73	68	141	12.3	0.88	0.96	3	18	2	4	
Eton	4,664	34	21	1	1	56	12.0	1.61	0.78	15	17	32	6.9	1.23	0.75	2	36	1	1	
High Wycombe M.B.	41,590	312	319	20	18	669	16.1	0.96	1.05	196	207	403	9.7	1.07	0.92	10	15	5	19	
Linslade	3,365	31	28	—	—	59	17.5	0.97	1.14	14	27	41	12.2	0.83	0.90	2	34	2	—	
Marlow	6,524	56	54	1	3	114	17.5	0.99	1.14	37	29	66	10.1	0.91	0.81	5	44	4	1	
Newport Pagnell	4,232	25	31	2	2	58	13.7	1.08	0.90	24	38	62	14.7	0.67	0.87	2	35	2	—	
Slough M.B.	66,730	515	445	18	28	1,006	15.1	0.89	0.99	303	268	571	8.6	1.21	0.92	25	25	18	18	
Wolverton	13,460	78	71	1	5	155	11.5	1.14	0.75	95	100	195	14.5	0.77	0.99	2	13	1	2	
Rural Districts	198,700	1,477	1,382	70	55	2,984	15.0	1.03	0.98	1,005	968	1,973	9.9	0.91	0.80	70	24	50	49	
Amersham	42,560	290	280	12	10	592	13.9	0.98	0.91	189	195	384	9.0	0.91	0.72	11	19	8	10	
Aylesbury	30,940	243	214	14	11	482	15.6	1.09	1.02	139	137	276	8.9	0.97	0.76	13	27	10	7	
Buckingham	10,270	81	72	3	3	159	15.5	1.28	1.01	42	34	76	7.4	0.91	0.60	2	13	1	3	
Eton	43,870	318	297	15	16	646	14.7	0.97	0.96	211	239	450	10.3	1.00	0.91	18	28	14	12	
Newport Pagnell	13,950	99	95	4	1	199	14.3	1.12	0.93	105	81	186	13.3	0.72	0.85	6	30	4	6	
Wing	8,921	79	73	1	3	156	17.5	1.15	1.14	56	45	101	11.3	0.88	0.88	3	19	3	4	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Winslow ...	7,509	57	50	2	2	111	14.8	1.13	0.97	55	43	98	13.1	0.74	0.86	2	18	2	3
Wycombe ...	40,680	310	301	19	9	639	15.7	1.01	1.03	208	194	402	9.9	0.96	0.84	15	24	8	4
<b>CAMBRIDGESHIRE :</b>																			
Admin. County ...	176,300	1,253	1,188	74	55	2,570	14.6	1.05	0.95	945	910	1,855	10.5	0.91	0.85	41	16	27	56
Urban District :																			
Cambridge M.B. ...	90,740	639	577	49	35	1,300	14.3	1.04	0.93	454	459	913	10.1	0.98	0.88	24	18	15	29
Rural Districts																			
Chesterton ...	85,560	614	611	25	20	1,270	14.8	1.07	0.97	491	451	942	11.0	0.85	0.83	17	13	12	27
Newmarket ...	39,370	296	272	12	10	590	15.0	1.05	0.98	200	195	395	10.0	0.86	0.76	12	20	8	19
South Cambridgeshire	20,120	135	142	7	3	287	14.3	1.10	0.93	125	119	244	12.1	0.86	0.92	3	10	2	2
	26,070	183	197	6	7	393	15.1	1.07	0.99	166	137	303	11.6	0.82	0.84	2	5	2	6
<b>CHESHIRE</b>	1,259,000	9,405	8,899	419	399	19,122	15.2	1.00	0.99	7,499	7,372	14,871	11.8	0.99	1.03	554	29	367	474
*County Boroughs																			
Birkenhead ...	432,570	3,526	3,363	200	187	7,276	16.8	0.99	1.10	2,653	2,641	5,294	12.2	1.00	1.08	227	31	153	191
Chester ...	142,100	1,252	1,239	67	71	2,629	18.5	0.99	1.21	891	817	1,708	12.0	1.05	1.12	91	35	58	84
*Stockport	47,900	418	366	43	27	854	17.8	0.95	1.16	274	264	538	11.2	1.02	1.01	19	22	14	19
Wallasey ...	140,870	1038	990	54	50	2132	15.1	0.99	0.99	866	914	1,780	12.6	0.99	1.10	61	29	38	45
	101,700	818	768	36	39	1,661	16.3	1.00	1.07	622	646	1,268	12.5	0.95	1.05	56	34	43	43
<b>*Admin. County</b>	826,430	5,879	5,536	219	212	11,846	14.3	1.01	0.93	4,846	4,731	9,577	11.6	0.98	1.01	327	28	214	283
*Urban Districts																			
Alderley Edge	634,130	4,422	4,158	170	160	8,910	14.1	1.00	0.92	3,751	3,741	7,492	11.8	0.99	1.03	245	28	165	216
Alsager ...	3,744	28	28	—	—	56	15.0	1.00	0.98	33	30	63	16.8	0.82	1.22	3	54	3	2
Altrincham M.B.	5,561	45	33	2	—	24	14.4	0.99	0.94	25	23	49	8.8	0.89	0.85	2	25	2	—
Bebington M.B.	39,660	283	263	12	5	563	14.2	0.95	0.93	220	223	443	11.2	1.04	1.03	13	23	12	12
Bollington ...	47,790	333	310	4	7	654	13.7	0.97	0.90	273	256	529	11.1	1.07	1.05	17	26	14	18
	5,414	37	18	2	2	59	10.9	1.04	0.71	34	49	83	15.3	0.89	1.21	1	17	—	1
Bowdon ...	3,546	30	29	—	1	60	16.9	1.00	1.10	23	20	43	12.1	0.81	0.87	—	—	—	1
*Bredbury and Romiley	17,760	112	115	3	6	236	13.3	0.99	0.87	108	96	204	11.5	1.00	1.02	6	25	4	7
Cheadle and Gatley	31,300	209	188	4	12	413	13.2	0.97	0.86	140	159	299	9.6	1.03	0.88	11	27	5	10
Congleton M.B.	15,430	103	86	9	2	200	13.0	0.97	0.85	83	90	173	11.2	1.01	1.00	5	25	3	7
Crewe M.B.	51,940	365	363	18	10	756	14.6	1.00	0.95	327	297	624	12.0	1.03	1.09	24	32	13	24
Dukinfield M.B.	18,440	111	131	2	4	248	13.4	0.99	0.88	112	113	225	12.2	1.04	1.12	11	44	5	6
Ellesmere Port	33,680	301	336	12	17	666	19.8	1.00	1.29	137	123	260	7.7	1.33	0.91	21	32	17	22
Hale ...	11,800	63	57	2	3	125	10.6	1.03	0.69	91	89	180	15.3	0.80	1.08	6	48	5	2
Hazel Grove and Bramhall	19,810	130	98	5	3	236	11.9	1.00	0.78	124	122	246	12.4	0.93	1.02	3	13	—	3
Hoole ...	9,253	69	68	4	6	147	15.9	0.92	1.04	33	42	75	8.1	1.00	0.72	3	20	3	3
Hoylake ...	31,260	171	174	15	5	365	11.7	1.16	0.76	197	210	407	13.0	0.87	1.00	11	30	8	10
Hyde M.B.	31,280	206	195	10	10	421	13.5	1.03	0.88	228	244	472	15.1	0.93	1.24	15	36	11	5
Knutsford ...	6,530	40	45	3	1	89	13.6	1.00	0.89	66	58	124	19.0	0.94	1.58	1	17	1	2
Longendale ...	4,458	37	30	2	1	70	15.7	1.12	1.03	44	38	82	18.4	0.77	1.25	1	14	1	—
Lymm ...	6,379	38	41	3	3	85	13.3	0.97	0.87	37	30	67	10.5	0.92	0.85	1	12	—	3
Macclesfield M.B.																			
Marple ...	35,480	226	215	9	17	467	13.2	1.01	0.86	204	250	454	12.8	0.91	1.03	12	26	6	9
Middlewich ...	13,040	78	67	3	3	151	11.6	1.05	0.76	105	102	207	15.9	0.84	1.18	4	27	3	2
Nantwich ...	6,798	61	40	2	2	105	15.4	1.01	1.01	30	42	72	10.6	1.07	1.00	2	19	—	4
Neston ...	8,861	83	57	3	1	144	16.3	1.04	1.07	46	49	95	10.7	0.88	0.80	6	42	5	3
Northwich ...	9,870	63	77	2	1	143	14.5	1.00	0.95	52	48	100	10.1	0.89	0.83	7	49	4	4
Runcorn ...	16,920	122	110	7	6	245	14.5	1.02	0.95	125	95	220	13.0	1.00	1.15	7	29	4	3
	23,990	184	183	2	3	372	15.5	0.98	1.01	139	132	271	11.3	1.15	1.15	15	40	10	8

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.
		M.		F.	M.		F.													
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)			(17)	(18)	(19)
<b>CHESHIRE—contd.</b>																				
<b>Urban Districts—contd.</b>																				
Sale M.B. ...	43,000	287	246	11	6	550	12.8	0.95	0.84	237	233	470	10.9	1.00	0.96	9	16	7	13	
Sandbach ...	9,406	78	65	—	—	143	15.2	1.00	0.99	52	47	99	10.5	1.00	0.93	—	—	—	1	
Stalybridge M.B. ...	22,610	177	184	9	11	381	16.9	1.00	1.10	171	160	331	14.6	0.96	1.24	13	34	9	17	
Wilmslow ...	19,300	112	116	4	6	238	12.3	0.97	0.80	99	109	208	10.8	1.02	0.97	8	34	4	8	
Winsford ...	12,820	107	95	5	6	213	16.6	0.99	1.08	73	67	140	10.9	1.02	0.98	4	19	3	3	
Wirral ...	17,000	133	95	1	—	229	13.5	1.02	0.88	84	93	177	10.4	0.90	0.83	3	13	3	3	
<b>Rural Districts</b>																				
Bucklow ...	192,300	1,457	1,378	49	52	2,936	15.3	1.04	1.00	1,095	990	2,085	10.8	0.95	0.91	82	28	49	67	
Chester ...	11,570	78	85	5	5	173	15.0	1.10	0.98	61	55	116	10.0	0.99	0.88	7	41	5	4	
Congleton ...	25,580	131	146	3	7	287	11.2	1.18	0.73	119	103	222	8.7	1.06	0.82	8	28	5	7	
Disley ...	13,030	88	116	3	1	208	16.0	1.09	1.05	84	73	157	12.0	0.95	1.01	7	34	5	4	
Macclesfield ...	2,840	21	27	—	1	49	17.3	1.02	1.13	20	24	44	15.5	0.86	1.18	2	41	—	—	
	19,910	152	100	5	6	263	13.2	1.04	0.86	109	122	231	11.6	0.92	0.94	8	30	5	2	
Nantwich ...	27,470	201	173	7	7	388	14.1	0.97	0.92	184	140	324	11.8	0.89	0.93	7	18	5	13	
Northwich ...	40,440	407	378	11	11	807	20.0	0.98	1.31	207	181	388	9.6	1.00	0.85	23	29	13	20	
Runcorn ...	35,520	250	223	8	10	491	13.8	1.03	0.90	216	188	404	11.4	0.94	0.95	10	20	6	6	
Tarvin ...	14,550	119	123	7	4	253	17.4	1.05	1.14	87	95	182	12.5	0.91	1.01	9	36	5	11	
Tintwistle ...	1,390	10	7	—	—	17	12.2	1.03	0.80	8	9	17	12.2	0.78	0.84	1	59	—	—	
<b>CORNWALL :</b>																				
Admin. County ...	342,700	2,398	2,289	116	100	4,903	14.3	1.07	0.93	2,125	2,281	4,406	12.9	0.83	0.95	149	30	107	117	
<b>Urban Districts</b>																				
Bodmin M.B. ...	186,200	1,348	1,217	64	63	2,692	14.5	1.06	0.95	1,171	1,320	2,491	13.4	0.83	0.98	77	29	55	77	
Bude-Straton ...	6,294	40	35	—	1	76	12.1	1.56	0.79	34	32	66	10.5	0.89	0.83	5	66	3	2	
Camborne-Redruth ...	5,126	30	37	1	2	70	13.7	1.09	0.90	37	41	78	15.2	0.73	0.98	—	—	—	1	
Falmouth M.B. ...	35,260	263	229	12	18	522	14.8	0.99	0.97	225	255	480	13.6	0.87	1.05	14	27	10	14	
Fowey M.B. ...	16,490	117	100	3	5	225	13.6	1.04	0.89	88	95	183	11.1	0.86	1.05	6	27	5	9	
	2,307	11	15	—	—	26	11.3	1.10	0.74	27	18	45	19.5	0.76	1.31	1	39	—	1	
Helston M.B. ...	5,706	71	58	2	2	133	23.3	1.07	1.52	30	42	72	12.6	0.74	0.83	5	38	3	3	
Launceston M.B. ...	4,537	28	30	2	—	60	13.2	1.11	0.86	34	33	67	14.8	0.77	1.01	—	—	—	1	
Liskeard M.B. ...	4,299	24	22	2	2	50	11.6	1.05	0.76	20	41	61	14.2	0.68	0.85	2	40	2	4	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Looe ...	3,569	24	16	2	1	43	12.0	1.08	0.78	26	29	55	15.4	0.74	1.01	3	70	3	1
Lostwithiel M.B.	2,079	18	11	1	—	30	14.4	1.14	0.94	12	8	20	9.6	0.69	0.59	—	—	—	—
Newquay	9,731	73	57	6	4	140	14.4	0.94	0.94	58	92	150	15.4	0.77	1.05	4	29	4	3
Padstow	2,733	29	39	1	1	70	25.6	0.98	1.67	17	17	34	12.4	0.72	0.79	2	29	1	2
Penryn M.B.	4,147	44	33	2	1	80	19.3	1.00	1.26	22	21	43	10.4	0.96	0.88	2	25	1	3
Penzance M.B.	19,940	143	124	8	13	288	14.4	1.02	0.94	146	134	280	14.0	0.82	1.02	10	35	6	6
St. Austell	23,460	161	149	5	5	320	13.6	1.10	0.89	154	181	335	14.3	0.78	0.99	4	13	3	7
St. Ives M.B.	8,474	44	40	4	—	88	10.4	1.02	0.68	53	56	109	12.9	0.71	0.81	1	11	1	3
St. Just	3,996	28	26	2	2	58	14.5	1.14	0.95	23	36	59	14.8	0.85	1.11	2	35	—	—
Saltash M.B.	8,000	72	69	2	1	144	18.0	1.02	1.18	53	64	117	14.6	0.76	0.98	5	35	3	4
Torpoint	6,822	34	37	3	—	74	10.8	1.50	0.71	29	30	59	8.6	1.49	1.13	1	14	—	3
Truro M.B.	13,230	94	90	6	5	195	14.7	1.01	0.96	83	95	178	13.5	1.01	1.21	10	51	9	10
Rural Districts	156,500	1,050	1,072	52	37	2,211	14.1	1.08	0.92	954	961	1,915	12.2	0.82	0.89	72	33	52	40
Camelford	7,366	43	50	2	1	96	13.0	1.11	0.85	45	48	93	12.6	0.80	0.89	2	21	2	1
Kerrier	21,520	144	137	5	3	289	13.4	1.03	0.88	125	136	261	12.1	0.88	0.94	7	24	3	4
Launceston	6,470	38	48	1	—	87	13.4	1.12	0.88	44	41	85	13.1	0.83	0.96	5	58	2	1
Liskeard	14,120	90	89	5	6	190	13.5	1.16	0.88	96	86	182	12.9	0.77	0.88	6	32	4	4
St. Austell	22,110	163	165	11	8	347	15.7	1.03	1.03	118	109	227	10.3	0.87	0.79	6	17	5	6
St. Germans	16,710	115	120	7	4	246	14.7	1.11	0.96	111	124	235	14.1	0.78	0.97	10	41	7	2
Scilly, Isles of	1,839	19	7	—	—	26	14.1	1.00	0.92	20	10	30	16.3	0.90	1.30	—	—	—	2
Straton	5,595	46	45	2	2	94	16.8	1.15	1.10	29	31	60	10.7	0.88	0.83	7	75	6	2
Truro	26,840	162	173	8	4	347	12.9	1.10	0.84	167	181	348	13.0	0.76	0.87	11	32	8	2
Wadebridge	16,350	107	119	5	3	234	14.3	1.13	0.93	96	92	188	11.5	0.89	0.91	8	34	6	4
West Penwith...	17,580	113	129	7	6	255	14.5	1.04	0.95	103	103	206	11.7	0.82	0.85	10	39	9	7
CUMBERLAND	281,200	2,338	2,327	96	102	4,863	17.3	1.05	1.13	1,823	1,593	3,416	12.1	1.02	1.09	150	31	91	114
County Borough :	67,900	564	520	38	24	1,146	16.9	1.03	1.10	414	399	813	12.0	1.09	1.16	31	27	21	18
Carlisle	213,300	1,774	1,807	58	78	3,717	17.4	1.05	1.14	1,409	1,194	2,603	12.2	1.00	1.08	119	32	70	96
Admin. County	85,900	711	737	25	32	1,505	17.5	1.02	1.14	603	508	1,111	12.9	1.03	1.18	44	29	27	41
Urban Districts	5,170	39	55	—	3	97	18.8	0.98	1.23	38	38	76	14.7	0.94	1.22	4	41	4	1
Cockermouth	4,660	27	23	2	2	52	11.2	1.00	0.73	33	35	68	14.6	0.79	1.02	1	19	—	5
Keswick	12,310	124	115	2	5	246	20.0	1.03	1.31	88	62	156	12.7	1.01	1.14	7	29	5	6
Maryport	10,350	73	72	6	3	154	14.9	1.03	0.97	72	62	134	12.9	0.92	1.05	4	26	2	6
Penrith	24,630	220	241	9	11	481	19.5	1.01	1.27	167	162	329	13.4	1.13	1.34	17	35	11	14
Whitehaven M.B.	28,780	228	231	8	8	475	16.5	1.03	1.08	205	143	348	12.1	1.08	1.16	11	23	5	9
Workington M.B.	127,400	1,063	1,070	33	46	2,212	17.4	1.08	1.14	806	686	1,492	11.7	0.98	1.01	75	34	43	55
Rural Districts	2,260	18	26	—	2	46	20.4	1.10	1.33	18	14	32	14.2	0.85	1.07	1	22	—	—
Alston with Garrigill	28,450	202	216	4	13	435	14.4	1.07	0.94	181	141	322	10.7	0.94	0.89	12	28	4	15
Border...	19,390	152	127	6	7	292	15.1	1.08	0.99	125	114	239	12.3	0.96	1.04	16	55	12	2
Cockermouth...	28,580	263	259	8	11	541	18.9	1.09	1.24	170	171	341	11.9	1.07	1.13	24	44	13	15
Ennerdale	13,700	105	134	3	3	245	17.9	1.05	1.17	83	77	160	11.7	0.94	0.97	4	16	3	9
Millom	11,510	116	97	4	3	220	19.1	1.07	1.25	67	52	119	10.3	0.91	0.83	8	36	5	5
Penrith	23,510	207	211	8	7	433	18.4	1.08	1.20	162	117	279	11.9	1.00	1.05	10	23	6	9
Wigton																			

† The birth and death rates have been calculated on a revised population estimate of 30,200.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.				
		M.	F.	M.	F.														
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)		(17)	(18)	(19)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
DERBYSHIRE	823,800	6,165	5,828	272	238	12,503	15.2	1.01	0.99	4,780	4,042	8,822	10.7	1.04	0.98	369	30	243	302
County Borough :																			
Derby ...	138,700	959	995	72	50	2,076	15.0	0.99	0.98	867	721	1,588	11.4	1.02	1.03	60	29	46	59
Admin. County ...	685,100	5,206	4,833	200	188	10,427	15.2	1.02	0.99	3,913	3,321	7,234	10.6	1.05	0.98	309	30	197	243
Urban Districts ...	359,700	2,664	2,468	104	94	5,330	14.8	1.01	0.97	2,014	1,776	3,790	10.5	1.04	0.97	155	29	96	131
Alfreton ...	23,130	187	164	5	11	367	15.9	1.04	1.04	111	101	212	9.2	1.07	0.87	10	27	5	19
Ashbourne ...	5,093	35	36	2	1	74	14.5	1.09	0.95	35	23	58	11.4	0.96	0.97	—	—	—	—
Bakewell ...	3,337	19	20	2	—	41	12.3	1.06	0.80	17	20	37	11.1	0.83	0.82	1	24	1	1
Belper ...	15,690	97	101	7	2	207	13.2	0.98	0.86	105	63	168	10.7	0.95	0.90	11	53	7	4
Bolsover ...	10,870	95	99	2	3	199	18.3	1.03	1.20	*53	37	90	8.3	1.18	0.87	9	45	4	7
Buxton M.B. ....	19,610	160	134	7	6	307	15.7	1.01	1.03	120	122	242	12.3	0.95	1.03	5	16	3	4
Chesterfield M.B. ....	67,270	473	469	20	24	986	14.7	0.97	0.96	365	350	715	10.6	1.09	1.02	32	33	21	23
Clay Cross ...	8,639	78	69	4	1	152	17.6	1.08	1.15	43	40	83	9.6	1.08	0.92	4	26	2	6
Dronfield ...	7,549	42	60	1	—	103	13.6	1.01	0.89	36	31	67	8.9	1.05	0.83	1	10	1	1
Glossop M.B. ....	17,830	126	108	9	5	248	13.9	1.07	0.91	129	128	257	14.4	0.79	1.01	10	40	6	7
Heanor ...	24,220	171	177	5	7	360	14.9	0.99	0.97	125	85	210	8.7	1.11	0.85	11	31	7	11
Ilkeston M.B. ....	33,640	258	237	5	10	510	15.2	0.97	0.99	181	154	335	10.0	1.17	1.04	11	22	7	10
Long Eaton ...	29,020	214	190	17	9	430	14.8	0.99	0.97	164	136	300	10.3	1.05	0.96	10	23	5	9
Matlock ...	18,400	120	108	2	3	233	12.7	1.08	0.83	97	105	202	11.0	0.96	0.93	5	22	3	9
New Mills ...	8,386	61	59	1	1	122	14.5	1.07	0.95	49	57	106	12.6	0.88	0.98	3	25	2	4
Ripley ...	17,990	147	107	1	3	258	14.3	1.03	0.93	100	95	195	10.8	1.06	1.01	11	43	10	9
Staveley ...	18,010	129	122	3	3	257	14.3	1.03	0.93	*81	75	156	8.7	1.23	0.95	12	47	8	4
Swadlincote District ...	20,780	159	134	8	1	302	14.5	0.99	0.95	135	94	229	11.0	1.09	1.06	7	23	4	1
Whaley Bridge ...	5,334	52	37	—	3	92	17.2	1.03	1.12	39	27	66	12.4	0.96	1.05	—	—	—	2
Wirksworth ...	4,902	41	37	3	1	82	16.7	1.08	1.09	29	33	62	12.6	0.96	1.07	2	24	1	—
Rural Districts ...	325,400	2,542	2,365	96	94	5,097	15.7	1.03	1.03	1,899	1,545	3,444	10.6	1.06	0.99	154	30	101	112
Ashbourne ...	11,730	90	85	6	4	185	15.8	1.17	1.03	60	73	133	11.3	1.02	1.02	2	11	1	3
Bakewell ...	19,000	124	118	1	4	247	13.0	1.08	0.85	138	123	261	13.7	0.86	1.04	4	16	1	6
Belper ...	28,150	204	175	9	3	391	13.9	1.03	0.91	157	131	288	10.2	0.96	0.87	13	33	7	11
Blackwell ...	42,800	396	328	14	15	753	17.6	1.04	1.15	249	191	440	10.3	1.16	1.06	25	33	15	13
Chapel en le Frith ...	18,840	126	131	2	7	266	14.1	1.08	0.92	132	116	248	13.2	0.94	1.10	10	38	8	5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Chesterfield ...	75,770	585	542	19	30	1,176	15.5	1.01	1.01	402	327	729	9.6	1.10	0.93	41	35	30	24
Clowne ...	19,060	169	140	7	5	321	16.8	1.08	1.10	†173	100	273	14.3	1.07	1.35	14	44	8	8
Repton ...	31,890	228	252	10	7	497	15.6	1.10	1.02	170	164	334	10.5	1.01	0.94	20	40	13	9
Shardlow ...	78,160	620	594	28	19	1,261	16.1	0.97	1.05	418	320	738	9.4	1.11	0.92	25	20	18	33
DEVON	799,500	5,579	5,199	336	305	11,419	14.3	1.03	0.93	5,092	5,127	10,219	12.8	0.83	0.94	304	27	226	247
County Boroughs	295,200	2,201	2,108	159	147	4,615	15.6	1.04	1.02	1,722	1,643	3,365	11.4	1.01	1.02	127	28	91	105
Exeter ...	76,600	526	514	37	37	1,114	14.5	1.00	0.95	482	440	922	12.0	0.90	0.96	24	22	18	26
Plymouth ...	218,600	1,675	1,594	122	110	3,501	16.0	1.05	1.05	1,240	1,203	2,443	11.2	1.06	1.05	103	29	73	79
Admin. County ...	504,300	3,378	3,091	177	158	6,804	13.5	1.10	0.88	3,370	3,484	6,854	13.6	0.76	0.91	177	26	135	142
Urban Districts	260,000	1,707	1,548	99	91	3,445	13.3	1.07	0.87	1,819	2,079	3,898	15.0	0.71	0.94	87	25	61	70
Ashburton ...	2,695	23	26	—	3	52	19.3	1.09	1.26	23	20	43	16.0	0.79	1.12	2	39	2	1
Axminster ...	2,667	25	20	—	1	46	17.2	1.05	1.12	15	17	32	12.0	0.89	0.95	—	—	—	1
Barnstaple M.B.	16,130	135	117	8	7	267	16.6	0.99	1.08	91	107	198	12.3	0.79	0.86	7	26	6	2
Bideford M.B.	10,170	70	69	5	5	149	14.7	1.08	0.96	71	72	143	14.1	0.80	1.00	3	20	1	2
Brixham ...	8,679	57	60	4	2	123	14.2	1.09	0.93	60	63	123	14.2	0.76	0.96	5	41	3	—
Buckfastleigh ...	2,557	14	22	—	1	37	14.5	1.21	0.95	15	15	30	11.7	0.73	0.76	1	27	1	2
Budleigh Salterton	3,719	13	22	1	1	37	9.9	1.20	0.65	30	34	64	17.2	0.56	0.85	—	—	—	1
Crediton ...	4,115	32	26	1	1	61	14.8	1.04	0.97	27	26	53	12.9	0.82	0.94	1	16	1	1
Dartmouth M.B.	5,834	45	49	1	3	98	16.8	1.15	1.10	39	58	97	16.6	0.84	1.23	2	20	2	2
Dawlish ...	7,019	34	41	2	1	78	11.1	1.15	0.73	41	47	88	12.5	0.70	0.77	—	—	—	—
Exmouth	17,160	109	112	2	7	230	13.4	1.06	0.88	123	153	276	16.1	0.65	0.93	6	26	3	9
Great Torrington M.B.	2,783	18	13	1	1	33	11.9	1.05	0.78	20	27	47	16.9	0.79	1.18	—	—	—	—
Holsworthy ...	1,523	8	7	—	—	15	9.8	1.05	0.64	11	9	20	13.1	0.74	0.86	—	—	—	—
Honiton M.B.	4,596	31	16	—	2	49	10.7	1.36	0.70	24	23	47	10.2	0.97	0.88	2	41	2	2
Ifracombe ...	8,729	57	44	6	5	112	12.8	1.10	0.84	53	84	137	15.7	0.69	0.96	2	18	2	1
Kingsbridge ...	3,086	27	21	2	2	52	16.9	1.02	1.10	19	13	32	10.4	0.76	0.70	1	19	1	1
Lynton	1,791	14	6	1	1	22	12.3	0.97	0.80	24	18	42	23.5	0.76	1.58	1	46	—	3
Newton Abbot	16,870	119	101	12	8	240	14.2	1.06	0.93	96	102	198	11.7	0.80	0.83	4	21	2	3
Northam	6,504	49	43	4	—	96	14.8	1.04	0.97	34	58	92	14.1	0.74	0.92	2	21	2	2
Okehampton M.B.	3,879	24	23	1	1	49	12.6	0.98	0.82	23	26	49	12.6	0.80	0.89	1	20	1	6
Ottery St. Mary	4,008	29	17	1	—	47	11.7	1.08	0.76	27	22	49	12.2	0.75	0.81	4	85	1	2
Paignton	25,060	143	124	4	4	275	11.0	1.09	0.72	185	219	404	16.1	0.64	0.91	7	26	5	6
Salcombe	2,426	23	7	3	1	34	14.0	1.10	0.92	18	29	47	19.4	0.66	1.13	—	—	—	—
Seaton ...	2,815	14	13	—	—	27	9.6	1.07	0.63	27	30	57	20.2	0.58	1.04	—	—	—	—
Sidmouth	9,750	46	38	1	1	86	8.8	1.15	0.58	77	109	186	19.1	0.59	1.00	1	12	1	—
South Molton M.B.	3,019	36	14	2	1	53	17.6	1.18	1.15	38	21	59	19.5	0.78	1.35	3	57	3	2
Tavistock	6,077	37	41	5	2	85	14.0	1.16	0.92	44	52	96	15.8	0.73	1.02	1	12	—	1
Teignmouth	10,460	49	68	4	6	127	12.1	1.12	0.79	92	112	204	19.5	0.62	1.07	6	47	4	1
Tiverton M.B.	11,110	82	85	4	3	174	15.7	1.08	1.03	61	54	115	10.4	0.87	0.80	3	17	3	6
Torquay M.B.	49,270	298	262	23	18	601	12.2	1.04	0.80	373	427	800	16.2	0.69	0.99	19	32	12	9
Totnes M.B.	5,499	46	41	1	2	90	16.4	1.00	1.07	38	32	70	12.7	0.80	0.90	3	33	3	5
Rural Districts	244,300	1,671	1,543	78	67	3,359	13.7	1.13	0.90	1,551	1,405	2,956	12.1	0.81	0.87	90	27	74	72
Axminster	11,480	78	68	1	2	149	13.0	1.11	0.85	78	83	161	14.0	0.71	0.88	3	20	3	2
Barnstaple	23,030	160	159	5	7	331	14.4	1.10	0.94	156	167	323	14.0	0.79	0.98	6	18	6	7
Bideford	5,290	39	33	2	—	74	14.0	1.08	0.92	31	31	62	11.7	0.80	0.83	1	14	1	1
Broadwood	2,047	17	12	1	—	30	14.7	1.07	0.96	7	6	13	6.4	0.96	0.54	—	—	—	—
Widger	9,909	86	66	2	3	157	15.8	1.16	1.03	64	58	122	12.3	0.81	0.88	4	26	3	2
Crediton	244,300	1,671	1,543	78	67	3,359	13.7	1.13	0.90	1,551	1,405	2,956	12.1	0.81	0.87	90	27	74	72

\* Including 2 male deaths in Bolsover U.D., and 1 male death in Staveley U.D. which occurred in the Creswell Colliery disaster in 1950.  
† Including 74 male deaths which occurred in the Creswell Colliery disaster in 1950.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.																
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.		Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Live Births.	Deaths under 4 weeks.												
		M.		F.		M.															F.											
		(3)	(4)	(5)	(6)	(7)	(8)														(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
		(1)	(2)																													
DEVON—contd. Rural Districts—contd.																																
Holworthy	5,985	50	41	3	1	95	15.9	1.15	1.04	40	32	72	12.0	0.80	0.85	3	32	3	—	3												
Honiton	6,855	71	48	3	1	123	17.9	1.16	1.17	46	33	79	11.5	0.82	0.83	—	—	—	—	—												
Kingsbridge	11,430	94	72	1	5	172	15.0	1.09	0.98	88	72	160	14.0	0.75	0.93	5	29	4	—	—												
Newton Abbot	25,380	147	135	11	8	301	11.9	1.10	0.78	159	153	312	12.3	0.77	0.84	6	7	5	—	—												
Okehampton	12,320	78	77	8	2	165	13.4	1.19	0.88	87	70	157	12.7	0.76	0.85	6	36	3	—	—												
Plympton St. Mary	31,750	193	206	11	6	416	13.1	1.07	0.86	224	172	396	12.5	0.89	0.98	14	34	13	—	—												
St. Thomas	31,710	186	184	6	12	388	12.2	1.26	0.80	171	158	329	10.4	0.84	0.77	15	39	12	—	—												
South Molton	9,141	69	63	3	4	139	15.2	1.15	0.99	63	45	108	11.8	0.88	0.92	7	50	7	—	—												
Tavistock	16,050	108	93	6	3	210	13.1	1.12	0.86	92	95	187	11.7	0.80	0.83	5	24	5	—	—												
Tiverton	20,680	146	141	10	8	305	14.7	1.09	0.96	114	105	219	10.6	0.84	0.79	8	26	4	—	—												
Torrington	7,283	53	52	1	2	108	14.8	1.20	0.97	44	54	98	13.5	0.84	1.00	2	19	2	—	—												
Totnes...	13,960	96	93	4	3	196	14.0	1.11	0.92	87	71	158	11.3	0.78	0.78	4	20	3	—	—												
DORSET :																																
Admin. County	296,500	2,044	2,012	116	90	4,262	14.4	1.10	0.94	1,714	1,721	3,435	11.6	0.85	0.87	100	24	73	88													
Urban Districts	183,600	1,208	1,225	75	56	2,564	14.0	1.08	0.92	1,086	1,118	2,204	12.0	0.85	0.90	57	22	40	49													
Blandford Forum	3,566	25	23	—	2	50	14.0	1.03	0.92	23	26	49	13.7	0.81	0.98	1	20	—	—													
Bridport M.B.	6,379	44	51	3	1	99	15.5	1.05	1.01	39	49	88	13.8	0.75	0.92	—	—	—	—													
Dorchester M.B.	11,240	70	79	4	3	156	13.9	1.05	0.91	57	66	123	10.9	0.89	0.86	4	26	2	3													
Lyme Regis M.B.	2,989	12	14	—	2	28	9.4	1.08	0.61	14	25	39	13.0	0.71	0.82	1	36	1	1													
Poole M.B.	83,270	537	562	33	23	1,155	13.9	1.03	0.91	532	512	1,044	12.5	0.84	0.93	36	31	26	26													
Portland	15,000	53	89	9	5	156	10.4	1.66	0.68	58	51	109	7.3	1.36	0.88	4	26	3	5													
Shaftesbury	3,437	32	29	—	—	61	17.7	1.16	1.16	24	27	51	14.8	0.73	0.96	3	49	3	—													
Sherborne	7,070	45	43	2	1	91	12.9	1.38	0.84	40	39	79	11.2	0.98	0.97	1	11	1	—													
Swanage	6,566	44	35	1	5	85	12.9	1.13	0.84	33	67	100	15.2	0.72	0.97	—	—	—	—													
Wareham M.B.	2,753	22	21	1	—	44	16.0	1.08	1.05	26	23	49	17.8	0.75	1.18	—	—	—	—													
Weymouth and Melcombe																																
Regis M.B....	36,830	285	256	20	11	572	15.5	1.00	1.01	211	207	418	11.3	0.81	0.81	7	12	4	—													
Wimborne Minster	4,500	39	23	2	3	67	14.9	1.15	0.97	29	26	55	12.2	0.71	0.77	—	—	—	—													

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rural Districts ...	112,900	836	787	41	34	1,698	15.0	1.16	0.98	628	603	1,231	10.9	0.86	0.83	43	25	33	39
Beaminster ...	8,093	56	71	3	3	133	16.4	1.11	1.07	46	42	88	10.9	0.80	0.77	2	15	1	1
Blandford ...	13,680	89	100	5	3	197	14.4	1.63	0.94	42	41	83	6.1	1.24	0.67	4	20	3	4
Bridport ...	7,593	51	44	—	2	97	12.8	1.14	0.84	50	43	93	12.2	0.70	0.76	3	31	2	1
Dorchester ...	17,510	132	117	10	4	263	15.0	1.18	0.98	90	94	184	10.5	0.87	0.81	4	15	4	8
Shaftesbury ...	9,808	75	65	2	3	145	14.8	1.18	0.97	58	58	116	11.8	0.79	0.82	2	14	1	4
Sherborne ...	5,780	47	41	5	1	94	16.3	0.90	1.07	35	21	56	9.7	0.93	0.80	2	21	2	1
Sturminster ...	9,566	72	78	4	2	156	16.3	1.11	1.07	64	68	132	13.8	0.74	0.90	6	39	2	5
Wareham and Purbeck ...	19,310	171	149	7	6	333	17.2	1.07	1.12	107	99	206	10.7	1.04	0.98	11	33	9	9
Wimborne and Cranborne ...	21,560	143	122	5	10	280	13.0	1.16	0.85	136	137	273	12.7	0.75	0.84	9	32	9	6
DURHAM ...	1,458,000	12,809	12,143	487	425	25,864	17.7	1.02	1.16	8,902	7,354	16,256	11.1	1.12	1.10	888	34	560	668
County Boroughs ...	558,200	5,026	4,808	226	208	10,268	18.4	1.00	1.20	3,469	2,984	6,453	11.6	1.11	1.14	377	37	234	255
Darlington ...	84,000	602	526	37	29	1,194	14.2	1.00	0.93	512	453	965	11.5	1.03	1.05	31	26	16	41
Gateshead ...	114,600	985	934	47	36	2,002	17.5	0.98	1.14	735	615	1,350	11.8	1.16	1.21	82	41	56	60
South Shields ...	107,100	1,001	924	44	47	2,016	18.8	0.98	1.23	692	578	1,270	11.9	1.08	1.14	77	38	47	50
Sunderland ...	180,400	1,731	1,769	56	68	3,624	20.1	1.01	1.31	1,066	983	2,049	11.4	1.13	1.14	130	36	81	70
West Hartlepool ...	72,100	707	655	42	28	1,432	19.9	1.03	1.30	464	355	819	11.4	1.12	1.13	57	40	34	34
Admin. County ...	899,800	7,783	7,335	261	217	15,596	17.3	1.03	1.13	5,433	4,370	9,803	10.9	1.13	1.09	511	33	326	413
Urban Districts ...	618,500	5,395	5,148	190	164	10,897	17.6	1.02	1.15	3,798	3,032	6,830	11.0	1.13	1.00	345	32	221	299
Barnard Castle ...	4,614	27	37	2	5	71	15.4	1.05	1.01	57	41	98	21.2	0.79	1.48	—	—	—	4
Billingham ...	24,000	241	216	7	15	479	20.0	0.98	1.31	96	75	171	7.1	1.54	0.97	20	42	10	10
Bishop Auckland ...	35,650	320	280	13	10	623	17.5	0.97	1.14	243	171	414	11.6	1.02	1.05	17	27	11	15
Blaydon ...	30,510	256	220	6	2	484	15.9	1.03	1.04	191	121	312	10.2	1.13	1.02	14	29	7	12
Boldon ...	17,150	146	161	5	6	318	18.5	1.03	1.21	99	87	186	10.8	1.03	0.98	5	16	2	4
Brandon and Byshottles ...	19,700	163	171	6	3	343	17.4	1.06	1.14	113	104	217	11.0	1.09	1.06	18	53	14	14
Chester le Street ...	18,140	131	132	5	5	273	15.0	1.02	0.98	125	102	227	12.5	1.08	1.19	15	55	8	5
Consett ...	38,840	328	306	11	4	649	16.7	1.02	1.09	230	197	427	11.0	1.12	1.09	17	26	10	13
Crook and Willington ...	27,350	210	193	7	4	414	15.1	1.05	0.99	177	157	334	12.2	1.01	1.09	13	31	8	11
Durham M.B. ...	19,960	155	149	6	1	311	15.6	1.13	1.02	119	84	203	10.2	1.11	1.00	6	19	3	8
Felling ...	25,200	212	206	3	6	427	16.9	0.97	1.10	146	140	286	11.3	1.13	1.13	12	28	9	11
Hartlepool M.B. ...	17,080	170	182	4	11	367	21.5	1.04	1.41	100	67	167	9.8	1.16	1.01	17	46	9	13
Hebburn ...	23,100	230	196	6	7	439	19.0	0.97	1.24	149	104	253	11.0	1.24	1.21	14	32	11	15
Hetton ...	18,330	161	133	3	3	300	16.4	1.05	1.07	113	100	213	11.6	1.16	1.19	10	33	4	6
Houghton le Spring ...	30,860	289	269	9	8	575	18.6	1.05	1.22	200	148	348	11.3	1.12	1.12	24	42	17	13
Jarrow M.B. ...	28,700	267	272	14	10	563	19.6	0.99	1.28	191	155	346	12.1	1.21	1.30	12	21	7	21
Ryton ...	13,610	104	105	2	6	217	15.9	1.01	1.04	85	64	149	10.9	1.05	1.01	5	23	4	8
Seaham ...	25,660	214	228	11	7	460	17.9	1.05	1.17	133	111	244	9.5	1.22	1.03	12	26	6	11
Shildon ...	14,480	116	105	5	4	230	15.9	1.03	1.04	94	74	168	11.6	1.06	1.09	11	48	7	4
Spennymoor ...	20,000	194	175	12	5	386	19.3	1.02	1.26	117	98	215	10.8	1.15	1.10	14	36	11	12
Stanley ...	48,080	392	400	13	11	816	17.0	1.06	1.11	313	253	566	11.8	1.11	1.16	33	41	24	29
Stockton on Tees M.B. ...	73,820	698	668	29	19	1,414	19.2	1.02	1.25	430	361	791	10.7	1.14	1.08	36	26	23	40
Tow Law ...	3,166	38	37	1	1	77	24.3	1.05	1.59	20	15	35	11.3	1.05	1.03	3	39	3	2
Washington ...	17,700	153	137	5	4	299	16.9	1.03	1.10	115	85	200	11.3	1.23	1.23	6	20	4	8
Whickham ...	22,800	180	170	5	7	362	15.9	0.99	1.04	142	118	260	11.4	1.13	1.14	11	50	9	10
Rural Districts ...	281,300	2,388	2,187	71	53	4,699	16.7	1.05	1.09	1,635	1,338	2,973	10.6	1.14	1.07	166	35	105	114
Barnard Castle ...	18,150	134	129	3	3	269	14.8	1.16	0.97	117	102	219	12.1	1.06	1.14	6	22	5	8
Chester le Street ...	40,710	341	319	10	8	678	16.7	1.01	1.09	237	201	438	10.8	1.13	1.08	22	33	18	17



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
<b>DURHAM—contd.</b>																			
<b>Rural Districts—contd.</b>																			
...	...	112	104	2	1	219	16.8	1.02	1.10	68	49	117	9.0	0.95	0.76	10	46	3	5
Darlington	13,070	295	254	12	10	571	16.8	1.03	1.10	199	172	371	10.9	1.19	1.15	21	37	12	20
Durham	34,010	722	669	18	9	1,418	17.5	1.06	1.14	471	340	811	10.0	1.26	1.12	60	42	38	37
Easington	81,190																		
...	...	125	113	5	3	246	16.2	1.16	1.06	93	78	171	11.2	1.06	1.05	10	41	5	5
Lanchester	15,220	329	262	10	5	606	16.8	1.05	1.10	206	170	376	10.5	1.14	1.06	21	35	12	16
Sedgefield	35,980	58	63	—	4	125	15.2	1.03	0.99	43	40	83	10.1	1.02	0.91	3	24	2	1
Stockton	8,211	224	228	9	9	470	18.3	1.02	1.20	143	119	262	10.2	1.12	1.01	11	23	8	4
...	...	48	46	2	1	97	10.7	1.12	0.70	58	67	125	13.7	0.90	1.09	2	21	2	1
Sunderland	25,660																		
Weardale	9,099																		
...	...																		
<b>ELY, ISLE OF :</b>																			
Admin. County	88,000	741	654	42	45	1,482	16.8	1.06	1.10	486	417	903	10.3	0.95	0.87	40	27	30	31
...	...																		
<b>Urban Districts</b>																			
...	54,180	452	399	24	24	899	16.6	1.05	1.08	319	268	587	10.8	0.95	0.91	26	29	18	19
Chatteris	5,520	59	33	2	2	96	17.4	1.08	1.14	28	21	49	8.9	0.88	0.69	2	21	1	2
Ely	9,870	80	78	5	3	166	16.8	1.05	1.10	62	60	122	12.4	0.96	1.05	5	30	5	3
...	...	108	77	3	3	191	14.6	1.07	0.95	75	56	131	10.0	1.02	0.90	10	52	6	4
March	13,040																		
...	...	63	72	2	2	139	16.2	1.02	1.06	42	31	73	8.5	0.99	0.74	3	22	3	3
Whittlesey	8,600																		
...	...	142	139	12	14	307	17.9	1.05	1.17	112	100	212	12.4	0.89	0.98	6	20	3	7
Wisbech M.B.	17,150																		
...	...																		
Rural Districts	33,820	289	255	18	21	583	17.2	1.07	1.12	167	149	316	9.3	0.95	0.78	14	24	12	12
Ely	14,320	121	106	12	11	250	17.5	1.09	1.14	68	69	137	9.6	0.90	0.76	8	32	8	6
...	...	30	31	1	1	63	12.9	1.08	0.84	27	20	47	9.7	0.90	0.77	—	—	—	—
North Witchford	4,870																		
Thorney	2,360	24	15	1	4	44	18.6	0.92	1.22	12	6	18	7.6	1.20	0.81	1	23	—	—
...	...																		
Wisbech	12,270	114	103	4	5	226	18.4	1.07	1.20	60	54	114	9.3	0.98	0.81	5	22	4	6
...	...																		
<b>ESSEX</b>																			
...	2,063,000	14,779	13,968	638	607	29,992	14.5	0.98	0.95	11,190	10,263	21,453	10.4	1.00	0.92	709	24	487	654
...	...																		
<b>County Boroughs</b>																			
...	442,000	3,222	2,909	174	152	6,457	14.6	0.97	0.95	2,692	2,480	5,172	11.7	0.99	1.03	146	23	96	134
East Ham	120,000	811	730	28	23	1,592	13.3	0.95	0.87	723	607	1,330	11.1	1.04	1.02	37	23	28	32
...	...	970	962	69	66	2,067	13.6	1.01	0.89	958	1,049	2,007	13.2	0.82	0.96	40	19	25	41
Southend-on-Sea	151,500																		
West Ham	170,500	1,441	1,217	77	63	2,798	16.4	0.96	1.07	1,011	824	1,835	10.8	1.15	1.10	69	25	43	61

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	1,621,000	11,557	11,059	464	455	23,535	14.5	0.98	0.95	8,498	7,783	16,281	10.0	1.01	0.89	563	24	391	520
Urban Districts ...	1,391,000	9,854	9,418	369	385	20,026	14.1	0.97	0.94	7,151	6,516	13,667	9.8	1.05	0.91	482	24	333	440
Barking M.B. ...	77,140	547	530	21	12	1,110	14.4	0.96	0.94	376	326	702	9.1	1.34	1.08	24	22	16	32
Bentley ...	19,640	130	124	3	22	260	13.2	1.12	0.86	145	155	300	15.3	0.73	0.99	8	31	6	3
Billerica ...	44,490	338	338	18	22	733	16.5	1.11	1.08	285	226	511	11.5	0.79	0.80	15	21	11	18
Braintree and Bocking	17,530	116	126	6	5	253	14.4	0.98	0.94	111	100	211	12.0	0.86	0.91	7	28	4	6
Brentwood ...	31,690	188	198	2	7	395	12.5	1.17	0.82	176	159	335	10.6	0.90	0.84	11	28	5	9
Brightlingsea ...	4,503	29	28	—	—	57	12.7	1.17	0.83	43	27	70	15.5	0.64	0.88	1	18	1	—
Burnham on Crouch	3,793	24	20	1	2	47	12.4	1.15	0.81	32	32	64	16.9	0.75	1.12	1	21	1	2
Canvey Island ...	11,640	70	83	3	8	164	14.1	1.10	0.92	83	64	147	12.6	0.89	0.89	8	49	4	2
Chelmsford M.B. ...	38,130	263	263	11	6	543	14.2	0.96	0.93	169	197	366	9.6	1.02	0.87	9	17	5	12
Chigwell ...	56,830	438	445	13	15	911	16.0	0.93	1.05	204	184	388	6.8	1.02	0.61	28	31	23	21
Chingford M.B. ...	48,190	272	271	11	7	561	11.6	0.92	0.76	201	193	394	8.2	1.20	0.87	11	20	7	7
Clacton ...	23,790	126	114	9	9	258	10.8	1.13	0.71	158	182	340	14.3	0.70	0.89	3	12	2	4
Colchester M.B. ...	57,460	454	342	27	22	845	14.7	1.04	0.96	292	288	580	10.1	0.97	0.87	11	13	10	16
Dagenham M.B. ...	113,200	852	819	16	25	1,712	15.1	0.95	0.99	475	351	826	7.3	1.64	1.06	45	26	26	45
Epping ...	6,780	51	50	1	1	103	15.2	0.97	0.99	45	42	87	12.8	0.85	0.96	2	19	1	6
Frinton and Walton ...	8,160	47	39	2	3	91	11.2	1.11	0.73	55	68	123	15.1	0.71	0.95	5	55	4	2
Halstead ...	6,170	49	55	—	2	106	17.2	1.03	1.12	37	40	77	12.5	0.81	0.90	1	9	1	4
Harwich M.B. ...	14,210	117	112	3	7	239	16.8	1.09	1.10	73	55	128	9.0	1.08	0.86	6	25	4	5
Hornchurch ...	104,100	754	725	19	33	1,531	14.7	0.95	0.96	481	445	926	8.9	1.18	0.93	49	32	35	35
Ilford M.B. ...	182,200	1,194	1,047	41	46	2,328	12.8	0.92	0.84	943	866	1,809	9.9	1.06	0.93	44	19	32	54
Leyton M.B. ...	104,200	660	630	25	28	1,343	12.9	0.93	0.84	635	585	1,220	11.7	0.96	0.99	37	28	24	30
Maldon M.B. ...	9,725	77	54	4	4	139	14.3	1.09	0.93	69	74	143	14.7	0.75	0.98	3	22	1	4
Rayleigh ...	9,415	67	65	2	2	136	14.4	1.11	0.94	56	78	134	14.2	0.76	0.96	3	22	2	—
Romford M.B. ...	99,360	925	940	45	30	1,940	19.6	0.92	1.28	412	344	756	7.6	1.20	0.81	49	25	37	40
Saffron Walden M.B. ...	7,165	41	38	1	2	82	11.4	0.98	0.75	55	42	97	13.5	0.81	0.97	1	12	1	2
Thurrock ...	86,730	757	731	34	38	1,560	18.0	0.98	1.18	410	315	725	8.4	1.17	0.87	38	24	28	35
Waltham Holy Cross	8,460	66	61	1	3	131	15.5	1.01	1.01	45	43	88	10.4	1.00	0.92	3	23	2	2
Walthamstow M.B. ...	120,400	738	702	33	33	1,506	12.5	0.96	0.82	676	628	1,304	10.8	1.04	0.99	37	25	23	30
Wanstead and Woodford	61,880	353	373	13	6	745	12.0	0.97	0.78	329	337	666	10.8	0.96	0.92	17	23	15	10
M.B. ...	3,008	14	21	1	—	36	12.0	1.11	0.78	20	21	41	13.6	0.68	0.82	—	—	—	—
West Mersea ...	8,553	61	62	3	2	128	15.0	1.06	0.98	45	32	77	9.0	1.02	0.81	5	39	2	4
Witham ...	2,458	19	12	—	2	33	13.4	1.07	0.88	15	17	32	13.0	0.74	0.85	—	—	—	—
Wivenhoe ...	230,000	1,703	1,641	95	70	3,509	15.3	1.07	1.00	1,347	1,267	2,614	11.4	0.82	0.83	81	23	58	80
Rural Districts	18,320	122	135	4	4	265	14.5	0.97	0.95	117	97	214	11.7	0.77	0.80	8	30	5	11
Braintree ...	39,040	291	264	24	15	594	15.2	1.00	0.99	194	208	402	10.3	0.89	0.81	16	27	13	6
Chelmsford ...	18,980	120	128	9	7	264	13.9	1.14	0.91	105	105	210	11.1	0.89	0.87	6	23	4	4
Dunmow ...	22,590	213	202	9	5	429	19.0	1.03	1.24	88	99	187	8.3	0.95	0.70	16	37	11	14
Epping ...	17,130	118	108	7	5	238	13.9	1.12	0.91	120	110	230	13.4	0.74	0.88	4	17	2	6
Halstead ...	22,540	148	130	10	10	298	13.2	1.11	0.86	140	120	260	11.5	0.76	0.77	6	20	4	6
Lexden and Winstree	14,880	107	105	8	1	221	14.9	1.14	0.97	99	69	168	11.3	0.77	0.77	2	9	2	5
Maldon ...	14,720	143	127	7	9	286	19.4	1.10	1.27	86	71	157	10.7	0.97	0.92	4	14	3	7
Ongar ...	19,310	129	150	4	4	287	14.9	1.09	0.97	123	119	242	12.5	0.76	0.84	4	14	4	5
Rochford ...	17,740	143	119	6	3	271	15.3	1.13	1.00	97	97	194	10.9	0.81	0.78	6	22	4	8
Saffron Walden ...	24,750	169	173	7	7	356	14.4	1.12	0.94	178	172	350	14.1	0.79	0.99	9	25	6	8
Tendring ...																			



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate.				
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
GLOUCESTERSHIRE	948,200	7,153	6,881	359	355	14,748	15.6	1.02	1.02	5,356	5,162	10,518	11.1	0.97	0.95	365	25	262	309
County Boroughs	510,400	3,794	3,696	182	189	7,861	15.4	0.99	1.01	2,864	2,791	5,655	11.1	0.98	0.96	171	22	122	162
Bristol...	443,900	3,256	3,206	159	151	6,772	15.3	0.99	1.00	2,504	2,467	4,971	11.2	0.97	0.96	145	21	102	143
Gloucester	66,500	538	490	23	38	1,089	16.4	0.98	1.07	360	324	684	10.3	1.04	0.95	26	24	20	19
Admin. County	437,800	3,359	3,185	177	166	6,887	15.7	1.05	1.03	2,492	2,371	4,863	11.1	0.95	0.93	194	28	140	147
Urban Districts	144,400	1,084	1,031	66	71	2,252	15.6	1.02	1.02	862	899	1,761	12.2	0.90	0.97	79	35	53	50
Charlton Kings	5,814	39	37	3	1	80	13.8	1.07	0.90	34	45	79	13.6	0.76	0.91	3	38	3	3
Cheltenham M.B.	65,060	509	490	45	55	1,099	16.9	1.03	1.10	375	455	830	12.8	0.88	1.00	38	35	23	27
Cirencester	11,560	103	102	5	3	213	18.4	1.03	1.20	61	61	122	10.6	0.90	0.84	11	52	10	3
Kingswood	18,570	134	108	4	2	248	13.4	1.00	0.88	124	92	216	11.6	1.03	1.06	8	32	6	6
Mangotsfield	18,290	121	130	2	1	254	13.9	1.69	0.91	101	102	203	11.1	0.99	0.97	10	39	7	4
Nailsworth	3,630	21	21	—	1	43	11.8	1.07	0.77	31	24	55	15.2	0.82	1.10	1	23	—	1
Stroud...	16,030	107	86	4	4	201	12.5	1.03	0.82	100	98	198	12.4	0.85	0.93	6	30	3	3
Tewkesbury M.B.	5,446	50	57	3	4	114	20.9	1.00	1.37	36	22	58	10.7	0.85	0.80	2	18	1	3
Rural Districts	293,400	2,275	2,154	111	95	4,635	15.8	1.06	1.03	1,630	1,472	3,102	10.6	0.98	0.92	115	25	87	97
Cheltenham	24,010	198	181	10	8	397	16.5	1.01	1.08	123	117	240	10.0	0.93	0.82	11	28	5	6
Cirencester	17,690	149	141	8	14	312	17.6	1.16	1.15	74	79	153	8.6	1.14	0.87	11	35	9	1
Dursley	17,020	134	96	4	6	240	14.1	1.08	0.92	94	70	164	9.6	0.96	0.82	7	29	7	5
East Dean	20,330	181	182	11	4	378	18.6	1.04	1.22	126	80	206	10.1	1.02	0.91	9	24	5	5
Gloucester	38,370	257	233	23	8	521	13.6	1.04	0.89	221	172	393	10.2	1.02	0.92	14	27	12	12
Lydney	11,820	95	65	3	5	168	14.2	1.15	0.93	63	58	121	10.2	1.01	0.91	6	36	5	4
Newent	8,121	72	69	2	5	148	18.2	1.12	1.19	51	51	102	12.6	0.83	0.93	7	47	6	3
North Cotswold	21,520	187	188	12	8	395	18.4	1.11	1.20	128	118	246	11.4	0.91	0.92	2	5	2	9
Northleach	8,625	64	71	1	3	139	16.1	1.07	1.05	52	38	90	10.4	0.85	0.78	3	22	3	5
Sodbury	38,080	306	298	8	13	625	16.4	1.00	1.07	182	167	349	9.2	1.11	0.90	12	19	9	16
Stroud...	27,240	182	189	7	7	385	14.1	1.05	0.92	166	184	350	12.8	0.83	0.94	7	18	3	8
Tetbury	6,964	40	53	6	1	100	14.4	1.20	0.94	33	40	73	10.5	0.99	0.92	1	10	1	—
Thornbury	25,310	209	187	8	8	412	16.3	1.06	1.07	140	136	276	10.9	1.03	0.99	12	29	9	8
Warmley	10,410	63	58	2	1	124	11.9	0.97	0.78	59	60	119	11.4	0.98	0.99	4	32	4	4
West Dean	17,890	138	143	6	4	291	16.3	1.10	1.07	118	102	220	12.3	0.97	1.06	9	31	7	11

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
<b>HEREFORDSHIRE :</b>																			
Admin. County ...	...	...	982	69	67	2,115	16.7	1.07	1.09	795	694	1,489	11.8	0.88	0.92	62	29	40	58
Urban Districts ...	126,600	997	391	20	20	809	15.8	0.98	1.03	355	297	652	12.8	0.90	1.02	28	35	17	28
Bromyard ...	51,050	378	11	—	1	24	14.5	1.06	0.95	16	13	29	17.6	0.88	1.37	2	83	—	1
Hereford M.B. ...	1,652	226	227	14	16	483	14.9	0.95	0.97	211	187	398	12.3	0.96	1.04	18	37	12	21
Kington ...	32,480	11	11	3	—	25	13.5	1.03	0.88	13	10	23	12.4	0.82	0.90	1	40	1	1
Ledbury ...	1,854	11	36	—	—	63	17.2	1.05	1.12	31	30	61	16.6	0.78	1.15	—	—	—	1
Leominster M.B. ...	3,667	27	64	1	2	125	20.4	1.02	1.33	41	34	75	12.2	0.84	0.91	5	40	4	1
Ross on Wye ...	6,126	58	42	2	1	89	16.9	1.05	1.10	43	23	66	12.5	0.79	0.87	2	23	—	3
...	5,271	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rural Districts ...	75,550	619	591	49	47	1,306	17.3	1.14	1.13	440	397	837	11.1	0.86	0.84	34	26	23	30
Bromyard ...	7,044	55	55	3	4	117	16.6	1.17	1.08	48	39	87	12.4	0.84	0.92	8	26	2	3
Dore and Bredwardine ...	8,389	70	68	4	12	154	18.4	1.14	1.20	42	43	85	10.1	0.88	0.79	4	26	3	—
Hereford ...	17,210	130	104	7	5	246	14.3	1.16	0.93	79	93	172	10.0	0.98	0.87	8	33	6	3
Kington ...	4,952	41	41	7	4	93	18.8	1.16	1.23	28	31	59	11.9	0.78	0.82	2	22	2	4
Ledbury ...	8,693	79	61	8	6	154	17.7	1.16	1.16	54	44	98	11.3	0.89	0.89	2	13	1	7
Leominster and Wigmore ...	10,420	67	87	8	8	170	16.3	1.14	1.07	71	61	132	12.7	0.78	0.88	6	35	4	1
Ross and Whitchurch ...	11,730	98	92	9	5	204	17.4	1.14	1.14	84	50	134	11.4	0.79	0.80	5	25	3	6
Weobley ...	7,112	79	83	3	3	168	23.6	1.01	1.54	34	36	70	9.8	0.86	0.75	4	24	2	6
<b>HERTFORDSHIRE :</b>																			
Admin. County ...	...	...	4,336	208	223	9,422	14.9	0.99	0.97	3,078	3,027	6,105	9.6	1.00	0.85	177	19	115	184
Urban Districts ...	444,500	3,225	2,936	152	144	6,457	14.5	0.97	0.95	2,237	2,240	4,477	10.1	0.99	0.88	135	21	91	128
Baldock ...	6,304	60	42	2	2	106	16.8	0.96	1.10	24	22	46	7.3	1.22	0.79	1	9	—	3
Barnet ...	24,920	190	138	4	17	349	14.0	0.92	0.92	122	131	253	10.2	0.98	0.88	13	37	8	2
Berkhamsted ...	11,410	83	55	4	4	146	12.8	1.16	0.84	61	49	110	9.6	1.04	0.88	4	27	4	1
Bishop's Stortford ...	13,270	103	86	1	4	194	14.6	1.03	0.95	56	71	127	9.6	0.86	0.73	4	21	3	4
Bushey ...	16,520	115	88	7	6	216	13.1	1.05	0.86	73	81	154	9.3	1.08	0.89	1	5	1	2
Cheshunt ...	23,880	196	163	8	6	373	15.6	0.97	1.02	115	98	213	8.9	0.85	0.67	6	16	3	11
Chorleywood ...	4,586	21	30	—	—	51	11.1	1.06	0.73	27	26	53	11.6	0.84	0.86	2	39	2	3
East Barnet ...	40,780	247	221	5	8	481	11.8	0.91	0.77	194	184	378	9.3	1.06	0.87	7	15	4	11
Harpندن ...	14,650	101	84	3	1	189	12.9	1.01	0.84	72	61	133	9.1	0.95	0.77	8	42	7	1
Hemel Hempstead M.B. ...	26,170	206	199	12	13	430	16.4	0.95	1.07	116	125	241	9.2	0.98	0.80	6	14	6	9
Hertford M.B. ...	14,340	91	98	7	6	202	14.1	1.01	0.92	73	74	147	10.3	1.02	0.93	1	5	1	7
Hitchin ...	19,980	151	142	12	4	309	15.5	0.94	1.01	108	114	222	11.1	0.93	0.91	5	16	4	6
Hoddesdon ...	14,260	100	89	5	1	195	13.7	0.96	0.90	85	73	158	11.1	0.97	0.95	3	15	2	5
Leichworth ...	21,040	139	156	9	3	307	14.6	0.95	0.95	97	93	190	9.0	1.09	0.87	10	33	6	4
Rickmansworth ...	25,180	146	151	7	7	311	12.4	0.94	0.81	95	110	205	8.1	1.11	0.80	2	6	2	9
Royston ...	4,725	41	22	1	—	64	13.5	1.08	0.88	30	32	62	13.1	0.86	1.00	2	31	2	—
St. Alban M.B. ...	44,700	346	359	18	18	741	16.6	0.98	1.08	223	253	476	10.6	0.96	0.90	20	27	10	9
Sawbridgeworth ...	3,878	38	28	1	3	70	18.1	1.05	1.18	22	21	43	11.1	0.87	0.85	2	29	2	3
Stevenage ...	7,886	96	68	6	2	172	21.8	0.98	1.42	31	30	61	7.7	0.91	0.62	1	6	—	3
Tring ...	5,240	29	34	2	2	67	12.8	1.18	0.84	41	40	81	15.5	0.87	1.19	2	30	1	3
Ware ...	8,391	61	50	4	6	121	14.4	1.24	0.94	102	76	178	21.2	0.89	1.67	4	33	3	3
Watford M.B. ...	73,200	505	481	30	23	1,039	14.2	0.95	0.93	416	403	819	11.2	0.98	0.97	26	25	19	26
Welwyn Garden City ...	19,190	160	152	4	8	324	16.9	0.88	1.10	54	73	127	6.6	1.36	0.79	5	15	1	3



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.				
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
HERTFORDSHIRE—contd.																			
Rural Districts ...	189,200	1,430	1,400	56	79	2,965	15.7	1.03	1.03	841	787	1,628	8.6	1.00	0.76	42	14	24	56
Berkhamsted ...	5,716	39	44	5	2	90	15.7	1.36	1.03	33	30	63	11.0	1.02	0.99	2	22	1	2
Braughing ...	10,400	76	79	5	3	163	15.7	1.09	1.03	61	64	125	12.0	0.86	0.91	1	6	—	1
Elstree... ..	16,700	168	144	5	7	324	19.4	1.04	1.27	72	42	114	6.8	1.14	0.69	6	19	2	4
Hatfield ... ..	24,550	149	172	8	4	333	13.6	0.95	0.89	98	110	208	8.5	1.07	0.80	4	12	3	8
Hemel Hempstead ...	11,940	84	94	6	8	192	16.1	0.97	1.05	55	51	106	8.9	0.98	0.77	2	10	2	2
Hertford ... ..	8,751	81	77	2	3	163	18.6	1.04	1.22	44	38	82	9.4	0.94	0.78	4	25	2	2
Hitchin ... ..	22,210	172	162	6	14	354	15.9	1.01	1.04	157	100	257	11.6	0.89	0.91	5	14	3	5
St. Albans ... ..	29,010	189	172	6	14	381	13.1	1.05	0.86	98	117	215	7.4	1.09	0.71	3	8	2	6
Ware ... ..	11,230	81	80	—	4	165	14.7	1.05	0.96	66	56	122	10.9	0.91	0.88	5	30	4	2
Watford ... ..	43,340	348	336	13	19	716	16.5	1.06	1.08	138	159	297	6.9	1.05	0.64	7	10	4	22
Welwyn ... ..	5,353	43	40	—	1	84	15.7	0.94	1.03	19	20	39	7.3	0.97	0.63	3	36	1	2
HUNTINGDONSHIRE :																			
Admin. County ... ..	68,600	541	498	39	31	1,109	16.2	1.07	1.06	433	320	753	11.0	0.93	0.91	32	29	25	28
Urban Districts ... ..	30,790	228	206	14	15	463	15.0	1.02	0.98	207	157	364	11.8	0.93	0.97	14	30	11	15
Godmanchester M.B. ...	2,469	11	26	2	1	40	16.2	0.98	1.06	15	18	33	13.4	0.89	1.06	1	25	—	—
Huntingdon M.B. ... ..	5,327	36	29	2	4	71	13.3	0.95	0.87	60	48	108	20.3	0.87	1.56	1	14	1	2
Old Fletton ... ..	9,145	62	58	5	4	129	14.1	1.06	0.92	58	31	89	9.7	1.07	0.92	7	54	6	6
Ramsey ... ..	5,655	57	44	2	3	106	18.7	1.05	1.22	29	25	54	9.5	0.97	0.82	3	28	2	3
St. Ives M.B. ... ..	3,250	29	24	2	2	57	17.5	1.03	1.14	14	15	29	8.9	0.82	0.65	1	18	1	1
St. Neots ... ..	4,944	33	25	1	1	60	12.1	1.05	0.79	31	20	51	10.3	0.86	0.78	1	17	1	3
Rural Districts ... ..	37,810	313	292	25	16	646	17.1	1.10	1.12	226	163	389	10.3	0.94	0.86	18	28	14	13
Huntingdon ... ..	9,974	82	82	8	6	178	17.8	1.21	1.16	53	33	86	8.6	1.01	0.77	7	39	6	1
Norman Cross ... ..	8,841	63	65	7	2	137	15.5	0.99	1.01	51	39	90	10.2	1.05	0.95	3	22	2	1
St. Ives ... ..	11,360	112	88	8	6	214	18.8	1.08	1.23	74	57	131	11.5	0.92	0.94	3	14	2	3
St. Neots ... ..	7,635	56	57	2	2	117	15.3	1.17	1.00	48	34	82	10.7	0.80	0.76	5	43	4	2
KENT	1,586,000	11,326	10,693	578	521	23,118	14.6	1.02	0.95	9,047	8,723	17,770	11.2	0.93	0.92	577	25	383	499
County Borough :	29,450	227	211	13	6	457	15.5	1.07	1.01	166	163	329	11.2	0.91	0.90	14	31	9	9
*Canterbury ... ..																			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
*Admin. County ...	1,556,550	11,099	10,482	565	515	22,661	14.6	1.02	0.95	8,881	8,560	17,441	11.2	0.93	0.92	563	25	374	490
Urban Districts ...	1,228,500	8,651	8,105	426	415	17,597	14.3	1.01	0.93	6,979	6,868	13,847	11.3	0.95	0.95	428	24	287	372
Ashford	25,270	192	152	9	8	361	14.3	1.06	0.93	147	134	281	11.1	0.87	0.85	6	17	4	7
Bexley M.B.	75,160	448	450	7	9	914	12.2	0.97	0.80	422	468	890	11.8	0.92	0.96	17	19	11	15
Bexley M.B. ...	88,160	534	484	17	14	1,049	11.9	0.94	0.78	441	365	806	9.1	1.18	0.95	12	11	7	16
Broadstairs and St. Peters	15,360	87	72	5	6	170	11.1	1.16	0.73	82	123	205	13.3	0.78	0.92	5	29	3	7
Bromley M.B.	64,350	440	417	23	14	894	13.9	0.95	0.91	336	384	720	11.2	0.89	0.88	20	22	7	16
Chatham M.B.	52,300	421	357	25	20	823	15.7	1.11	1.03	308	239	547	10.5	1.08	1.00	30	37	23	18
Chislehurst and Sidcup	85,130	654	572	22	19	1,267	14.9	0.96	0.97	376	363	739	8.7	1.16	0.89	25	20	13	33
Crayford	27,760	191	203	4	9	407	14.7	0.93	0.96	145	108	253	9.1	1.21	0.97	10	25	9	8
Dartford M.B.	40,020	276	245	10	10	541	13.5	0.96	0.88	227	194	421	10.5	1.02	0.95	18	33	12	8
Deal M.B.	24,220	191	173	17	13	394	16.3	1.10	1.07	150	147	297	12.3	0.96	1.04	11	28	2	6
Dover M.B.	33,750	278	258	17	22	575	17.0	1.04	1.11	220	184	404	12.0	0.93	0.99	13	23	7	21
Erith M.B.	46,070	319	347	13	14	693	15.0	0.95	0.98	253	247	500	10.9	1.07	1.03	20	29	10	15
Faversham M.B.	12,200	104	86	5	9	204	16.7	1.15	1.09	130	137	267	21.9	0.78	1.51	5	25	4	3
Folkestone M.B.	43,310	285	266	21	20	592	13.7	1.02	0.90	269	313	582	13.4	0.86	1.02	16	27	13	10
Gillingham M.B.	75,810	532	512	33	23	1,100	14.5	1.15	0.95	367	383	750	9.9	1.07	0.94	26	24	23	28
Gravesend M.B.	45,260	383	352	12	12	759	16.8	1.03	1.10	255	214	469	10.4	1.04	0.96	22	29	14	25
Herne Bay	17,770	95	88	5	9	197	11.1	1.18	0.73	124	162	286	16.1	0.64	0.91	2	10	2	6
Hythe M.B.	9,188	52	50	3	2	107	11.6	1.15	0.76	63	62	125	13.6	0.70	0.84	5	47	3	3
Lydd M.B.	2,586	20	15	—	—	35	13.5	1.14	0.88	16	13	29	11.2	0.92	0.91	1	29	1	—
Maidstone M.B.	52,760	391	353	16	22	782	14.8	1.01	0.97	322	301	623	11.8	0.97	1.01	19	24	16	10
Margate M.B.	41,880	223	255	34	39	551	13.2	1.01	0.86	260	294	554	13.2	0.82	0.96	16	29	12	16
New Romney M.B.	2,170	9	19	2	1	31	14.3	0.99	0.93	9	14	23	10.6	0.85	0.80	—	—	—	—
Northfleet	19,150	141	134	2	6	283	14.8	1.00	0.97	117	109	226	11.8	1.07	1.12	12	42	10	4
Orpington	63,670	451	450	19	16	936	14.7	0.95	0.96	299	266	565	8.9	0.99	0.78	17	18	12	17
Penge	25,700	233	230	15	16	494	19.2	0.97	1.25	161	133	294	11.4	0.91	0.92	11	22	7	5
Queenborough M.B.	3,157	26	24	—	1	51	16.2	1.06	1.06	18	16	34	10.8	1.04	0.99	2	39	2	3
Ramsgate M.B.	36,060	285	251	23	26	585	16.2	1.04	1.06	271	225	496	13.8	0.86	1.05	14	24	11	13
Rochester M.B.	44,550	327	338	13	12	690	15.5	0.94	1.01	260	205	465	10.4	1.03	0.95	17	25	8	16
Royal Tunbridge Wells M.B.	38,730	214	195	10	12	431	11.1	1.03	0.73	245	352	597	15.4	0.66	0.90	16	37	11	10
Sandwich M.B.	4,399	35	36	3	—	74	16.8	1.18	1.10	20	30	50	11.4	0.89	0.90	4	54	3	—
Sevenoaks	15,540	114	77	4	7	202	13.0	1.02	0.85	79	99	178	11.5	0.92	0.94	7	35	5	6
Sheerness	16,910	145	124	10	5	284	16.8	1.15	1.10	88	60	148	8.8	1.00	0.78	5	18	5	6
Sittingbourne and Milton	21,940	156	172	9	5	342	15.6	1.01	1.02	131	113	244	11.1	0.92	0.90	9	26	5	2
Southborough	8,583	47	38	4	3	92	10.7	1.08	0.70	62	71	133	15.5	0.74	1.02	5	54	4	4
Swanscombe	8,631	68	58	2	4	132	15.3	0.98	1.00	46	37	83	9.6	1.08	0.92	4	30	3	4
Tenterden M.B.	4,236	31	28	2	2	63	14.9	1.09	0.97	14	33	47	11.1	0.67	0.66	1	16	1	1
Tonbridge	19,660	139	124	6	2	271	13.8	1.06	0.90	107	122	229	11.6	0.86	0.88	2	7	1	9
Whitstable	17,080	114	100	4	3	221	12.9	1.19	0.84	139	148	287	16.8	0.63	0.94	3	14	3	1
*Rural Districts	328,050	2,448	2,377	139	100	5,064	15.4	1.07	1.01	1,902	1,692	3,594	11.0	0.88	0.86	135	27	87	118
*Bridge Bleas	19,670	122	112	8	4	246	12.5	1.24	0.82	109	105	214	10.9	0.82	0.79	2	8	1	6
Cranbrook	14,620	95	100	2	9	206	14.1	1.14	0.92	197	85	159	10.9	0.90	0.87	16	29	4	4
Dartford	38,250	260	245	10	5	520	13.6	1.04	0.89	197	174	371	9.7	1.00	0.86	17	33	15	15
Dover	11,710	75	84	7	2	168	14.3	1.20	0.93	57	62	119	10.2	0.91	0.82	5	30	3	10
East Ashford	10,390	81	75	8	2	166	16.0	1.07	1.05	72	64	136	13.1	0.75	0.87	3	18	1	8

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	
		F.		M.	F.		M.												TOTAL.
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
(1) KENT—contd.																			
Rural Districts—contd..																			
Eastry ...	24,380	178	172	10	6	366	15.0	1.33	0.98	114	95	209	8.6	1.04	0.79	8	22	3	10
Elham ...	9,180	56	62	4	2	124	13.5	1.10	0.88	64	64	128	13.9	0.66	0.81	5	40	5	—
Hollingbourne ...	16,690	132	133	9	5	279	16.7	1.08	1.09	111	72	183	11.0	0.84	0.82	5	18	4	7
Maidstone ...	18,290	138	128	5	8	279	15.3	1.01	1.00	110	108	218	11.9	0.82	0.86	10	36	6	5
Malling ...	37,070	307	288	21	8	624	16.8	1.00	1.10	210	193	403	10.9	0.94	0.91	19	31	12	10
Romney Marsh ...	4,288	36	25	3	2	66	15.4	1.06	1.01	35	27	62	14.5	0.84	1.08	2	30	1	2
Sevenoaks ...	33,440	243	260	8	15	526	15.7	1.04	1.03	205	185	390	11.7	0.88	0.91	15	29	9	10
Sheppey ...	9,144	67	55	5	3	130	14.2	1.01	0.93	50	52	102	11.2	0.94	0.93	5	39	1	4
Strood ...	21,320	176	185	14	9	384	18.0	1.06	1.18	124	96	220	10.3	0.91	0.83	14	37	7	7
Swale ...	19,960	159	156	9	4	328	16.4	1.04	1.07	107	86	193	9.7	0.85	0.73	6	18	5	7
Tenterden ...	7,058	62	60	3	1	126	17.9	1.06	1.17	47	35	82	11.6	0.79	0.81	2	16	2	1
Tonbridge ...	22,480	163	151	9	10	333	14.8	0.98	0.97	136	141	277	12.3	0.90	0.98	6	18	4	8
West Ashford ...	10,110	98	86	4	5	193	19.1	1.07	1.25	80	48	128	12.7	0.77	0.87	5	26	4	4
LANCASHIRE ...	5,104,000	39,923	37,553	2,028	2,002	81,506	16.0	1.00	1.05	32,579	30,673	63,252	12.4	1.05	1.15	2,702	33	1,760	2,133
*County Boroughs	3,060,100	25,330	23,885	1,476	1,440	52,131	17.0	0.98	1.11	19,763	18,497	38,260	12.5	1.07	1.18	1,815	35	1,162	1,379
Barrow-in-Furness ...	65,370	491	492	22	22	1,027	15.7	1.03	1.03	477	346	823	12.6	1.02	1.14	41	40	28	23
Blackburn ...	109,800	731	714	30	36	1,511	13.8	1.03	0.90	802	787	1,589	14.5	0.92	1.18	48	32	38	50
Blackpool ...	147,300	773	716	56	44	1,589	10.8	1.02	0.71	1,108	1,157	2,265	15.4	0.86	1.17	45	28	31	46
Bolton ...	166,500	1,196	1,066	57	57	2,376	14.3	0.99	0.93	1,135	1,134	2,269	13.6	0.99	1.19	67	28	39	65
Bootle ...	75,400	783	706	25	22	1,536	20.4	0.97	1.33	400	334	734	9.7	1.35	1.16	66	43	42	35
Burnley ...	83,860	583	517	43	39	1,182	14.1	1.04	0.92	598	597	1,195	14.2	0.94	1.18	37	31	22	32
Bury ...	58,310	432	380	25	21	858	14.7	1.01	0.96	424	404	828	14.2	0.96	1.21	26	30	17	28
*Liverpool ...	790,000	7,672	7,295	442	431	15,840	20.1	0.96	1.31	4,732	4,292	9,024	11.4	1.19	1.20	558	35	353	397
Manchester ...	705,400	5,941	5,651	424	391	12,407	17.6	0.95	1.15	4,443	4,133	8,576	12.2	1.11	1.20	424	34	268	349
Oldham ...	119,800	852	874	47	58	1,831	15.3	0.99	1.00	852	820	1,672	14.0	1.00	1.24	77	42	49	53
*Preston ...	119,200	958	909	51	46	1,964	16.5	1.00	1.08	710	743	1,453	12.2	1.04	1.12	63	32	50	43
Rochdale ...	86,890	654	573	46	44	1,317	15.2	0.99	0.99	641	607	1,248	14.4	0.96	1.22	52	40	33	28
St. Helens ...	109,100	979	922	31	31	1,963	18.0	0.99	1.18	648	482	1,130	10.4	1.21	1.11	73	37	47	59
Salford ...	176,400	1,504	1,376	102	116	3,098	17.6	0.95	1.15	1,124	1,027	2,151	12.2	1.14	1.23	107	35	60	62

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Southport ...	82,980	454	447	24	26	951	11.5	1.06	0.75	626	728	1,354	16.3	0.76	1.10	29	31	22	33
Warrington ...	80,150	655	615	33	38	1,341	16.7	0.99	1.09	467	382	849	10.6	1.17	1.10	47	35	27	32
Wigan ...	83,640	672	632	18	18	1,340	16.0	1.00	1.05	576	524	1,100	13.2	1.12	1.31	55	41	36	44
*Admin. County ...	2,043,900	14,593	13,668	552	562	29,375	14.4	1.02	0.94	12,816	12,176	24,992	12.2	1.02	1.10	887	30	598	754
*Urban Districts ...	1,730,070	12,502	11,693	475	492	25,162	14.5	1.01	0.95	11,200	10,687	21,887	12.7	1.01	1.14	776	31	513	663
Abram ...	6,297	49	59	3	1	112	17.8	0.96	1.16	36	37	73	11.6	1.20	1.23	3	27	—	4
Accrington M.B. ...	39,800	276	246	11	11	544	13.7	1.03	0.90	277	286	563	14.1	0.92	1.15	14	26	10	16
Adlington ...	4,073	31	37	1	—	69	16.9	1.08	1.10	29	31	60	14.7	1.02	1.33	4	58	3	2
Ashton in Makerfield ...	18,960	131	129	9	2	271	14.3	0.99	0.93	115	106	221	11.7	1.09	1.13	4	15	3	8
Ashton under Lyne M.B. ...	45,720	314	303	17	20	654	14.3	1.02	0.93	310	333	643	14.1	0.97	1.21	27	41	25	19
Aspull ...	6,541	65	50	—	—	115	17.6	0.97	1.15	39	34	73	11.2	1.14	1.13	4	35	4	1
Atherton ...	20,380	164	153	4	2	323	15.8	0.96	1.03	129	123	252	12.4	1.06	1.16	5	16	2	11
Audenshaw ...	12,650	77	73	2	1	153	12.1	0.97	0.79	82	88	170	13.4	1.02	1.21	5	33	3	4
Bacup M.B. ...	18,300	134	126	9	13	282	15.4	1.02	1.01	134	122	256	14.0	0.99	1.23	8	28	4	7
Barrowford ...	4,755	32	27	1	—	60	12.6	1.11	0.82	43	39	82	17.2	0.81	1.23	2	33	1	1
Billinge and Winstanley ...	5,898	36	42	1	1	80	13.6	1.15	0.89	42	31	73	12.4	1.02	1.12	6	75	2	2
Blackrod ...	3,108	22	22	1	—	45	14.5	1.01	0.95	20	19	39	12.5	0.96	1.06	3	67	2	4
Brierfield ...	6,961	47	39	1	1	88	12.6	1.10	0.82	41	50	91	13.1	0.89	1.03	2	23	1	4
Carnforth ...	3,453	20	21	—	1	42	12.2	1.09	0.80	26	12	38	11.0	0.98	0.95	3	72	1	3
Chadderton ...	31,130	199	185	7	5	395	12.7	0.94	0.83	171	193	364	11.7	1.09	1.13	9	23	6	12
Chorley M.B. ...	32,250	243	221	15	11	490	15.2	0.98	0.99	200	203	403	12.5	1.05	1.16	17	35	13	14
Church ...	5,564	48	31	3	4	86	15.5	0.99	1.01	33	44	77	13.8	0.95	1.16	2	23	2	4
Clayton le Moors ...	6,817	48	44	—	—	92	13.5	1.00	0.88	59	42	101	14.8	0.98	1.28	4	44	3	2
Clitheroe M.B. ...	12,000	81	68	3	—	152	12.7	1.08	0.83	87	64	151	12.6	0.85	0.95	4	26	1	4
Colne M.B. ...	20,500	145	125	6	6	282	13.8	1.04	0.90	177	151	328	16.0	0.91	1.29	10	36	7	10
Crompton ...	12,630	72	76	2	3	153	12.1	1.00	0.79	97	88	185	14.6	0.99	1.28	3	20	2	9
Crosby M.B. ...	58,270	458	417	23	23	921	15.8	1.03	1.03	338	423	761	13.1	0.94	1.09	26	28	13	17
Dalton in Furness ...	10,340	89	63	6	5	163	15.8	1.08	1.03	67	76	143	13.8	0.97	1.18	5	31	4	3
Darwen M.B. ...	30,560	208	189	14	4	415	13.6	1.06	0.89	245	228	473	15.5	0.88	1.21	14	34	12	13
Denton ...	25,600	161	168	7	11	347	13.6	0.95	0.89	159	145	304	11.9	1.08	1.14	13	38	11	14
Droylsden ...	26,260	206	165	9	3	383	14.6	0.90	0.95	142	138	280	10.7	1.24	1.17	8	21	6	7
Eccles M.B. ...	44,020	368	312	7	13	700	15.9	1.00	1.04	309	301	610	13.9	1.03	1.27	22	31	10	23
Failsforth ...	17,980	140	121	5	1	267	14.8	0.92	0.97	125	85	210	11.7	1.12	1.16	11	41	7	4
Farnworth M.B. ...	28,050	214	211	2	10	437	15.6	1.00	1.02	171	168	339	12.1	1.01	1.08	9	21	7	19
Fleetwood M.B. ...	27,500	224	220	4	12	460	16.7	1.06	1.09	164	158	322	11.7	1.23	1.27	22	48	16	10
Formby ...	10,520	65	59	1	2	127	12.1	1.12	0.79	59	57	116	11.0	0.92	0.90	5	39	4	4
*Fulwood ...	13,240	66	76	3	4	149	11.3	1.15	0.74	107	128	235	17.7	0.86	1.35	3	20	3	7
Golborne ...	17,640	98	144	4	4	250	14.2	0.93	0.93	101	95	196	11.1	1.18	1.16	8	32	5	2
Grange ...	2,761	14	12	—	2	28	10.1	1.33	0.66	23	30	53	19.2	0.60	1.02	1	36	1	1
Great Harwood ...	10,710	70	73	1	1	145	13.5	1.05	0.88	85	93	178	16.6	0.84	1.23	7	48	5	6
Haslingden M.B. ...	14,280	103	85	3	3	194	13.6	1.08	0.89	116	110	226	15.8	0.87	1.22	5	26	2	6
Haydock ...	12,030	90	92	2	1	185	15.4	1.01	1.01	63	40	103	8.6	1.21	0.92	5	27	4	6
Heywood M.B. ...	25,230	167	169	10	13	359	14.2	1.00	0.93	175	160	335	13.3	1.03	1.21	12	33	5	6
Hindley ...	19,330	139	129	2	7	277	14.3	0.98	0.93	153	94	247	12.8	1.10	1.25	7	25	6	9
Horwich ...	15,520	111	86	4	6	207	13.3	1.01	0.87	94	97	191	12.3	0.97	1.06	6	29	6	4
Huyton with Roby ...	56,720	520	455	24	13	1,012	17.8	0.97	1.16	218	182	400	7.1	1.57	0.99	32	32	20	28

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.
(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
LANCASHIRE—contd.																			
Urban Districts—contd.																			
Ince in Makerfield	20,230	154	141	3	6	304	15.0	1.01	0.98	123	103	226	11.2	1.24	1.23	14	46	11	12
Irlam	14,950	108	75	6	3	192	12.8	0.97	0.84	84	73	157	10.5	1.20	1.12	7	37	4	8
Kearsley	10,580	82	70	6	1	159	15.0	0.99	0.98	58	55	113	10.7	1.06	1.00	5	32	5	6
Kirkham	5,765	49	34	3	—	86	14.9	1.27	0.97	32	24	56	9.7	1.40	1.20	2	23	1	2
Lancaster M.B.	50,590	381	331	15	21	748	14.8	1.13	0.97	320	332	652	12.9	0.99	1.13	32	43	26	13
Lees	4,184	27	25	2	3	57	13.6	1.02	0.89	25	28	53	12.7	0.91	1.02	3	53	3	3
Leigh M.B.	48,280	332	318	14	13	677	14.0	0.97	0.92	309	258	567	11.7	1.11	1.15	18	27	8	15
Leyland	14,780	113	113	4	3	233	15.8	0.97	1.03	80	79	159	10.8	1.14	1.09	6	26	5	7
Litherland	22,410	172	190	6	8	376	16.8	0.87	1.10	117	80	197	8.8	1.23	0.96	9	24	6	4
Littleborough	10,880	84	80	2	4	170	15.6	1.00	1.02	86	83	169	15.5	0.97	1.33	12	71	5	3
Little Lever	4,755	32	29	—	2	63	13.2	1.01	0.86	31	34	65	13.7	1.03	1.25	2	32	1	1
Longridge	4,397	50	44	1	—	95	21.6	1.08	1.41	26	13	39	8.9	0.93	0.73	5	53	2	1
Lytham St. Annes M.B.	29,720	179	164	7	9	359	12.1	1.06	0.79	224	265	489	16.5	0.70	1.02	4	71	3	6
Middleton M.B.	32,520	230	221	5	10	466	14.3	0.98	0.93	202	212	414	12.7	1.02	1.15	13	28	10	14
Milnrow	8,578	68	60	2	4	134	15.6	0.98	1.02	64	64	128	14.9	0.94	1.24	6	45	3	2
Morecambe and Heysham M.B.	36,300	197	197	9	14	417	11.5	1.09	0.75	287	320	607	16.7	0.73	1.08	13	31	10	6
Mossley M.B.	10,330	76	56	4	7	143	13.8	0.99	0.90	74	73	147	14.2	0.95	1.19	1	7	1	3
Nelson M.B.	33,900	239	210	8	6	463	13.7	1.06	0.90	243	222	465	13.7	0.88	1.07	8	17	6	10
Newton le Willows	21,950	171	176	4	4	355	16.2	0.99	1.06	141	109	250	11.4	1.08	1.09	16	45	9	6
Ormskirk	21,180	132	126	6	5	269	12.7	1.00	0.83	129	119	248	11.7	0.98	1.01	11	41	8	6
Orrell	9,430	56	60	—	—	116	12.3	1.00	0.80	55	48	103	10.9	1.20	1.16	4	35	2	3
Oswaldtwistle	12,170	80	77	—	1	158	13.0	1.03	0.85	95	95	190	15.6	0.92	1.27	5	32	2	4
Padiham	10,050	78	89	1	5	173	17.2	1.04	1.12	80	68	148	14.7	0.89	1.16	2	72	1	5
Poulton le Fylde	7,574	55	47	2	2	106	14.0	1.03	0.92	59	47	106	14.0	0.89	1.10	3	28	2	2
Preesall	2,193	12	6	1	1	20	9.1	1.17	0.59	19	19	38	17.3	0.71	1.09	—	—	—	—
Preston	12,360	103	101	3	4	211	17.1	0.97	1.12	88	80	168	13.6	1.12	1.35	11	52	7	9
Prestwich M.B.	34,090	198	212	10	6	426	12.5	1.09	0.82	190	165	355	10.4	1.01	0.93	8	19	7	15
Radcliffe M.B.	27,580	201	199	3	15	418	15.2	1.03	0.99	180	154	334	12.1	0.99	1.06	15	36	11	11
Rainford	4,135	29	35	3	—	67	16.2	0.95	1.06	25	21	46	11.1	1.06	1.04	3	45	1	3
Ramsbottom	14,190	95	101	2	6	204	14.4	1.06	0.94	120	113	233	16.4	0.85	1.23	5	25	2	8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rawtenstall M.B. ...	25,140	158	156	11	12	337	13.4	1.02	0.88	175	176	351	14.0	0.92	1.14	11	33	7	9
Rishton ...	5,741	31	33	—	—	64	11.1	1.04	0.73	45	41	86	15.0	0.90	1.19	4	63	1	1
Royton ...	14,630	103	105	1	2	211	14.4	0.98	0.94	120	106	226	15.4	1.03	1.40	11	52	6	4
Skemmersdale ...	6,324	46	47	1	—	94	14.9	0.99	0.97	43	29	72	11.4	1.03	1.12	—	—	—	—
Standish with Langtree ...	8,852	73	51	—	2	126	14.2	0.98	0.93	60	53	113	12.8	1.06	1.20	3	24	1	3
Stretford M.B. ...	62,860	521	447	22	22	1,012	16.1	0.95	1.05	344	348	692	11.0	1.12	1.09	19	19	10	26
Swinton and Pendlebury M.B. ...	41,000	269	234	13	11	527	12.9	0.95	0.84	252	231	483	11.8	1.09	1.14	15	29	12	16
Thornton Cleveleys ...	15,100	73	91	1	2	167	11.1	1.14	0.73	116	144	260	17.2	0.75	1.14	6	36	6	3
Tottington ...	5,783	32	25	5	1	63	10.9	1.11	0.71	58	49	107	18.5	0.83	1.36	4	64	3	2
Trawden ...	2,116	12	12	1	—	25	11.8	1.14	0.77	28	12	40	18.9	0.88	1.47	—	—	—	—
Turton ...	10,850	60	53	3	—	116	10.7	1.10	0.70	89	85	174	16.0	0.88	1.25	5	43	3	4
Tyldesley ...	17,830	128	132	7	6	273	15.3	0.97	1.00	119	85	204	11.4	1.08	1.09	10	37	4	7
Uiverston ...	10,040	82	68	2	2	154	15.3	1.05	1.00	52	76	128	12.7	0.88	0.99	5	33	1	2
Upholland ...	6,337	48	42	1	2	93	14.7	1.00	0.96	29	36	65	10.3	1.09	0.99	3	32	3	1
Urmston ...	38,800	259	264	9	11	543	14.0	0.93	0.92	202	205	407	10.5	1.10	1.02	11	20	8	13
Walton le Dale ...	14,750	95	99	3	2	199	13.5	0.95	0.88	95	96	191	12.9	1.09	1.24	6	30	4	5
Wardle ...	4,684	30	34	1	—	65	13.9	0.98	0.91	30	21	51	10.9	0.77	0.74	2	31	1	—
Westthroughton ...	14,910	109	89	4	1	203	13.6	0.99	0.89	92	86	178	11.9	1.05	1.11	5	25	3	8
Whitefield ...	12,940	84	88	3	1	176	13.6	0.98	0.89	88	89	177	13.7	1.07	1.30	3	17	3	3
Whitworth ...	7,456	65	63	2	4	134	18.0	1.07	1.18	52	56	108	14.5	0.99	1.27	4	30	3	1
Widnes M.B. ...	48,800	478	467	19	21	985	20.2	1.01	1.32	293	218	511	10.5	1.26	1.17	33	34	23	25
Withnell ...	2,828	24	17	1	1	43	15.2	0.96	0.99	17	18	35	12.4	0.96	1.05	1	23	—	1
Worsley ...	27,900	194	166	6	6	372	13.3	1.05	0.87	174	167	341	12.2	1.03	1.11	12	32	7	11
*Rural Districts ...	313,830	2,091	1,975	77	70	4,213	13.4	1.12	0.88	1,616	1,489	3,105	9.9	1.06	0.93	111	26	85	91
Blackburn ...	13,430	55	76	4	4	139	10.3	1.17	0.67	85	66	151	11.2	0.99	0.98	6	43	6	2
Burnley ...	16,640	112	102	3	5	222	13.3	1.11	0.87	120	116	236	14.2	0.85	1.07	3	14	3	3
Chorley ...	27,260	195	182	5	2	384	14.1	0.98	0.92	174	159	333	12.2	1.04	1.12	10	26	8	9
Clitheroe ...	9,474	51	53	2	1	107	11.3	1.31	0.74	49	30	79	8.3	1.10	0.81	—	—	—	1
Fylde ...	18,920	114	113	6	2	235	12.4	1.69	0.81	91	78	169	8.9	1.40	1.10	6	26	6	6
Garstang ...	12,730	96	106	3	5	210	16.5	1.07	1.08	75	78	153	12.0	0.97	1.03	5	24	2	7
Lancaster ...	12,050	90	74	5	3	172	14.3	1.17	0.93	71	76	147	12.2	0.83	0.90	5	29	3	3
Limehurst ...	8,800	78	45	1	1	125	14.2	1.05	0.93	50	51	101	11.5	0.93	0.95	5	40	4	2
Lunesdale ...	7,282	58	71	1	1	131	18.0	1.10	1.18	40	31	71	9.8	0.92	0.80	2	15	1	1
*Preston ...	38,510	235	234	3	11	483	12.5	1.14	0.82	187	214	401	10.4	0.95	0.87	11	23	9	12
Ulverston ...	16,400	123	110	7	8	248	15.1	1.09	0.99	93	103	196	12.0	0.81	0.86	4	16	4	4
Warrington ...	39,290	228	211	15	7	461	11.7	1.46	0.76	134	91	225	5.7	1.58	0.80	14	30	9	16
West Lancashire ...	41,770	243	243	6	7	534	12.8	0.95	0.84	209	189	398	9.5	1.06	0.89	11	21	9	9
*Whiston ...	43,260	324	297	15	9	645	14.9	1.00	0.97	202	172	374	8.6	1.14	0.87	23	36	17	12
Wigan ...	8,014	54	58	1	4	117	14.6	1.00	0.95	36	35	71	8.9	1.01	0.80	6	51	4	4
LEICESTERSHIRE ...	634,600	4,832	4,730	240	233	10,035	15.8	1.00	1.03	3,423	3,339	6,762	10.7	1.02	0.97	255	25	173	210
County Borough : ...	285,900	2,150	2,158	142	122	4,572	16.0	0.98	1.05	1,652	1,602	3,254	11.4	1.01	1.02	110	24	62	89
Leicester ...	348,700	2,682	2,572	98	111	5,463	15.7	1.02	1.03	1,771	1,737	3,508	10.1	1.02	0.91	145	27	111	121
Admin. County ...	162,100	1,237	1,251	47	59	2,594	16.0	1.01	1.05	848	827	1,675	10.3	1.06	0.97	77	30	57	52
Urban Districts ...	6,449	51	44	1	3	99	15.4	1.07	1.01	33	30	63	9.8	0.99	0.86	3	30	3	3
Ashby de la Zouch ...																			

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	
		M.	F.		M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
<b>LEICESTERSHIRE—contd.</b>																				
Urban Districts—contd.																				
Ashby Wolds	3,304	28	33	1	1	63	19.1	1.08	1.25	15	13	28	8.5	1.14	0.86	1	16	1	—	
Coalville	25,520	203	181	4	7	395	15.5	1.01	1.00	149	118	267	10.5	1.10	1.02	15	38	13	13	
Hinckley	39,080	259	312	18	9	598	15.3	0.96	1.00	173	175	348	8.9	1.16	0.91	16	27	12	10	
Loughborough M.B.	35,360	254	253	9	15	531	15.0	1.06	0.98	229	205	434	12.3	1.08	1.18	16	30	10	12	
Rural Districts																				
Market Harborough	10,240	78	73	1	2	154	15.0	1.04	0.98	51	59	110	10.7	0.84	0.80	3	20	1	2	
Melton Mowbray	14,150	119	120	5	13	257	18.2	0.98	1.19	55	76	131	9.3	0.98	0.81	9	35	7	4	
Oadby...	6,183	45	48	3	3	99	16.0	1.03	1.05	29	42	71	11.5	0.89	0.91	1	10	1	1	
Shepshed	6,344	51	60	1	1	113	17.8	1.02	1.16	30	32	62	9.8	1.02	0.88	2	18	2	4	
Wigston	15,470	149	127	4	5	285	18.4	1.01	1.20	84	77	161	10.4	1.12	1.03	11	39	7	3	
Rural Districts																				
Ashby de la Zouch	186,600	1,445	1,321	51	52	2,869	15.4	1.03	1.01	923	910	1,833	9.8	0.99	0.86	68	24	54	69	
Barrow upon Soar	13,690	126	106	1	2	235	17.2	1.04	1.12	84	68	152	11.1	1.01	0.99	14	60	11	9	
Billesdon	48,940	330	317	12	9	668	13.6	1.00	0.89	228	232	460	9.4	1.01	0.84	12	18	9	16	
Blaby...	7,842	62	63	1	2	128	16.3	1.02	1.07	38	37	75	9.6	1.01	0.86	3	23	3	—	
Castle Donington	39,750	277	271	5	10	563	14.2	0.98	0.93	168	171	339	8.5	1.03	0.77	14	25	10	16	
	9,508	70	79	3	1	153	16.1	1.13	1.05	41	44	85	8.9	0.99	0.78	2	13	2	4	
Lutterworth	11,830	98	84	5	5	192	16.2	1.03	1.06	82	81	163	13.8	0.88	1.07	6	31	5	7	
Market Bosworth	26,390	222	176	12	7	417	15.8	1.00	1.03	145	130	275	10.4	1.06	0.98	6	14	5	9	
Market Harborough	9,970	98	70	2	5	175	17.6	1.20	1.15	47	49	96	9.6	0.95	0.81	1	6	1	4	
Melton and Belvoir	18,680	162	155	10	11	338	18.1	1.09	1.18	90	98	188	10.1	0.89	0.80	10	30	8	4	
<b>LINCOLNSHIRE :</b>																				
Parts of Holland :																				
Admin. County	100,800	801	774	42	47	1,664	16.5	1.03	1.08	587	479	1,066	10.6	0.97	0.91	46	28	29	38	
Urban Districts																				
Boston	38,550	279	300	20	15	614	15.9	1.00	1.04	220	199	419	10.9	0.92	0.89	13	21	8	9	
Boston M.B.	24,260	187	186	13	10	396	16.3	0.98	1.07	142	125	267	11.0	0.93	0.91	10	25	6	5	
Spalding	14,290	92	114	7	5	218	15.3	1.03	1.00	78	74	152	10.6	0.90	0.84	3	14	2	4	
Rural Districts																				
Boston	62,250	522	474	22	32	1,050	16.9	1.05	1.10	367	280	647	10.4	1.00	0.92	33	31	21	29	
East Elloe	20,740	165	172	7	12	356	17.2	1.02	1.12	107	94	201	9.7	1.08	0.93	8	23	5	14	
Spalding	22,690	194	158	8	12	372	16.4	1.08	1.07	145	102	247	10.9	0.95	0.92	13	35	9	7	
	18,820	163	144	7	8	322	17.1	1.03	1.12	115	84	199	10.6	0.99	0.93	12	37	7	8	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
<b>LINCOLNSHIRE :</b>																			
Parts of Kesteven :																			
Admin. County ...	134,600	1,027	972	52	48	2,099	15.6	1.07	1.02	689	636	1,325	9.8	0.96	0.83	74	35	48	52
Urban Districts ...	46,450	330	323	22	14	689	14.8	1.01	0.97	290	269	559	12.0	0.94	1.00	27	39	21	18
Bourne ...	4,912	25	38	3	4	70	14.3	1.01	0.93	21	20	41	8.3	0.91	0.67	1	14	—	4
Grantham M.B.	23,380	179	171	11	6	367	15.7	0.99	1.03	142	132	274	11.7	0.96	0.99	18	49	15	7
Sleaford ...	7,108	66	54	3	1	124	17.4	0.99	1.14	51	51	102	14.4	0.92	1.17	5	40	5	7
Stamford M.B.	11,050	60	60	5	3	128	11.6	1.03	0.76	76	66	142	12.9	0.91	1.04	3	23	1	—
Rural Districts ...	88,150	697	649	30	34	1,410	16.0	1.11	1.05	399	367	766	8.7	0.98	0.75	47	33	27	34
East Kesteven ...	23,450	177	163	3	8	351	15.0	1.17	0.98	87	97	184	7.8	1.10	0.76	15	43	10	7
North Kesteven ...	31,740	244	213	8	14	479	15.1	1.08	0.99	145	120	265	8.3	0.98	0.72	12	25	5	10
South Kesteven ...	14,530	117	124	9	8	258	17.8	1.11	1.16	76	65	141	9.7	0.86	0.74	6	23	4	7
West Kesteven ...	18,430	159	149	10	4	322	17.5	1.09	1.14	91	85	176	9.5	0.94	0.79	14	44	8	10
<b>LINCOLNSHIRE :</b>																			
Parts of Lindsey	473,600	3,838	3,607	228	182	7,855	16.6	1.05	1.08	2,829	2,370	5,199	11.0	0.96	0.93	257	33	163	188
County Boroughs	162,700	1,333	1,227	93	78	2,731	16.8	1.02	1.10	1,014	830	1,844	11.3	1.00	1.00	90	33	55	73
Grimsby ...	93,200	817	772	55	45	1,689	18.1	1.03	1.18	557	484	1,041	11.2	1.05	1.04	58	34	34	42
Lincoln ...	69,500	516	455	38	33	1,042	15.0	1.00	0.98	457	346	803	11.6	0.95	0.98	32	31	21	31
Admin. County ...	310,900	2,505	2,380	135	104	5,124	16.5	1.07	1.08	1,815	1,540	3,355	10.8	0.94	0.90	167	33	108	115
Urban Districts ...	151,600	1,185	1,200	66	53	2,504	16.5	1.02	1.08	904	822	1,726	11.4	0.98	0.99	90	36	57	51
Alford ...	2,152	13	13	2	—	28	13.0	1.14	0.85	10	13	23	10.7	0.68	0.64	3	107	1	1
Barton upon Humber	6,366	43	61	5	1	110	17.3	1.05	1.13	40	38	78	12.3	0.88	0.96	3	27	2	1
Brigg ...	4,399	22	40	1	1	64	14.5	1.03	0.95	31	27	58	13.2	0.92	1.07	1	16	—	1
Cleethorpes M.B.	30,170	223	250	14	9	496	16.4	1.02	1.07	173	187	360	11.9	1.02	1.07	19	38	12	10
Gainsborough	17,250	130	114	14	7	265	15.4	1.11	1.01	148	124	272	15.8	0.78	1.09	10	38	4	6
Horncastle ...	3,595	16	25	—	—	41	11.4	1.02	0.75	27	25	52	14.5	0.81	1.04	3	73	2	1
Louth M.B. ...	11,100	79	84	4	4	171	15.4	1.01	1.01	76	87	163	14.7	0.80	1.04	3	18	2	6
Mablethorpe and Sutton	5,192	35	41	4	5	85	16.4	1.08	1.07	47	38	85	16.4	0.76	1.10	5	59	3	—
Market Rasen	2,070	19	14	—	—	33	15.9	1.21	1.04	23	14	37	17.9	0.72	1.14	2	61	2	—
Scunthorpe M.B.	54,930	523	469	16	21	1,029	18.7	0.97	1.22	245	177	422	7.7	1.34	0.91	37	36	25	23
Skegness ...	12,320	72	79	6	5	162	13.1	0.98	0.86	69	72	141	11.4	0.84	0.85	4	25	4	2
Woodhall Spa	2,056	10	10	—	—	20	9.7	1.21	0.63	15	20	35	17.0	0.72	1.08	—	—	—	—
Rural Districts ...	159,300	1,320	1,180	69	51	2,620	16.4	1.13	1.07	911	718	1,629	10.2	0.91	0.82	77	29	51	64
Caistor ...	14,260	104	108	5	4	221	15.5	1.18	1.01	76	53	129	9.0	0.90	0.72	5	23	3	3
Gainsborough	12,640	107	84	6	5	202	16.0	1.21	1.05	79	52	131	10.4	0.93	0.86	8	40	5	7
Glanford Briggs	33,350	259	224	12	12	507	15.2	1.10	0.99	205	152	357	10.7	0.97	0.92	16	32	8	13
Grimsby ...	12,780	107	94	7	1	209	16.4	1.08	1.07	71	70	141	11.0	0.95	0.92	7	34	4	7
Horncastle ...	14,230	112	125	8	5	250	17.6	1.28	1.15	79	67	146	10.3	0.92	0.84	7	28	4	4
Isle of Axholme	14,070	127	103	12	2	244	17.3	1.06	1.13	84	72	156	11.1	0.93	0.91	12	49	7	7
Louth ...	18,930	176	151	8	5	340	18.0	1.15	1.18	109	98	207	10.9	0.83	0.80	8	24	7	6
Spilsby ...	23,350	196	159	7	10	372	15.9	1.09	1.04	142	107	249	10.7	0.80	0.76	10	27	10	12
Welton ...	15,690	132	132	4	7	275	17.5	1.08	1.14	66	47	113	7.2	1.05	0.67	4	15	3	5



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	
		M.		F.	M.		F.												
		(3)	(4)	(5)	(6)	(7)	(8)												(9)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LONDON ...	3,363,000	24,537	23,299	1,879	1,728	51,443	15.3	0.90	1.00	20,906	19,462	40,368	12.0	1.01	1.07	1,189	23	817	1,000
City of London	5,220	13	22	2	1	38	7.3	0.87	0.48	47	15	62	11.9	0.99	1.04	2	53	2	—
Inner and Middle Temples }																			
Metropolitan Boroughs :																			
Battersea ...	116,400	858	823	38	57	1,776	15.3	0.94	1.00	718	669	1,387	11.9	0.98	1.03	31	17	17	42
Bermondsey ...	59,780	491	456	16	21	984	16.5	0.95	1.08	400	329	729	12.2	1.09	1.18	19	19	12	25
Bethnal Green ...	57,040	489	446	27	22	984	17.3	0.95	1.13	376	306	682	12.0	1.07	1.14	29	30	18	16
Camberwell ...	181,200	1,433	1,340	71	58	2,902	16.0	0.94	1.05	1,166	1,046	2,212	12.2	0.98	1.06	69	24	49	57
Chelsea ...	52,140	360	353	44	32	789	15.1	0.74	0.99	325	344	669	12.8	0.94	1.06	16	20	12	14
Deptford ...	75,910	643	603	29	34	1,309	17.2	0.97	1.12	505	404	909	12.0	0.98	1.04	42	32	31	19
Finsbury ...	35,740	322	313	24	18	677	18.9	0.96	1.24	253	225	478	13.4	1.01	1.20	11	16	6	15
Fulham ...	122,800	821	790	66	53	1,730	14.1	0.91	0.92	757	704	1,461	11.9	0.98	1.03	44	25	34	37
Greenwich ...	90,880	593	641	29	33	1,296	14.3	0.93	0.93	534	424	958	10.5	1.05	0.98	19	15	10	23
Hackney ...	171,000	1,218	1,153	54	62	2,487	14.5	0.89	0.95	991	983	1,974	11.5	1.07	1.09	50	20	34	58
Hammersmith ...	118,800	817	804	75	66	1,762	14.8	0.93	0.97	719	638	1,357	11.4	1.06	1.07	37	21	23	34
Hampstead ...	97,700	703	626	68	47	1,444	14.8	0.75	0.97	494	603	1,097	11.2	0.98	0.97	35	24	28	29
Holborn ...	23,950	142	113	20	14	289	12.1	0.86	0.79	145	131	276	11.5	1.12	1.14	10	35	6	3
Islington ...	235,300	1,798	1,784	146	139	3,867	16.4	0.92	1.07	1,456	1,420	2,876	12.2	1.00	1.08	88	23	65	69
Kensington ...	172,800	1,268	1,235	178	126	2,807	16.2	0.76	1.06	875	1,061	1,936	11.2	1.02	1.01	75	27	45	49
Lambeth ...	230,200	1,764	1,611	133	139	3,647	15.8	0.92	1.03	1,475	1,349	2,824	12.3	1.00	1.09	92	25	65	65
Lewisham ...	227,100	1,535	1,495	76	68	3,174	14.0	0.94	0.92	1,364	1,216	2,580	11.4	1.02	1.03	71	22	52	57
Paddington ...	124,800	908	910	126	148	2,092	16.8	0.79	1.10	739	711	1,450	11.6	1.10	1.13	56	27	38	46
Poplar ...	72,670	604	566	37	24	1,231	16.9	0.97	1.10	499	369	868	11.9	1.13	1.19	29	24	18	28
St. Marylebone ...	74,290	431	405	54	42	932	12.5	0.77	0.82	553	581	1,134	15.3	0.97	1.31	23	25	19	21
St. Pancras ...	139,600	1,014	946	109	110	2,179	15.6	0.89	1.02	913	745	1,658	11.9	1.00	1.05	56	26	43	39
Shoreditch ...	45,800	371	403	21	33	828	18.1	1.00	1.18	279	280	559	12.2	1.05	1.13	23	28	13	15
Southwark ...	97,970	855	764	70	46	1,735	17.7	0.98	1.16	742	635	1,377	14.1	1.01	1.26	49	28	29	38
Stepney ...	99,000	906	812	99	73	1,890	19.1	0.97	1.25	797	574	1,371	13.8	1.06	1.29	35	19	23	50
Stoke Newington ...	50,610	389	366	32	21	808	16.0	0.89	1.05	290	267	557	11.0	1.03	1.00	11	14	7	13
Wandsworth ...	331,700	2,159	1,942	110	127	4,338	13.1	0.92	0.86	2,036	2,129	4,165	12.6	0.90	1.00	89	21	58	75
Westminster ...	100,800	553	558	72	69	1,252	12.4	0.85	0.81	594	501	1,095	10.9	1.07	1.03	31	25	23	26
Woolwich ...	151,800	1,079	1,019	53	45	2,196	14.5	1.02	0.95	864	803	1,667	11.0	0.95	0.92	47	21	37	37

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
<b>MIDDLESEX :</b>																			
Admin. County ...	...	...	14,088	719	702	30,274	13.3	0.92	0.87	11,432	11,047	22,479	9.9	1.07	0.94	635	21	473	617
Urban Districts ...	...	...	14,088	719	702	30,274	13.3	0.92	0.87	11,432	11,047	22,479	9.9	1.07	0.94	635	21	473	617
Acton M.B. ...	...	...	435	30	26	971	14.2	0.93	0.93	381	363	744	10.9	1.00	0.96	18	19	13	23
Brentford and Chiswick M.B.	...	...	402	19	28	2,454	14.1	0.92	0.92	335	341	676	11.3	0.96	0.96	15	18	9	12
Ealing M.B. ...	...	...	1,108	65	53	2,454	13.1	0.89	0.86	916	932	1,848	9.9	1.07	0.94	53	22	39	48
Edmonton M.B. ...	...	...	655	17	23	1,342	13.1	0.92	0.86	537	456	993	9.7	1.14	0.98	20	15	15	29
Enfield ...	...	...	730	22	19	1,456	13.3	0.93	0.87	546	514	1,060	9.7	1.07	0.92	28	19	20	24
Feltham ...	...	...	371	17	18	785	16.9	0.97	1.10	172	118	290	6.2	1.41	0.77	16	20	11	15
Finchley M.B. ...	...	...	439	23	18	947	13.5	0.91	0.88	382	400	782	11.1	0.92	0.90	11	12	9	23
Friern Barnet ...	...	...	169	3	5	347	12.2	1.03	0.80	143	147	290	10.2	0.98	0.88	13	38	12	11
Harrow ...	...	...	1,328	63	57	2,835	12.9	0.92	0.84	1,021	899	1,920	8.8	1.16	0.90	62	22	46	54
Hayes and Harlington	...	...	450	20	26	996	15.3	0.91	1.00	264	195	459	7.0	1.50	0.93	18	18	17	23
Hendon M.B.	...	...	921	39	50	1,971	12.6	0.91	0.82	763	835	1,598	10.2	1.08	0.97	41	21	29	34
Heston and Isleworth M.B.	...	...	561	23	36	1,221	11.6	0.96	0.76	547	520	1,067	10.1	1.09	0.97	23	19	18	35
Hornsey M.B.	...	...	659	31	37	1,431	14.4	0.89	0.94	521	631	1,152	11.6	0.92	0.94	25	18	21	26
Potters Bar ...	...	...	100	7	6	235	13.8	0.91	0.90	73	78	151	8.9	1.10	0.87	5	21	4	4
Ruislip Northwood ...	...	...	431	18	14	896	12.6	0.87	0.82	260	273	533	7.5	1.19	0.79	29	32	23	26
Southall M.B.	...	...	334	12	15	698	12.6	0.96	0.82	257	260	517	9.3	1.11	0.91	14	20	9	11
Southgate M.B.	...	...	357	10	6	759	10.5	0.97	0.69	447	453	900	12.4	0.85	0.93	9	12	4	18
Staines ...	...	...	269	21	11	604	15.1	0.96	0.99	183	179	362	9.1	1.11	0.89	18	30	14	12
Sunbury on Thames ...	...	...	199	15	12	433	18.2	0.94	1.19	123	100	223	9.4	1.13	0.94	14	32	5	8
Tottenham M.B.	...	...	763	35	42	1,661	13.2	0.93	0.86	786	629	1,415	11.2	1.06	1.05	34	21	27	38
Twickenham M.B.	...	...	620	48	25	1,326	12.5	0.94	0.82	577	614	1,191	11.2	0.97	0.96	27	20	19	18
Uxbridge ...	...	...	411	19	17	892	16.1	0.94	1.05	246	213	459	8.3	1.20	0.88	19	21	14	18
Wembley M.B.	...	...	695	29	26	1,518	11.7	0.92	0.76	625	578	1,203	9.2	1.16	0.94	37	24	32	28
Willesden M.B.	...	...	1,186	108	103	2,594	14.4	0.89	0.94	936	928	1,864	10.3	1.09	0.99	62	24	46	65
Wood Green M.B.	...	...	300	17	16	648	12.4	0.93	0.81	289	313	602	11.6	0.95	0.98	14	22	10	11
Yiewsley and West Drayton...	...	...	195	8	13	409	18.6	0.93	1.22	102	78	180	8.2	1.27	0.92	10	24	7	3
<b>NORFOLK</b> ...	...	...	<b>3,841</b>	<b>241</b>	<b>213</b>	<b>8,204</b>	<b>15.1</b>	<b>1.08</b>	<b>0.99</b>	<b>3,150</b>	<b>3,118</b>	<b>6,268</b>	<b>11.5</b>	<b>0.86</b>	<b>0.88</b>	<b>202</b>	<b>25</b>	<b>138</b>	<b>163</b>
County Boroughs	...	...	1,194	89	69	2,578	15.1	1.01	0.99	1,017	1,044	2,061	12.0	0.90	0.96	44	17	32	50
Great Yarmouth	...	...	337	18	14	735	14.4	1.01	0.94	314	315	629	12.4	0.89	0.98	12	16	11	18
Norwich ...	...	...	857	71	55	1,843	15.3	1.01	1.00	703	729	1,432	11.9	0.90	0.95	32	17	21	32
<b>Admin. County</b> ...	...	...	<b>2,647</b>	<b>152</b>	<b>144</b>	<b>5,626</b>	<b>15.1</b>	<b>1.12</b>	<b>0.99</b>	<b>2,133</b>	<b>2,074</b>	<b>4,207</b>	<b>11.3</b>	<b>0.84</b>	<b>0.84</b>	<b>158</b>	<b>28</b>	<b>106</b>	<b>113</b>
Urban Districts ...	...	...	535	38	34	1,186	16.5	1.06	1.08	463	488	951	13.2	0.82	0.96	32	27	21	22
Cromer ...	...	...	36	4	3	73	15.3	1.05	1.00	27	25	52	10.9	0.76	0.73	—	—	—	2
Diss ...	...	...	29	—	—	62	17.9	1.08	1.17	24	25	49	14.1	0.73	0.91	2	32	2	2
Downham Market	...	...	19	3	3	51	19.8	1.14	1.29	32	38	70	27.2	0.76	1.83	—	—	—	—
East Dereham	...	...	54	2	1	110	17.0	1.11	1.11	30	32	62	9.6	0.83	0.71	7	64	6	1
Kings Lynn M.B.	...	...	196	15	18	462	17.8	1.01	1.16	174	137	311	12.0	0.93	0.99	11	24	5	6
New Hunstanton	...	...	34	3	2	75	21.5	1.00	1.41	19	35	54	15.5	0.77	1.06	2	27	1	3
North Walsham	...	...	28	1	—	54	11.7	1.10	0.76	34	32	66	14.3	0.74	0.94	—	—	—	2
Sheringham ...	...	...	27	2	—	58	12.6	1.16	0.82	18	49	67	14.6	0.68	0.88	1	17	—	3
Swaffham ...	...	...	13	1	2	35	11.6	1.15	0.76	17	20	37	12.3	0.77	0.84	2	57	1	—
Thetford M.B.	...	...	35	2	3	67	14.7	1.11	0.96	29	38	67	14.7	0.78	1.01	3	45	2	1



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.						
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.		Ratio of local adjusted death rate to National Rate.	(17)	(18)	(19)	(20)	
		F.		M.	F.		M.															TOTAL.
		(3)	(4)		(5)	(6)																
(1) NORFOLK—contd.	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			
Urban Districts—contd.																						
Wells ...	2,620	34	22	2	1	59	22.5	1.08	1.47	15	20	35	13.4	0.71	0.84	3	51	3	2			
Wymondham ...	5,614	34	42	3	1	80	14.3	1.09	0.93	44	37	81	14.4	0.86	1.10	1	13	1	—			
Rural Districts	300,900	2,104	2,112	114	110	4,440	14.8	1.13	0.97	1,670	1,586	3,256	10.8	0.85	0.81	126	28	85	91			
Blofield and Flegg	31,550	178	176	6	10	370	11.7	1.04	0.76	164	187	351	11.1	0.84	0.83	7	19	5	9			
Depwade	18,020	140	148	2	7	297	16.5	1.21	1.08	114	117	231	12.8	0.74	0.84	13	44	6	11			
Docking	17,630	127	151	14	5	297	16.8	1.12	1.10	112	86	198	11.2	0.77	0.76	7	24	3	7			
Downham	24,770	197	185	8	14	404	16.3	1.13	1.07	123	95	218	8.8	0.96	0.75	10	25	5	7			
Erpingham	19,380	134	121	5	7	267	13.8	1.20	0.90	127	105	232	12.0	0.76	0.81	7	26	4	7			
Forehoe and Henstead	23,470	151	157	5	4	317	13.5	1.08	0.88	120	139	259	11.0	0.81	0.79	4	13	1	6			
Freebridge Lynn	10,920	97	98	6	3	204	18.7	1.16	1.22	88	58	146	13.4	0.81	0.96	9	44	7	2			
Loddon	12,610	86	95	3	5	189	15.0	1.14	0.98	59	79	138	10.9	0.82	0.79	2	11	2	4			
Marshland	16,250	132	103	6	5	246	15.1	1.05	0.99	57	63	120	7.4	1.00	0.65	2	8	—	5			
Mitford and Launditch	18,530	129	122	12	8	271	14.6	1.24	0.95	132	119	251	13.5	0.80	0.96	10	37	9	6			
St. Faiths and Aylsham	37,810	238	269	11	12	530	14.0	1.04	0.92	194	192	386	10.2	0.93	0.84	16	30	13	9			
Smallburgh	18,170	136	102	8	8	254	14.0	1.14	0.92	103	92	195	10.7	0.78	0.74	14	55	11	8			
Swaffham	8,830	66	70	9	4	149	16.9	1.07	1.10	47	46	93	10.5	0.86	0.80	5	34	3	1			
Walsingham	23,910	136	180	15	8	339	14.2	1.39	0.93	125	101	226	9.5	1.00	0.84	13	38	10	2			
Wayland	19,050	157	135	4	10	306	16.1	1.21	1.05	105	107	212	11.1	0.85	0.83	7	23	6	7			
NORTHAMPTONSHIRE	362,200	2,738	2,491	140	113	5,482	15.1	1.05	0.99	2,115	1,960	4,075	11.3	0.90	0.90	132	24	102	123			
County Borough:																						
Northampton...	103,700	718	663	45	33	1,459	14.1	1.02	0.92	639	583	1,222	11.8	0.92	0.96	32	22	24	39			
Admin. County ...	258,500	2,020	1,828	95	80	4,023	15.6	1.07	1.02	1,476	1,377	2,853	11.0	0.90	0.88	100	25	78	84			
*Urban Districts ...	136,100	1,057	973	47	42	2,119	15.6	1.04	1.02	790	768	1,558	11.4	0.95	0.96	50	24	42	52			
Brackley M.B.	2,869	30	16	—	—	46	16.0	1.22	1.05	14	16	30	10.5	0.95	0.88	1	22	1	3			
Burton Latimer	4,194	32	28	3	3	66	15.7	1.02	1.03	19	17	36	8.6	0.93	0.71	—	—	—	1			
*Corby ...	18,050	213	220	10	10	453	25.1	0.98	1.64	47	43	90	5.0	1.77	0.78	15	33	10	11			
Daventry M.B.	4,100	44	28	—	—	72	17.6	1.06	1.15	92	92	184	44.9	0.81	3.22	3	42	3	1			
Desborough ...	4,883	23	27	—	1	51	10.4	1.00	0.68	28	22	50	10.2	0.89	0.80	—	—	—	2			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Higham Ferrers M.B.	3,661	30	31	—	1	62	16.9	0.99	1.10	16	16	32	8.7	0.91	0.70	1	16	1	3
Irthlingborough	4,996	36	36	—	3	75	15.0	1.02	0.98	32	26	58	11.6	0.92	0.94	—	—	—	—
Kettering M.B.	36,600	249	225	14	14	502	13.7	1.03	0.90	200	188	388	10.6	0.92	0.86	16	32	14	13
Oundle	3,077	23	17	2	1	43	14.0	1.56	0.92	17	13	30	9.7	0.94	0.81	—	—	—	1
Raunds	4,521	23	28	3	1	55	12.2	1.08	0.80	37	38	75	16.6	0.82	1.20	2	36	2	5
Rothwell	4,649	24	35	—	1	60	12.9	1.06	0.84	26	21	47	10.1	0.84	0.75	1	17	1	4
Rushden	16,250	96	98	5	4	203	12.5	1.08	0.82	97	107	204	12.6	0.90	1.00	1	17	1	2
Wellingborough	28,250	234	184	10	3	431	15.3	1.03	1.00	165	169	334	11.8	0.89	0.93	10	23	9	6
*Rural Districts	122,400	963	855	48	38	1,904	15.6	1.10	1.02	686	609	1,295	10.6	0.85	0.80	50	26	36	32
Brackley	10,220	88	86	6	4	184	18.0	1.11	1.18	61	31	92	9.0	0.83	0.66	4	22	3	—
Brixworth	17,840	138	118	3	5	264	14.8	1.05	0.97	74	82	156	8.7	0.81	0.62	6	23	4	3
Daventry	16,440	132	97	4	5	238	14.5	1.10	0.95	104	78	182	11.1	0.82	0.81	7	29	7	5
*Kettering	12,140	100	86	6	2	194	16.0	1.19	1.05	62	68	130	10.7	0.98	0.93	6	31	4	1
Northampton...	19,970	157	131	5	6	299	15.0	1.11	0.98	100	87	187	9.4	0.84	0.70	9	30	6	7
Oundle and Thrapston	18,300	155	143	8	5	311	17.0	1.11	1.11	108	95	203	11.1	0.87	0.85	8	26	5	8
Towcester	14,490	98	108	12	4	222	15.3	1.12	1.00	85	86	171	11.8	0.85	0.89	7	32	4	6
Wellingborough	13,000	95	86	4	7	192	14.8	1.08	0.97	92	82	174	13.4	0.83	0.98	3	16	3	2
NORTHUMBERLAND	795,000	6,441	6,094	259	261	13,055	16.4	1.00	1.07	4,961	4,166	9,127	11.5	1.05	1.07	399	31	253	344
County Boroughs	356,700	2,898	2,827	143	142	6,010	16.8	0.97	1.10	2,261	1,936	4,197	11.8	1.09	1.14	192	32	121	163
Newcastle upon Tyne	289,800	2,336	2,238	112	107	4,793	16.5	0.97	1.08	1,833	1,590	3,423	11.8	1.09	1.14	140	29	88	129
Tynemouth	66,900	562	589	31	35	1,217	18.2	0.99	1.19	428	346	774	11.6	1.07	1.10	52	43	33	34
Admin. County	438,300	3,543	3,267	116	119	7,045	16.1	1.02	1.05	2,700	2,230	4,930	11.2	1.03	1.02	207	29	132	181
Urban Districts	338,100	2,799	2,601	83	89	5,572	16.5	1.01	1.08	2,061	1,620	3,681	10.9	1.07	1.03	169	30	104	151
Alnwick	7,384	66	61	3	3	133	18.0	1.03	1.18	36	42	78	10.6	1.00	0.94	2	15	2	3
Amble...	4,799	34	29	1	2	66	13.8	1.03	0.90	25	19	44	9.2	0.95	0.77	1	15	1	1
Ashington	28,470	245	232	3	4	484	17.0	1.05	1.11	201	144	345	12.1	1.18	1.26	20	41	15	14
Bedlingtonshire	28,630	269	267	7	9	552	19.3	1.04	1.26	182	133	315	11.0	1.14	1.11	20	36	12	15
Berwick upon Tweed M.B.	12,650	114	109	11	4	238	18.8	1.00	1.23	83	91	174	13.8	0.88	1.07	6	25	2	6
Blyth M.B.	34,010	314	271	16	12	613	18.0	1.02	1.18	206	148	354	10.4	1.15	1.06	11	18	6	11
Gosforth	24,590	180	172	5	4	361	14.7	0.96	0.96	124	103	227	9.2	0.98	0.80	9	25	6	8
Hexham	9,373	54	66	3	4	127	13.5	0.99	0.88	58	49	107	11.4	0.88	0.89	8	63	6	3
Longbenton	29,270	216	206	4	5	431	14.7	1.01	0.96	159	122	281	9.6	1.13	0.96	18	42	10	17
Morpeth M.B.	10,700	101	98	3	5	207	19.3	0.98	1.26	48	43	91	8.5	1.01	0.76	7	34	4	2
Newbiggin by the Sea	9,790	76	89	1	2	168	17.2	1.02	1.12	71	40	111	11.3	1.14	1.14	6	36	5	4
Newburn	21,820	181	159	4	3	347	15.9	0.98	1.04	128	91	219	10.0	1.11	0.98	10	29	6	13
Prudhoe	9,394	71	56	2	2	131	13.9	0.96	0.91	58	33	91	9.7	1.16	1.00	4	31	2	3
Seaton Valley...	26,200	204	170	3	6	383	14.6	1.04	0.95	184	122	306	11.7	1.05	1.09	10	26	6	14
WallSEND M.B.	48,790	460	439	9	12	920	18.9	0.98	1.24	287	216	503	10.3	1.20	1.09	26	28	13	27
Whitley Bay	32,230	214	177	8	12	411	12.8	1.02	0.84	211	224	435	13.5	0.87	1.04	11	27	8	10
Rural Districts	100,200	744	666	33	30	1,473	14.7	1.05	0.96	639	610	1,249	12.5	0.92	1.02	38	26	28	30
Alnwick	11,790	75	70	4	5	154	13.1	1.01	0.86	78	78	156	13.2	0.90	1.05	3	20	2	1
Belford	5,022	37	38	2	3	80	15.9	0.99	1.04	23	27	50	10.0	0.83	0.73	1	13	—	2
Bellingham	5,326	28	41	1	2	72	13.5	1.19	0.88	31	37	68	12.8	0.93	1.05	3	42	2	—
Castle Ward	14,480	107	85	5	1	198	13.7	1.05	0.90	135	112	247	17.1	0.88	1.33	11	56	9	4
Glendale	7,517	49	45	1	3	98	13.0	1.07	0.85	44	46	90	12.0	0.90	0.96	1	10	1	4

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	
		M.		F.	M.		F.												
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
NORTHUMBERLAND—contd.																			
Rural Districts—contd.																			
Haltwhistle ...	7,558	62	40	2	1	105	13.9	1.05	0.91	54	51	105	13.9	0.92	1.13	4	38	4	5
Hexham ...	20,240	158	141	9	3	311	15.4	1.03	1.01	123	135	258	12.7	0.86	0.97	7	23	6	6
Morpeth ...	18,240	144	139	4	6	293	16.1	1.07	1.05	99	63	162	8.9	1.12	0.88	7	24	4	4
Newcastle upon Tyne (Moot Hall and precincts) ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires ...	4,451	36	24	2	3	65	14.6	1.09	0.95	23	31	54	12.1	0.88	0.94	1	15	—	2
Rothbury ...	5,574	48	43	3	3	97	17.4	1.01	1.14	29	30	59	10.6	0.84	0.79	—	—	—	2
NOTTINGHAMSHIRE																			
County Borough :	845,100	6,696	6,259	400	334	13,689	16.2	1.00	1.06	4,529	4,079	8,608	10.2	1.08	0.97	396	29	257	322
*Nottingham ...	309,690	2,475	2,326	199	179	5,179	16.7	0.97	1.09	1,715	1,622	3,337	10.8	1.08	1.03	146	28	93	119
*Admin. County ...	535,410	4,221	3,933	201	155	8,510	15.9	1.01	1.04	2,814	2,457	5,271	9.8	1.08	0.94	250	29	164	203
Urban Districts ...																			
Arnold ...	373,860	2,911	2,758	146	112	5,927	15.9	1.00	1.04	1,982	1,713	3,695	9.9	1.10	0.96	186	31	119	139
*Beeston and Stapleford ...	21,620	186	163	11	4	364	16.8	0.96	1.10	97	103	200	9.3	1.09	0.90	8	22	6	7
Carlton ...	50,430	337	358	22	15	732	14.5	0.97	0.95	225	193	418	8.3	1.17	0.86	14	19	12	12
East Retford M.B. ...	34,410	245	248	10	9	512	14.9	0.97	0.97	168	160	328	9.5	1.05	0.88	15	29	11	8
Eastwood ...	16,540	141	123	6	5	275	16.6	0.99	1.08	90	94	184	11.1	0.95	0.93	8	29	3	4
	10,050	83	74	3	3	163	16.2	1.04	1.06	48	40	88	8.8	1.20	0.93	3	18	3	1
Hucknall ...	23,420	168	183	8	8	367	15.7	0.98	1.03	115	114	229	9.8	1.23	1.07	13	35	9	4
Kirkby in Ashfield ...	20,170	193	166	6	5	370	18.3	1.04	1.20	113	86	199	9.9	1.14	1.00	14	38	5	8
Mansfield M.B. ...	51,110	423	362	26	17	828	16.2	0.97	1.06	288	225	513	10.0	1.10	0.97	26	31	15	23
Mansfield Woodhouse ...	17,480	146	123	6	8	283	16.2	1.04	1.06	91	61	152	8.7	1.24	0.95	13	46	8	9
Newark M.B. ...	22,970	201	186	12	15	414	18.0	1.00	1.18	123	138	261	11.4	0.99	1.00	11	27	7	9
Sutton in Ashfield ...	40,080	303	270	17	12	602	15.0	1.01	0.98	229	181	410	10.2	1.17	1.06	24	40	16	20
Warsop ...	10,910	91	89	3	2	185	17.0	1.01	1.11	54	50	104	9.5	1.26	1.06	9	49	7	3
*West Bridgford ...	23,510	155	146	3	3	307	13.1	1.00	0.86	157	134	291	12.4	0.82	0.90	8	26	6	9
Worksop M.B. ...	31,160	239	267	13	6	525	16.8	1.07	1.10	184	134	318	10.2	1.20	1.08	20	38	11	22
*Rural Districts ...	161,550	1,310	1,175	55	43	2,583	16.0	1.04	1.05	832	744	1,576	9.8	1.03	0.89	64	25	45	64
*Basford ...	50,300	395	363	13	13	784	15.6	1.02	1.02	266	223	489	9.7	1.03	0.88	17	22	12	18

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Bingham	21,130	147	141	10	6	304	14.4	1.08	0.94	104	97	201	9.5	0.88	0.74	5	16	5	11
East Retford	21,460	166	144	7	3	320	14.9	1.09	0.97	122	101	223	10.4	0.94	0.87	4	13	3	9
Newark	11,248	83	98	3	3	187	16.6	0.96	1.08	66	63	129	11.5	0.98	1.00	7	38	5	3
Nottingham (Shire Hall)	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Southwell	40,030	359	309	18	15	701	17.5	1.06	1.14	207	185	392	9.8	1.13	0.98	22	31	15	18
Worksop	17,380	160	119	4	3	286	16.5	1.01	1.08	67	75	142	8.2	1.27	0.92	9	32	5	5
<b>OXFORDSHIRE</b>	<b>292,300</b>	<b>2,266</b>	<b>2,062</b>	<b>152</b>	<b>145</b>	<b>4,625</b>	<b>15.8</b>	<b>1.05</b>	<b>1.03</b>	<b>1,389</b>	<b>1,341</b>	<b>2,730</b>	<b>9.3</b>	<b>1.01</b>	<b>0.83</b>	<b>118</b>	<b>26</b>	<b>84</b>	<b>73</b>
County Borough :																			
Oxford	107,100	760	685	62	57	1,564	14.6	0.96	0.95	459	498	957	8.9	1.06	0.83	37	24	23	17
<b>Admin. County</b>	<b>185,200</b>	<b>1,506</b>	<b>1,377</b>	<b>90</b>	<b>88</b>	<b>3,061</b>	<b>16.5</b>	<b>1.11</b>	<b>1.08</b>	<b>930</b>	<b>843</b>	<b>1,773</b>	<b>9.6</b>	<b>0.99</b>	<b>0.84</b>	<b>81</b>	<b>27</b>	<b>61</b>	<b>56</b>
Urban Districts :																			
Banbury M.B.	46,700	383	317	23	17	740	15.8	1.02	1.03	280	263	543	11.6	0.90	0.92	14	19	11	17
Bicester	18,910	151	100	11	4	266	14.1	1.03	0.92	84	76	160	8.5	1.01	0.76	4	15	4	4
Chipping Norton M.B.	4,220	63	36	4	4	107	25.4	0.88	1.66	29	26	55	13.0	0.93	1.07	4	37	2	2
Henley on Thames M.B.	3,755	32	34	2	3	71	18.9	1.17	1.24	29	19	48	12.8	0.77	0.87	2	28	2	2
Thame...	7,925	53	60	2	3	118	14.9	1.03	0.97	60	65	125	15.8	0.78	1.09	—	—	—	2
Witney	3,686	26	28	1	—	55	14.9	1.07	0.97	17	19	36	9.8	0.87	0.75	1	18	—	—
Woodstock	6,534	45	48	2	2	97	14.8	0.99	0.97	32	28	60	9.2	0.96	0.78	3	31	3	4
	1,670	13	11	1	1	26	15.6	1.07	1.02	29	30	59	35.3	0.73	2.28	—	—	—	1
Rural Districts :																			
Banbury	138,500	1,123	1,060	67	71	2,321	16.8	1.14	1.10	650	580	1,230	8.9	1.03	0.81	67	29	50	39
Bullington	14,990	99	108	6	11	224	14.9	1.12	0.97	77	83	160	10.7	0.84	0.80	7	31	7	8
Chipping Norton	36,630	321	292	20	25	658	18.0	1.01	1.18	179	142	321	8.8	1.04	0.81	15	23	8	10
Henley	16,010	123	129	5	9	266	16.6	1.13	1.08	79	80	159	9.9	0.86	0.75	8	30	5	3
Ploughley	19,870	171	158	9	5	343	17.3	1.07	1.13	103	87	190	9.6	0.94	0.80	12	35	10	4
Witney	27,320	198	166	6	5	375	13.7	1.39	0.90	104	88	192	7.0	1.38	0.85	14	37	11	2
	23,680	211	207	21	16	455	19.2	1.18	1.25	108	100	208	8.8	1.08	0.84	11	24	9	12
<b>PETERBOROUGH, SOKE OF :</b>	<b>63,690</b>	<b>511</b>	<b>422</b>	<b>27</b>	<b>23</b>	<b>983</b>	<b>15.4</b>	<b>1.00</b>	<b>1.01</b>	<b>353</b>	<b>340</b>	<b>693</b>	<b>10.9</b>	<b>0.98</b>	<b>0.95</b>	<b>20</b>	<b>20</b>	<b>14</b>	<b>18</b>
Admin. County :																			
Urban District :																			
Peterborough M.B.	52,960	423	331	20	19	793	15.0	1.00	0.98	306	301	607	11.5	0.98	1.00	18	23	13	12
Rural Districts :																			
Barnack	10,730	88	91	7	4	190	17.7	1.04	1.16	47	39	86	8.0	0.97	0.69	2	11	1	6
Peterborough	3,250	20	26	1	1	48	14.8	1.14	0.97	17	5	22	6.8	1.08	0.65	—	—	—	2
	7,480	68	65	6	3	142	19.0	1.00	1.24	30	34	64	8.6	0.93	0.71	2	14	1	4
<b>RUTLAND :</b>	<b>22,610</b>	<b>185</b>	<b>198</b>	<b>3</b>	<b>8</b>	<b>394</b>	<b>17.4</b>	<b>1.18</b>	<b>1.14</b>	<b>101</b>	<b>121</b>	<b>222</b>	<b>9.8</b>	<b>0.92</b>	<b>0.80</b>	<b>7</b>	<b>18</b>	<b>4</b>	<b>4</b>
Admin. County :																			
Urban District :																			
Oakham	3,920	40	28	—	—	68	17.3	1.19	1.13	17	28	45	11.5	0.80	0.81	2	29	2	—
Rural Districts :																			
Ketton	18,690	145	170	3	8	326	17.4	1.18	1.14	84	93	177	9.5	0.96	0.81	5	15	2	4
Oakham	3,075	24	26	—	2	52	16.9	1.04	1.10	11	18	29	9.4	0.85	0.71	—	—	—	—
Uppingham	9,480	75	79	3	2	159	16.8	1.21	1.10	39	37	76	8.0	1.12	0.79	2	13	1	3
	6,135	46	65	—	4	115	18.7	1.21	1.22	34	38	72	11.7	0.83	0.86	2	17	1	1

\* Change of boundary. See Appendix on page 363. † Including 3 male deaths which occurred in the Creswell Colliery disaster in 1950.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SHROPSHIRE :	295,500	2,360	2,122	97	109	4,688	15.9	1.11	1.04	1,625	1,475	3,100	10.5	1.00	0.93	115	25	73	110
Admin. County ...	141,500	1,143	995	46	45	2,229	15.8	1.04	1.03	877	827	1,704	12.0	0.95	1.01	64	29	42	63
Urban Districts ...	1,302	9	10	—	1	20	15.4	1.23	1.01	27	9	36	27.6	0.62	1.51	1	50	—	1
Bishop's Castle M.B.	6,045	48	60	2	3	113	18.7	1.04	1.22	41	60	101	16.7	0.84	1.24	4	35	3	—
Bridgnorth M.B.	2,593	22	19	1	—	42	16.2	1.15	1.06	13	26	39	15.0	0.65	0.86	2	48	1	2
Church Stretton	8,386	59	45	2	3	109	13.0	1.02	0.85	60	42	102	12.2	1.01	1.09	5	46	2	6
Dawley	2,136	25	25	—	1	51	23.9	1.23	1.56	14	23	37	17.3	0.76	1.16	1	20	1	1
Ellesmere	6,439	60	60	2	2	124	19.3	1.08	1.26	47	49	96	14.9	0.80	1.05	2	16	1	2
Ludlow M.B. ...	5,625	41	36	4	5	86	15.3	0.95	1.00	40	40	80	14.2	0.93	1.17	1	12	—	—
Market Drayton	3,798	30	24	2	1	57	15.0	1.06	0.98	34	18	52	13.7	0.91	1.10	2	35	—	1
Newport	11,690	81	75	2	6	164	14.0	0.98	0.92	68	47	115	9.8	0.96	0.83	3	18	1	5
Oakengates	10,870	91	79	5	3	178	16.4	1.03	1.07	75	91	166	15.3	0.97	1.31	6	34	5	4
Oswestry M.B. :	45,910	346	285	12	14	657	14.3	1.01	0.93	242	233	475	10.3	1.02	0.93	21	32	17	17
Shrewsbury M.B.	12,650	109	93	6	4	212	16.8	1.12	1.10	54	49	103	8.1	1.08	0.77	4	19	2	5
Wellington	2,352	14	13	—	—	27	11.5	1.09	0.75	12	12	24	10.2	0.83	0.75	2	74	2	1
Wem ...	14,930	143	117	8	1	269	18.0	1.08	1.18	102	85	187	12.5	0.93	1.03	6	22	4	17
Wenlock M.B.	6,774	65	54	—	1	120	17.7	1.06	1.16	48	43	91	13.4	0.89	1.06	4	33	3	1
Whitchurch	154,000	1,217	1,127	51	64	2,459	16.0	1.18	1.05	748	648	1,396	9.1	1.05	0.85	51	21	31	47
Rural Districts	21,080	186	176	13	13	382	18.1	1.05	1.18	113	101	214	10.2	0.93	0.84	7	18	6	5
Atcham	16,510	113	110	6	7	236	14.3	1.40	0.93	73	65	138	8.4	1.18	0.88	7	30	4	5
Bridgnorth	9,565	79	71	5	2	157	16.4	1.22	1.07	53	40	93	9.7	0.81	0.70	1	6	1	2
Clun	11,990	104	95	1	4	204	17.0	1.26	1.11	61	41	102	8.5	1.23	0.93	6	29	2	3
Drayton	9,155	66	57	1	5	129	14.1	1.42	0.92	39	37	76	8.3	1.14	0.84	2	16	—	4
Ellesmere	13,810	102	102	3	6	213	15.4	1.19	1.01	83	79	162	11.7	0.84	0.87	4	19	2	1
Ludlow	20,840	150	135	6	7	298	14.3	1.20	0.93	120	98	218	10.5	1.09	1.01	9	30	8	8
Oswestry	14,300	107	108	3	8	226	15.8	1.20	1.03	53	55	108	7.6	1.33	0.89	3	13	1	7
Shifnal	24,220	171	179	7	13	370	15.3	1.05	1.00	99	79	178	7.3	1.16	0.75	9	24	6	8
Wellington	12,530	139	94	6	5	244	19.5	1.10	1.27	54	53	107	8.5	0.96	0.72	3	12	1	4
Wem	557,100	3,377	3,829	156	147	8,009	14.4	1.05	0.94	3,318	3,515	6,833	12.3	0.84	0.91	204	26	150	185
SOMERSET:	79,500	512	553	19	26	1,110	14.0	0.99	0.92	490	549	1,039	13.1	0.82	0.95	31	28	23	29
County Borough :																			
Bath																			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	477,600	3,365	3,276	137	121	6,899	14.4	1.06	0.94	2,828	2,966	5,794	12.1	0.84	0.90	173	25	127	156
*Urban Districts ...	226,890	1,549	1,567	60	62	3,238	14.3	1.05	0.93	1,356	1,563	2,919	12.9	0.83	0.95	89	28	64	68
*Bridgwater M.B.	23,130	188	202	9	5	404	17.5	0.98	1.14	145	163	308	13.3	0.96	1.13	11	27	8	10
Burnham on Sea	9,410	81	66	2	—	149	15.8	1.11	1.03	148	76	124	13.2	0.78	0.91	27	13	1	—
Chard M.B.	5,260	43	21	2	5	71	13.5	1.08	0.88	35	24	59	11.2	0.87	0.86	2	28	1	4
Clevedon	9,491	65	61	2	2	130	13.7	1.12	0.90	81	95	176	18.5	0.67	1.10	1	8	1	1
Crewkerne	3,953	27	28	—	2	57	14.4	1.09	0.94	16	21	37	9.4	0.84	0.70	1	18	1	—
Frome...	11,130	81	84	2	3	170	15.3	1.08	1.00	62	63	125	11.2	0.79	0.78	3	18	2	1
Glastonbury M.B.	5,122	36	35	1	—	72	14.1	1.05	0.92	37	39	76	14.8	0.83	1.09	3	42	2	3
Ilminster	2,613	19	19	—	1	39	14.9	1.01	0.97	19	9	28	10.7	0.92	0.87	—	26	—	—
Keynsham	8,276	60	53	1	2	116	14.0	1.04	0.92	45	49	94	11.4	0.84	0.85	3	26	2	3
Minehead	7,237	26	41	2	3	72	9.9	1.09	0.65	48	60	108	14.9	0.65	0.86	3	42	3	2
Norton Radstock	12,020	106	89	1	1	197	16.4	1.08	1.07	67	61	128	10.6	0.97	0.91	6	31	4	5
Portishead	4,591	40	43	—	1	84	18.3	1.09	1.20	26	32	58	12.6	0.79	0.88	3	36	2	4
Shepton Mallet	5,259	34	47	—	1	82	15.6	0.98	1.02	26	31	57	10.8	0.98	0.94	2	24	2	1
Street ... M.B.	5,746	39	29	—	1	69	12.0	0.97	0.78	27	36	63	11.0	0.91	0.89	2	29	2	—
Taunton M.B.	34,600	229	234	10	10	483	14.0	1.04	0.92	204	184	388	11.2	0.95	0.94	13	27	11	9
Watchet	2,530	20	15	2	—	37	14.6	1.11	0.95	18	17	35	13.8	0.84	1.03	1	27	1	1
Wellington	7,373	44	51	8	4	107	14.5	1.16	0.95	49	43	92	12.5	0.79	0.87	3	28	2	—
Wells M.B.	5,939	42	40	2	—	85	14.3	1.11	0.93	33	44	77	13.0	0.81	0.93	4	47	4	—
Weston super Mare M.B.	39,540	211	224	11	8	454	11.5	1.04	0.75	253	361	614	15.5	0.72	0.99	14	31	8	14
Yeovil M.B.	23,670	158	185	5	12	360	15.2	1.01	0.99	117	155	272	11.5	0.92	0.94	11	31	7	10
*Rural Districts	250,710	1,816	1,709	77	59	3,661	14.6	1.08	0.95	1,472	1,403	2,875	11.5	0.85	0.87	84	23	63	88
Axbridge	26,470	159	163	6	3	331	12.5	1.10	0.82	150	163	313	11.8	0.82	0.86	9	27	7	8
Bathavon	19,070	133	126	7	5	271	14.2	0.97	0.93	99	119	218	11.4	0.87	0.88	6	22	4	3
*Bridgwater	19,680	144	156	4	7	311	15.8	1.12	1.03	126	110	236	12.0	0.87	0.92	6	19	3	9
Chard ...	13,090	95	91	1	3	190	14.5	1.10	0.95	82	70	152	11.6	0.84	0.86	3	16	3	3
Clutton	17,080	125	110	4	3	242	14.2	1.09	0.93	100	75	175	10.2	0.87	0.79	3	12	3	6
Dulverton	4,412	34	41	1	—	76	17.2	1.10	1.12	31	26	57	12.9	0.82	0.94	2	26	2	2
Frome...	10,360	103	72	3	2	180	17.4	1.11	1.14	64	55	119	11.5	0.83	0.84	6	33	4	—
Langport	12,710	95	89	7	1	192	15.1	1.07	0.99	79	83	162	12.7	0.80	0.90	3	16	2	5
Long Ashton	22,940	190	141	3	5	339	14.8	1.01	0.97	129	119	248	10.8	0.89	0.85	8	24	7	9
Shepton Mallet	10,870	98	58	4	1	161	14.8	1.19	0.97	56	57	113	10.4	0.92	0.85	6	37	4	3
Taunton	21,470	137	168	7	7	319	14.9	1.08	0.97	120	82	202	9.4	0.84	0.70	10	31	8	5
Wellington	7,768	67	56	2	1	126	16.2	1.06	1.06	44	58	102	13.1	0.82	0.95	3	24	2	3
Wells ...	10,160	75	88	8	5	176	17.3	1.20	1.13	63	39	102	10.0	0.82	0.73	4	23	4	4
Williton	12,760	67	74	5	2	148	11.6	1.11	0.76	88	92	180	14.1	0.78	0.97	—	—	—	8
Wincanton	17,820	138	119	6	8	271	15.2	1.11	0.99	121	121	242	13.6	0.81	0.97	6	22	4	10
Yeovil ...	24,050	156	157	9	6	328	13.6	1.07	0.89	120	134	254	10.6	0.96	0.90	9	27	6	10
SOUTHAMPTON	1,221,000	9,017	8,743	513	557	18,830	15.4	1.06	1.01	6,869	6,456	13,325	10.9	0.94	0.91	427	23	297	424
County Boroughs	557,000	3,891	3,838	261	280	8,270	14.8	1.03	0.97	3,434	3,363	6,797	12.2	0.92	0.99	211	26	144	216
Bournemouth...	138,900	723	710	55	55	1,543	11.1	1.05	0.73	975	1,196	2,171	15.6	0.69	0.95	38	25	25	22
Portsmouth ...	242,600	1,775	1,751	113	122	3,761	15.5	1.05	1.01	1,384	1,230	2,614	10.8	1.04	0.99	87	23	57	93
Southampton ...	175,500	1,393	1,377	93	103	2,966	16.9	0.99	1.10	1,075	937	2,012	11.5	1.02	1.04	86	29	62	101

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local rate to National Rate.				
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SOUTHAMPTON—contd.																			
Admin. County ...	664,000	5,126	4,905	252	277	10,560	15.9	1.09	1.04	3,435	3,093	6,528	9.8	0.96	0.83	216	20	153	208
*Urban Districts ...	370,230	2,831	2,694	122	145	5,792	15.6	1.07	1.02	1,950	1,788	3,738	10.1	0.99	0.88	121	21	83	116
Aldershot M.B.	38,750	279	229	14	19	541	14.0	1.29	0.92	156	124	280	7.2	1.56	0.99	12	22	6	15
Alton ...	8,553	64	61	3	7	135	15.8	1.00	1.03	47	42	89	10.4	0.89	0.82	2	15	2	—
Andover M.B.	15,430	105	125	1	7	238	15.4	1.04	1.01	82	66	148	9.6	0.99	0.84	4	17	4	6
Basingstoke M.B.	17,220	144	155	7	7	313	18.2	1.01	1.19	91	84	175	10.2	0.98	0.88	3	10	1	3
Christchurch M.B.	21,290	165	135	8	8	316	14.8	0.97	0.97	115	120	235	11.0	0.72	0.70	7	22	6	7
Eastleigh M.B.	30,520	241	238	5	11	495	16.2	1.04	1.06	161	155	316	10.4	0.97	0.89	11	22	7	8
Fareham ...	43,470	308	294	17	10	629	14.5	1.03	0.95	221	185	406	9.3	1.01	0.83	12	19	9	11
Farnborough ...	26,820	231	229	5	6	471	17.6	1.09	1.15	112	91	203	7.6	1.34	0.90	15	32	10	4
Fleet ...	8,940	54	54	—	—	108	12.1	1.02	0.79	64	65	129	14.4	0.76	0.97	3	28	2	3
Gosport M.B.	62,560	533	523	25	30	1,111	17.8	1.05	1.16	276	237	513	8.2	1.24	0.90	22	20	11	31
*Havant and Waterloo	35,040	316	263	9	14	602	17.2	0.99	1.12	232	201	434	12.4	0.79	0.87	10	17	9	12
Lymington M.B.	22,510	115	134	14	6	269	12.0	1.07	0.78	158	169	327	14.5	0.70	0.90	11	41	8	7
Petersfield ...	6,948	45	42	4	2	93	13.4	1.12	0.88	44	43	87	12.5	0.83	0.92	—	—	—	1
Romsey M.B.	6,389	45	43	3	2	93	14.6	1.17	0.95	52	51	103	16.1	0.78	1.11	5	54	4	1
Winchester M.B.	25,790	186	169	7	16	378	14.7	1.11	0.96	138	155	293	11.4	0.92	0.93	4	11	4	7
*Rural Districts ...	293,770	2,295	2,211	130	132	4,768	16.2	1.11	1.06	1,485	1,305	2,790	9.5	0.92	0.77	95	20	70	92
Alton ...	25,330	192	228	14	18	452	17.8	1.18	1.16	123	100	223	8.8	1.00	0.78	6	13	4	10
Andover ...	19,690	141	146	6	8	301	15.3	1.31	1.00	68	62	130	6.6	1.25	0.73	2	7	2	10
Basingstoke ...	17,140	109	117	3	5	234	13.7	1.24	0.90	80	62	142	8.3	0.87	0.64	3	13	2	2
*Droxford ...	20,580	156	153	6	9	324	15.7	1.08	1.03	113	112	225	10.9	0.82	0.79	5	15	3	10
Hartley Wintney ...	25,270	194	168	12	13	387	15.3	1.29	1.00	108	104	212	8.4	1.01	0.75	8	21	6	7
Kingsclere and Whitchurch...	18,880	159	161	7	11	338	17.9	1.05	1.17	120	91	211	11.2	0.86	0.85	4	12	2	8
New Forest ...	45,090	379	350	17	20	766	17.0	1.07	1.11	242	181	423	9.4	0.99	0.82	23	30	21	14
*Petersfield ...	22,600	164	158	13	12	347	15.4	1.03	1.01	105	115	220	9.7	0.87	0.75	6	17	5	3
Ringwood and Fordingbridge	24,060	187	173	23	9	392	16.3	1.08	1.07	147	152	299	12.4	0.79	0.87	11	28	6	6
Romsey and Stockbridge ...	29,380	259	220	14	10	503	17.1	1.06	1.12	142	112	254	8.6	0.96	0.73	14	28	10	4
Winchester ...	45,750	355	337	15	17	724	15.8	1.05	1.03	237	214	451	9.9	0.87	0.76	13	18	9	18

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
STAFFORDSHIRE	1,620,000	12,854	12,181	440	425	25,900	16.0	0.98	1.05	9,024	7,814	16,838	10.4	1.14	1.05	817	32	511	680
County Boroughs	761,600	6,249	5,879	230	233	12,591	16.5	0.97	1.08	4,505	3,821	8,326	10.9	1.14	1.10	404	32	264	338
Burton upon Trent	48,800	407	388	20	18	833	17.1	1.03	1.12	296	251	547	11.2	0.97	0.96	24	29	14	18
Smethwick	76,260	571	509	33	19	1,132	14.8	0.98	0.97	455	382	837	11.0	1.05	1.02	41	36	28	18
Stoke on Trent	272,300	2,249	2,067	74	74	4,464	16.4	0.96	1.07	1,647	1,451	3,098	11.4	1.21	1.22	125	28	84	129
Walsall	114,300	1,008	964	31	42	2,045	17.9	1.00	1.17	668	606	1,274	11.1	1.12	1.10	75	37	53	61
West Bromwich	87,640	754	702	23	20	1,499	17.1	0.98	1.12	501	354	855	9.8	1.22	1.06	54	36	31	51
Wolverhampton	162,300	1,260	1,249	49	60	2,618	16.1	0.97	1.05	938	777	1,715	10.6	1.12	1.05	85	33	54	61
Admin. County	858,400	6,605	6,302	210	192	13,309	15.5	0.99	1.01	4,519	3,993	8,512	9.9	1.14	1.00	413	31	247	342
Urban Districts	640,900	4,989	4,710	152	139	9,990	15.6	0.97	1.02	3,458	3,076	6,534	10.2	1.17	1.06	329	33	195	250
Aldridge	29,360	198	183	6	3	390	13.3	0.88	0.87	110	113	223	7.6	1.29	0.87	13	33	6	9
Amblecote	3,045	19	20	—	1	40	13.1	0.96	0.86	26	18	44	14.4	0.87	1.11	1	25	1	1
Biddulph	10,970	73	61	1	1	136	12.4	1.00	0.81	57	50	107	9.8	1.20	1.04	3	22	1	5
Bilston M.B.	33,470	314	308	7	10	639	19.1	0.97	1.25	206	157	363	10.8	1.30	1.24	18	28	9	16
Brierley Hill	48,730	378	364	12	11	765	15.7	0.97	1.03	272	236	508	10.4	1.14	1.05	24	31	14	11
Brownhills	21,290	188	133	3	6	330	15.5	1.00	1.01	122	93	215	11.7	1.19	1.06	10	30	7	7
Cannock	41,030	320	336	17	4	677	16.5	1.03	1.08	254	225	479	11.7	1.15	1.19	29	43	14	27
Coseley	35,170	272	298	7	6	583	16.6	0.95	1.08	186	154	340	9.7	1.31	1.12	18	31	13	17
Darlaston	21,880	157	145	3	5	310	14.2	0.96	0.93	97	97	194	8.9	1.26	0.99	11	36	5	8
Kidsgrove	16,450	131	131	—	2	264	16.0	0.98	1.05	93	81	174	10.6	1.15	1.08	10	38	5	5
Leek	18,880	128	110	3	3	244	12.9	1.03	0.84	113	110	223	11.8	0.97	1.01	5	21	4	9
Lichfield M.B.	10,870	87	80	3	3	173	15.9	1.03	1.04	59	51	110	10.1	0.92	0.82	2	12	2	4
Newcastle under Lyme M.B.	69,810	557	494	24	20	1,095	15.7	0.96	1.03	376	376	752	10.8	1.17	1.12	46	42	29	25
Rowley Regis M.B.	48,910	335	332	6	4	677	13.8	0.94	0.90	235	227	462	9.4	1.22	1.01	18	27	12	14
Rugeley	8,422	61	58	—	—	119	14.1	1.03	0.92	47	37	84	10.0	1.07	0.95	5	42	3	5
Sedgley	23,320	167	165	2	4	338	14.5	0.99	0.95	129	131	260	11.1	1.07	1.05	9	27	4	5
Stafford M.B.	40,750	324	319	18	9	670	16.4	1.01	1.07	197	186	383	9.4	1.06	0.88	16	24	12	10
Stone	8,318	59	44	4	8	115	13.8	0.96	0.90	36	25	61	7.3	0.98	0.63	2	17	1	5
Tamworth M.B.	12,910	97	93	2	2	194	15.0	1.02	0.98	89	80	169	13.1	0.97	1.12	14	72	7	5
Tettenhall	7,905	68	51	3	6	128	16.2	1.01	1.06	48	38	86	10.9	0.86	0.83	6	47	5	3
Tipton M.B.	39,360	366	308	4	10	688	17.5	0.98	1.14	212	165	377	9.6	1.30	1.10	19	28	10	19
Uttoxeter	7,400	61	45	4	1	111	15.0	1.01	0.98	54	38	92	12.4	1.02	1.12	6	54	5	7
Wednesbury M.B.	34,650	241	256	10	8	515	14.9	0.96	0.97	201	178	379	10.9	1.23	1.19	21	41	12	13
Wednesfield	17,400	140	128	7	5	280	16.1	0.92	1.05	75	58	133	7.6	1.33	0.89	6	21	6	10
Willenhall	30,600	248	248	6	7	509	16.6	0.97	1.08	164	152	316	10.3	1.26	1.15	17	33	8	10
Rural Districts	217,500	1,616	1,592	58	53	3,319	15.3	1.05	1.00	1,061	917	1,978	9.1	1.06	0.85	84	25	52	92
Cannock	24,400	224	218	12	11	465	19.1	1.04	1.25	114	88	202	8.3	1.12	0.82	13	28	9	13
Cheadle	32,810	231	230	8	7	476	14.5	1.06	0.90	168	154	322	9.8	1.04	0.90	9	19	4	14
Leek	16,820	134	130	2	4	270	16.1	1.00	1.05	90	74	164	9.8	1.02	0.88	7	26	5	9
Lichfield	41,970	305	287	8	10	610	14.5	1.19	0.95	176	134	310	7.4	1.15	0.75	19	31	11	11
Newcastle under Lyme	17,180	118	116	3	4	241	14.0	1.04	0.92	118	84	202	11.8	0.96	1.00	8	33	5	8
Seisdon	22,430	165	154	4	5	328	14.6	1.00	0.95	103	97	200	8.9	1.07	0.84	4	12	3	15
Stafford	19,430	129	141	9	6	285	14.7	1.00	0.96	92	78	170	8.7	1.12	0.86	6	21	4	4
Stone	16,470	111	125	5	1	242	14.7	0.83	0.96	68	82	150	9.1	1.06	0.85	5	21	1	10
Tutbury	14,820	104	114	2	1	221	14.9	1.00	0.97	90	72	162	10.9	0.95	0.92	6	27	6	5
Uttoxeter	11,170	95	77	5	4	181	16.2	1.23	1.06	42	54	96	8.6	1.05	0.80	7	39	4	3

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		M.		F.	M.		F.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		(3)	(4)	(5)	(6)	(7)	(8)														(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
(1)		(2)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Newmarket ... Sudbury M.B.	10,380 6,228	75 41	61 35	5 3	—	143 79	13·8 12·7	1·05 1·10	0·90 0·83	77 46	53 55	130 101	12·5 16·2	0·86 0·70	0·95 1·00	8 3	56 38	8 2	3 4
Rural Districts ...	84,820	591	578	21	22	1,212	14·3	1·28	0·93	449	422	871	10·3	0·93	0·85	33	27	24	26
Clare ...	9,527	70	49	2	5	126	13·2	1·21	0·86	62	68	130	13·6	0·79	0·95	1	8	1	2
*Cosford ...	9,443	65	68	1	2	136	14·4	1·19	0·94	62	62	124	13·1	0·73	0·85	3	22	3	3
*Melford ...	12,920	87	92	6	3	188	14·6	1·03	0·95	97	73	170	13·2	0·78	0·91	6	32	3	2
Mildenhall ...	24,980	157	167	7	5	336	13·5	1·70	0·88	75	79	154	6·2	1·38	0·76	9	27	8	9
Thedwastre ...	8,880	78	78	3	3	162	18·2	1·15	1·19	57	44	101	11·4	0·77	0·78	6	37	5	2
Thingoe ...	19,070	134	124	2	4	264	13·8	1·27	0·90	96	96	192	10·1	0·97	0·87	8	30	5	8
<b>SURREY ...</b>	<b>1,616,000</b>	<b>10,409</b>	<b>9,893</b>	<b>470</b>	<b>397</b>	<b>21,169</b>	<b>13·1</b>	<b>0·98</b>	<b>0·86</b>	<b>8,619</b>	<b>8,806</b>	<b>17,425</b>	<b>10·8</b>	<b>0·95</b>	<b>0·91</b>	<b>437</b>	<b>21</b>	<b>305</b>	<b>421</b>
County Borough :																			
Croydon ...	250,500	1,714	1,582	105	80	3,481	13·9	0·96	0·91	1,466	1,520	2,986	11·9	0·93	0·98	68	20	48	82
Admin. County ...	<b>1,365,500</b>	<b>8,695</b>	<b>8,311</b>	<b>365</b>	<b>317</b>	<b>17,688</b>	<b>13·0</b>	<b>0·98</b>	<b>0·85</b>	<b>7,153</b>	<b>7,286</b>	<b>14,439</b>	<b>10·6</b>	<b>0·95</b>	<b>0·89</b>	<b>369</b>	<b>21</b>	<b>257</b>	<b>339</b>
Urban Districts ...	1,211,300	7,608	7,308	326	278	15,520	12·8	0·98	0·84	6,352	6,476	12,828	10·6	0·96	0·90	326	21	226	293
Banstead ...	33,690	178	160	7	7	352	10·4	1·08	0·68	153	139	292	8·7	0·93	0·72	5	14	2	4
Barnes M.B. ...	40,400	213	191	6	7	417	10·3	0·94	0·67	250	258	508	12·6	0·86	0·96	13	31	10	14
Beddington and Wallington M.B. ...	32,510	173	174	8	4	359	11·0	0·97	0·72	172	217	389	12·0	0·92	0·98	6	17	3	4
Carshalton ...	61,630	392	370	16	14	792	12·9	0·94	0·84	296	254	550	8·9	1·25	0·98	22	28	13	18
Caterham and Warlingham ...	32,380	218	216	6	11	451	13·9	1·05	0·91	150	151	301	9·3	1·05	0·86	8	18	6	9
Chertsey ...	31,990	252	234	12	13	511	16·0	1·00	1·05	142	105	247	7·7	1·13	0·77	12	24	8	11
Coulson and Purley ...	64,180	374	364	9	5	752	11·7	1·06	0·76	319	337	656	10·2	0·92	0·83	18	24	13	9
Dorking ...	20,050	142	131	3	9	285	14·2	1·00	0·93	118	130	248	12·4	0·84	0·92	6	21	3	5
Egham ...	25,410	167	166	14	6	353	13·9	1·07	0·91	120	123	243	9·6	0·99	0·84	7	20	5	7
Epsom and Ewell M.B. ...	67,660	351	311	10	14	686	10·1	1·05	0·66	293	317	610	9·0	0·96	0·76	14	20	9	8
Esher ...	51,060	343	306	15	10	674	13·2	0·96	0·86	284	282	566	11·1	0·94	0·92	12	18	8	10
Farnham ...	24,030	150	151	10	7	318	13·2	1·00	0·86	157	159	316	13·2	0·78	0·91	7	22	5	5
Frimley and Camberley ...	24,220	166	164	6	3	339	14·0	1·13	0·92	95	84	179	7·4	1·19	0·78	7	21	5	2
Godalming M.B. ...	15,020	83	81	3	6	173	11·5	1·05	0·75	87	81	168	11·2	0·89	0·88	3	17	2	2
Guildford M.B. ...	47,990	333	305	21	16	675	14·1	0·91	0·92	297	255	552	11·5	0·93	0·95	19	28	17	13
Haslemere ...	11,810	80	88	1	1	170	14·4	0·99	0·94	55	90	145	12·3	0·86	0·94	2	12	1	2
Kingston upon Thames M.B. ...	39,990	282	252	23	21	578	14·5	0·95	0·95	254	245	499	12·5	0·90	1·00	14	24	9	17
Leatherhead ...	28,230	172	191	9	8	380	13·5	1·00	0·88	137	146	283	10·0	0·91	0·81	11	29	9	9
Malden and Coombe M.B. ...	45,390	284	238	12	5	539	11·9	0·96	0·78	232	214	446	9·8	1·03	0·89	9	17	3	7
Merton and Morden ...	73,670	435	406	17	12	870	11·8	0·93	0·77	363	327	690	9·4	1·14	0·95	15	17	10	18
Mitcham M.B. ...	66,950	420	458	14	13	905	13·5	0·93	0·88	338	290	628	9·4	1·16	0·96	18	20	12	19
Reigate M.B. ...	42,460	302	305	5	7	619	14·6	1·04	0·95	248	284	532	12·5	0·80	0·88	13	21	8	9
Richmond M.B. ...	42,130	286	283	14	10	593	14·1	0·97	0·92	259	329	588	14·0	0·81	1·00	11	19	10	19
Surbiton M.B. ...	61,590	404	392	21	12	829	13·5	0·92	0·88	303	302	605	9·8	1·01	0·88	15	18	13	14
Sutton and Cheam M.B. ...	79,300	437	414	18	13	882	11·1	0·94	0·73	440	446	886	11·2	0·97	0·96	16	18	12	16
Walton and Weybridge ...	38,710	261	287	9	9	566	14·6	0·93	0·95	186	202	388	10·0	0·95	0·84	14	25	11	13
Wimbledon M.B. ...	58,550	369	337	19	17	742	12·7	0·93	0·83	346	413	759	13·0	0·82	0·94	10	14	6	17
Woking ...	50,300	341	333	18	18	710	14·1	1·02	0·92	258	296	554	11·0	0·95	0·92	19	27	13	12

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.
		M.	F.	TOTAL.	M.	F.	TOTAL.												
												(3)	(4)	(5)					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SURREY— contd.																			
Rural Districts	154,200	1,087	1,003	39	39	2,168	14.1	1.01	0.92	801	810	1,611	10.4	0.89	0.82	43	20	31	46
Bagshot	14,460	87	99	2	2	190	13.1	1.10	0.86	90	77	167	11.5	0.95	0.97	5	26	4	6
Dorking and Horley	26,420	214	211	5	6	436	16.5	0.98	1.08	136	157	293	11.1	0.91	0.89	4	9	3	7
Godstone	33,290	227	208	10	7	452	13.6	1.03	0.89	140	182	322	9.7	0.86	0.74	11	24	6	8
Guildford	47,480	347	309	12	15	683	14.4	0.97	0.94	249	222	471	9.9	0.90	0.79	15	22	12	18
Hambledon	32,550	212	176	10	9	407	12.5	1.03	0.82	186	172	358	11.0	0.88	0.86	8	20	6	7
SUSSEX, EAST	617,600	3,598	3,493	237	234	7,562	12.2	1.08	0.80	4,081	4,791	8,872	14.4	0.74	0.94	175	23	126	175
*County Boroughs	278,150	1,646	1,616	136	123	3,521	12.7	1.05	0.83	1,854	2,237	4,091	14.7	0.75	0.98	95	27	71	72
*Brighton	156,150	1,011	932	88	78	2,109	13.5	1.02	0.88	1,038	1,165	2,203	14.1	0.80	1.00	60	29	48	34
Eastbourne	57,200	289	298	23	23	633	11.1	1.08	0.73	376	498	874	15.3	0.73	0.99	10	16	5	18
Hastings	64,800	346	386	25	22	779	12.0	1.10	0.78	440	574	1,014	14.6	0.67	0.92	25	32	18	20
*Admin. County	339,450	1,952	1,877	101	111	4,041	11.9	1.11	0.78	2,227	2,554	4,781	14.1	0.73	0.91	80	20	55	103
Urban Districts	181,300	994	934	53	56	2,037	11.2	1.11	0.73	1,231	1,510	2,741	15.1	0.71	0.95	38	19	27	52
Bexhill M.B.	25,590	119	116	6	7	248	9.7	1.22	0.63	188	225	413	16.1	0.65	0.93	10	40	4	7
Burgess Hill	8,748	48	52	1	2	103	11.8	1.04	0.77	63	61	124	14.2	0.75	0.94	1	10	1	2
Cuckfield	16,940	94	100	3	9	206	12.2	1.12	0.80	88	106	194	11.5	0.77	0.78	1	5	1	3
East Grinstead	11,310	64	61	2	3	130	11.5	1.04	0.75	65	67	132	11.7	0.81	0.84	3	23	3	7
Hove M.B.	69,490	329	318	35	24	706	10.2	1.11	0.67	543	722	1,265	18.2	0.63	1.01	10	14	8	17
Lewes M.B.	13,030	96	80	2	2	180	13.8	1.07	0.90	74	82	156	12.0	0.85	0.90	5	28	4	5
Newhaven	7,815	68	63	—	3	133	17.0	1.03	1.11	34	48	82	10.5	0.89	0.83	—	—	—	2
Portslade by Sea	13,520	84	68	3	5	160	11.8	0.97	0.77	85	84	169	12.5	0.97	1.07	5	31	3	3
Rye M.B.	4,517	37	37	—	—	74	16.4	1.08	1.07	29	33	62	13.7	0.77	0.93	2	27	2	2
Seaford	10,340	55	39	1	2	97	9.4	1.28	0.61	62	82	144	13.9	0.80	0.98	1	10	1	4
*Rural Districts	158,150	958	943	48	55	2,004	12.7	1.12	0.83	996	1,044	2,040	12.9	0.75	0.86	42	21	28	51
Battle	29,770	177	177	8	10	372	12.5	1.15	0.82	184	210	394	13.2	0.72	0.84	9	24	6	9
*Chailey	19,540	104	122	5	5	236	12.1	1.12	0.79	115	129	244	12.5	0.74	0.82	3	13	1	6
Cuckfield	29,350	192	197	4	12	405	13.8	1.14	0.90	171	176	347	11.8	0.79	0.82	9	22	7	10
Hailsham	36,230	208	196	16	17	437	12.1	1.09	0.79	230	223	453	12.5	0.73	0.81	4	9	3	13
Uckfield	43,260	277	251	15	11	554	12.8	1.12	0.84	296	306	602	13.9	0.77	0.95	17	31	11	13

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SUSSEX, WEST : Admin. County ...	319,600	2,065	1,918	99	93	4,175	13.1	1.11	0.86	2,029	2,275	4,304	13.5	0.74	0.88	74	18	52	84
Urban Districts ...	168,500	998	964	46	46	2,054	12.2	1.11	0.80	1,133	1,380	2,513	14.9	0.68	0.90	35	17	24	41
Arundel M.B.	2,580	11	22	—	—	33	12.8	1.13	0.84	15	18	33	12.8	0.72	0.82	—	—	—	—
Bognor Regis ...	24,860	151	132	6	10	299	12.0	1.07	0.78	193	189	382	15.4	0.73	0.99	5	17	5	3
Chichester M.B.	19,020	131	124	5	4	264	13.9	1.12	0.91	90	97	187	9.9	0.86	0.75	5	19	3	6
Horsham ...	16,810	106	101	3	3	213	12.7	1.06	0.83	104	126	230	13.7	0.81	0.98	4	19	1	5
Littlehampton	14,130	133	123	9	6	271	19.2	1.07	1.25	80	84	164	11.6	0.87	0.89	8	30	7	5
Shoreham-by-Sea	12,890	91	92	4	4	191	14.8	1.00	0.97	79	69	148	11.5	0.91	0.93	2	10	2	4
Southwick	10,680	68	68	3	5	144	13.5	1.06	0.88	64	70	134	12.5	0.81	0.90	—	—	—	4
Worthing M.B.	67,530	307	302	16	14	639	9.5	1.18	0.62	508	727	1,235	18.3	0.55	0.89	11	17	6	14
Rural Districts ...	151,100	1,067	954	53	47	2,121	14.0	1.10	0.92	896	895	1,791	11.9	0.82	0.86	39	18	28	43
Chancetonbury	20,920	154	131	9	8	302	14.4	1.09	0.94	118	132	250	12.0	0.79	0.84	4	13	3	7
Chichester	43,700	330	294	15	17	656	15.0	1.08	0.98	233	215	448	10.3	0.93	0.84	14	21	10	13
Horsham	30,350	248	219	9	6	482	15.9	1.05	1.04	152	176	328	10.8	0.91	0.87	8	17	6	7
Midhurst	16,750	97	102	7	5	211	12.6	1.10	0.82	105	101	206	12.3	0.78	0.85	4	19	3	4
Petworth	9,410	66	56	2	3	127	13.5	1.10	0.88	60	41	101	10.7	0.77	0.73	1	8	—	3
Worthing	29,970	172	152	11	8	343	11.4	1.19	0.75	228	230	458	15.3	0.68	0.92	8	23	6	9
WARWICKSHIRE	1,873,000	14,605	14,058	831	775	30,269	16.2	0.97	1.06	9,918	8,798	18,716	10.0	1.11	0.98	841	28	566	603
County Boroughs	1,380,000	10,834	10,514	643	600	22,591	16.4	0.96	1.07	7,352	6,449	13,801	10.0	1.14	1.01	627	28	412	456
Birmingham ...	1,119,000	8,860	8,569	509	493	18,431	16.5	0.96	1.08	6,073	5,381	11,454	10.2	1.12	1.01	495	27	327	376
Coventry ...	261,000	1,974	1,945	134	107	4,160	15.9	0.94	1.04	1,279	1,068	2,347	9.0	1.26	1.00	132	32	85	80
Admin. County ...	493,000	3,771	3,544	188	175	7,678	15.6	1.00	1.02	2,566	2,349	4,915	10.0	1.04	0.92	214	28	154	147
Urban Districts ...	320,100	2,442	2,213	108	105	4,868	15.2	0.98	0.99	1,676	1,568	3,244	10.1	1.03	0.92	132	27	97	93
Bedworth	25,400	237	213	10	6	466	18.3	0.97	1.20	121	75	196	7.7	1.20	0.82	15	32	10	11
Kenilworth ...	10,710	85	86	1	5	177	16.5	0.97	1.08	73	71	144	13.4	1.00	1.19	3	17	1	4
Nuneaton M.B.	54,340	417	390	25	12	844	15.5	0.98	1.01	304	237	541	10.0	1.16	1.03	37	44	25	23
Royal Leamington Spa M.B.	36,730	326	254	15	16	611	16.6	0.96	1.08	216	245	461	12.6	0.90	1.00	13	21	10	10
Rugby M.B.	46,200	342	335	17	24	718	15.5	1.00	1.01	234	213	447	9.7	1.05	0.90	16	22	11	12
Solihull	68,420	465	411	16	8	900	13.2	0.93	0.86	287	313	600	8.8	1.12	0.87	26	29	20	14
Stratford upon Avon M.B.	14,610	109	107	6	13	235	16.1	1.00	1.05	94	91	185	12.7	0.85	0.96	2	9	2	2
Sutton Coldfield M.B.	48,180	329	292	11	11	643	13.3	0.99	0.87	250	254	504	10.5	0.94	0.87	14	22	12	9
Warwick M.B.	15,510	132	125	7	10	274	17.7	1.04	1.16	97	69	166	10.7	0.97	0.92	6	22	6	8
Rural Districts ...	172,900	1,329	1,331	80	70	2,810	16.3	1.04	1.07	890	781	1,671	9.7	1.04	0.89	82	29	57	54
Alcester	13,270	107	111	6	8	232	17.5	1.02	1.14	82	73	155	11.7	0.90	0.93	4	17	1	4
Atherstone	23,660	180	191	7	6	384	16.2	1.01	1.06	139	119	258	10.9	1.10	1.06	15	39	9	6
Meriden	37,790	266	279	22	18	585	15.5	1.05	1.01	164	151	315	8.3	1.17	0.86	19	33	13	17
Rugby ...	21,220	165	171	8	4	348	16.4	1.05	1.07	91	82	173	8.2	1.12	0.81	9	26	8	6
Shipston on Stour	7,770	63	64	2	4	133	17.1	1.08	1.12	63	41	104	13.4	0.75	0.89	3	23	1	2
Souham	12,550	85	103	8	7	203	16.2	1.13	1.06	54	67	121	9.6	0.94	0.80	3	15	3	6
Stratford on Avon	21,270	152	183	11	8	354	16.6	1.09	1.08	125	100	225	10.6	0.96	0.90	11	31	7	6
Tamworth	16,020	160	105	5	2	272	17.0	0.98	1.11	86	75	161	10.0	1.06	0.94	10	37	8	4
Warwick	19,350	151	124	11	13	299	15.5	0.97	1.01	86	73	159	8.2	1.07	0.78	8	27	7	3

\* Change of boundary. See Appendix on page 363.



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.				
		M.		F.															
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
WESTMORLAND :	66,600	449	434	25	37	945	14.2	1.06	0.93	402	403	805	12.1	0.89	0.95	24	25	19	23
Admin. County ...																			
Urban Districts ...	32,120	192	183	14	18	407	12.7	1.01	0.83	183	211	394	12.3	0.88	0.96	11	27	9	11
Appleby M.B. ...	1,698	6	8	1	1	16	9.4	1.11	0.61	14	10	24	14.1	0.90	1.12	—	—	—	—
Kendal M.B. ...	18,430	127	119	11	12	269	14.6	1.00	0.95	105	110	215	11.7	0.95	0.98	8	30	7	7
The Lakes ...	5,490	21	29	1	1	52	9.5	1.02	0.62	36	47	83	15.1	0.79	1.06	1	19	1	1
Windermere ...	6,502	38	27	1	4	70	10.8	0.98	0.71	28	44	72	11.1	0.79	0.78	2	29	1	3
Rural Districts ...	34,480	257	251	11	19	538	15.6	1.11	1.02	219	192	411	11.9	0.89	0.94	13	24	10	12
North Westmorland ...	16,550	129	129	6	9	273	16.5	1.10	1.08	102	95	197	11.9	0.92	0.97	6	22	4	8
South Westmorland ...	17,930	128	122	5	10	265	14.8	1.12	0.97	117	97	214	11.9	0.86	0.91	7	26	6	4
WIGHT, ISLE OF :	92,900	576	566	50	35	1,227	13.2	1.08	0.86	662	671	1,333	14.3	0.75	0.95	27	22	17	18
Admin. County ...																			
Urban Districts ...	75,360	473	452	44	27	996	13.2	1.07	0.86	551	544	1,095	14.5	0.77	0.99	25	25	16	14
Cowes ...	16,870	111	127	10	6	254	15.1	1.06	0.99	121	114	235	13.9	0.82	1.01	6	24	4	3
Newport M.B. ...	19,900	126	113	8	12	259	13.0	1.09	0.85	138	90	228	11.5	0.87	0.89	5	19	5	4
Ryde M.B. ...	19,730	135	112	13	5	265	13.4	1.05	0.88	150	153	303	15.4	0.71	0.97	10	38	4	—
Sandown-Shanklin	12,070	69	64	5	2	140	11.6	1.04	0.76	89	115	204	16.9	0.70	1.05	4	29	3	6
Ventnor ...	6,790	32	36	8	2	78	11.5	1.11	0.75	53	72	125	18.4	0.70	1.14	—	—	—	1
Rural District :	17,540	103	114	6	8	231	13.2	1.15	0.86	111	127	238	13.6	0.70	0.84	2	9	1	4
Isle of Wight ...																			
WILTSHIRE :	388,500	2,852	2,768	158	147	5,925	15.3	1.10	1.00	2,053	1,901	3,954	10.2	0.98	0.88	129	22	99	107
Admin. County ...																			
*Urban Districts ...	180,860	1,286	1,267	72	80	2,705	15.0	1.04	0.98	1,048	989	2,037	11.3	0.92	0.92	63	23	46	44
Bradford on Avon	5,525	38	35	—	2	75	13.6	1.01	0.89	40	37	77	13.9	0.83	1.02	4	53	3	2
Calne M.B. ...	5,770	45	43	—	2	90	15.6	0.94	1.02	37	30	67	11.6	0.86	0.88	4	45	2	1
*Chippenham M.B.	14,020	90	86	3	1	180	12.8	1.07	0.84	82	65	147	10.5	0.88	0.82	2	11	1	3
Devizes M.B. ...	7,830	54	57	7	3	121	15.5	1.01	1.01	46	54	100	12.8	0.87	0.99	7	58	5	—
Malmesbury M.B.	2,473	15	17	—	2	34	13.7	1.11	0.90	7	23	30	12.1	0.78	0.84	1	29	1	—

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Marlborough M.B. ...	5,281	33	22	3	2	60	11.4	1.22	0.75	23	25	48	9.1	1.07	0.86	1	17	1	—
Melksham ...	6,842	57	63	5	3	128	18.7	0.97	1.22	40	32	72	10.5	0.98	0.91	4	37	3	3
Salisbury M.B. ...	33,800	230	244	14	16	504	14.9	1.03	0.97	167	195	362	10.7	0.92	0.87	9	18	6	7
*Swindon M.B. ...	68,750	501	486	27	34	1,048	15.2	1.03	0.99	415	340	755	11.0	0.94	0.92	17	16	12	23
Trowbridge ...	13,850	100	88	4	8	200	14.4	1.01	0.94	96	102	198	14.3	0.85	1.08	4	20	4	3
Warminster ...	8,290	58	64	5	3	130	15.7	1.14	1.03	44	41	85	10.3	0.94	0.86	3	23	2	1
Westbury ...	5,375	50	44	4	3	101	18.8	1.02	1.23	32	33	65	12.1	0.91	0.97	6	60	5	1
Wilton M.B. ...	3,054	15	18	—	1	34	11.1	1.18	0.73	19	12	31	10.2	0.97	0.88	1	29	1	—
*Rural Districts ...	207,640	1,566	1,501	86	67	3,220	15.5	1.17	1.01	1,005	912	1,917	9.2	1.04	0.85	66	21	53	63
Amesbury ...	24,430	193	156	12	8	369	15.1	1.16	0.99	91	56	147	6.0	1.49	0.79	8	22	5	7
Bradford and Melksham ...	14,200	86	78	—	4	168	11.8	1.37	0.77	56	59	115	8.1	1.10	0.79	2	12	2	4
*Caine and Chippenham ...	36,490	265	248	11	6	530	14.5	1.20	0.95	149	132	281	7.7	1.27	0.87	12	23	11	7
Cricklade and Wootton ...	15,460	150	118	8	5	281	18.2	1.17	1.19	68	57	125	8.1	1.06	0.76	6	21	6	9
Bassett ...	15,420	80	120	5	4	209	13.6	1.49	0.89	72	68	140	9.1	0.92	0.74	6	29	3	2
Devizes ...	21,460	157	179	8	11	355	16.5	1.06	1.08	117	97	214	10.0	1.05	0.93	7	20	7	11
*Highworth ...	11,260	100	92	3	3	198	17.6	1.18	1.15	64	56	120	10.7	0.96	0.91	6	30	4	2
Malmesbury ...	9,940	86	89	2	5	182	18.3	1.08	1.20	56	58	114	11.5	0.87	0.89	2	11	3	3
Marlborough and Ramsbury ...	11,300	81	65	6	4	156	13.8	1.11	0.90	69	77	146	12.9	0.81	0.92	5	32	3	2
Mere and Tisbury ...	16,470	144	133	14	5	296	18.0	1.19	1.18	88	65	153	9.3	1.12	0.92	6	20	6	2
Pewsey ...	17,300	130	131	9	5	275	15.9	1.05	1.04	87	106	193	11.2	0.83	0.82	2	7	2	5
Salisbury and Wilton ...	13,910	94	92	8	7	201	14.5	1.11	0.95	88	81	169	12.1	0.83	0.89	4	20	2	9
Warminster and Westbury ...	528,900	4,130	3,884	167	164	8,345	15.8	1.01	1.03	2,961	2,592	5,553	10.5	1.02	0.95	215	26	135	205
WORCESTERSHIRE ...	123,650	995	928	36	49	2,008	16.2	0.98	1.06	704	618	1,322	10.7	1.07	1.01	61	30	34	60
*County Boroughs ...	61,670	526	453	11	20	1,010	16.4	0.98	1.07	350	299	649	10.5	1.18	1.10	33	33	17	27
Dudley ...	61,980	469	475	25	29	998	16.1	0.97	1.05	354	319	673	10.9	0.97	0.94	28	28	17	33
*Worcester ...	405,250	3,135	2,956	131	115	6,337	15.6	1.02	1.02	2,257	1,974	4,231	10.4	1.00	0.92	154	24	101	145
*Admin. County ...	285,800	2,194	2,052	94	81	4,421	15.5	0.99	1.01	1,575	1,398	2,973	10.4	1.04	0.96	113	26	74	96
Urban Districts ...	4,833	32	34	3	1	70	14.5	1.04	0.95	32	27	59	12.2	0.88	0.95	2	29	1	2
Bewdley M.B. ...	28,460	201	176	7	11	395	13.9	1.00	0.91	128	131	259	9.1	1.03	0.83	11	28	8	7
Bromsgrove ...	6,627	65	61	3	—	129	19.5	1.02	1.27	41	40	81	12.2	0.88	0.95	1	8	—	4
*Droitwich M.B. ...	11,940	104	100	5	5	214	17.9	1.00	1.17	70	63	133	11.1	0.89	0.87	4	19	3	3
Evesham M.B. ...	39,730	273	251	3	4	531	13.4	0.94	0.88	234	158	392	9.9	1.15	1.01	12	23	7	13
Halesowen M.B. ...	37,700	349	279	28	10	666	17.7	0.99	1.16	219	194	413	11.0	0.95	0.92	28	42	21	13
Kidderminster M.B. ...	24,250	166	165	7	9	347	14.3	1.15	0.93	121	168	289	11.9	0.81	0.85	5	14	4	11
Malvern ...	53,790	362	365	16	12	755	14.0	0.96	0.92	267	228	495	9.2	1.30	1.06	18	24	11	14
Oldbury M.B. ...	30,360	274	258	12	16	560	18.4	0.99	1.20	163	147	310	10.2	1.04	0.94	14	25	6	8
Redditch ...	37,710	272	265	7	6	550	14.6	1.02	0.95	243	187	430	11.4	1.00	1.01	13	24	9	19
Stourbridge M.B. ...	10,400	96	98	3	7	204	19.6	0.96	1.28	57	55	112	10.8	1.03	0.98	5	25	4	2
Stourport on Severn ...	119,450	941	904	37	34	1,916	16.0	1.10	1.05	682	576	1,258	10.5	0.93	0.86	41	21	27	49
*Rural Districts ...	28,240	227	202	9	13	451	16.0	1.01	1.05	146	143	289	10.2	1.01	0.91	4	9	3	15
Bromsgrove ...	13,700	83	92	3	4	182	13.3	1.03	0.87	74	68	142	10.4	0.91	0.84	6	33	5	5
*Droitwich ...	16,380	128	143	2	4	277	16.9	1.11	1.10	111	85	196	12.0	0.87	0.92	6	22	6	5
Evesham ...	11,980	107	90	4	3	204	17.0	1.05	1.11	53	40	93	7.8	1.01	0.92	5	25	2	3
Kidderminster ...	11,470	105	90	7	4	206	18.0	1.12	1.18	75	38	113	9.9	0.91	0.80	8	39	4	5
Martley ...	16,400	154	145	9	3	311	19.0	1.10	1.24	107	89	196	12.0	0.99	1.05	9	29	4	10
*Pershore ...	5,330	37	37	—	1	75	14.1	1.18	0.92	23	28	51	9.6	0.85	0.72	1	13	1	2
Tenbury ...	15,950	100	105	3	2	210	13.2	1.42	0.86	93	85	178	11.2	0.82	0.81	2	10	2	4
Upton on Severn ...																			

\* Change of boundary. See Appendix on page 363.





(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	378,000	2,922	2,758	134	128	5,942	15.7	1.09	1.03	2,157	2,078	4,235	11.2	0.98	0.97	160	27	109	156
Urban Districts ...	201,900	1,609	1,562	77	80	3,328	16.5	1.03	1.08	1,261	1,228	2,489	12.3	0.96	1.04	81	24	52	90
Eston ...	33,350	329	363	18	16	726	21.8	1.05	1.42	214	142	356	10.7	1.26	1.19	18	25	13	20
Guisborough ...	8,628	63	67	1	2	133	15.4	1.04	1.01	51	40	91	10.5	0.98	0.91	1	8	—	5
Loftus ...	7,543	73	65	4	2	144	19.1	1.03	1.25	43	35	78	10.3	1.01	0.92	5	35	4	2
Malton ...	4,113	22	32	—	2	56	13.6	1.09	0.89	25	25	50	12.2	0.88	0.95	3	54	—	1
Northallerton...	5,809	55	37	1	4	97	16.7	1.04	1.09	39	37	76	13.1	0.99	1.15	3	31	3	6
Pickering ...	4,270	22	39	4	2	67	15.7	1.12	1.03	16	26	42	9.8	0.74	0.64	1	15	—	—
Redcar M.B. ...	27,350	221	221	8	11	461	16.9	1.03	1.10	170	163	333	12.2	1.03	1.11	10	22	7	10
Richmond M.B. ...	6,548	54	38	6	6	104	15.9	0.96	1.04	33	27	60	9.2	1.12	0.91	4	39	3	2
Saltburn and Marske by the Sea ...	8,498	83	71	1	1	156	18.4	1.06	1.20	49	52	101	11.9	0.87	0.92	2	13	2	3
Scalby ...	6,171	35	37	1	1	74	12.0	1.07	0.78	50	37	87	14.1	0.70	0.87	—	—	—	1
Scarborough M.B. ...	41,740	247	194	16	13	470	11.3	1.01	0.74	292	362	654	15.7	0.77	1.07	12	26	8	16
Skelton and Brotton...	12,860	93	91	3	7	194	15.1	1.06	0.99	80	72	152	11.8	1.06	1.11	8	41	4	6
Thornaby on Tees M.B. ...	23,630	216	218	10	8	452	19.1	1.02	1.25	115	113	228	9.6	1.26	1.07	12	27	6	10
Whitby ...	11,390	96	89	4	5	194	17.0	1.03	1.11	84	97	181	15.9	0.82	1.15	2	10	2	8
Rural Districts ...	176,100	1,313	1,196	57	48	2,614	14.8	1.16	0.97	896	850	1,746	9.9	1.01	0.88	79	30	57	66
Aysgarth ...	3,492	30	25	2	—	57	16.3	1.16	1.07	26	26	52	14.9	0.78	1.03	1	18	1	—
Bedale ...	8,068	48	59	3	—	110	13.6	1.12	0.89	44	41	85	10.5	0.95	0.88	1	9	1	3
Croft ...	2,592	32	16	—	1	49	18.9	0.95	1.24	5	13	18	6.9	1.18	0.72	—	—	—	—
Easingwold ...	12,200	90	71	7	2	170	13.9	1.12	0.91	68	63	131	10.7	0.92	0.87	6	35	3	6
Flaxton ...	19,640	137	133	8	8	286	14.6	1.00	0.95	85	90	175	8.9	1.06	0.83	8	28	6	7
Helmsley ...	5,462	32	29	1	3	65	11.9	1.15	0.78	30	29	59	10.8	1.11	1.06	—	—	—	—
Kirkby Moorside ...	4,873	35	32	1	2	70	14.4	1.08	0.94	27	35	62	12.7	0.85	0.96	3	43	3	—
Leyburn ...	6,430	56	47	2	2	107	16.6	1.14	1.08	41	27	68	10.6	0.94	0.88	3	28	3	1
Malton ...	5,610	45	36	2	3	86	15.3	1.23	1.00	41	39	80	14.3	0.90	1.14	5	58	4	4
Masham ...	1,657	11	8	—	—	19	11.5	1.09	0.75	7	6	13	7.8	0.91	0.63	—	—	—	—
Northallerton...	8,402	78	64	3	1	146	17.4	1.08	1.14	40	50	90	10.7	0.90	0.85	7	48	5	4
Pickering ...	5,087	33	26	4	3	66	13.0	1.15	0.85	38	32	70	13.8	0.76	0.93	1	15	1	2
Reeth ...	2,001	9	15	—	1	25	12.5	1.25	0.82	14	13	27	13.5	0.73	0.87	2	80	2	—
Richmond ...	30,190	211	212	4	1	428	14.2	1.52	0.93	72	47	119	3.9	2.09	0.72	13	30	8	14
Scarborough ...	9,157	85	72	3	5	165	18.0	1.08	1.18	59	46	105	11.5	0.80	0.81	6	36	4	6
Starforth ...	4,302	36	28	1	1	66	15.3	1.04	1.00	19	33	52	12.1	0.88	0.94	1	15	1	4
Stokesley ...	17,370	130	122	5	3	260	15.0	1.10	0.98	106	92	198	11.4	0.96	0.97	4	15	1	6
Thirsk ...	14,470	98	87	5	5	195	13.5	1.12	0.88	74	62	136	9.4	0.91	0.76	11	57	8	5
Wath ...	3,307	29	21	2	1	53	16.0	1.30	1.05	12	8	20	6.0	1.40	0.74	1	19	1	1
Whitby ...	11,790	88	93	4	6	191	16.2	1.20	1.06	88	98	186	15.8	0.76	1.06	6	31	5	3
YORKSHIRE : WEST RIDING	3,575,000	26,756	25,215	1,355	1,201	54,527	15.3	1.01	1.00	22,272	20,427	42,699	11.9	1.04	1.10	1,592	29	1,021	1,353
County Boroughs	1,985,000	14,585	13,773	865	733	29,956	15.1	0.99	0.99	12,705	11,722	24,427	12.3	1.04	1.13	856	29	531	743
Barnsley ...	74,730	691	635	33	19	1,378	18.4	1.04	1.20	488	388	876	11.7	1.18	1.22	53	39	32	30
Bradford ...	288,000	2,201	2,090	175	130	4,596	16.0	1.01	1.05	1,965	1,981	3,946	13.7	0.97	1.18	155	34	93	143
Dewsbury ...	52,910	438	402	18	26	884	16.7	1.04	1.09	370	357	727	13.7	1.00	1.21	29	33	19	27
Doncaster ...	82,070	609	556	36	33	1,234	15.0	1.01	0.98	467	400	867	10.6	1.14	1.07	37	30	29	32
Halifax ...	97,320	668	642	48	45	1,403	14.4	1.01	0.94	680	696	1,376	14.1	0.92	1.15	38	27	22	34



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.
		M.		F.	M.		F.														
		(3)	(4)		(5)	(6)						(7)	(8)	(9)						(10)	(11)

(1)																					
YORKSHIRE : WEST RIDING—contd.																					
County Boroughs—contd.																					
Huddersfield ...	127,400	923	852	51	36	1,862	14.6	1.01	0.95	868	822	1,690	13.3	0.95	1.12	45	24	28	40		
Leeds ...	504,800	3,759	3,476	271	258	7,764	15.4	0.96	1.01	3,214	3,074	6,288	12.5	1.07	1.18	230	30	143	184		
Rotherham ...	81,800	649	645	33	21	1,348	16.5	1.00	1.08	491	365	856	10.5	1.15	1.07	43	32	25	36		
Sheffield ...	510,900	3,471	3,323	127	104	7,025	13.8	0.99	0.90	3,160	2,775	5,935	11.6	1.07	1.10	166	24	106	144		
Wakefield ...	59,270	434	414	31	23	902	15.2	1.04	0.99	369	295	664	11.2	1.05	1.04	27	30	12	27		
York ...	105,800	742	738	42	38	1,560	14.7	0.99	0.96	633	569	1,202	11.4	1.05	1.06	33	21	22	46		
Admin. County ...	1,590,000	12,171	11,442	490	468	24,571	15.5	1.02	1.01	9,567	8,705	18,272	11.5	1.04	1.06	736	30	490	610		
Urban Districts ...																					
Adwick le Street ...	1,157,000	8,804	8,209	343	346	17,702	15.3	1.01	1.00	7,273	6,768	14,041	12.1	1.01	1.08	532	30	347	448		
Aireborough ...	18,620	148	152	6	10	316	17.0	1.03	1.11	96	81	177	9.5	1.33	1.12	15	48	7	10		
Baildon ...	27,560	166	155	1	8	330	12.0	1.11	0.78	149	158	307	11.1	1.01	0.99	6	18	5	7		
Barnoldswick ...	10,020	70	58	3	—	131	13.1	1.00	0.86	66	56	122	12.2	0.96	1.04	2	15	—	3		
Batley M.B. ...	10,180	62	73	3	8	146	14.3	1.10	0.93	87	63	150	14.7	0.90	1.17	2	14	2	8		
Bentley with Arksey ...	39,920	322	285	20	13	640	16.0	1.00	1.05	283	273	556	13.9	1.01	1.24	24	38	17	22		
Bentley with Arksey ...	19,630	169	151	4	6	330	16.8	0.97	1.10	101	73	174	8.9	1.32	1.04	15	46	8	6		
Bingley ...	21,700	162	125	4	3	294	13.5	0.99	0.88	155	141	296	13.6	0.92	1.11	11	37	5	10		
Brighouse M.B. ...	30,420	195	194	7	9	405	13.3	1.03	0.87	196	192	388	12.8	0.92	1.04	9	22	6	9		
Castleford ...	42,800	355	342	16	12	725	16.9	1.03	1.10	260	154	414	9.7	1.22	1.05	30	41	15	22		
Colne Valley ...	21,880	152	129	7	5	293	13.4	1.03	0.88	135	153	288	13.2	0.91	1.06	10	34	8	5		
Conisborough ...	16,500	172	133	6	11	322	19.5	1.04	1.27	83	74	157	9.5	1.25	1.05	10	37	9	14		
Cudworth ...	8,745	97	86	2	—	185	21.2	1.05	1.39	42	38	80	9.1	1.23	0.99	3	16	3	4		
Darfield ...	6,253	63	45	4	1	113	18.1	1.05	1.18	39	26	65	10.4	1.11	1.02	1	9	1	4		
Darton ...	14,190	122	108	4	4	238	16.8	1.06	1.10	69	76	145	10.2	1.17	1.06	10	42	5	8		
Dearne ...	24,300	209	220	9	12	450	18.5	1.06	1.21	134	96	230	9.5	1.29	1.08	8	18	4	10		
Denby Dale ...	9,585	64	60	1	—	125	13.0	1.07	0.85	62	69	131	13.7	0.90	1.09	3	24	3	3		
Denholme ...	2,608	13	16	1	3	33	12.7	1.01	0.83	13	20	33	12.7	0.88	0.99	—	—	—	1		
Dodworth ...	4,228	24	19	1	—	44	10.4	1.03	0.68	25	21	46	10.9	1.30	1.25	1	23	1	4		
Earby ...	5,244	32	25	1	2	60	11.4	1.01	0.75	32	44	76	14.5	0.95	1.22	1	17	—	3		
Elland ...	19,150	109	120	9	4	242	12.6	1.02	0.82	129	132	261	13.6	0.91	1.10	8	33	2	7		

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Featherstone ...	14,060	119	134	5	10	268	19.1	1.00	1.25	73	57	130	9.2	1.20	0.98	5	19	5	4
Garforth ...	12,400	98	84	2	2	186	15.0	0.98	0.98	58	51	109	8.8	1.06	0.83	6	32	6	3
Goole M.B. ...	19,330	203	142	7	7	359	18.6	1.04	1.22	133	94	227	11.7	1.03	1.07	13	36	7	7
Harrogate M.B.	51,050	337	294	15	22	668	13.1	0.95	0.86	329	391	720	14.1	0.83	1.04	13	19	9	16
Hebden Royd ...	10,090	41	73	4	2	120	11.9	1.09	0.78	77	95	172	17.0	0.82	1.23	2	17	1	9
Heckmondwike ...	8,572	65	56	5	4	130	15.2	1.04	0.99	48	71	119	13.9	0.95	1.17	4	31	3	1
Hemsworth ...	13,600	137	122	4	5	268	19.7	1.05	1.29	71	63	134	9.9	1.22	1.07	19	71	14	8
Holmfirth ...	18,770	143	107	1	5	256	13.6	1.04	0.89	128	134	262	14.0	0.86	1.07	5	20	4	6
Horbury ...	8,010	76	59	2	—	137	17.1	1.02	1.12	50	53	103	12.9	0.98	1.12	4	29	3	4
Horsforth ...	13,920	97	87	4	3	191	13.7	0.93	0.90	68	87	155	11.1	1.00	0.98	4	16	2	3
Hoyland Nether ...	15,680	122	94	4	2	222	14.2	1.04	0.93	82	70	152	9.7	1.08	0.93	8	36	6	3
Ilkley ...	17,030	103	79	4	7	193	11.3	1.00	0.74	106	141	247	14.5	0.79	1.01	7	36	4	7
Keighley M.B.	56,260	385	403	18	13	819	14.6	1.01	0.95	399	394	793	14.1	0.93	1.16	21	26	16	14
Kirkburton ...	17,570	92	85	1	3	181	10.3	1.30	0.67	95	96	191	10.9	0.91	0.88	4	22	1	6
Knarborough ...	8,164	48	64	5	4	121	14.8	0.97	0.97	46	55	101	12.4	0.90	0.99	2	17	2	3
Knottingley ...	10,130	89	70	4	3	166	16.4	0.98	1.07	54	33	87	8.6	1.25	0.95	7	42	2	10
Maltby ...	12,850	128	135	5	5	273	21.2	1.00	1.39	51	44	95	7.4	1.43	0.94	6	22	3	9
Meltham ...	5,099	38	27	1	1	67	13.1	1.01	0.86	33	41	74	14.5	0.89	1.14	3	45	3	—
Mexborough ...	19,230	159	127	4	11	301	15.7	1.04	1.03	108	70	178	9.3	1.17	0.96	10	33	9	5
Mirfield ...	11,760	102	90	2	4	198	16.8	0.99	1.10	88	86	174	14.8	0.95	1.24	4	20	3	7
Morley M.B. ...	39,620	286	278	21	8	593	15.0	0.89	0.98	269	242	511	12.9	1.09	1.24	12	20	9	14
Normanton ...	18,950	178	146	1	—	325	17.2	1.03	1.12	112	82	194	10.2	1.10	0.99	8	25	7	9
Ossett M.B. ...	14,440	126	153	9	2	290	20.1	1.00	1.31	102	103	205	14.2	1.03	1.29	13	45	11	4
Otley ...	11,520	80	77	4	3	164	14.2	1.00	0.93	71	66	137	11.9	0.91	0.96	7	43	5	2
Penistone ...	6,473	48	49	1	2	100	15.4	1.06	1.01	39	36	75	11.6	0.90	0.92	3	30	2	—
Pontefract M.B.	23,120	167	201	10	11	389	16.8	1.03	1.10	170	169	339	14.7	1.15	1.50	25	64	16	6
Pudsey M.B. ...	30,530	219	195	6	9	429	14.1	1.02	0.92	192	189	381	12.5	0.99	1.10	10	23	4	11
Queensbury and Shelf	8,874	69	61	2	2	134	15.1	1.00	0.99	64	64	128	14.4	0.97	1.24	3	22	3	1
Rawmarsh ...	18,740	160	153	3	5	321	17.1	1.05	1.12	128	72	200	10.7	1.14	1.08	10	31	8	11
Ripon M.B. ...	9,782	89	73	3	5	170	17.4	1.06	1.14	65	53	118	12.1	0.88	0.94	3	18	3	1
Ripponden ...	5,222	36	43	3	3	85	16.3	1.10	1.07	39	30	69	13.2	0.91	1.06	3	35	2	2
Rothwell ...	24,030	173	165	4	7	349	14.5	1.00	0.95	144	141	285	11.9	1.03	1.08	11	32	10	11
Royston ...	8,115	63	60	1	2	126	15.5	1.06	1.01	47	31	78	9.6	1.22	1.04	8	64	5	5
Saddleworth ...	16,610	99	90	7	1	197	11.9	1.03	0.78	141	109	250	15.1	0.90	1.20	5	25	2	3
Selby ...	10,070	83	90	4	2	179	17.8	1.04	1.16	70	62	132	13.1	0.94	1.09	6	34	5	10
Shipley ...	32,620	249	260	7	3	519	18.9	1.01	1.04	191	239	430	13.2	0.96	1.14	18	35	10	9
Silsden ...	5,536	37	46	2	—	85	15.4	0.98	1.01	37	19	56	10.1	1.04	0.93	1	12	—	2
Skipton ...	12,930	92	91	3	2	188	14.5	1.00	0.95	79	87	166	12.8	0.91	1.03	6	32	5	5
Sowerby Bridge	18,660	128	112	3	6	249	13.3	1.00	0.87	137	139	276	14.8	0.93	1.22	4	16	3	6
Spensborough ...	36,860	285	254	5	12	556	15.1	1.02	0.99	286	238	524	14.2	0.96	1.21	15	27	8	9
Stanley ...	16,640	110	93	4	3	210	12.6	0.99	0.82	107	66	173	10.4	1.11	1.02	7	33	6	6
Stockbridge ...	10,120	76	64	1	1	142	14.0	1.01	0.92	64	41	105	10.4	1.17	1.08	3	21	2	5
Swinton ...	12,110	92	105	4	4	205	16.9	1.03	1.10	66	57	123	10.2	1.13	1.02	7	34	3	7
Tickhill ...	2,580	16	15	3	—	34	13.2	1.19	0.86	16	13	29	11.2	0.89	0.88	1	29	1	1
Todmorden M.B.	18,760	137	113	7	5	262	14.0	1.07	0.92	126	143	269	14.3	0.85	1.08	7	27	4	3
Wath upon Dearne	13,910	122	118	5	6	251	18.0	1.06	1.18	69	65	134	9.6	1.08	0.92	2	8	1	3
Wombwell ...	18,800	191	155	8	11	365	19.4	1.02	1.27	116	95	211	11.2	1.18	1.17	13	36	5	6
Worsborough...	14,270	105	121	6	7	239	16.7	1.05	1.09	73	51	124	8.7	1.20	0.92	6	25	2	5



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.				
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
YORKSHIRE:																			
WEST RIDING—contd.																			
Rural Districts ...	433,000	3,367	3,233	147	122	6,869	15.9	1.04	1.04	2,294	1,937	4,231	9.8	1.11	0.96	204	30	143	162
Bowland ...	5,094	26	34	—	2	62	12.2	1.15	0.80	33	34	67	13.2	0.91	1.06	2	32	2	1
Doncaster ...	53,650	450	427	26	21	924	17.2	0.98	1.12	287	187	474	8.8	1.30	1.01	30	33	19	21
Goole ...	9,077	71	58	2	4	135	14.9	0.98	0.97	47	37	84	9.3	0.98	0.81	4	30	3	2
Hemsworth ...	48,660	425	438	21	18	902	18.5	1.06	1.21	252	173	425	8.7	1.31	1.01	38	42	20	24
Hepton ...	4,094	39	19	1	1	60	14.7	1.05	0.96	18	33	51	12.5	0.87	0.96	—	—	—	—
Kiveton Park ...	17,590	151	141	9	6	307	17.5	1.03	1.14	124	93	217	12.3	1.07	1.16	9	29	7	6
Nidderdale ...	15,250	80	86	2	3	171	11.2	1.24	0.73	78	90	168	11.0	0.99	0.96	3	18	3	4
Osgoldcross ...	7,724	56	53	4	3	116	15.0	1.07	0.98	37	42	79	10.2	1.04	0.94	3	26	2	5
Penistone ...	8,371	54	50	2	3	109	13.0	1.08	0.85	52	29	81	9.7	1.05	0.90	2	18	1	3
Kipon and Pateley Bridge ...	14,310	77	91	4	8	180	12.6	1.16	0.82	89	79	168	11.7	0.93	0.96	1	6	1	5
Rotherham ...	48,480	453	418	18	10	899	18.5	0.99	1.21	231	190	421	8.7	1.26	0.97	29	32	22	20
Sedbergh ...	3,852	21	22	3	—	46	11.9	1.22	0.78	25	23	48	12.5	0.96	1.06	2	44	2	—
Selby ...	6,623	55	39	2	1	97	14.6	1.04	0.95	33	35	68	10.3	0.92	0.84	1	10	1	2
Settle ...	14,230	89	85	4	3	181	12.7	1.12	0.83	82	77	159	11.2	0.88	0.87	5	28	4	11
Skipton ...	24,060	151	152	2	4	309	12.8	1.05	0.84	151	168	319	13.3	0.91	1.07	8	26	7	10
Tadcaster ...	26,980	185	179	3	7	374	13.9	1.05	0.91	161	120	281	10.4	1.09	1.00	8	21	6	13
Thorne ...	33,340	347	304	20	12	683	20.5	1.05	1.34	184	121	305	9.1	1.37	1.10	30	44	19	13
Wakefield ...	19,270	141	154	3	7	305	15.8	1.01	0.83	96	89	185	9.6	1.10	0.93	6	20	5	9
Wetherby ...	20,540	126	132	7	4	269	13.1	1.04	0.86	90	113	203	9.9	0.99	0.87	6	22	5	5
Wharfedale ...	6,095	39	27	6	—	72	11.8	0.95	0.77	27	29	56	9.2	1.00	0.81	1	14	1	3
Wortley ...	45,710	331	324	8	5	668	14.6	1.00	0.95	197	175	372	8.1	1.04	0.75	16	24	13	5
WALES AND MONMOUTH																			
ANGLESEY :	50,960	420	382	30	32	864	17.0	1.10	1.11	362	319	681	13.4	0.85	1.01	41	48	29	22
Admin. County ...	19,600	181	149	10	12	352	18.0	1.02	1.18	133	135	268	13.7	0.86	1.04	13	37	10	7
Urban Districts ...																			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Amlwch ...	2,877	20	21	—	5	46	16.0	1.01	1.05	21	14	35	12.2	0.77	0.83	—	—	—	2
Beaumaris M.B. ...	2,128	20	22	2	2	46	21.6	1.06	1.41	13	19	32	15.0	0.81	1.08	2	44	2	5
Holyhead ...	10,440	98	71	6	5	180	17.2	1.01	1.12	71	78	149	14.3	0.91	1.15	5	28	4	—
Llangefni ...	2,241	21	21	1	—	43	19.2	1.05	1.25	19	11	30	13.4	0.91	1.08	3	70	2	—
Menai Bridge ...	1,914	22	14	1	—	37	19.3	1.01	1.26	9	13	22	11.5	0.78	0.79	3	81	2	—
Rural Districts ...	31,360	239	233	20	20	512	16.3	1.16	1.07	229	184	413	13.2	0.84	0.98	28	55	19	15
Aethwy ...	10,650	76	90	7	5	178	16.7	1.14	1.09	75	65	140	13.1	0.85	0.99	11	62	8	6
Twrcelyn ...	8,490	59	58	5	5	127	15.0	1.16	0.98	51	53	104	12.2	0.76	0.82	3	24	2	6
Valley ...	12,220	104	85	8	10	207	16.9	1.17	1.10	103	66	169	13.8	0.90	1.10	14	68	9	3
BRECKNOCKSHIRE :																			
Admin. County ...	56,200	395	403	19	9	826	14.7	1.09	0.96	358	306	664	11.8	0.97	1.01	23	28	10	35
Urban Districts ...	16,600	113	111	7	2	233	14.0	1.08	0.92	121	105	226	13.6	0.96	1.16	8	34	2	7
Brecknock M.B. ...	6,671	50	36	3	1	90	13.5	1.14	0.88	48	31	79	11.8	1.04	1.09	2	22	—	1
Brynmawr ...	6,362	39	56	4	1	100	15.7	1.02	1.03	43	45	88	13.8	1.01	1.23	5	50	2	6
Builth Wells ...	1,576	12	8	—	—	20	12.7	1.06	0.83	14	13	27	17.1	0.86	1.30	—	—	—	—
Hay ...	1,439	9	10	—	—	19	13.2	1.12	0.86	11	10	21	14.6	0.75	0.97	1	53	—	—
Llanwrtyd ...	552	3	1	—	—	4	7.2	1.13	0.47	5	6	11	19.9	0.70	1.23	—	—	—	—
Rural Districts ...	39,600	282	292	12	7	593	15.0	1.10	0.98	237	201	438	11.1	0.98	0.96	15	25	8	28
Brecknock ...	7,432	50	54	2	2	108	14.5	1.15	0.95	48	37	85	11.4	0.89	0.90	1	9	1	5
Builth ...	3,439	35	23	1	—	59	17.2	1.22	1.12	16	24	40	11.6	0.82	0.84	1	17	1	4
Crickhowell ...	7,792	56	63	4	2	125	16.0	1.24	1.05	42	31	73	9.4	0.99	0.82	4	32	1	5
Hay ...	3,647	21	23	—	—	44	12.1	1.17	0.79	22	12	34	9.3	0.84	0.69	—	—	—	1
Vaynor and Penderyn ...	5,830	49	36	2	—	87	14.9	1.02	0.97	40	34	74	12.7	1.02	1.15	3	35	1	5
Ystradgynlais ...	11,460	71	93	3	3	170	14.8	0.99	0.97	69	63	132	11.5	1.17	1.19	6	35	4	8
CAERNARVONSHIRE :																			
Admin. County ...	122,500	838	768	31	48	1,685	13.8	1.05	0.90	939	847	1,786	14.6	0.86	1.11	48	29	30	43
Urban Districts ...	70,740	489	430	12	27	958	13.5	1.00	0.88	497	502	999	14.1	0.88	1.10	24	25	16	21
Bangor M.B. ...	13,820	97	92	2	4	195	14.1	0.96	0.92	76	98	174	12.6	1.06	1.18	7	36	5	5
Bethesda ...	4,406	38	37	1	2	78	17.7	1.10	1.16	41	33	74	16.8	0.89	1.32	1	13	—	4
Bettws y Coed ...	744	5	8	—	—	13	17.5	1.04	1.14	4	6	10	13.4	0.95	1.13	—	—	—	2
Caernarvon M.B. ...	9,305	84	58	1	5	148	15.9	1.01	1.04	60	61	121	13.0	0.93	1.07	2	14	2	3
Conway M.B. ...	10,120	66	49	1	4	120	11.9	1.04	0.78	77	64	141	13.9	0.88	1.08	2	17	1	1
Criccieth ...	1,499	6	6	—	1	13	8.7	0.97	0.57	13	9	22	14.7	0.69	0.90	—	—	—	—
Llandudno ...	16,030	104	82	5	6	197	12.3	0.94	0.80	125	129	254	15.8	0.82	1.15	8	41	5	1
Llanfairfechan ...	3,055	14	16	—	—	30	9.8	1.23	0.64	26	19	45	14.7	0.76	1.03	1	33	—	3
Penmaenmawr ...	4,086	24	31	1	2	58	14.2	1.05	0.93	21	27	48	11.7	0.79	0.79	1	17	1	1
Portmadoc ...	3,905	23	25	1	—	49	12.5	1.01	0.82	28	29	57	14.6	0.83	1.07	1	20	1	—
Pwllheli M.B. ...	3,770	28	26	—	3	57	15.1	0.93	0.99	26	27	53	14.1	0.84	1.05	1	18	1	1



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	
		M.	F.	TOTAL.	M.	F.	TOTAL.												
								(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			(11)	(12)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
CAERNARVONSHIRE—contd.																			
Rural Districts ...	51,760	349	338	19	21	727	14.0	1.14	0.92	442	345	787	15.2	0.83	1.12	24	33	14	22
Gwyrfaï ...	23,550	156	161	8	8	333	14.1	1.12	0.92	213	154	367	15.6	0.83	1.15	14	42	6	9
Lleyn ...	17,210	121	108	6	7	242	14.1	1.15	0.92	146	129	275	16.0	0.82	1.16	7	29	5	6
Nant Conway ...	6,107	39	42	2	3	86	14.1	1.15	0.92	46	34	80	13.1	0.88	1.02	1	12	1	3
Ogwen... ..	4,893	33	27	3	3	66	13.5	1.16	0.88	37	28	65	13.3	0.84	0.99	2	30	2	4
CARDIGANSHIRE :																			
Admin. County ...	53,240	350	310	14	9	683	12.8	1.11	0.84	411	367	778	14.6	0.76	0.98	26	38	21	19
Urban Districts ...	17,750	103	102	3	2	210	11.8	1.02	0.77	138	132	270	15.2	0.81	1.09	8	38	6	5
Aberayron ...	1,181	12	8	—	—	20	16.9	1.26	1.10	9	12	21	17.8	0.62	0.98	1	50	1	—
Aberystwyth M.B.	10,240	46	47	2	1	96	9.4	1.00	0.61	65	69	134	13.1	0.85	0.99	2	21	2	3
Cardigan M.B.	3,383	28	31	—	1	60	17.7	0.99	1.16	36	27	63	18.6	0.87	1.43	5	83	3	2
Lampeter M.B.	1,921	16	13	1	—	30	15.6	1.01	1.02	24	15	39	20.3	0.76	1.37	—	—	—	—
New Quay ...	1,025	1	3	—	—	4	3.9	1.17	0.25	4	9	13	12.7	0.72	0.81	—	—	—	—
Rural Districts ...	35,490	247	208	11	7	473	13.3	1.15	0.87	273	235	508	14.3	0.74	0.94	18	38	15	14
Aberayron ...	9,285	62	58	4	3	127	13.7	1.18	0.90	91	54	145	15.6	0.74	1.02	6	47	5	7
Aberystwyth ...	10,890	78	64	5	1	148	13.6	1.14	0.89	84	79	163	15.0	0.69	0.92	5	34	4	2
Teifside ...	10,100	66	64	2	2	134	13.3	1.13	0.87	72	62	134	13.3	0.77	0.91	5	37	5	3
Tregaron ...	5,215	41	22	—	1	64	12.3	1.20	0.80	26	40	66	12.7	0.76	0.85	2	31	1	2
CARMARTHENSHIRE :																			
Admin. County ...	170,700	1,190	1,107	36	42	2,375	13.9	1.01	0.91	1,158	1,002	2,160	12.7	1.01	1.14	78	33	53	68
Urban Districts ...	69,800	455	432	16	19	922	13.2	1.00	0.86	497	406	903	12.9	1.01	1.15	26	28	19	31
Ammanford ...	6,570	55	45	2	3	105	16.0	0.99	1.05	48	35	83	12.6	0.99	1.10	4	38	4	4
Burry Port ...	6,033	42	35	2	1	80	13.3	0.95	0.87	34	34	68	11.3	1.06	1.06	1	13	1	2
Carmarthen M.B.	11,910	69	67	—	2	138	11.6	1.03	0.76	87	57	144	12.1	1.06	1.14	2	15	1	4
Cwmaman ...	4,443	33	20	1	—	54	12.2	1.00	0.80	27	33	60	13.5	0.99	1.18	2	37	1	3

(1)	(2)	(3)	4	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Kidwelly M.B. Llandilo Llandoverly M.B. Llanelli M.B. Newcastle Emllyn	2,986 1,882 1,965 33,260 751	20 21 9 202 4	20 18 14 213 —	1 — 1 8 1	2 — 1 10 —	43 39 25 433 5	14.4 20.7 12.7 13.0 6.7	1.02 1.09 1.07 1.00 1.13	0.94 1.35 0.83 0.85 0.44	36 12 7 242 4	11 10 15 206 5	47 22 22 448 9	15.7 11.7 11.2 13.5 12.0	1.05 0.88 0.85 1.02 0.81	1.46 0.91 0.84 1.22 0.86	2 — 1 14 —	47 — 40 32 —	2 — — 10 —	— — 1 — —
Rural Districts Carmarthen Llandilo Llanelli Newcastle Emllyn	100,900 28,430 26,080 37,860 8,530	735 240 172 260 63	675 204 175 239 57	20 5 3 8 4	23 5 5 8 5	1,453 454 355 129 129	14.4 16.0 13.6 13.6 15.1	1.01 1.05 1.03 0.95 1.12	0.94 1.05 0.89 0.89 0.99	661 179 203 221 58	596 165 159 197 75	1,257 344 362 461 133	12.5 12.1 13.9 11.0 15.6	1.00 0.99 0.99 1.11 0.75	1.11 1.06 1.22 1.08 1.04	52 18 8 21 5	36 40 23 41 39	34 12 15 14 3	37 6 10 16 5
DENBIGHSHIRE :																			
Admin. County	170,700	1,305	1,250	62	54	2,671	15.6	1.06	1.02	1,070	984	2,054	12.0	0.92	0.98	91	34	55	77
Urban Districts Abergele Colwyn Bay M.B. Denbigh M.B. Llangollen Llanrwst	79,000 7,186 22,240 8,105 3,207 2,587	544 53 97 60 22 32	557 56 86 54 21 23	28 3 7 5 2 1	34 4 5 8 3 —	1,163 116 195 127 48 56	14.7 16.1 8.8 15.7 15.0 21.6	1.05 1.02 1.09 1.47 0.99 1.08	0.96 1.05 0.58 1.03 0.98 1.41	504 50 144 46 22 24	548 49 226 44 23 15	1,052 99 370 90 45 39	13.3 13.8 16.6 11.1 14.0 15.1	0.85 0.82 0.69 0.93 0.75 0.81	1.00 1.00 1.01 0.91 0.93 1.08	40 2 5 7 3 2	34 17 26 55 63 36	24 1 4 4 2 —	26 5 6 — — 1
Ruthin M.B. Wrexham M.B.	3,585 32,090	23 257	29 288	1 9	— 14	53 568	14.8 17.7	1.03 0.96	0.97 1.16	20 198	27 164	47 362	13.1 11.3	0.85 1.06	0.99 1.06	1 20	19 35	1 12	3 11
Rural Districts Aled Ceiriog Hiraethog Ruthin Wrexham	91,700 7,149 7,417 5,193 9,661 62,280	761 55 53 39 81 533	693 57 58 41 72 465	34 2 3 1 5 23	20 2 3 3 2 10	1,508 116 117 84 160 1,031	16.4 16.2 15.8 16.2 16.6 16.6	1.07 1.06 1.14 1.16 1.11 1.05	1.07 1.06 1.03 1.06 1.08 1.08	566 35 52 31 47 401	436 41 33 32 54 276	1,002 76 85 63 101 677	10.9 10.6 11.5 12.1 10.5 10.9	0.98 0.91 0.90 0.88 0.87 1.03	0.95 0.85 0.92 0.94 0.81 0.99	51 3 3 2 3 40	34 26 26 24 19 39	31 3 2 — 2 24	51 2 3 1 3 42
FLINTSHIRE :																			
Admin. County	145,700	1,136	1,045	64	58	2,303	15.8	1.03	1.03	922	836	1,758	12.1	0.98	1.05	75	33	44	63
Urban Districts Buckley Connah's Quay Flint M.B. Holywell Mold Prestatyn Rhyl	71,370 7,704 7,351 14,250 8,159 6,553 8,553 18,800	564 49 67 140 79 51 46 132	516 49 53 116 64 66 41 127	36 7 5 3 3 4 5 9	27 3 3 3 — 3 2 13	1,143 104 130 264 146 124 94 281	16.0 13.5 17.7 18.5 17.9 18.9 11.0 14.9	1.01 0.99 0.95 0.98 0.99 1.17 1.00	1.05 0.88 1.16 1.21 1.17 1.24 0.72 0.97	474 48 35 92 48 41 78 132	472 31 30 74 52 49 92 144	946 79 65 166 100 90 170 276	13.3 10.3 8.8 11.6 12.3 13.7 19.9 14.7	0.95 1.02 1.24 1.22 1.25 1.03 0.65 0.85	1.12 0.93 0.97 1.25 1.09 1.25 1.14 1.11	40 7 2 10 3 4 3 11	35 67 15 38 21 32 32 39	22 3 — 9 1 1 7 7	28 3 4 5 3 5 1 7
Rural Districts Hawarden Holywell Overton St. Asaph	74,330 35,030 22,380 6,230 10,690	572 283 152 65 72	529 257 175 41 56	28 15 9 2 2	31 17 9 2 3	1,160 572 345 110 133	15.6 16.3 15.4 17.7 12.4	1.06 1.00 1.11 0.98 1.30	1.02 1.07 1.01 1.16 0.81	448 184 152 59 53	364 135 136 37 56	812 319 288 96 109	10.9 9.1 12.9 15.4 10.2	1.01 1.14 0.87 0.99 0.97	0.97 0.92 0.99 1.35 0.88	35 15 10 5 5	30 26 29 46 38	22 10 5 3 4	35 19 8 5 3



TABLE 12—continued.

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.					
		M.	F.	M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
GLAMORGANSHIRE																				
County Boroughs	...	465,500	3,798	3,650	197	147	7,792	16.7	0.99	1.09	2,968	2,422	5,390	11.6	1.05	1.08	257	33	153	217
Cardiff	...	244,800	2,127	2,051	114	95	4,387	17.9	0.97	1.17	1,469	1,255	2,724	11.1	1.06	1.04	124	28	79	111
Merthyr Tydfil	...	60,300	469	447	22	15	953	15.8	1.04	1.03	455	322	777	12.9	1.01	1.15	44	46	21	45
Swansea	...	160,400	1,202	1,152	61	37	2,452	15.3	1.01	1.00	1,044	845	1,889	11.8	1.06	1.11	89	36	53	61
Admin. County	...	732,500	5,821	5,660	181	185	11,847	16.2	1.01	1.06	4,753	3,720	8,473	11.6	1.08	1.11	407	34	247	362
Urban Districts	...	531,200	4,304	4,188	143	137	8,772	16.5	1.01	1.08	3,569	2,793	6,362	12.0	1.07	1.14	314	36	191	266
Aberdare	...	40,550	267	303	7	8	585	14.4	1.03	0.94	317	261	578	14.3	0.97	1.23	21	36	13	13
Barry M.B.	...	40,790	382	315	15	13	725	17.8	0.96	1.16	271	215	486	11.9	1.03	1.08	24	33	13	21
Bridgend	...	13,650	97	107	3	5	212	15.5	0.98	1.01	73	78	151	11.1	1.06	1.04	4	19	4	4
Caerphilly	...	35,700	361	334	13	14	722	20.2	1.03	1.32	208	171	379	10.6	1.16	1.09	30	42	17	22
Cowbridge M.B.	...	1,035	8	8	—	—	16	15.5	1.14	1.01	8	4	12	11.6	0.99	1.02	—	—	—	1
Gelligaer	...	36,040	320	281	13	14	628	17.4	1.07	1.14	249	184	433	12.0	1.16	1.23	20	32	14	19
Glyncorrwg	...	9,388	93	122	1	5	221	23.5	1.08	1.54	46	49	95	10.1	1.23	1.10	5	23	4	6
Llŵchwr	...	25,380	158	156	3	2	319	12.6	0.99	0.82	170	136	306	12.1	1.10	1.18	12	38	8	7
Maesteg	...	23,010	215	199	8	5	427	18.6	1.03	1.22	157	112	269	11.7	1.16	1.20	11	26	5	20
Mountain Ash	...	31,200	275	281	9	7	572	18.3	1.03	1.20	209	172	381	12.2	1.08	1.17	29	51	14	16
Neath M.B.	...	31,660	241	209	7	5	462	14.6	0.98	0.95	192	160	352	11.1	1.03	1.01	14	30	10	17
Ogmore and Garw	...	22,550	187	194	8	4	393	17.4	1.05	1.14	142	120	262	11.6	1.09	1.12	26	66	16	8
Penarth	...	18,420	125	136	4	2	267	14.5	0.98	0.95	120	119	239	13.0	0.90	1.04	8	30	6	10
Pontypridd	...	38,340	274	267	5	6	552	14.4	1.00	0.94	278	183	461	12.0	1.07	1.14	15	27	6	24
Porthcawl	...	9,497	71	56	3	3	133	14.0	0.96	0.92	61	57	118	12.4	0.85	0.93	3	23	3	3
Port Talbot M.B.	...	44,190	416	392	15	13	836	18.9	0.98	1.24	246	177	423	9.6	1.16	0.99	24	29	15	21
Rhondda	...	109,800	814	828	29	31	1,702	15.5	1.03	1.01	822	595	1,417	12.9	1.06	1.21	68	40	43	54
Rural Districts	...	201,300	1,517	1,472	38	48	3,075	15.3	1.01	1.00	1,184	927	2,111	10.5	1.10	1.02	93	30	56	96
Cardiff	...	35,930	224	198	3	4	429	11.9	1.00	0.78	212	171	383	10.6	0.98	0.92	11	26	7	12
Cowbridge	...	20,120	142	151	1	5	299	14.9	1.15	0.97	73	67	140	7.0	1.40	0.87	9	30	6	12
Gower...	...	11,580	96	94	2	6	198	17.1	1.02	1.12	83	56	139	12.0	0.91	0.97	7	35	5	3
Llantrisant and Llantwitfardre	...	25,420	263	230	9	9	511	20.1	1.02	1.31	159	109	268	10.5	1.11	1.03	28	55	20	11
Neath ...	...	41,250	308	315	6	7	636	15.4	0.99	1.01	254	185	439	10.6	1.17	1.10	12	19	5	26

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Penybont ...	34,890	260	255	9	9	533	15.3	0.97	1.00	168	147	315	9.0	1.11	0.88	11	21	6	19
Pontardawe ...	32,110	224	229	8	8	469	14.6	1.00	0.95	235	192	427	13.3	1.06	1.25	15	32	7	13
<b>MERIONETHSHIRE</b>																			
Admin. County ...	41,070	257	246	14	20	537	13.1	1.17	0.86	279	281	560	13.6	0.85	1.02	15	28	11	8
Urban Districts ...	17,480	120	102	7	8	237	13.6	1.09	0.89	116	127	243	13.9	0.85	1.05	7	30	6	5
Bala ...	1,445	13	7	—	—	20	13.8	1.04	0.90	12	12	24	16.6	0.82	1.20	24	50	1	1
Barmouth ...	2,353	14	21	—	—	36	15.3	0.96	1.00	18	19	37	15.7	0.80	1.11	2	56	2	—
Dolgelley ...	2,508	21	7	—	—	29	11.6	1.16	0.76	13	15	28	11.2	0.95	0.95	—	—	—	1
Ffestiniog ...	6,787	43	31	1	5	80	11.8	1.11	0.77	52	53	105	15.5	0.90	1.23	3	38	2	2
Towyn... ..	4,387	29	36	5	2	72	16.4	1.14	1.07	21	28	49	11.2	0.75	0.74	1	14	1	1
Rural Districts ...	23,590	137	144	7	12	300	12.7	1.23	0.83	163	154	317	13.4	0.86	1.02	8	27	5	3
Deudraeth ...	6,858	39	34	2	5	80	11.7	1.13	0.76	60	62	122	17.8	0.86	1.35	1	13	1	1
Dolgelley ...	9,483	35	56	1	3	95	10.0	1.38	0.65	52	47	99	10.4	0.94	0.87	—	—	—	2
Edeirnion ...	4,125	37	33	4	3	77	18.7	1.19	1.22	26	26	52	12.6	0.74	0.83	5	65	2	—
Penllyn ...	2,811	23	20	—	—	43	15.3	1.16	1.00	19	16	35	12.5	0.85	0.94	2	47	2	—
Civil Parish of Pennal, administered by R.D.C. of Machynlleth (Montgomeryshire) ...	313	3	1	—	1	5	16.0	1.41	1.05	6	3	9	28.8	0.58	1.48	—	—	—	—
<b>MONMOUTHSHIRE</b>																			
County Borough : Newport ...	423,100	3,526	3,434	133	125	7,218	17.1	1.04	1.12	2,749	2,076	4,825	11.4	1.05	1.06	246	34	155	204
Admin. County ...	105,100	866	818	44	40	1,768	16.8	0.98	1.10	658	502	1,160	11.0	1.10	1.07	61	35	41	52
Urban Districts ...	318,000	2,660	2,616	89	85	5,450	17.1	1.06	1.12	2,091	1,574	3,665	11.5	1.04	1.06	185	34	114	152
Abercarn ...	274,500	2,321	2,275	76	73	4,745	17.3	1.06	1.13	1,817	1,326	3,143	11.4	1.06	1.07	161	34	99	137
Abergavenny M.B. ...	18,630	134	173	7	3	317	17.0	1.05	1.11	114	62	176	9.4	1.10	0.92	12	38	8	4
Abertillery ...	9,058	68	80	2	6	156	17.2	1.01	1.12	59	49	108	11.9	0.88	0.93	4	26	1	—
Bedwas and Machen ...	27,320	245	215	5	12	477	17.5	1.08	1.14	190	134	324	11.9	1.06	1.12	12	25	10	6
Bedwelty ...	8,765	76	94	2	3	175	20.0	1.07	1.31	51	54	105	12.0	1.06	1.13	4	23	3	3
Blaenavon ...	28,560	291	257	10	9	567	19.9	1.08	1.30	179	121	300	10.5	1.21	1.12	29	51	19	11
Caerleon ...	9,628	64	56	3	3	126	13.1	1.10	0.86	77	60	137	14.2	1.03	1.29	3	24	3	3
Chepstow ...	4,887	49	38	1	2	90	18.4	1.26	1.20	17	19	36	7.4	1.13	0.74	1	11	1	2
Cwmbran ...	5,473	35	41	2	2	80	14.6	1.07	0.95	35	30	65	11.9	0.89	0.94	5	63	5	2
Ebbw Vale ...	13,460	133	132	2	2	269	20.0	0.99	1.31	90	69	159	11.8	1.05	1.10	7	26	4	6
Monmouth M.B. ...	28,690	216	235	9	5	465	16.2	1.05	1.06	196	127	323	11.3	1.12	1.12	14	30	10	21
Mynyddislwyn ...	5,748	48	45	1	2	96	16.7	1.04	1.09	30	39	69	12.0	0.82	0.87	3	31	—	4
Nantyglo and Blaina ...	14,600	160	152	5	1	318	21.8	1.05	1.42	86	62	148	10.1	1.21	1.08	17	54	10	5
Pontypool ...	11,290	100	101	4	2	207	18.3	1.10	1.20	84	64	148	13.1	1.00	1.16	11	53	6	12
Rhymney ...	42,420	341	337	12	11	701	16.5	1.04	1.08	298	209	507	12.0	1.06	1.13	19	27	10	26
Risca ...	9,006	63	58	—	2	123	13.7	1.06	0.90	66	41	107	11.9	1.06	1.12	1	8	1	5
Tredegar ...	15,020	108	108	1	3	220	14.6	1.04	0.95	104	76	180	12.0	1.01	1.07	1	5	—	7
Usk ...	20,310	174	142	9	5	330	16.2	1.03	1.06	127	97	224	11.0	1.00	1.00	16	49	7	17
	1,635	16	11	1	—	28	17.1	0.95	1.12	14	13	27	16.5	0.95	1.39	2	72	1	—



TABLE 12—continued

AREA.	Estimated Home Population (Middle 1952).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.								
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Home Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.									
		M.	F.	M.	F.																			
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)					
MONMOUTHSHIRE—contd.																								
Rural Districts ...	43,500	339	341	13	12	705	16.2	1.11	1.06	274	248	522	12.0	0.89	0.95	24	34	15	15					
Abergavenny ...	8,344	49	57	2	1	109	13.1	1.33	0.86	44	50	94	11.3	0.82	0.82	5	46	3	3					
Chepstow ...	10,020	85	82	5	4	176	17.6	1.04	1.15	56	49	105	10.5	0.97	0.90	7	40	3	3					
Magor and St. Mellons	13,560	119	127	4	4	254	18.7	1.07	1.22	85	69	154	11.4	0.91	0.92	6	24	5	2					
Monmouth ...	5,743	38	38	1	1	86	15.0	1.13	0.98	42	38	80	13.9	0.83	1.02	3	35	2	2					
Pontypool ...	5,833	40	37	1	2	80	13.7	1.06	0.90	47	42	89	15.3	0.87	1.18	3	38	2	2					
MONTGOMERYSHIRE :																								
Admin. County ...	45,070	383	341	16	15	755	16.8	1.13	1.10	280	279	559	12.4	0.86	0.94	22	29	12	16					
Urban Districts ...	17,540	162	134	7	6	309	17.6	1.01	1.15	119	126	245	14.0	0.87	1.08	8	26	3	7					
Llanfyllin M.B.	1,344	2	6	1	1	10	7.4	1.06	0.48	11	9	20	14.9	0.91	1.20	—	—	—	1					
Llanidloes M.B.	2,289	18	12	1	—	31	13.5	1.04	0.88	19	20	39	17.0	0.78	1.17	—	—	—	—					
Machynlleth ...	1,845	16	14	—	1	31	16.8	0.96	1.10	14	12	26	14.1	0.89	1.11	—	—	—	—					
Montgomery M.B.	834	7	6	1	1	15	18.0	1.21	1.18	7	4	11	13.2	0.76	0.89	1	67	1	1					
Newtown and Llanllwchaearn	5,276	54	40	—	1	95	18.0	1.08	1.18	33	51	84	15.9	0.89	1.25	3	32	—	2					
Welshpool M.B.	5,952	65	56	4	2	127	21.3	0.94	1.39	35	30	65	10.9	0.91	0.88	4	32	2	3					
Rural Districts ...	27,530	221	207	9	9	446	16.2	1.21	1.06	161	153	314	11.4	0.84	0.85	14	31	9	9					
Forden ...	5,046	53	38	2	1	94	18.6	1.16	1.22	29	19	48	9.5	0.83	0.70	2	21	1	—					
Llanfyllin ...	9,987	78	75	4	3	160	16.0	1.28	1.05	72	60	132	13.2	0.85	0.99	7	44	5	3					
Machynlleth ...	3,100	23	18	—	2	43	13.9	1.17	0.91	13	21	34	11.0	0.74	0.72	2	47	1	—					
Newtown and Llanidloes	9,397	67	76	3	3	149	15.9	1.19	1.04	47	53	100	10.6	0.89	0.83	3	20	2	6					
PEMBROKESHIRE :																								
Admin. County ...	91,040	796	693	32	27	1,548	17.0	1.05	1.11	598	466	1,064	11.7	0.96	0.99	39	25	29	53					
Urban Districts ...	44,170	380	343	16	11	750	17.0	1.03	1.11	265	227	492	11.1	1.00	0.98	16	21	11	31					
Fishguard and Goodwick	4,879	34	31	2	2	69	14.1	1.06	0.92	27	24	51	10.5	0.91	0.85	1	15	—	6					
Haverfordwest M.B.	7,284	61	56	2	1	120	16.5	0.96	1.08	38	45	83	11.4	1.00	1.01	3	25	2	8					
Milford Haven	11,700	117	95	5	5	222	19.0	1.05	1.24	69	40	109	9.3	1.30	1.07	6	27	5	9					

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Narberth ...	1,040	6	7	—	—	13	12.5	1.13	0.82	8	9	17	16.3	0.83	1.20	—	—	—	2
Neyland ...	2,224	15	14	1	—	30	13.5	1.08	0.88	17	10	27	12.1	1.04	1.11	—	—	—	6
Pembroke M.B. ...	12,650	120	109	6	2	237	18.7	1.07	0.88	83	75	158	12.5	0.95	1.05	6	25	4	—
Tenby M.B. ...	4,393	27	31	—	1	59	13.4	0.93	0.82	23	24	47	10.7	0.79	0.75	—	—	—	—
Rura Districts ...	46,870	416	350	16	16	798	17.0	1.08	1.11	333	239	572	12.2	0.93	1.00	23	29	18	22
Cemaes ...	9,075	71	56	1	5	133	14.7	1.16	0.96	80	54	134	14.8	0.80	1.05	4	30	3	3
Haverfordwest ...	21,500	207	181	12	7	407	18.9	1.02	1.24	139	105	244	11.3	1.01	1.01	10	25	8	11
Narberth ...	10,060	79	69	1	3	152	15.1	1.10	0.99	70	51	121	12.0	0.87	0.92	5	33	3	6
Pembroke ...	6,235	59	44	2	1	106	17.0	1.13	1.11	44	29	73	11.7	0.98	1.01	4	38	4	2
RADNORSHIRE:																			
Admin. County ...	19,720	143	130	8	3	284	14.4	1.17	0.94	139	113	252	12.8	0.83	0.94	9	32	9	5
Urban Districts ...	6,390	47	45	4	—	96	15.0	1.09	0.98	49	44	93	14.6	0.80	1.03	—	—	—	1
Knighton ...	1,842	15	14	2	—	31	16.8	1.10	1.10	16	7	23	12.5	0.78	0.86	—	—	—	—
Llandrindod Wells ...	3,286	22	22	2	—	46	14.0	1.04	0.92	24	30	54	16.4	0.81	1.18	—	—	—	—
Presteign ...	1,262	10	9	—	—	19	15.1	1.20	0.99	9	7	16	12.7	0.79	0.89	—	—	—	1
Rural Districts ...	13,330	96	85	4	3	188	14.1	1.21	0.92	90	69	159	11.9	0.85	0.90	9	48	9	4
Colwyn ...	1,629	8	9	—	—	17	10.4	1.16	0.68	11	6	17	10.4	0.89	0.82	—	—	—	—
Knighton ...	3,187	19	15	—	—	34	10.7	1.21	0.70	21	19	40	12.6	0.90	1.00	1	29	1	—
New Radnor ...	2,253	15	14	1	1	31	13.8	1.26	0.90	19	4	23	10.2	0.84	0.76	3	97	3	1
Paincastle ...	1,820	19	15	1	1	36	19.8	1.14	1.29	8	14	22	12.1	0.77	0.82	—	—	—	2
Rhayader ...	4,441	35	32	2	1	70	15.8	1.24	1.03	31	26	57	12.8	0.84	0.95	5	72	5	1



**TABLE 13.—Deaths by Sex at each Year of Age** } **England and Wales.**  
(with Marital Condition), 1952.

Included in this Table are 403 cases (188 Males and 215 Females) in which the age of deceased was not definitely stated ; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

*See Explanatory notes on page vi.*

Age last birth-day.	Persons.	MALES					FEMALES				
		Total.	Single.	Married.	Widowed.	No Statement.	Total.	Single.	Married.	Widowed.	No Statement.
All Ages.	497484	257760	39178	145099	62310	11173	239724	48450	77724	113417	133
0-4	21911	12593	12593	—	—	—	9318	9318	—	—	—
0	18555	10663	10663	—	—	—	7892	7892	—	—	—
1	1381	789	789	—	—	—	592	592	—	—	—
2	836	472	472	—	—	—	364	364	—	—	—
3	618	358	358	—	—	—	260	260	—	—	—
4	521	311	311	—	—	—	210	210	—	—	—
5-9	1715	1014	1014	—	—	—	701	701	—	—	—
5	510	286	286	—	—	—	224	224	—	—	—
6	366	211	211	—	—	—	155	155	—	—	—
7	331	197	197	—	—	—	134	134	—	—	—
8	258	161	161	—	—	—	97	97	—	—	—
9	250	159	159	—	—	—	91	91	—	—	—
10-14	1196	720	720	—	—	—	476	476	—	—	—
10	219	132	132	—	—	—	87	87	—	—	—
11	198	127	127	—	—	—	71	71	—	—	—
12	249	150	150	—	—	—	99	99	—	—	—
13	232	126	126	—	—	—	106	106	—	—	—
14	298	185	185	—	—	—	113	113	—	—	—
15-19	1907	1198	1096	5	1	96	709	677	32	—	—
15	322	204	204	—	—	—	118	118	—	—	—
16	326	202	202	—	—	—	124	124	—	—	—
17	398	249	247	1	—	1	149	144	5	—	—
18	413	265	258	—	—	7	148	143	5	—	—
19	448	278	185	4	1	88	170	148	22	—	—
20-24	2951	1841	1026	203	4	608	1110	632	470	3	5
20	523	344	206	11	1	126	179	131	47	—	1
21	562	360	231	18	—	111	202	138	62	—	2
22	609	372	203	41	1	127	237	139	98	—	—
23	613	370	198	58	1	113	243	130	113	—	—
24	644	395	188	75	1	131	249	94	150	3	2
25-29	3571	2008	773	705	17	513	1563	503	1030	26	4
25	631	361	154	97	3	107	270	115	149	3	3
26	692	389	167	116	4	102	303	85	216	2	—
27	681	404	150	139	2	113	277	86	185	6	—
28	766	403	154	154	3	92	363	116	237	9	1
29	801	451	148	199	5	99	350	101	243	6	—
30-34	4485	2517	669	1330	33	485	1968	436	1470	58	4
30	835	468	138	216	6	108	367	86	266	13	2
31	1049	573	151	298	7	117	476	112	347	17	—
32	1004	549	151	280	8	110	455	96	347	11	1
33	807	485	115	281	6	83	322	67	246	9	—
34	790	442	114	255	6	67	348	75	264	8	1
35-39	6134	3452	687	2202	52	511	2682	557	2011	111	3
35	960	542	121	316	13	92	418	86	314	17	1
36	1030	580	129	354	14	83	450	93	336	21	—
37	1270	711	133	463	10	105	559	117	421	21	—
38	1413	791	152	504	9	126	622	139	452	29	2
39	1461	828	152	565	6	105	633	122	488	23	—
40-44	9722	5438	821	3904	116	597	4284	829	3207	242	6
40	1533	850	144	576	21	109	683	140	497	41	5
41	1784	980	157	688	22	113	804	151	612	41	—
42	1943	1099	155	797	22	125	844	186	615	43	—
43	2148	1201	179	886	21	115	947	161	726	60	—
44	2314	1308	186	957	30	135	1006	191	757	57	1
45-49	15522	9155	1227	6927	276	725	6367	1203	4701	461	2
45	2487	1438	196	1062	39	141	1049	201	787	61	—
46	2819	1657	243	1233	49	132	1162	236	849	75	2
47	3100	1826	252	1369	50	155	1274	258	923	93	—
48	3470	2063	260	1584	63	156	1407	234	1060	113	—
49	3646	2171	276	1679	75	141	1475	274	1082	119	—

TABLE 13—continued.

Age last birth-day.	Persons.	MALES					FEMALES				
		Total.	Single.	Married.	Widowed.	No Statement.	Total.	Single.	Married.	Widowed.	No Statement.
<b>50-54</b>	<b>23276</b>	<b>14167</b>	<b>1546</b>	<b>11083</b>	<b>688</b>	<b>850</b>	<b>9109</b>	<b>1609</b>	<b>6304</b>	<b>1189</b>	<b>7</b>
50	3967	2420	276	1902	92	150	1547	290	1089	164	4
51	4482	2776	325	2146	125	180	1706	295	1216	194	1
52	4950	2990	355	2327	129	179	1960	370	1351	238	1
53	4727	2882	300	2256	153	173	1845	313	1271	260	1
54	5150	3099	290	2452	189	168	2051	341	1377	333	—
<b>55-59</b>	<b>31921</b>	<b>19356</b>	<b>1815</b>	<b>15221</b>	<b>1338</b>	<b>982</b>	<b>12565</b>	<b>2096</b>	<b>8055</b>	<b>2408</b>	<b>6</b>
55	5196	3141	322	2481	168	170	2055	350	1356	348	1
56	6063	3650	370	2855	236	189	2413	434	1561	415	3
57	6292	3772	352	2989	236	195	2520	430	1634	455	1
58	7037	4313	388	3377	331	217	2724	464	1728	531	1
59	7333	4480	383	3519	367	211	2853	418	1776	659	—
<b>60-64</b>	<b>44330</b>	<b>26236</b>	<b>2268</b>	<b>20041</b>	<b>2843</b>	<b>1084</b>	<b>18094</b>	<b>2765</b>	<b>10001</b>	<b>5320</b>	<b>8</b>
60	7473	4438	388	3410	424	216	3035	451	1777	806	1
61	7939	4750	374	3776	406	194	3189	501	1824	863	1
62	8914	5263	455	4030	568	210	3651	560	2043	1046	2
63	9687	5697	506	4312	648	231	3990	594	2162	1231	3
64	10317	6088	545	4513	797	233	4229	659	2195	1374	1
<b>65-69</b>	<b>59977</b>	<b>34007</b>	<b>3075</b>	<b>24076</b>	<b>5682</b>	<b>1174</b>	<b>25970</b>	<b>3829</b>	<b>11801</b>	<b>10324</b>	<b>16</b>
65	10875	6485	613	4703	900	269	4390	654	2184	1549	3
66	10935	6298	542	4599	935	222	4637	686	2202	1746	3
67	11985	6822	635	4817	1137	233	5163	773	2342	2044	4
68	12538	6946	614	4870	1244	218	5592	826	2458	2304	4
69	13644	7456	671	5087	1466	232	6188	890	2615	2681	2
<b>70-74</b>	<b>74795</b>	<b>39053</b>	<b>3452</b>	<b>24217</b>	<b>10204</b>	<b>1180</b>	<b>35742</b>	<b>5211</b>	<b>12413</b>	<b>18096</b>	<b>22</b>
70	13696	7355	653	4798	1657	247	6341	964	2500	2874	3
71	13931	7414	699	4826	1688	201	6517	960	2469	3083	5
72	15245	8095	723	4984	2159	229	7150	1081	2431	3632	6
73	15631	8024	697	4868	2219	240	7607	1072	2500	4030	5
74	16292	8165	680	4741	2481	263	8127	1134	2513	4477	3
<b>75-79</b>	<b>81515</b>	<b>39725</b>	<b>3318</b>	<b>20006</b>	<b>15273</b>	<b>1128</b>	<b>41790</b>	<b>6465</b>	<b>9844</b>	<b>25463</b>	<b>18</b>
75	16449	8154	714	4502	2685	253	8295	1300	2290	4701	4
76	17034	8499	681	4486	3101	231	8535	1346	2217	4966	6
77	16096	7898	652	4044	2950	252	8198	1268	1910	5019	1
78	16162	7778	694	3671	3205	208	8384	1276	1825	5279	4
79	15774	7396	577	3303	3332	184	8378	1275	1602	5498	3
<b>80-84</b>	<b>63910</b>	<b>28049</b>	<b>2055</b>	<b>10876</b>	<b>14339</b>	<b>779</b>	<b>35861</b>	<b>5874</b>	<b>4759</b>	<b>25216</b>	<b>12</b>
80	14445	6649	526	2864	3077	182	7796	1300	1288	5205	3
81	13364	6013	451	2444	2942	176	7351	1175	1033	5142	1
82	13243	5859	428	2188	3067	176	7384	1237	966	5179	2
83	11663	4978	326	1832	2687	133	6685	1109	760	4813	3
84	11195	4550	324	1548	2566	112	6645	1053	712	4877	3
<b>85-89</b>	<b>35079</b>	<b>13200</b>	<b>822</b>	<b>3586</b>	<b>8434</b>	<b>358</b>	<b>21879</b>	<b>3632</b>	<b>1408</b>	<b>16828</b>	<b>11</b>
85	9542	3766	256	1130	2277	103	5776	938	452	4383	3
86	8280	3236	201	921	2020	94	5044	850	357	3835	2
87	6869	2573	160	650	1697	66	4296	740	255	3297	4
88	5658	1991	115	512	1318	46	3667	583	196	2886	2
89	4730	1634	90	373	1122	49	3096	521	148	2427	—
<b>90-94</b>	<b>11355</b>	<b>3529</b>	<b>172</b>	<b>660</b>	<b>2613</b>	<b>84</b>	<b>7826</b>	<b>1333</b>	<b>203</b>	<b>6282</b>	<b>8</b>
90	3643	1219	59	248	888	24	2424	400	94	1928	2
91	2829	888	41	170	652	25	1941	330	48	1562	1
92	2229	693	35	124	519	15	1536	286	31	1217	2
93	1545	452	21	85	332	14	1093	186	16	889	2
94	1109	277	16	33	222	6	832	131	14	686	1
<b>95-99</b>	<b>2041</b>	<b>478</b>	<b>28</b>	<b>53</b>	<b>382</b>	<b>15</b>	<b>1563</b>	<b>282</b>	<b>15</b>	<b>1265</b>	<b>1</b>
95	769	211	12	23	168	8	558	97	7	454	—
96	539	120	6	15	94	5	419	81	3	335	—
97	380	77	6	9	61	1	303	52	2	249	—
98	205	43	3	5	34	1	162	34	2	126	—
99	148	27	1	1	25	—	121	18	1	101	1
<b>100 and over</b>	<b>171</b>	<b>24</b>	<b>1</b>	<b>4</b>	<b>15</b>	<b>4</b>	<b>147</b>	<b>22</b>	<b>—</b>	<b>125</b>	<b>—</b>



**TABLE 14.—Constructed Analysis of 1952 Deaths  
by Age and Marital Condition.**

} **England and Wales.**

*Note.*—In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 13) have been distributed proportionately amongst those of stated condition in the age group.

Age Groups. (l.b.d.)	Persons.	MALES.				FEMALES.			
		Total.	Single.	Married.	Widowed.	Total.	Single.	Married.	Widowed.
All Ages	497484	257760	41226	152233	64301	239724	48473	77777	113474
0-4	21911	12593	12593	—	—	9318	9318	—	—
5-9	1715	1014	1014	—	—	701	701	—	—
10-14	1196	720	720	—	—	476	476	—	—
15-19	1907	1198	1192	5	1	709	677	32	—
20-24	2951	1841	1532	303	6	1110	635	472	3
25-29	3571	2008	1038	947	23	1563	504	1033	26
30-34	4485	2517	829	1647	41	1968	437	1473	58
35-39	6134	3452	806	2585	61	2682	558	2013	111
40-44	9722	5438	922	4386	130	4284	830	3212	242
45-49	15522	9155	1332	7523	300	6367	1203	4703	461
50-54	23276	14167	1645	11790	732	9109	1610	6309	1190
55-59	31921	19356	1912	16034	1410	12565	2097	8059	2409
60-64	44330	26236	2366	20905	2965	18094	2766	10006	5322
65-69	59977	34007	3185	24937	5885	25970	3831	11808	10331
70-74	74795	39053	3560	24971	10522	35742	5214	12421	18107
75-79	81515	39725	3415	20591	15719	41790	6468	9848	25474
80-84	63910	28049	2114	11187	14748	35861	5876	4761	25224
85-89	35079	13200	845	3686	8669	21879	3634	1409	16836
90-94	11355	3529	176	676	2677	7826	1334	203	6289
95-99	2041	478	29	55	394	1563	282	15	1266
100 and over	171	24	1	5	18	147	22	—	125

TABLE 15.—Deaths at Different Ages, 1952.

England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs.

Aggregates of other Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page vi.

Age.	Sex.	England & Wales	Northern			East and West Ridings			North Western			
			Total.	Tyneside Conurbation.	Remainder.	Total.	West Yorkshire Conurbation.	Remainder.	Total.	South East Lancashire Conurbation.	Merseyside Conurbation.	Remainder.
All Ages	M	257,760	19,126	5,225	13,901	25,288	11,094	14,194	40,547	15,487	8,061	16,999
	F	239,724	16,305	4,402	11,903	23,160	10,832	12,328	38,491	14,910	7,506	16,075
Under 4 weeks	M	7,136	645	186	459	686	267	419	1,186	425	328	433
4 weeks to 3 months	F	5,195	439	117	322	509	197	312	960	345	253	362
	M	1,440	127	32	95	149	56	93	272	107	79	86
	F	1,034	110	29	81	130	52	78	195	79	49	67
3-6 months	M	1,134	115	37	78	130	50	80	218	82	61	75
6-12 months	F	848	102	27	75	99	39	60	147	63	42	42
	M	953	104	26	78	106	46	60	172	58	50	64
	F	815	81	20	61	80	34	46	134	47	35	52
Total under 1 year	M	10,663	991	281	710	1,071	419	652	1,848	672	518	658
	F	7,892	732	193	539	818	322	496	1,436	534	379	523
1-	M	789	79	27	52	74	32	42	128	46	41	41
	F	592	58	17	41	60	28	32	101	41	23	37
2-	M	472	50	17	33	51	17	34	69	25	13	31
	F	364	37	10	27	43	15	28	60	18	18	24
3-	M	358	29	8	21	35	13	22	61	24	22	15
	F	260	16	6	10	34	13	21	43	17	14	12
4-	M	311	29	6	23	31	10	21	52	14	17	21
	F	210	15	4	11	18	11	7	37	13	5	19
Total under 5 years	M	12,593	1,178	339	839	1,262	491	771	2,158	781	611	766
	F	9,318	858	230	628	973	389	584	1,677	623	439	615
5-	M	1,014	76	9	67	94	32	62	168	65	36	67
	F	701	55	14	41	80	32	48	108	40	23	45
10-	M	720	57	13	44	58	22	36	103	39	24	40
	F	476	50	10	40	49	21	28	80	31	19	30
15-	M	1,198	96	21	75	95	32	63	167	47	55	65
	F	709	54	16	38	56	12	44	112	35	39	38
20-	M	1,841	166	38	128	146	49	97	253	84	55	114
	F	1,110	90	24	66	106	40	66	168	52	54	62
25-	M	2,008	179	55	124	202	73	129	307	108	81	118
	F	1,563	150	49	101	163	61	102	249	98	68	83
30-	M	2,517	233	67	166	259	111	148	366	132	95	139
	F	1,968	176	57	119	187	67	120	342	127	90	125
35-	M	3,452	270	87	183	331	133	198	582	242	113	227
	F	2,682	211	61	150	266	113	153	453	180	104	169
40-	M	5,438	441	126	315	524	230	294	923	367	205	351
	F	4,284	328	94	234	422	178	244	736	301	147	288
45-	M	9,155	721	219	502	899	400	499	1,619	643	322	654
	F	6,367	468	126	342	645	296	349	1,080	406	199	475
50-	M	14,167	1,130	321	809	1,406	649	757	2,492	1,017	503	972
	F	9,109	649	170	479	923	417	506	1,542	615	278	649
55-	M	19,356	1,443	402	1,041	1,983	909	1,074	3,317	1,362	666	1,289
	F	12,565	946	263	683	1,261	594	667	2,186	906	411	869
60-	M	26,236	1,963	581	1,382	2,620	1,172	1,448	4,469	1,756	884	1,829
	F	18,094	1,316	379	937	1,858	891	967	3,142	1,289	569	1,284
65-	M	34,007	2,479	707	1,772	3,373	1,537	1,836	5,563	2,098	1,039	2,426
	F	25,970	1,899	501	1,398	2,637	1,271	1,366	4,571	1,796	853	1,922
70-	M	39,053	2,742	755	1,987	4,046	1,881	2,165	6,309	2,433	1,188	2,688
	F	35,742	2,506	707	1,799	3,650	1,759	1,891	6,248	2,551	1,101	2,596
75-	M	39,725	2,990	759	2,231	4,069	1,774	2,295	6,052	2,297	1,097	2,658
	F	41,790	2,838	758	2,080	4,188	2,063	2,125	6,949	2,632	1,332	2,985
80-	M	28,049	1,932	484	1,448	2,647	1,118	1,529	3,781	1,381	679	1,721
	F	35,861	2,122	555	1,567	3,259	1,538	1,721	5,239	1,953	996	2,290
85 and over	M	17,231	1,030	242	788	1,274	481	793	1,918	635	408	875
	F	31,415	1,589	388	1,201	2,437	1,090	1,347	3,609	1,275	784	1,550



TABLE 15—continued.

Age.	Sex.	North Midland.	Midland			Eastern.	London and South Eastern			Southern.	South Western.
			Total.	West Midlands Conurbations.	Remainder.		Total.	Greater London.	Remainder.		
All Ages	M	18,937	24,321	12,225	12,096	17,465	62,308	46,737	15,571	14,839	17,944
	F	16,915	21,376	10,666	10,710	16,623	60,584	44,216	16,368	14,264	17,986
Under 4 weeks	M	569	767	386	381	444	1,413	1,062	351	391	514
4 weeks to 3 months	F	445	558	288	270	330	1,000	742	258	287	330
	M	116	170	84	86	74	251	190	61	78	53
	F	69	117	61	56	53	180	140	40	46	46
3-6 months	M	98	121	64	57	67	193	147	46	53	60
	F	78	99	57	42	40	134	111	23	39	45
6-12 months	M	87	112	49	63	56	159	106	53	38	51
	F	66	106	58	48	46	142	109	33	39	52
Total under 1 year	M	870	1,170	583	587	641	2,016	1,505	511	560	678
	F	658	880	464	416	469	1,456	1,102	354	411	473
1-	M	59	88	44	44	56	150	102	48	51	53
	F	52	72	40	32	42	105	66	39	28	35
2-	M	43	63	27	36	22	84	62	22	30	29
	F	33	44	25	19	15	65	48	17	20	22
3-	M	24	44	19	25	25	71	52	19	24	20
	F	20	31	15	16	17	54	40	14	16	14
4-	M	27	40	21	19	13	78	61	17	10	15
	F	14	24	13	11	21	41	30	11	13	14
Total under 5 years	M	1,023	1,405	694	711	757	2,399	1,782	617	675	795
	F	777	1,051	557	494	564	1,721	1,286	435	488	558
5-	M	83	124	62	62	59	225	170	55	50	70
	F	65	74	38	36	47	152	117	35	35	44
10-	M	53	84	44	40	48	158	115	43	46	61
	F	30	56	22	34	25	101	68	33	21	36
15-	M	107	129	55	74	100	236	167	69	88	106
	F	52	98	48	50	58	152	115	37	35	41
20-	M	157	200	96	104	145	371	276	95	143	132
	F	106	118	67	51	65	237	179	58	57	83
25-	M	154	215	99	116	149	428	341	87	109	104
	F	115	150	76	74	81	379	313	66	72	97
30-	M	198	275	142	133	143	546	426	120	145	180
	F	153	208	105	103	103	454	365	89	103	124
35-	M	251	395	201	194	192	814	640	174	174	200
	F	212	273	163	110	186	623	490	133	119	169
40-	M	370	546	289	257	340	1,291	1,044	247	262	352
	F	290	424	223	201	266	1,074	838	236	208	253
45-	M	628	900	496	404	547	2,264	1,826	438	427	531
	F	455	662	367	295	385	1,497	1,157	340	327	411
50-	M	976	1,390	772	618	774	3,502	2,797	705	687	868
	F	695	874	441	433	521	2,243	1,756	487	452	634
55-	M	1,384	1,832	1,002	830	1,079	4,809	3,840	969	992	1,230
	F	871	1,115	566	549	800	3,070	2,319	751	642	855
60-	M	1,796	2,491	1,321	1,170	1,521	6,542	5,155	1,387	1,338	1,709
	F	1,230	1,650	843	807	1,126	4,372	3,264	1,108	1,047	1,261
65-	M	2,497	3,163	1,606	1,557	2,183	8,362	6,424	1,938	1,986	2,191
	F	1,861	2,338	1,143	1,195	1,640	6,199	4,660	1,539	1,409	1,870
70-	M	2,827	3,605	1,808	1,797	2,629	9,407	6,986	2,421	2,169	2,661
	F	2,522	3,097	1,535	1,562	2,334	8,705	6,354	2,351	2,071	2,519
75-	M	2,997	3,606	1,720	1,886	2,904	9,420	6,795	2,625	2,382	2,876
	F	2,892	3,610	1,855	1,755	2,920	10,491	7,547	2,944	2,471	3,125
80-	M	2,129	2,536	1,177	1,359	2,221	6,972	4,915	2,057	1,816	2,243
	F	2,441	3,097	1,488	1,609	2,790	9,696	6,935	2,761	2,273	2,900
85 and over	M	1,307	1,425	641	784	1,674	4,562	3,038	1,524	1,350	1,635
	F	2,148	2,481	1,129	1,352	2,712	9,418	6,453	2,965	2,434	3,006

TABLE 15—continued.

Age.	Sex.	Wales			Conurbations.	Areas outside the conurbations				
		Total.	Wales I.	Wales II.		Total.	Urban areas, with populations of 100,000 and over.	Urban areas, with populations of 50,000 and under 100,000.	Urban areas, with populations under 50,000.	Rural areas.
All Ages	M	16,985	11,986	4,999	98,829	158,931	34,703	19,916	57,018	47,294
	F	14,020	9,527	4,493	92,532	147,192	32,141	19,142	53,548	42,361
Under 4 weeks	M	521	368	153	2,654	4,482	983	530	1,578	1,391
4 weeks to 3 months	F	337	250	87	1,942	3,253	706	448	1,120	979
	M	150	114	36	548	892	226	113	313	240
	F	88	69	19	410	624	169	73	200	182
3-6 months	M	79	59	20	441	693	160	94	262	177
6-12 months	F	65	50	15	339	509	127	81	174	127
	M	68	47	21	335	618	124	72	250	172
	F	69	54	15	303	512	104	65	185	158
Total under 1 year	M	818	588	230	3,978	6,685	1,493	809	2,403	1,980
	F	559	423	136	2,994	4,898	1,106	667	1,679	1,446
1-	M	51	39	12	292	497	98	58	165	176
	F	39	26	13	215	377	78	61	120	118
2-	M	31	22	9	161	311	73	40	101	97
	F	25	14	11	134	230	38	21	97	74
3-	M	25	18	7	138	220	45	29	61	85
	F	15	11	4	105	155	32	16	56	51
4-	M	16	14	2	129	182	33	33	68	48
	F	13	9	4	76	134	25	23	42	44
Total under 5 years	M	941	681	260	4,698	7,895	1,742	969	2,798	2,386
	F	651	483	168	3,524	5,794	1,279	783	1,994	1,733
5-	M	65	51	14	374	640	147	86	210	197
	F	41	29	12	264	437	96	57	146	138
10-	M	52	35	17	257	463	84	54	171	154
	F	28	22	6	171	305	80	39	99	87
15-	M	74	47	27	377	821	157	75	233	356
	F	51	37	14	265	444	109	63	136	136
20-	M	128	80	48	598	1,243	234	137	368	504
	F	80	57	23	416	694	164	88	244	198
25-	M	161	119	42	757	1,251	237	137	427	450
	F	107	81	26	665	898	220	112	324	242
30-	M	172	118	54	973	1,544	350	180	519	495
	F	118	89	29	811	1,157	296	157	400	304
35-	M	243	166	77	1,416	2,036	467	245	718	606
	F	170	129	41	1,111	1,571	348	193	574	456
40-	M	389	285	104	2,261	3,177	747	390	1,121	919
	F	283	208	75	1,781	2,503	587	298	925	693
45-	M	619	440	179	3,906	5,249	1,221	698	1,925	1,405
	F	437	321	116	2,551	3,816	920	467	1,350	1,079
50-	M	942	692	250	6,059	8,108	1,991	1,027	2,922	2,168
	F	576	413	163	3,677	5,432	1,299	704	1,916	1,513
55-	M	1,287	944	343	8,181	11,175	2,653	1,558	4,106	2,858
	F	819	600	219	5,059	7,506	1,702	954	2,733	2,117
60-	M	1,787	1,331	456	10,869	15,367	3,768	1,981	5,476	4,142
	F	1,092	762	330	7,235	10,859	2,491	1,358	4,050	2,960
65-	M	2,210	1,586	624	13,411	20,596	4,737	2,607	7,490	5,762
	F	1,546	1,055	491	10,224	15,746	3,558	2,079	5,621	4,488
70-	M	2,658	1,877	781	15,051	24,002	5,384	3,080	8,686	6,852
	F	2,090	1,404	686	14,007	21,735	4,925	2,869	7,938	6,003
75-	M	2,429	1,661	768	14,442	25,283	5,236	3,119	9,081	7,847
	F	2,306	1,541	765	16,187	25,603	5,487	3,370	9,434	7,312
80-	M	1,772	1,207	565	9,754	18,295	3,574	2,192	6,610	5,919
	F	2,044	1,295	749	13,465	22,396	4,597	2,902	8,272	6,625
85 and over	M	1,056	666	390	5,445	11,786	1,974	1,381	4,157	4,274
	F	1,581	1,001	580	11,119	20,296	3,983	2,644	7,392	6,277



TABLE 15—continued—Metropolitan Boroughs.

Age.	Sex.	Total London Admin. County.	City of London.	The Temples.	Battersea.	Bernondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages	M	20,906	47	—	718	400	376	1,166	325	505	253	757	534	991	719	494
	F	19,462	15	—	669	329	306	1,046	344	404	225	704	424	983	638	603
Under 4 weeks	M	493	2	—	13	7	9	34	9	18	3	18	8	21	16	21
4 weeks to 3 months	F	324	—	—	4	5	9	15	3	13	3	16	2	13	7	7
	M	81	—	—	3	4	1	5	—	2	1	2	1	4	4	3
	F	72	—	—	3	2	2	4	1	1	1	1	2	—	2	1
3-6 months	M	65	—	—	2	—	1	3	2	2	1	1	1	5	2	—
6-12 months	F	56	—	—	1	—	2	4	1	2	1	2	3	3	2	—
	M	51	—	—	3	—	2	3	—	2	—	4	—	3	3	—
	F	47	—	—	2	1	3	1	—	2	1	—	2	1	1	3
Total under 1 year	M	690	2	—	21	11	13	45	11	24	5	25	10	33	25	24
	F	499	—	—	10	8	16	24	5	18	6	19	9	17	12	11
1—	M	45	—	—	1	—	1	2	2	—	—	3	1	1	1	2
	F	30	—	—	—	—	—	5	—	1	—	—	1	2	—	—
2—	M	26	—	—	3	1	1	2	—	—	—	—	—	2	1	—
	F	26	—	—	1	—	—	1	—	—	1	2	—	—	—	—
3—	M	21	—	—	3	1	1	—	—	1	—	—	—	—	1	—
	F	16	—	—	—	—	—	1	—	—	—	1	—	1	2	—
4—	M	23	—	—	2	1	—	2	1	—	1	—	1	2	—	1
	F	12	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Total under 5 years	M	805	2	—	30	14	16	51	14	25	6	28	12	38	28	27
	F	583	—	—	11	8	16	31	5	19	7	22	10	21	14	12
5—	M	68	—	—	4	3	3	4	—	2	1	—	4	7	1	1
	F	48	—	—	2	—	1	—	2	—	1	3	1	4	1	—
10—	M	49	—	—	5	2	1	4	1	2	1	1	1	4	1	1
	F	28	—	—	2	2	—	2	—	2	—	—	—	1	1	—
15—	M	48	—	—	—	2	1	2	1	1	—	—	1	4	4	1
	F	53	—	—	2	1	1	1	2	3	1	—	5	2	3	—
20—	M	119	—	—	3	1	2	4	3	2	1	3	5	3	6	2
	F	83	—	—	4	1	1	5	4	1	1	4	3	3	6	2
25—	M	167	—	—	4	2	—	6	3	2	2	5	2	6	9	7
	F	149	—	—	6	2	3	10	2	2	3	7	13	4	6	5
30—	M	210	2	—	7	5	3	11	6	6	1	2	6	8	8	7
	F	158	—	—	6	5	1	7	2	3	1	4	8	6	3	6
35—	M	282	—	—	10	8	4	13	3	8	2	16	8	10	12	9
	F	233	—	—	8	2	3	14	3	5	2	8	8	14	4	7
40—	M	465	2	—	12	12	5	31	6	11	6	17	18	26	10	10
	F	360	—	—	15	6	5	11	11	10	3	12	5	22	12	9
45—	M	776	2	—	28	12	21	39	12	18	16	30	25	35	26	19
	F	485	—	—	18	8	8	23	4	6	5	14	5	31	12	20
50—	M	1,259	3	—	36	28	21	72	14	23	21	52	31	59	41	22
	F	736	1	—	22	12	9	34	13	15	8	28	18	42	36	20
55—	M	1,676	7	—	53	30	39	79	23	34	15	73	48	67	66	46
	F	959	—	—	24	16	17	43	11	18	13	43	18	51	33	33
60—	M	2,281	9	—	73	44	29	131	32	48	29	82	61	115	84	42
	F	1,502	2	—	52	22	31	84	22	27	22	57	34	76	57	46
65—	M	2,994	5	—	101	56	65	173	31	87	40	114	61	146	109	74
	F	2,073	5	—	78	45	33	109	40	39	29	78	40	99	68	60
70—	M	3,255	5	—	117	81	68	199	50	84	31	102	90	158	121	73
	F	2,871	2	—	106	55	51	169	55	59	37	95	76	151	91	77
75—	M	3,085	4	—	112	51	60	164	47	80	46	128	65	145	100	76
	F	3,346	1	—	120	53	55	199	56	76	33	120	65	198	105	111
80—	M	2,124	3	—	80	37	29	119	51	48	19	70	63	94	53	46
	F	3,034	1	—	100	53	43	152	56	59	32	93	76	153	98	98
85 and over	M	1,243	3	—	43	12	9	64	28	24	16	34	33	66	40	31
	F	2,761	3	—	93	38	28	152	56	60	27	116	39	105	88	97

TABLE 15—continued—Metropolitan Boroughs.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages	M	145	1,456	875	1,475	1,364	739	499	553	913	279	742	797	290	2,036	594	864
	F	131	1,420	1,061	1,349	1,216	711	369	581	745	280	635	574	267	2,129	501	803
Under weeks	M	5	34	23	42	32	18	10	8	33	7	15	16	4	37	12	18
weeks to	F	1	31	22	23	20	20	8	11	10	6	14	7	3	21	11	19
months	M	—	4	8	4	2	9	2	—	3	1	5	1	—	6	3	3
	F	1	2	9	5	5	1	1	1	5	4	2	3	2	7	2	2
3-6 months	M	2	9	5	3	4	2	4	—	3	1	4	1	—	5	—	2
6-12 months	F	—	3	5	4	4	—	2	—	—	—	3	2	1	8	2	1
	M	—	4	—	7	2	3	—	2	1	3	3	2	—	1	1	2
	F	1	1	3	4	2	3	2	1	1	1	3	3	1	4	—	—
Total under 1 year	M	7	51	36	56	40	32	16	10	40	12	27	20	4	49	16	25
	F	3	37	39	36	31	24	13	13	16	11	22	15	7	40	15	22
1—	M	—	4	4	6	2	—	1	—	2	3	1	1	—	2	2	3
	F	1	—	3	—	2	1	1	—	—	—	2	2	—	5	1	3
2—	M	1	—	1	1	4	2	—	—	2	1	—	—	—	2	2	—
	F	1	1	2	1	1	1	1	—	1	1	1	2	1	5	—	2
3—	M	1	1	—	1	3	1	—	—	—	1	2	1	—	3	—	—
	F	1	2	2	1	—	1	—	1	—	—	—	—	—	3	—	—
4—	M	—	1	1	1	—	1	—	—	3	—	—	2	1	1	—	1
	F	—	2	—	1	—	—	2	—	—	—	—	2	—	3	—	—
Total under 5 years	M	9	57	42	65	49	36	17	10	47	17	30	24	5	57	20	29
	F	6	42	46	39	34	27	17	14	17	12	25	21	8	56	16	27
5—	M	—	5	1	4	1	2	5	2	1	—	—	4	1	6	3	3
	F	1	3	1	4	4	1	1	—	2	1	—	3	1	7	—	4
10—	M	—	4	5	3	4	2	—	—	1	—	1	—	—	3	1	1
	F	1	1	1	—	1	1	—	1	1	—	—	—	2	8	—	1
15—	M	1	4	5	3	4	2	—	—	2	—	—	4	1	3	1	1
	F	1	5	—	3	2	2	—	2	1	—	3	2	—	7	1	3
20—	M	1	9	5	6	10	4	5	3	7	2	7	1	2	11	10	1
	F	1	3	3	6	7	—	2	3	3	1	2	6	—	3	3	5
25—	M	1	11	13	9	18	7	2	1	15	—	5	7	3	13	6	8
	F	2	11	4	12	8	6	1	1	5	2	5	8	2	14	3	2
30—	M	—	16	13	16	13	9	3	3	10	4	3	13	5	18	5	7
	F	—	14	12	10	6	3	5	2	10	2	5	12	1	10	7	7
35—	M	3	14	12	20	16	15	13	5	14	2	13	13	3	19	9	8
	F	1	15	20	16	21	9	2	4	9	3	6	5	7	28	3	6
40—	M	4	21	25	31	23	16	14	10	19	9	23	16	13	31	21	23
	F	3	38	20	27	22	16	5	12	9	2	11	10	6	35	13	10
45—	M	8	51	40	59	30	31	23	27	38	7	27	23	7	66	24	32
	F	2	42	24	33	31	20	17	13	24	6	7	14	11	51	16	20
50—	M	12	94	63	80	74	57	25	28	56	23	40	57	20	102	53	52
	F	10	50	37	38	49	33	12	25	28	9	21	25	13	73	20	35
55—	M	15	117	84	111	108	59	39	47	82	20	47	51	15	171	55	75
	F	9	57	61	67	60	34	19	21	57	18	38	31	16	78	25	48
60—	M	13	165	77	174	141	84	60	50	108	31	86	97	30	216	78	92
	F	10	89	72	106	90	64	31	42	64	21	36	59	23	164	36	63
65—	M	25	205	120	202	187	95	83	72	137	42	90	128	49	289	79	129
	F	17	145	99	136	136	75	49	65	84	27	46	69	30	233	55	84
70—	M	19	225	134	231	184	120	74	85	149	48	120	116	43	324	93	111
	F	21	212	149	191	158	97	70	77	105	49	112	90	46	295	76	99
75—	M	15	216	114	214	227	109	72	85	109	38	121	116	49	322	66	134
	F	16	256	161	237	193	117	66	110	118	59	115	89	37	349	92	139
80—	M	15	161	76	158	162	51	46	70	77	21	80	86	28	238	41	102
	F	20	207	172	226	210	105	46	101	114	31	97	81	34	372	69	135
85 and over	M	4	81	46	89	113	40	18	55	41	15	49	41	16	147	29	56
	F	10	230	179	198	184	101	26	88	94	37	106	49	30	346	66	115



TABLE 15—continued — County Boroughs.

Age.		Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages		M	488	477	490	891	6,073	802	1,108	1,135	400	975	1,965	1,038	2,504	598
		F	388	346	549	817	5,381	787	1,157	1,134	334	1,196	1,981	1,165	2,467	597
Under 4 weeks		M	21	12	11	35	174	25	18	20	25	18	54	20	62	11
4 weeks to 3 months		F	11	16	12	23	153	13	13	19	17	7	39	28	40	11
		M	6	3	5	10	43	3	5	3	4	5	13	4	5	1
		F	1	2	—	4	27	1	3	6	5	2	17	2	8	5
3-6 months		M	7	1	1	8	28	1	1	7	6	2	8	2	9	6
6-12 months		F	4	2	1	3	22	1	1	3	2	—	4	1	6	—
		M	1	2	1	6	26	3	4	6	3	3	12	2	8	2
		F	2	3	—	2	22	1	—	3	4	1	8	1	7	1
Total under 1 year		M	35	18	18	59	271	32	28	36	38	28	87	28	84	20
		F	18	23	13	32	224	16	17	31	28	10	68	32	61	17
1—		M	1	1	—	2	20	1	—	6	7	—	9	3	5	1
		F	1	3	4	—	19	3	1	2	1	2	9	3	6	3
2—		M	—	1	—	—	14	—	1	2	1	1	2	1	3	1
		F	2	2	1	3	9	—	—	2	2	—	4	1	1	—
3—		M	1	—	1	3	6	—	3	3	1	—	2	1	1	—
		F	—	—	—	—	10	—	—	1	1	—	2	—	2	1
4—		M	1	1	2	1	4	—	1	1	1	—	3	—	2	—
		F	—	—	—	—	3	1	2	—	—	—	—	—	3	3
Total under 5 years		M	38	21	21	65	315	33	33	48	48	29	103	33	95	22
		F	21	28	18	35	265	20	20	36	32	12	83	36	73	24
5—		M	3	3	1	4	27	2	2	3	3	3	7	6	10	3
		F	3	1	1	5	14	3	1	4	3	1	7	1	7	3
10—		M	2	3	1	2	22	1	3	2	2	2	4	1	4	2
		F	—	—	—	2	9	—	1	3	1	2	2	2	5	1
15—		M	3	1	—	5	25	5	4	4	3	2	8	9	12	2
		F	2	3	1	3	16	1	2	5	3	1	4	—	5	1
20—		M	2	3	—	5	41	8	1	5	8	7	5	4	19	3
		F	6	2	4	4	28	4	3	—	4	3	10	—	13	5
25—		M	3	4	2	12	46	7	6	11	4	—	17	9	8	4
		F	5	1	3	9	34	3	5	11	5	2	16	4	12	—
30—		M	5	2	3	12	69	4	6	10	8	6	23	5	22	4
		F	4	2	1	10	49	9	9	11	6	5	14	5	13	6
35—		M	5	8	4	10	114	12	2	17	10	7	23	11	29	9
		F	5	4	6	10	87	8	10	10	6	7	18	11	24	2
40—		M	8	10	9	16	129	15	24	31	19	13	43	16	65	8
		F	9	5	6	16	102	13	20	22	4	15	25	14	23	12
45—		M	21	25	17	27	248	35	41	47	21	26	81	29	76	23
		F	14	10	10	18	177	24	29	35	13	24	61	28	70	19
50—		M	20	16	19	69	371	49	65	66	32	39	110	47	125	34
		F	20	19	15	30	218	24	44	37	11	27	84	39	98	21
55—		M	41	33	35	74	527	55	61	107	35	68	164	60	192	46
		F	34	17	21	42	281	41	68	60	15	42	118	61	117	31
60—		M	47	63	49	104	689	89	117	145	37	88	205	120	305	71
		F	31	25	26	67	428	64	86	104	18	92	178	84	178	50
65—		M	56	61	66	117	811	123	185	146	43	140	276	138	291	84
		F	41	39	67	99	595	112	137	135	36	114	221	108	273	81
70—		M	77	74	70	123	892	124	190	166	60	155	331	166	414	114
		F	57	58	71	118	802	140	208	199	56	190	330	194	371	103
75—		M	72	73	78	119	846	124	182	179	37	141	284	169	399	95
		F	68	60	97	148	965	142	213	221	58	220	353	189	428	114
80—		M	58	50	55	72	592	84	117	108	19	147	194	133	278	52
		F	40	50	94	114	741	107	182	147	47	189	290	176	382	87
85 and over		M	27	27	60	55	309	32	69	40	11	102	87	82	160	22
		F	28	22	108	87	570	72	119	94	16	250	167	213	375	37

TABLE 15—continued—County Boroughs.

Age.		Sex.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
Ages		M	296	424	166	414	274	1,279	1,466	512	867	370	467	350	376	723	482	735	360
		F	251	404	163	399	264	1,068	1,520	453	721	357	400	299	498	607	440	615	324
Under 4 weeks		M	9	7	5	12	10	50	29	9	23	13	14	11	2	19	9	37	12
4 weeks to 3 months		F	5	10	4	9	4	35	19	7	23	6	15	6	3	9	9	19	8
		M	3	3	—	4	2	11	6	4	3	2	3	5	—	1	1	2	3
		F	2	1	—	1	1	10	2	—	2	—	3	5	1	2	2	3	2
3-6 months		M	—	3	3	1	1	5	4	1	5	2	1	3	2	2	3	7	—
6-12 months		F	—	1	—	2	—	7	4	4	1	2	—	2	—	2	—	6	1
		M	1	—	2	1	1	9	1	3	3	3	—	—	1	2	—	4	—
		F	4	1	—	1	—	5	3	3	—	1	1	1	—	—	—	4	—
Under 1 year		M	13	13	10	18	14	75	40	17	34	20	18	19	5	24	13	50	15
		F	11	13	4	13	5	57	28	14	26	9	19	14	5	13	11	32	11
1—		M	—	—	1	—	—	3	3	—	3	—	2	2	—	2	—	4	2
		F	—	—	—	1	—	7	3	2	—	—	3	—	1	—	—	5	1
2—		M	—	1	—	—	—	5	2	2	3	1	1	1	1	—	—	1	2
		F	2	—	1	1	—	5	1	—	—	—	1	—	—	—	—	2	1
3—		M	2	1	1	—	—	1	2	1	—	—	—	1	2	1	1	4	—
		F	—	—	—	—	—	—	1	1	1	1	—	—	—	—	1	—	1
4—		M	2	—	—	1	—	3	1	—	1	1	1	1	—	2	2	1	—
		F	1	1	—	2	—	—	2	—	1	—	3	—	—	—	1	2	1
Under 5 years		M	17	15	12	19	14	87	48	20	41	22	22	24	8	29	16	60	19
		F	14	14	5	17	5	69	35	17	28	10	26	14	6	13	13	41	15
5—		M	—	1	2	—	—	4	6	1	4	1	2	—	—	4	1	1	—
		F	1	1	1	—	1	5	6	1	1	1	1	1	—	1	4	—	2
10—		M	—	1	—	1	—	6	4	1	4	2	—	1	—	—	1	—	1
		F	1	1	—	1	—	4	1	1	1	1	—	1	—	1	—	2	3
15—		M	—	2	2	3	—	10	8	2	1	1	4	—	2	1	2	1	1
		F	1	—	—	—	—	5	3	2	4	—	3	1	1	1	1	6	—
20—		M	2	1	2	4	2	9	6	2	7	4	4	2	—	3	5	3	2
		F	—	1	—	2	1	5	6	2	1	1	4	2	—	1	3	3	1
25—		M	2	3	—	1	1	13	13	2	4	1	7	3	—	2	2	9	1
		F	3	2	—	5	1	11	12	3	1	2	4	1	1	4	4	6	2
30—		M	2	1	1	6	1	23	5	4	12	2	10	8	4	9	2	12	2
		F	3	1	—	3	—	12	8	2	5	4	4	3	—	5	1	9	5
35—		M	3	7	2	8	6	27	17	5	11	3	7	3	4	14	7	14	6
		F	—	4	3	3	4	11	14	4	8	4	8	6	4	9	2	6	6
40—		M	11	12	4	7	5	28	28	12	13	7	9	7	1	15	13	19	5
		F	6	4	4	3	5	29	20	12	11	7	6	4	6	13	5	11	3
45—		M	14	16	8	15	11	37	45	13	36	10	16	16	14	31	12	38	12
		F	6	14	1	14	17	39	32	12	13	10	16	8	4	12	7	21	7
50—		M	14	30	6	31	17	78	77	39	46	16	33	20	21	38	28	36	20
		F	8	16	10	27	13	46	53	12	34	14	22	14	9	24	17	29	12
55—		M	17	35	13	39	15	113	113	43	66	30	40	29	20	53	35	46	45
		F	9	23	8	32	19	61	77	22	36	13	19	23	19	34	16	35	20
60—		M	24	52	12	34	40	147	151	60	91	40	49	35	28	87	52	84	38
		F	18	38	7	30	25	86	96	34	59	35	30	20	27	43	33	61	14
65—		M	45	65	17	59	38	192	222	69	110	61	58	41	54	88	61	114	39
		F	32	48	11	47	27	116	164	55	78	43	49	30	55	75	44	73	29
70—		M	55	61	14	63	34	181	224	86	127	67	75	54	63	119	69	98	53
		F	32	78	23	60	39	168	202	72	122	67	55	40	76	90	62	100	42
75—		M	34	67	38	67	36	161	213	78	138	52	72	54	64	93	74	93	52
		F	50	77	40	60	47	172	261	78	142	68	65	59	99	117	88	105	61
80—		M	35	41	16	33	32	106	176	53	112	30	31	29	51	81	56	75	43
		F	35	55	25	50	33	128	244	59	94	39	46	40	90	95	73	63	53
85 and over		M	21	14	17	24	22	57	110	22	44	21	28	24	42	56	46	32	21
		F	32	27	25	45	27	101	286	65	83	38	42	32	101	69	67	44	49



TABLE 15—continued—County Boroughs.

Age.		Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.
All Ages		M	314	557	680	440	868	578	1,765	3,214	1,652	457	4,732	4,443	881	1,833	639	703	1,715
		F	315	484	696	574	822	592	1,556	3,074	1,602	346	4,292	4,133	710	1,590	583	729	1,622
Under 4 weeks		M	4	17	13	8	10	12	62	90	38	14	194	148	31	59	15	11	57
4 weeks to 3 months		F	7	17	9	10	18	21	58	53	24	7	159	120	21	29	9	10	36
		M	—	1	2	1	5	5	25	19	12	2	50	47	10	10	2	4	12
		F	—	3	5	—	4	3	22	9	2	1	32	27	15	12	2	1	6
3-6 months		M	—	7	2	1	5	5	15	19	9	3	36	22	14	7	—	4	11
6-12 months		F	—	3	2	2	1	1	15	18	6	3	31	33	5	7	2	—	12
		M	—	6	4	—	1	—	18	11	11	2	33	19	4	10	1	1	6
		F	1	4	1	3	1	1	6	11	8	—	23	8	2	6	1	1	6
Total under 1 year		M	4	31	21	10	21	22	120	139	70	21	313	236	59	86	18	20	88
		F	8	27	17	15	24	26	101	91	40	11	245	188	43	54	14	12	60
1—		M	2	1	4	—	2	—	7	7	8	—	28	19	5	7	1	4	10
		F	—	5	—	3	—	2	3	13	5	—	18	19	4	4	2	1	7
2—		M	2	2	1	2	1	—	8	10	2	—	10	8	1	3	—	1	3
		F	1	—	2	—	2	1	3	3	3	—	7	7	5	2	—	—	4
3—		M	1	—	—	—	2	—	4	4	—	—	16	9	1	1	3	1	2
		F	—	—	—	—	1	—	4	6	1	—	9	6	1	3	—	—	3
4—		M	1	1	—	—	1	—	3	4	3	—	12	3	1	2	—	—	3
		F	1	—	1	1	—	—	2	6	3	—	3	4	—	1	—	—	—
Total under 5 years		M	10	35	26	12	27	22	142	164	83	21	379	275	67	99	22	26	107
		F	10	32	20	19	27	29	113	119	52	11	282	224	53	64	16	13	73
5—		M	—	3	1	1	3	2	12	10	4	1	22	19	3	1	5	3	4
		F	1	1	6	—	1	—	5	7	6	1	11	17	4	6	1	2	1
10—		M	1	3	2	—	4	3	7	4	2	1	15	14	—	4	2	2	1
		F	1	4	1	—	5	1	7	4	1	—	13	10	7	2	1	1	2
15—		M	1	2	—	2	1	4	8	9	7	1	34	18	4	2	1	3	1
		F	1	3	—	1	—	3	9	5	7	1	23	13	5	3	3	2	1
20—		M	4	4	3	1	6	2	11	13	10	1	32	31	9	20	2	3	6
		F	—	3	3	2	1	3	11	11	14	—	36	20	5	9	2	1	1
25—		M	—	5	5	3	3	4	15	27	11	1	48	30	5	17	2	5	9
		F	1	5	1	1	5	3	17	19	11	1	42	31	10	16	3	3	14
30—		M	3	4	4	3	8	5	20	48	18	3	61	42	11	20	3	6	20
		F	3	5	2	4	3	6	15	18	25	4	50	48	10	21	5	4	11
35—		M	3	6	11	4	6	9	18	42	16	8	70	66	15	30	7	12	25
		F	5	8	8	4	10	5	19	47	10	2	62	55	6	20	5	5	11
40—		M	5	9	14	7	16	9	38	68	42	6	119	125	28	47	10	9	25
		F	6	9	14	2	15	10	32	58	32	7	82	98	17	37	10	7	31
45—		M	12	18	28	11	39	13	68	113	50	17	191	199	35	75	13	22	68
		F	7	17	21	10	26	11	44	78	43	7	112	118	18	36	8	18	58
50—		M	12	35	40	14	57	25	114	202	103	16	282	338	61	103	26	34	108
		F	18	24	26	8	23	18	67	119	75	10	176	203	31	59	25	26	88
55—		M	12	45	72	21	63	31	150	278	143	33	388	402	60	142	49	54	138
		F	15	34	41	21	37	29	81	175	81	14	249	272	38	91	24	32	88
60—		M	26	76	65	31	95	39	178	351	182	52	513	507	108	211	66	68	188
		F	16	28	53	32	61	34	129	246	125	19	357	371	59	132	45	47	131
65—		M	53	52	97	63	115	84	237	443	224	74	629	583	111	238	83	85	268
		F	36	54	80	53	99	71	173	366	165	41	492	467	101	190	72	69	177
70—		M	58	79	95	75	169	104	265	517	233	73	701	702	133	280	95	102	288
		F	45	79	108	89	142	85	228	456	235	62	604	660	99	263	83	112	231
75—		M	53	80	116	71	154	95	251	495	234	54	648	594	130	286	114	119	230
		F	51	75	149	116	171	100	229	566	279	60	765	681	116	286	110	125	206
80—		M	31	61	80	72	73	77	161	306	193	62	387	342	79	169	80	91	151
		F	53	62	101	104	117	97	225	448	244	62	524	499	76	201	94	130	221
85 and over		M	30	40	21	49	29	50	70	124	97	33	213	156	22	89	59	59	88
		F	46	41	62	108	79	87	152	332	197	44	412	346	55	154	76	132	191

TABLE 15—continued—County Boroughs.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages	M	852	459	1,240	1,384	710	643	641	491	648	1,124	3,160	455	1,075	958	626	692	866
	F	820	498	1,203	1,230	743	642	607	365	482	1,027	2,775	382	937	1,049	728	578	914
Under 4 weeks	M	24	11	51	43	24	13	19	12	23	34	61	19	29	18	8	24	27
4 weeks to 3 months	F	25	12	22	14	26	9	14	13	24	26	45	9	33	7	14	23	11
	M	5	5	7	8	3	7	1	10	6	10	8	3	4	3	1	7	9
	F	3	1	4	2	1	—	3	2	2	15	16	—	4	6	—	2	5
3-6 months	M	9	—	8	7	1	2	6	4	8	6	8	1	5	2	1	7	4
6-12 months	F	5	4	5	6	2	3	2	1	2	4	10	5	3	3	3	7	2
	M	3	3	3	3	2	2	5	—	3	7	8	—	4	1	1	4	1
	F	3	1	3	4	4	4	2	1	5	5	10	4	4	—	1	3	2
Total under 1 year	M	41	19	69	61	30	24	31	26	40	57	85	23	42	24	11	42	41
	F	36	18	34	26	33	16	21	17	33	50	81	18	44	16	18	35	20
1—	M	2	—	3	4	3	2	1	5	—	3	4	2	4	2	3	8	3
	F	2	2	4	1	1	—	1	—	3	2	2	2	2	1	—	1	2
2—	M	1	—	6	1	2	5	—	2	1	3	5	—	2	1	1	5	—
	F	—	—	1	1	1	—	—	1	—	2	2	—	1	—	—	2	2
3—	M	—	2	—	1	1	1	3	1	2	3	4	—	4	—	—	1	1
	F	2	—	—	1	1	1	—	3	—	1	3	1	2	1	1	1	1
4—	M	—	—	2	2	—	1	—	—	1	1	3	2	—	—	—	—	2
	F	—	1	1	1	1	1	—	—	1	3	—	—	1	1	—	—	1
Total under 5 years	M	44	23	80	69	36	33	35	34	44	67	101	27	52	27	16	56	47
	F	40	21	40	30	37	18	22	21	37	58	88	21	50	19	19	39	26
5—	M	1	—	5	6	4	4	3	2	5	8	13	1	1	6	1	4	4
	F	2	2	4	1	1	—	—	6	3	1	9	—	1	6	—	5	—
10—	M	—	1	3	4	3	2	2	1	—	5	7	1	5	—	—	2	1
	F	3	—	4	2	2	—	—	1	—	1	4	—	3	1	1	1	4
15—	M	1	4	6	6	2	4	2	1	5	—	11	3	2	2	—	4	3
	F	3	1	1	3	1	4	—	1	2	3	11	1	1	3	1	3	2
20—	M	5	4	15	10	2	3	1	2	8	2	13	5	10	4	4	6	3
	F	2	1	9	3	3	1	3	2	5	5	10	3	3	4	3	1	2
25—	M	10	5	7	12	6	2	5	8	5	6	16	5	12	6	—	10	2
	F	8	1	10	9	4	2	2	7	6	4	20	4	13	5	2	11	6
30—	M	5	2	20	9	6	3	4	1	11	14	30	5	14	10	6	9	3
	F	11	6	16	12	3	6	3	2	2	11	27	2	10	4	5	11	6
35—	M	14	6	16	16	17	11	15	8	10	18	50	6	10	13	7	9	17
	F	11	3	15	14	6	9	5	7	7	20	33	5	12	7	3	9	10
40—	M	20	8	21	25	21	12	15	5	13	31	75	11	16	15	13	14	14
	F	14	9	26	16	11	14	12	10	12	25	55	4	13	17	10	16	17
45—	M	27	12	36	31	28	14	22	22	34	59	124	18	51	24	22	29	43
	F	22	10	32	25	27	20	9	9	11	27	82	13	21	21	10	20	15
50—	M	47	27	71	71	64	31	35	26	39	82	181	29	67	41	25	42	59
	F	29	16	57	40	36	22	27	15	20	41	120	17	25	43	27	16	34
55—	M	80	43	86	98	52	49	55	41	53	96	236	37	85	62	55	62	76
	F	54	26	70	58	38	29	32	19	39	52	138	13	53	47	48	39	62
60—	M	97	55	122	150	84	60	59	49	65	135	350	44	106	96	53	73	92
	F	80	31	92	88	70	46	64	23	45	92	216	25	74	72	51	55	77
65—	M	100	52	165	196	102	109	75	56	87	166	423	54	143	138	105	83	138
	F	106	39	131	128	95	73	79	44	54	103	315	43	103	113	80	39	126
70—	M	167	58	180	236	101	89	117	75	102	161	519	65	156	176	104	78	108
	F	146	77	168	211	98	93	109	57	66	186	469	62	143	168	114	93	128
75—	M	130	66	206	211	77	107	108	81	89	155	539	69	156	149	109	102	117
	F	129	80	188	231	164	103	105	73	76	185	508	69	143	191	130	95	178
80—	M	72	51	120	133	69	66	63	61	50	77	327	47	126	116	83	66	89
	F	103	78	179	173	98	94	75	40	61	127	370	55	122	169	117	70	121
85 and over	M	32	42	81	101	36	44	25	18	28	42	145	28	63	73	23	43	50
	F	57	97	161	186	49	103	60	28	36	86	300	45	147	159	107	55	100



TABLE 15—continued—County Boroughs.

Age.		Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
All Ages		M F	1,647 1,451	1,066 983	428 346	369 295	622 646	668 606	467 382	501 354	1,011 824	464 355	576 524	938 777	354 319	633 569	1,469 1,255	455 322	658 502	1,048 845
Under 4 weeks		M F	53 31	46 35	18 15	5 7	28 15	29 24	12 15	18 13	29 14	24 10	21 15	34 20	9 8	12 10	41 38	11 10	24 17	33 20
4 weeks to 3 months		M F	14 7	11 14	3 5	3 2	2 2	4 3	3 5	3 6	6 4	6 6	4 2	5 3	2 —	4 1	12 11	7 1	7 5	11 7
3-6 months		M F	7 10	8 8	4 3	6 2	4 —	8 3	6 1	2 5	4 4	2 4	2 5	4 8	2 2	3 —	4 6	2 7	2 1	7 2
6-12 months		M F	3 —	3 5	1 3	1 1	4 1	— 4	2 3	5 2	4 4	3 2	5 1	6 5	2 3	2 1	6 6	3 3	— 5	3 6
Total under 1 year		M F	77 48	68 62	26 26	15 12	38 18	41 34	23 24	28 26	43 26	35 22	32 23	49 36	15 13	21 12	63 61	23 21	33 28	54 35
1—		M F	8 5	7 2	— —	1 1	2 —	3 3	3 1	3 2	— 2	2 1	— —	2 2	— —	— —	3 2	1 4	2 1	3 2
2—		M F	7 2	5 1	2 1	— —	2 2	1 4	— 1	1 1	2 1	2 1	1 1	5 3	— —	1 1	6 1	2 —	— —	2 2
3—		M F	4 6	2 —	— 1	1 —	— 3	2 1	— —	2 —	3 2	1 —	1 —	1 1	— 1	2 2	2 —	2 —	1 —	1 —
4—		M F	— 1	1 2	1 —	— —	— —	3 —	1 1	1 —	1 4	3 —	1 1	4 5	2 —	2 —	2 1	— —	1 1	— —
Total under 5 years		M F	96 62	83 67	29 28	17 13	42 23	50 42	27 27	35 29	49 35	43 24	35 25	61 47	17 14	26 15	76 65	28 25	37 30	60 39
5—		M F	9 7	9 3	— —	— 1	2 —	5 3	2 3	4 2	2 1	7 1	3 2	5 4	5 —	— 3	8 3	1 1	2 1	4 3
10—		M F	8 10	3 5	— 1	— —	— 1	4 1	— 3	— 1	2 4	1 —	1 —	3 1	1 —	1 2	3 2	— —	2 —	1 4
15—		M F	7 7	9 5	5 1	1 —	3 1	8 8	3 1	2 2	4 3	3 1	3 2	7 5	— 1	1 —	3 3	1 2	5 2	4 5
20—		M F	14 10	11 6	2 2	3 —	1 4	5 4	7 —	4 4	3 1	2 3	7 2	8 6	3 1	5 4	13 8	2 3	6 —	11 7
25—		M F	26 13	9 6	2 2	4 6	7 4	2 5	1 1	3 2	8 4	4 2	6 3	9 2	2 3	2 1	10 17	4 5	4 3	5 5
30—		M F	24 21	18 20	3 6	4 3	2 6	7 9	4 8	1 6	8 9	8 3	9 4	12 7	5 2	4 7	13 9	7 6	4 5	10 3
35—		M F	27 16	13 10	7 7	4 3	8 5	8 5	6 9	12 4	16 10	6 2	2 12	6 8	1 3	7 8	32 14	5 7	7 9	16 13
40—		M F	47 29	22 19	10 10	8 2	17 15	20 14	10 12	15 9	23 13	13 6	18 8	27 25	7 4	10 7	31 31	8 4	25 14	24 17
45—		M F	71 57	44 30	11 9	12 8	27 20	23 15	18 10	20 14	37 23	25 11	22 15	44 28	8 10	24 23	48 36	16 7	23 17	39 30
50—		M F	95 77	74 44	31 11	17 11	36 15	46 18	35 15	29 15	57 30	23 19	31 17	58 34	16 12	46 16	101 49	20 11	54 25	48 43
55—		M F	144 94	67 47	29 16	32 25	47 35	55 32	44 27	32 17	95 51	45 24	51 30	70 48	39 15	58 31	130 87	39 16	38 23	103 41
60—		M F	200 134	116 72	50 13	32 18	66 44	72 47	49 37	60 38	108 44	43 25	65 57	109 62	28 17	68 38	176 94	48 32	65 40	118 75
65—		M F	214 164	135 106	63 44	61 37	77 73	81 69	66 36	70 30	145 107	63 38	87 67	116 77	48 57	72 61	203 135	49 42	84 56	150 100
70—		M F	248 233	144 137	65 58	62 42	104 108	96 87	68 57	89 42	165 127	51 60	73 92	135 110	56 46	99 90	215 157	86 53	117 75	160 125
75—		M F	230 238	161 178	62 57	50 52	90 120	93 96	70 60	60 56	136 143	66 63	90 85	129 115	58 45	104 96	181 208	81 45	76 75	157 126
80—		M F	131 170	96 132	43 45	45 41	56 90	59 88	38 48	43 47	97 119	41 38	54 61	90 113	31 47	64 97	135 169	48 33	78 77	93 131
85 and over		M F	56 109	52 96	16 36	17 33	37 82	34 63	19 28	22 36	56 100	20 35	19 42	49 85	29 42	42 70	91 168	12 30	31 50	41 78

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.		Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
			U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages		M	1,186	526	533	1,048	976	1,005	454	491	3,751	1,095	1,171	954	603	806	2,014	1,899
		F	1,040	476	589	918	958	968	459	451	3,741	990	1,320	961	508	686	1,776	1,545
Under 4 weeks		M	31	13	14	33	26	32	7	10	79	31	35	29	16	25	50	59
4 weeks to 3 months		F	19	11	12	21	29	18	8	2	86	18	20	23	11	18	46	42
		M	5	—	1	6	5	4	3	1	14	13	5	5	6	9	11	10
		F	2	4	2	4	5	5	—	—	13	5	2	3	2	5	2	10
3-6 months		M	3	2	4	3	8	4	2	3	20	4	3	1	1	3	14	10
		F	3	2	2	3	3	2	1	—	8	4	3	3	2	3	13	8
6-12 months		M	7	3	—	1	2	4	1	—	13	4	4	2	3	9	9	13
		F	4	4	2	1	2	1	2	1	12	3	5	6	3	3	10	2
Total under 1 year		M	46	18	19	43	41	44	13	14	126	52	47	37	26	46	84	92
		F	28	21	18	29	39	26	11	3	119	30	30	35	18	29	71	62
1—		M	2	3	2	3	1	8	1	3	5	—	1	3	3	2	4	2
		F	5	—	1	2	1	—	—	2	3	5	—	—	1	1	6	3
2—		M	1	3	1	1	2	1	—	—	10	7	3	1	—	1	6	5
		F	3	1	—	3	4	5	—	1	7	1	2	2	1	2	3	2
3—		M	1	5	—	1	3	1	1	2	3	1	1	3	2	3	4	3
		F	2	—	2	1	1	—	—	—	1	3	3	2	—	2	1	4
4—		M	—	1	—	—	2	—	—	—	6	2	1	1	1	—	1	3
		F	—	1	—	2	2	2	—	1	3	3	1	1	1	—	—	2
Total under 5 years		M	50	30	22	48	49	54	16	19	150	62	53	45	32	52	99	105
		F	38	23	21	37	47	33	11	7	133	42	36	40	21	34	81	73
5—		M	5	2	3	4	6	4	2	1	14	3	2	3	2	6	8	4
		F	6	—	3	3	2	3	—	2	11	3	2	4	1	1	8	7
10—		M	2	2	3	2	3	7	—	1	16	4	4	5	3	3	6	4
		F	3	—	2	—	2	1	1	1	9	4	3	—	1	3	2	6
15—		M	5	6	2	7	2	4	1	7	17	8	5	5	—	4	5	9
		F	4	—	1	4	2	2	2	2	9	1	2	1	—	3	4	1
20—		M	9	6	5	10	7	10	1	19	25	9	13	12	7	5	18	14
		F	7	1	2	7	7	5	1	2	13	1	8	5	3	3	12	11
25—		M	10	3	2	7	13	6	5	8	24	6	4	12	4	8	10	31
		F	6	4	4	2	6	9	2	1	16	3	9	7	4	9	13	13
30—		M	9	2	4	12	15	6	3	1	21	11	11	14	3	12	20	22
		F	7	1	2	9	8	8	—	4	29	9	13	5	4	7	21	11
35—		M	13	3	3	8	15	15	3	7	47	17	17	8	7	5	35	39
		F	17	8	2	8	7	6	3	3	35	13	16	8	11	9	18	21
40—		M	36	10	12	15	17	14	7	11	82	16	22	16	15	17	43	51
		F	25	7	7	14	13	14	10	10	62	16	19	15	8	16	32	18
45—		M	54	13	18	24	36	26	13	14	130	48	33	16	19	23	64	82
		F	30	12	13	16	21	30	12	12	99	37	28	17	3	18	46	47
50—		M	59	28	33	53	47	41	19	11	226	59	47	36	29	36	119	111
		F	26	18	22	39	25	32	14	11	143	43	47	34	14	24	77	52
55—		M	88	37	37	61	70	70	34	22	291	82	93	55	51	55	152	133
		F	58	24	22	33	44	46	19	22	202	36	69	47	28	38	89	87
60—		M	102	41	51	81	90	91	43	35	411	99	105	87	63	89	158	176
		F	85	27	43	70	86	59	23	25	253	66	108	73	45	40	141	115
65—		M	167	61	71	135	124	130	54	55	492	133	144	107	81	100	285	231
		F	94	39	63	98	86	103	51	41	407	126	127	109	57	97	190	190
70—		M	168	78	75	169	137	153	82	73	567	159	180	140	93	126	332	267
		F	146	62	83	113	134	125	76	61	634	137	173	129	82	96	294	227
75—		M	218	91	74	182	165	146	82	86	594	175	179	156	105	129	325	293
		F	181	94	104	160	177	175	87	79	668	195	232	170	83	112	321	272
80—		M	103	59	73	128	101	132	62	66	404	123	145	143	58	85	211	202
		F	157	79	92	153	157	158	83	84	571	136	209	146	70	106	245	217
85 and over		M	88	54	45	102	79	96	27	55	240	81	114	94	26	51	124	125
		F	150	77	103	152	134	159	64	84	447	122	219	151	73	70	182	177



TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.		Sex.	Devon.		Dorset.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Herefordshire.		Hertfordshire.	
			U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages		M	1,819	1,551	1,086	628	3,798	1,635	319	167	7,151	1,347	862	1,630	355	440	2,237	841
		F	2,079	1,405	1,118	603	3,032	1,338	268	149	6,516	1,267	899	1,472	297	397	2,240	787
Under 4 weeks		M	42	45	19	16	122	64	13	7	189	35	29	54	12	16	56	14
4 weeks to 3 months		F	19	29	21	17	99	41	5	5	144	23	24	33	5	7	35	10
		M	3	1	6	5	17	10	2	—	39	4	1	10	2	2	12	3
		F	4	4	6	1	19	9	1	—	23	7	6	3	2	3	8	1
3-6 months		M	12	2	—	2	28	9	—	1	27	1	5	4	2	3	9	5
6-12 months		F	3	4	—	—	13	13	1	—	17	3	2	2	2	—	3	3
		M	3	3	2	—	31	7	4	—	21	4	3	4	1	1	6	3
		F	1	2	3	2	16	13	—	1	22	4	9	5	2	2	6	3
Total under 1 year		M	60	51	27	23	198	90	19	8	276	44	38	72	17	22	83	25
		F	27	39	30	20	147	76	7	6	206	37	41	43	11	12	52	17
1—		M	6	4	—	2	15	5	—	—	20	4	7	10	1	2	6	9
		F	1	3	2	4	16	3	2	2	14	5	4	5	1	2	4	1
2—		M	3	1	1	1	9	5	—	—	11	2	2	3	—	—	2	—
		F	1	2	1	—	6	2	—	—	6	1	—	1	1	1	4	1
3—		M	—	2	1	4	6	3	1	—	10	—	1	4	—	1	1	2
		F	1	—	1	1	2	—	1	—	6	5	—	2	—	—	3	—
4—		M	—	1	1	—	4	3	1	—	6	—	1	2	—	—	3	1
		F	3	—	—	—	4	—	—	—	5	1	—	—	—	—	5	2
Total under 5 years		M	69	59	30	30	232	106	21	8	323	50	49	91	18	25	95	37
		F	33	44	34	25	175	81	10	8	237	49	45	51	13	15	68	21
5—		M	7	6	3	1	16	8	1	1	26	3	6	12	—	4	5	5
		F	3	2	1	3	14	5	1	—	26	2	1	4	—	1	8	2
10—		M	4	6	3	2	15	8	1	2	26	3	4	9	1	—	7	1
		F	5	2	—	2	7	6	1	—	9	1	4	4	1	—	1	1
15—		M	5	12	3	3	11	11	—	—	28	5	1	14	4	2	20	4
		F	4	5	5	—	15	5	—	—	17	1	2	10	—	1	10	5
20—		M	5	13	5	12	16	22	1	—	43	11	5	9	3	—	16	3
		F	8	5	2	1	18	11	1	2	30	2	2	10	2	3	9	4
25—		M	8	10	3	4	37	17	2	1	59	17	10	9	4	4	15	13
		F	10	5	5	2	33	12	3	1	45	5	6	11	2	2	10	4
30—		M	14	16	12	5	40	19	3	1	57	12	5	24	3	5	24	13
		F	16	4	8	2	34	20	2	1	57	5	3	12	2	4	14	10
35—		M	15	13	12	9	65	20	5	3	71	14	6	28	4	6	33	19
		F	13	9	11	12	45	17	2	3	78	8	3	19	3	4	25	15
40—		M	27	27	12	16	75	42	7	5	146	20	21	37	8	8	51	22
		F	23	12	11	4	73	31	8	1	134	21	10	21	3	5	31	22
45—		M	52	40	22	15	157	66	6	6	288	29	33	49	5	8	93	29
		F	39	40	18	16	103	40	6	3	188	28	22	28	5	8	61	17
50—		M	87	68	41	22	212	111	25	10	388	53	48	76	19	14	116	38
		F	55	46	32	24	122	65	12	5	254	24	33	64	13	15	74	33
55—		M	114	74	84	34	320	117	17	10	546	75	65	104	24	19	160	50
		F	74	76	60	23	198	80	13	7	367	56	30	77	13	11	104	30
60—		M	166	119	111	41	362	166	32	14	797	96	77	154	33	37	201	77
		F	146	97	75	43	272	115	16	12	506	84	70	96	26	36	150	50
65—		M	214	198	155	77	512	224	37	11	922	143	116	170	50	41	306	99
		F	204	162	96	58	350	161	22	16	659	132	90	140	31	40	224	77
70—		M	298	238	158	93	559	192	44	16	1,086	214	120	212	49	68	317	111
		F	308	200	178	78	451	193	32	16	870	156	125	200	28	55	296	111
75—		M	313	274	190	108	611	254	49	34	1,041	254	133	232	57	87	327	122
		F	390	232	190	102	540	239	37	29	1,115	243	149	237	54	74	387	111
80—		M	246	211	138	83	365	178	39	23	798	187	96	225	45	68	263	100
		F	357	233	197	112	353	152	43	28	1,036	223	146	233	47	60	368	125
85 and over		M	175	167	104	73	193	74	29	22	506	161	67	175	28	44	188	88
		F	391	231	195	96	229	105	59	17	888	227	158	255	54	63	400	130

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire, Parts of Holland.		Lincolnshire, Parts of Kesteven.		Lincolnshire, Parts of Lindsey.		Middlesex.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	207	226	6,979	1,902	11,200	1,616	848	923	220	367	290	399	904	911	11,432	—
	F	157	163	6,868	1,692	10,687	1,489	827	910	199	280	269	367	822	718	11,047	—
Under 4 weeks	M	6	11	173	52	294	50	22	34	4	12	9	14	36	31	274	—
	F	5	3	114	35	219	35	35	20	4	9	12	13	21	20	199	—
	M	—	—	33	19	64	5	7	2	—	2	2	6	11	9	38	—
	F	—	2	32	5	44	8	1	5	—	2	1	3	7	3	25	—
3-6 months	M	1	—	22	3	46	6	6	2	2	—	1	3	5	1	32	—
	F	—	1	14	4	31	—	—	2	1	1	—	2	5	2	21	—
	M	2	—	17	13	35	5	4	2	1	4	2	4	2	3	23	—
	F	—	1	23	4	43	2	2	1	1	3	—	2	3	8	23	—
6-12 months	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total under 1 year	M	9	11	245	87	439	66	39	40	7	18	14	27	54	44	367	—
	F	5	7	183	48	337	45	38	28	6	15	13	20	36	33	268	—
1—	M	2	1	23	5	29	7	2	—	1	2	—	2	3	4	25	—
	F	—	1	12	3	27	3	2	1	1	1	—	1	2	2	17	—
2—	M	1	1	7	5	14	2	—	3	1	1	—	2	4	1	15	—
	F	—	—	6	1	15	3	6	2	—	—	—	2	—	2	10	—
3—	M	—	1	5	4	7	2	—	2	1	—	—	—	—	—	12	—
	F	—	—	8	2	11	1	2	—	—	1	—	1	3	—	8	—
4—	M	—	—	11	3	15	1	—	2	1	1	—	1	4	1	17	—
	F	—	—	5	3	9	—	1	4	—	1	—	—	—	1	6	—
Total under 5 years	M	12	14	291	104	504	78	41	47	11	22	14	32	65	50	436	—
	F	5	8	214	57	399	52	49	35	7	18	13	24	41	38	309	—
5—	M	—	—	22	8	49	6	8	2	—	3	—	8	5	5	43	—
	F	1	—	18	1	26	5	1	5	1	1	—	1	4	3	28	—
10—	M	1	1	20	6	23	3	3	3	—	1	1	2	4	1	25	—
	F	—	—	15	5	18	1	1	—	1	1	—	—	1	1	17	—
15—	M	—	5	23	6	34	7	5	3	—	3	1	7	4	10	65	—
	F	2	—	22	2	24	7	4	1	—	1	—	—	3	2	36	—
20—	M	2	—	44	18	65	13	3	4	2	5	—	13	4	12	78	—
	F	—	1	30	5	38	4	3	4	2	2	2	3	5	8	44	—
25—	M	3	7	37	16	79	16	9	10	1	2	2	2	8	12	75	—
	F	—	—	43	4	67	10	7	5	1	2	2	1	5	8	70	—
30—	M	3	4	73	24	105	13	10	5	4	3	—	7	9	8	104	—
	F	—	4	44	13	80	10	5	9	—	1	1	6	2	5	97	—
35—	M	4	4	102	18	159	22	14	7	6	3	3	7	7	11	160	—
	F	1	—	60	9	129	13	15	16	2	8	3	5	7	12	120	—
40—	M	2	6	124	25	226	26	18	21	5	11	3	8	19	18	286	—
	F	—	4	110	31	207	26	10	21	3	4	4	7	12	16	233	—
45—	M	6	6	224	67	413	71	32	36	10	11	11	8	29	19	498	—
	F	2	—	163	43	316	46	19	21	3	4	6	8	31	20	296	—
50—	M	13	9	370	83	652	75	36	52	14	14	19	11	40	28	671	—
	F	5	4	244	62	439	51	39	36	9	10	11	19	29	20	453	—
55—	M	15	13	535	101	925	132	53	62	9	20	22	21	80	48	964	—
	F	8	11	325	79	593	81	56	43	13	14	12	18	35	41	625	—
60—	M	15	14	706	146	1,244	176	79	106	23	28	28	30	71	68	1,275	—
	F	8	8	481	119	841	114	58	49	10	14	8	22	67	52	810	—
65—	M	16	29	908	232	1,597	211	119	122	28	48	36	43	119	126	1,503	—
	F	13	20	668	163	1,308	192	86	109	21	24	25	37	90	79	1,163	—
70—	M	30	26	1,060	270	1,807	233	140	128	32	57	40	59	145	138	1,580	—
	F	32	23	953	244	1,828	210	127	152	26	42	46	49	114	98	1,617	—
75—	M	39	34	1,083	304	1,760	270	122	168	35	64	50	56	138	150	1,677	—
	F	26	37	1,219	302	1,951	288	135	169	37	57	40	57	136	107	1,829	—
80—	M	21	27	793	265	1,073	168	96	85	23	41	35	48	95	109	1,231	—
	F	26	20	1,135	287	1,498	218	103	119	39	36	54	70	109	101	1,706	—
85 and over	M	25	27	564	209	485	96	60	62	17	31	25	37	62	98	761	—
	F	28	23	1,124	266	925	161	109	116	24	41	42	40	131	107	1,594	—



TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Norfolk.		Northampton-shire.		Northumber-land.		Nottingham-shire.		Oxfordshire.		Peterborough, Soke of.		Rutland.		Shropshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	463	1,670	790	686	2,061	639	1,982	832	280	650	306	47	17	84	877	748
	F	488	1,586	768	609	1,620	610	1,713	744	263	580	301	39	28	93	827	648
Under 4 weeks	M	13	47	28	22	69	17	60	24	8	25	6	—	—	1	27	15
4 weeks to 3 months	F	8	38	14	14	35	11	59	21	3	25	7	1	2	1	15	16
	M	2	7	1	3	15	1	13	7	1	—	1	—	—	—	7	3
	F	1	5	—	3	7	2	10	4	2	4	—	1	—	1	2	2
3-6 months	M	3	11	2	3	14	2	13	2	—	3	1	—	—	1	2	4
6-12 months	F	1	8	2	2	10	3	10	4	—	5	—	—	—	—	1	7
	M	3	6	—	2	10	1	10	1	—	1	3	—	—	1	9	2
	F	1	4	3	1	9	1	11	1	—	4	—	—	—	—	1	2
Total under 1 year	M	21	71	31	30	108	21	96	34	9	29	11	—	—	3	45	24
	F	11	55	19	20	61	17	90	30	5	38	7	2	2	2	19	27
1—	M	—	5	2	3	7	8	8	4	—	2	—	—	—	1	—	4
	F	2	2	4	1	7	2	4	4	1	—	—	1	—	1	—	4
2—	M	1	1	2	4	6	2	2	1	—	1	1	—	—	—	4	5
	F	1	1	5	2	4	—	2	1	—	2	—	—	—	1	1	—
3—	M	—	2	1	—	—	1	5	1	—	1	—	—	—	—	2	2
	F	2	—	—	—	2	—	3	—	1	—	—	—	1	—	—	3
4—	M	—	—	1	—	4	1	3	1	—	1	1	—	—	—	3	2
	F	—	2	—	—	1	—	1	—	—	2	—	—	—	—	—	2
Total under 5 years	M	22	79	37	37	125	33	114	41	9	34	13	—	—	4	54	37
	F	16	60	28	23	75	19	100	35	7	42	7	3	3	4	20	36
5—	M	1	8	5	1	6	2	7	3	—	3	3	—	—	—	7	2
	F	—	3	2	5	5	1	8	3	1	—	—	1	—	1	—	4
10—	M	2	7	1	3	7	1	10	1	—	5	—	—	—	—	4	—
	F	1	3	1	1	6	3	5	1	—	2	1	—	—	—	3	4
15—	M	—	12	3	9	8	3	11	11	3	9	1	2	—	—	1	11
	F	—	9	1	2	2	1	6	5	—	—	—	—	—	2	4	5
20—	M	3	16	7	7	16	10	18	15	3	14	5	—	—	—	6	12
	F	2	6	1	1	6	4	14	8	2	5	—	—	—	—	3	3
25—	M	2	21	4	8	20	10	15	4	2	12	6	—	—	2	7	6
	F	—	5	2	1	14	2	14	6	1	3	3	—	—	—	8	4
30—	M	4	11	8	4	32	10	26	10	4	9	2	1	—	—	7	9
	F	1	5	6	3	9	5	18	6	2	2	2	—	—	1	8	3
35—	M	2	11	10	7	31	6	26	8	2	8	5	—	—	—	10	16
	F	8	15	15	7	20	6	21	7	1	6	3	—	—	4	4	6
40—	M	6	27	15	8	60	10	37	17	6	13	5	2	—	1	15	16
	F	6	20	12	3	24	7	37	10	4	10	5	1	—	2	14	5
45—	M	19	32	20	14	87	14	64	29	14	17	13	—	—	2	21	22
	F	13	33	23	21	49	16	36	24	2	14	11	—	1	3	21	16
50—	M	16	71	42	29	140	23	101	33	18	31	19	3	—	7	39	27
	F	10	53	24	17	69	23	69	30	12	16	13	1	2	2	28	27
55—	M	28	73	52	34	155	32	165	58	19	36	22	3	2	6	56	39
	F	17	66	30	26	90	23	90	46	9	28	10	1	—	3	36	29
60—	M	40	117	63	62	215	52	177	66	27	54	34	5	3	8	89	61
	F	34	102	52	49	137	51	143	55	16	39	26	—	—	7	45	44
65—	M	58	193	100	81	249	86	257	94	32	76	44	2	—	7	110	76
	F	42	147	86	70	212	60	179	76	27	52	42	8	2	7	88	66
70—	M	57	241	94	96	294	86	318	116	33	77	43	8	5	8	117	109
	F	74	227	107	89	250	90	255	101	45	64	34	4	3	9	123	100
75—	M	77	283	150	121	299	128	318	147	48	117	39	11	2	19	152	134
	F	84	275	137	101	288	123	293	111	42	105	49	8	6	12	145	99
80—	M	68	245	110	98	212	78	214	104	33	73	26	7	3	14	116	109
	F	89	278	121	90	225	99	227	116	37	89	51	6	6	24	161	96
85 and over	M	58	223	69	67	105	55	104	75	27	62	26	3	2	4	66	66
	F	91	279	120	100	139	77	198	104	55	103	44	6	5	12	116	104

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Somerset.		Southampton.		Staffordshire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,356	1,472	1,950	1,485	3,458	1,061	588	754	294	449	6,352	801	1,231	996	1,133	896
	F	1,563	1,403	1,788	1,305	3,076	917	548	673	298	422	6,476	810	1,510	1,044	1,380	895
Under 4 weeks	M	39	35	55	38	109	30	15	18	11	10	120	17	17	16	16	16
4 weeks to 3 months	F	25	28	28	32	86	22	11	17	6	14	106	14	10	12	8	12
	M	2	—	8	8	31	5	2	4	—	2	25	2	1	2	3	5
	F	3	4	5	3	20	4	2	1	1	2	14	2	—	2	—	—
3-6 months	M	3	8	9	3	21	6	2	2	—	2	22	—	—	6	3	4
	F	7	1	3	4	17	1	—	—	1	1	13	2	1	1	—	—
6-12 months	M	7	5	9	4	23	7	3	2	—	1	18	4	5	1	2	1
	F	3	3	4	3	22	9	—	2	—	1	8	2	4	2	3	1
Total under 1 year	M	51	48	81	53	184	48	22	26	11	15	185	23	23	25	24	26
	F	38	36	40	42	145	36	13	20	8	18	141	20	15	17	11	13
1—	M	1	6	13	8	11	6	1	1	—	—	16	2	3	6	1	5
	F	2	3	3	7	13	—	1	1	—	—	11	6	3	2	2	2
2—	M	1	2	6	2	9	3	—	—	—	1	10	1	—	2	1	—
	F	3	2	1	2	8	2	1	—	—	—	4	3	—	1	3	1
3—	M	1	3	2	3	7	2	—	1	—	1	6	1	2	3	2	—
	F	—	2	4	1	4	1	—	—	—	1	7	—	—	4	—	2
4—	M	—	—	2	1	9	—	1	2	—	1	8	—	—	5	2	1
	F	2	—	1	—	4	4	—	2	—	2	2	1	—	1	1	1
Total under 5 years	M	54	59	104	67	220	59	24	30	11	18	225	27	28	41	30	33
	F	45	43	49	52	174	43	15	23	9	21	165	30	18	25	17	18
5—	M	4	5	4	6	25	3	4	3	—	1	25	3	5	3	3	4
	F	2	1	8	5	14	3	2	1	—	—	19	2	2	6	—	3
10—	M	4	7	4	2	15	1	—	3	—	—	17	3	5	4	2	2
	F	—	1	2	2	12	1	1	—	—	1	11	2	4	1	2	4
15—	M	6	15	25	11	11	10	2	6	1	6	33	7	1	1	4	2
	F	3	2	4	6	15	4	—	3	—	—	12	2	4	3	2	1
20—	M	7	9	21	20	32	12	4	11	5	8	37	9	5	10	1	5
	F	5	4	7	5	26	4	1	2	—	1	29	2	5	5	4	5
25—	M	1	13	16	12	34	4	1	5	1	3	33	3	5	6	2	7
	F	6	5	6	6	28	4	5	5	1	3	34	3	5	6	3	5
30—	M	15	9	18	21	36	11	2	5	—	4	40	5	7	4	1	4
	F	11	9	14	8	39	9	4	2	1	—	50	4	8	7	5	5
35—	M	13	19	23	21	65	17	1	4	—	8	91	8	5	9	8	13
	F	14	17	11	6	47	14	5	10	2	5	65	4	11	9	8	5
40—	M	24	26	36	34	76	16	10	18	5	7	132	9	18	18	16	10
	F	29	27	33	19	60	13	7	6	3	4	99	18	21	10	15	11
45—	M	51	33	62	45	135	46	19	18	8	9	229	14	24	20	36	19
	F	33	34	51	32	107	18	12	13	5	9	171	23	17	24	24	13
50—	M	61	78	85	64	199	46	22	22	18	21	370	30	52	35	48	47
	F	49	41	60	46	133	35	14	20	13	11	236	21	37	25	47	24
55—	M	94	96	125	75	255	67	39	34	16	25	492	47	73	52	63	63
	F	60	78	80	66	170	55	26	28	11	21	331	41	68	51	52	51
60—	M	128	135	157	114	322	95	64	61	21	40	651	66	113	84	90	74
	F	108	89	135	115	262	57	34	43	25	29	450	52	97	71	84	63
65—	M	183	189	256	204	469	137	73	88	43	51	810	94	153	108	141	109
	F	154	144	167	126	353	105	52	77	32	39	616	67	123	113	138	80
70—	M	191	210	286	198	512	165	87	100	57	62	931	146	206	162	186	124
	F	225	205	266	173	437	135	79	85	40	69	878	126	217	150	190	123
75—	M	217	236	310	236	544	165	102	146	48	78	926	145	230	205	206	148
	F	295	255	309	213	512	144	108	126	47	68	1,120	151	280	174	257	163
80—	M	171	189	236	201	338	137	83	123	37	67	748	97	168	131	181	133
	F	257	218	287	202	416	154	89	112	53	72	1,051	129	302	160	263	151
85 and over	M	132	144	182	154	170	70	51	77	22	41	562	88	133	103	115	99
	F	267	230	299	223	271	119	94	117	56	69	1,139	133	291	204	269	170



TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age		Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
			U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages		M	1,676	890	183	219	551	111	1,048	1,005	1,575	682	654	601	1,261	896
		F	1,568	781	211	192	544	127	989	912	1,398	576	635	542	1,228	850
Under 4 weeks		M	54	30	6	5	10	1	29	32	49	19	18	16	31	30
4 weeks to 3 months		F	43	27	3	5	6	—	17	21	25	8	12	8	21	27
		M	9	4	1	1	5	—	2	3	11	3	1	2	3	7
		F	5	6	—	—	—	—	1	—	6	4	1	2	5	3
3-6 months		M	3	5	—	1	1	—	1	—	11	4	2	1	4	2
6-12 months		F	3	2	—	—	—	1	4	3	1	1	3	1	10	2
		M	10	1	1	1	—	—	5	3	4	2	3	4	5	3
		F	5	7	—	—	3	—	4	4	6	—	2	—	2	5
Total under 1 year		M	76	40	8	8	16	1	37	38	75	28	24	23	43	42
		F	56	42	3	5	9	1	26	28	38	13	18	11	38	37
1—		M	7	2	1	1	2	—	2	3	10	2	2	2	2	2
		F	2	6	2	—	—	—	1	1	3	1	3	4	1	5
2—		M	5	1	—	1	—	3	—	2	1	1	1	—	1	4
		F	1	1	—	1	—	—	3	2	2	1	1	3	3	3
3—		M	6	1	—	1	—	—	—	2	3	1	2	—	2	—
		F	2	—	—	—	—	—	—	—	1	—	2	2	3	—
4—		M	2	—	1	2	—	—	1	—	2	—	—	1	2	1
		F	2	—	—	—	—	—	1	—	2	—	—	—	1	1
Total under 5 years		M	96	44	10	13	21	1	40	45	91	32	29	26	50	49
		F	63	49	5	6	9	1	31	31	46	15	24	20	46	46
5—		M	5	6	—	—	2	—	5	3	9	3	2	2	7	3
		F	2	4	1	1	—	1	4	3	7	2	2	3	3	3
10—		M	7	2	1	—	—	—	3	5	7	1	2	2	4	3
		F	1	3	1	—	1	—	2	3	2	1	2	1	1	2
15—		M	3	8	—	2	1	—	2	20	11	6	—	9	5	14
		F	5	7	—	—	1	—	1	3	8	2	2	3	2	—
20—		M	11	9	1	—	2	—	5	13	14	8	4	11	11	19
		F	5	3	2	2	3	—	4	2	5	1	3	1	3	5
25—		M	14	9	5	4	1	—	7	10	14	8	3	8	10	5
		F	10	6	—	1	—	1	4	3	6	2	2	6	9	5
30—		M	15	12	1	1	5	—	4	19	17	4	5	9	16	8
		F	10	4	—	1	1	—	10	5	11	4	5	2	5	6
35—		M	26	13	3	3	7	1	6	13	19	12	6	8	15	8
		F	21	6	5	—	3	1	9	8	19	4	6	7	22	9
40—		M	41	23	6	4	9	4	21	18	34	7	18	7	26	14
		F	36	15	1	2	11	1	18	16	33	14	14	6	14	21
45—		M	57	33	4	6	12	2	41	30	60	15	16	17	39	21
		F	47	27	5	6	12	2	24	20	30	15	17	10	33	24
50—		M	90	41	9	9	16	1	52	52	118	41	27	13	82	39
		F	63	30	8	3	13	1	29	37	55	16	15	16	37	36
55—		M	121	44	13	10	34	4	85	57	104	40	52	35	102	55
		F	84	39	11	10	22	1	50	50	65	20	25	34	77	46
60—		M	166	77	18	17	54	8	99	73	159	44	57	53	125	77
		F	115	56	15	10	29	6	64	67	109	25	45	38	93	57
65—		M	220	106	21	19	67	19	124	124	197	85	87	68	158	94
		F	147	71	15	19	63	13	105	91	157	66	59	64	147	88
70—		M	268	133	26	46	79	17	168	118	214	99	92	88	189	133
		F	207	92	31	32	74	24	125	115	211	84	90	78	204	135
75—		M	240	148	30	35	100	25	156	171	227	119	101	100	199	155
		F	274	119	34	46	94	18	149	154	238	91	120	87	206	129
80—		M	183	101	19	32	73	22	138	127	176	100	87	86	134	116
		F	249	127	40	28	106	27	177	143	211	112	98	86	195	120
85 and over		M	113	81	16	18	68	6	92	107	104	58	66	59	89	83
		F	229	123	37	25	102	30	183	161	185	102	106	80	131	118

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.		Sex.	Yorkshire. West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardiganshire.		Carmarthen- shire.		Denbighshire.	
			U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	{	M	7,273	2,294	133	229	121	237	497	442	138	273	497	661	504	566
		F	6,768	1,937	135	184	105	201	502	345	132	235	406	596	548	436
Under 4 weeks 4 weeks to 3 months	{	M	204	81	8	13	1	6	7	10	2	11	17	17	14	24
		F	143	62	2	6	1	2	9	4	4	4	2	17	10	7
		M	34	12	2	1	2	3	2	1	—	1	2	7	6	6
		F	33	12	1	—	1	2	—	3	—	1	2	1	3	2
3-6 months 6-12 months	{	M	33	14	—	2	1	1	3	3	1	—	2	3	3	4
		F	32	4	—	—	1	—	2	—	—	—	1	2	—	2
		M	29	9	—	5	1	1	1	3	—	1	—	2	4	3
		F	24	10	—	1	—	—	—	—	—	—	—	3	—	3
Total under 1 year	{	M	300	116	10	21	5	11	13	17	4	13	21	29	27	37
		F	232	88	3	7	3	4	11	7	4	5	5	23	13	14
1—	{	M	21	7	—	1	—	—	—	1	—	—	—	4	—	4
		F	16	5	1	—	—	—	2	1	—	—	1	3	1	1
2—	{	M	9	10	—	—	—	—	—	—	—	—	—	—	1	—
		F	13	5	—	1	—	—	—	1	—	—	—	1	1	1
3—	{	M	9	3	—	—	—	2	—	—	—	—	—	1	1	2
		F	5	3	—	—	—	1	—	—	—	—	—	4	—	1
4—	{	M	8	3	—	—	—	—	—	—	—	—	—	2	—	—
		F	5	1	—	—	—	—	2	1	—	—	—	—	—	—
Total under 5 years	{	M	347	139	10	22	5	13	13	18	4	13	21	36	29	43
		F	271	102	4	8	3	5	15	10	4	5	6	31	16	17
5—	{	M	23	13	—	—	2	3	—	1	—	1	1	1	2	2
		F	16	8	—	1	—	3	1	1	—	2	1	2	1	3
10—	{	M	15	5	—	—	1	2	1	2	—	—	3	4	2	—
		F	15	5	—	—	—	1	1	—	—	1	2	2	—	1
15—	{	M	23	15	1	1	—	—	3	2	—	2	3	3	3	—
		F	12	4	—	1	—	1	2	—	—	1	—	2	2	2
20—	{	M	39	21	1	3	—	3	1	6	1	1	1	5	3	1
		F	30	9	1	—	3	1	4	3	—	1	2	5	2	3
25—	{	M	60	23	3	3	2	4	2	5	—	3	3	5	5	4
		F	37	15	—	1	—	1	3	6	—	1	5	2	3	1
30—	{	M	51	34	5	1	—	2	4	11	3	1	5	4	3	3
		F	58	19	—	2	—	—	2	1	—	3	3	2	5	5
35—	{	M	96	38	5	—	2	1	5	9	1	5	5	10	13	7
		F	53	30	3	—	—	2	4	1	—	1	8	2	7	6
40—	{	M	144	53	3	7	—	3	11	14	2	4	7	21	7	12
		F	115	47	3	3	1	2	10	6	1	4	8	11	9	9
45—	{	M	237	71	3	6	1	8	26	21	6	5	18	30	13	20
		F	177	50	5	3	4	9	14	4	7	10	14	21	11	12
50—	{	M	391	113	7	11	8	12	33	16	8	8	35	40	25	33
		F	274	81	1	6	5	8	14	9	5	8	16	34	20	15
55—	{	M	549	142	5	16	9	13	40	33	13	11	33	36	37	35
		F	366	106	7	7	7	8	33	19	7	7	30	31	18	22
60—	{	M	739	243	11	13	10	32	51	39	7	22	60	84	50	50
		F	559	156	15	16	3	8	39	24	7	20	34	51	29	27
65—	{	M	947	316	17	30	12	31	67	50	18	37	65	85	61	77
		F	779	206	14	20	16	23	69	35	21	29	48	72	60	45
70—	{	M	1,187	330	19	32	19	28	89	67	24	40	88	103	79	77
		F	1,094	287	22	20	19	46	64	54	22	29	68	86	84	77
75—	{	M	1,228	370	20	43	19	39	70	69	20	47	67	84	72	94
		F	1,258	325	16	28	20	34	85	72	21	33	63	98	106	89
80—	{	M	813	232	15	29	18	29	48	50	21	38	48	62	63	69
		F	949	272	23	35	9	24	83	51	18	50	58	73	105	56
85 and over	{	M	384	136	8	12	13	14	33	29	10	35	34	48	37	39
		F	705	215	21	33	15	25	59	47	19	30	40	71	70	46



TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	474	448	3,569	1,184	116	163	1,817	274	119	161	265	333	49	90
	F	472	364	2,793	927	127	154	1,326	248	126	153	227	239	44	69
Under 4 weeks	M	13	13	112	36	2	2	61	9	3	4	7	12	—	8
4 weeks to 3 months	F	9	9	79	20	4	3	38	6	—	5	4	6	—	1
	M	4	2	39	5	—	1	17	2	1	3	4	2	—	—
	F	4	3	21	9	—	—	7	2	1	1	—	—	—	—
3–6 months	M	2	—	19	6	—	1	11	1	—	—	—	1	—	—
6–12 months	F	6	—	14	6	—	1	9	1	2	1	—	1	—	—
	M	—	1	16	3	1	—	11	1	—	—	—	1	—	—
	F	2	7	14	8	—	—	7	2	1	—	1	—	—	—
Total under 1 year	M	19	16	186	50	3	4	100	13	4	7	11	16	—	8
	F	21	19	128	43	4	4	61	11	4	7	5	7	—	1
1—	M	3	—	14	4	—	—	7	1	—	1	1	1	—	—
	F	2	1	7	1	—	—	5	—	—	3	1	—	—	—
2—	M	—	3	8	1	1	1	3	—	—	—	1	2	—	—
	F	3	1	8	1	1	—	1	—	—	—	2	—	—	—
3—	M	—	1	2	4	—	—	3	—	1	1	—	1	—	—
	F	1	—	5	1	—	—	—	—	1	—	—	—	—	—
4—	M	—	—	6	—	—	—	3	—	—	—	—	1	1	—
	F	—	1	1	—	—	—	6	—	—	—	—	—	—	—
Total under 5 years	M	22	20	216	59	4	5	116	14	5	9	13	21	1	8
	F	27	22	149	46	5	4	73	11	5	10	8	7	—	1
5—	M	1	2	14	5	—	—	8	2	—	1	1	3	—	—
	F	—	—	9	3	—	—	3	—	—	2	1	—	—	—
10—	M	3	1	10	2	1	—	5	2	—	3	—	2	—	2
	F	2	—	7	1	—	—	3	—	—	—	—	1	—	—
15—	M	3	4	14	4	—	—	7	3	1	2	1	2	—	2
	F	—	2	10	4	—	1	7	1	—	—	—	1	—	—
20—	M	4	3	24	4	1	2	10	1	2	5	3	7	2	2
	F	2	3	19	3	1	—	4	2	—	—	2	1	—	—
25—	M	3	8	46	11	—	—	23	2	—	1	3	2	—	—
	F	—	1	27	5	1	2	9	2	1	2	3	1	—	—
30—	M	5	8	34	13	1	—	23	3	1	—	—	5	—	1
	F	1	3	35	10	—	1	12	4	—	1	1	3	—	1
35—	M	9	11	48	17	1	1	20	3	1	—	3	5	—	1
	F	4	9	44	16	—	—	11	3	1	1	1	3	—	—
40—	M	9	12	99	25	1	2	38	4	—	5	7	6	—	2
	F	11	5	62	21	1	2	34	3	3	2	1	2	1	2
45—	M	19	18	121	42	3	5	84	10	3	2	9	11	3	6
	F	13	13	100	31	2	2	42	10	1	3	8	6	1	1
50—	M	25	21	189	75	8	4	96	14	10	10	15	12	1	3
	F	23	17	98	47	6	3	67	9	7	5	9	10	1	3
55—	M	41	32	290	103	7	17	128	22	7	4	18	22	3	2
	F	26	16	185	54	10	6	101	17	1	10	11	15	2	2
60—	M	50	42	405	133	16	13	173	27	13	11	29	32	4	3
	F	33	35	235	64	8	7	109	17	14	8	23	14	7	4
65—	M	57	46	489	151	12	23	240	27	17	22	36	41	8	6
	F	43	30	310	101	16	22	133	19	14	15	21	23	7	7
70—	M	73	71	552	201	25	30	270	38	17	27	45	47	3	16
	F	73	63	406	128	17	22	202	39	22	22	35	45	5	10
75—	M	68	74	504	144	17	24	259	50	16	23	39	49	13	10
	F	82	42	455	153	19	27	223	41	25	25	37	40	8	10
80—	M	43	45	341	112	12	19	217	26	16	15	25	38	6	13
	F	71	63	374	139	24	35	173	35	17	21	42	34	4	17
85 and over	M	39	30	173	83	7	16	100	26	10	21	18	28	5	13
	F	61	40	268	101	17	20	120	35	15	26	24	33	8	11

**TABLE 16—Deaths at Different Ages, by Month of Occurrence,**  
Jan.—Dec., 1952.

{ England and Wales.

*See note at head of Table 23*

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All Ages	{ M	26496	25955	23556	21853	19338	17862	16992	16730	17324	20186	21190	30199
	{ F	24179	24483	22205	20811	18045	16990	15780	15629	15960	18893	19317	27565
Under 4 weeks	{ M	649	641	623	669	571	574	533	594	523	582	547	625
	{ F	504	487	495	434	421	354	428	371	361	422	448	461
4 weeks-1 year	{ M	459	451	340	263	234	216	189	176	219	225	284	466
	{ F	374	356	247	221	182	191	123	135	149	185	222	322
1—	{ M	90	72	73	72	52	55	56	52	49	54	64	99
	{ F	57	63	50	61	53	39	38	42	46	25	40	81
2—	{ M	91	99	89	114	111	92	102	93	86	78	81	108
	{ F	87	84	67	67	71	65	52	65	51	79	53	89
5—	{ M	85	81	91	86	94	84	84	97	85	60	80	87
	{ F	80	57	58	75	49	55	59	54	48	48	54	63
10—	{ M	56	56	67	43	69	63	74	75	63	56	49	44
	{ F	32	52	45	44	39	35	39	43	30	31	35	49
15—	{ M	98	81	82	116	112	100	133	107	101	94	80	81
	{ F	66	70	64	54	62	63	54	55	59	56	45	71
20—	{ M	161	149	156	151	150	164	165	160	150	143	123	148
	{ F	91	99	102	114	91	86	84	80	88	97	91	86
25—	{ M	173	179	190	157	155	157	184	143	162	159	169	169
	{ F	162	159	135	140	119	109	125	114	105	108	122	160
30—	{ M	245	213	211	198	204	167	211	197	202	211	213	230
	{ F	158	210	173	190	154	165	139	135	139	151	167	191
35—	{ M	357	289	301	279	255	270	281	233	253	302	278	339
	{ F	264	234	257	220	234	207	195	205	198	199	214	246
40—	{ M	546	479	502	442	451	399	393	367	376	438	443	579
	{ F	409	409	388	382	346	311	305	318	315	350	338	405
45—	{ M	863	869	848	765	703	681	587	702	633	711	768	996
	{ F	590	550	604	548	501	513	457	488	470	518	529	597
50—	{ M	1363	1327	1266	1148	1077	1028	937	1003	1036	1156	1209	1608
	{ F	849	789	830	759	653	760	673	671	682	780	748	910
55—	{ M	2038	1869	1621	1589	1473	1324	1310	1311	1327	1501	1642	2335
	{ F	1229	1188	1155	1034	975	903	923	953	859	1029	1024	1280
60—	{ M	2656	2544	2318	2202	2021	1788	1679	1745	1776	2221	2152	3144
	{ F	1735	1738	1632	1554	1428	1347	1272	1200	1272	1463	1498	1943
65—	{ M	3532	3376	3118	2724	2585	2426	2303	2181	2272	2713	2812	3989
	{ F	2583	2568	2348	2174	1966	1850	1824	1793	1807	2106	2069	2927
70—	{ M	4070	4102	3669	3354	2916	2672	2485	2440	2529	3028	3153	4658
	{ F	3627	3640	3216	3094	2701	2533	2331	2263	2398	2781	2911	4253
75—	{ M	4028	4090	3681	3576	2883	2691	2573	2442	2733	3062	3246	4724
	{ F	4250	4296	3930	3733	3107	2972	2649	2627	2661	3291	3359	4956
80—	{ M	2980	3018	2677	2442	2026	1827	1753	1649	1763	2100	2301	3518
	{ F	3699	3948	3448	3120	2673	2399	2134	2196	2283	2742	2845	4415
85 and over	{ M	1956	1970	1633	1463	1196	1084	960	963	986	1292	1496	2252
	{ F	3333	3486	2961	2793	2220	2033	1876	1821	1939	2432	2505	4060



TABLE 17.—Causes of Death at Different Age-Periods, 1952, in England and Wales.

- Notes: (a) Including deaths of non-civilians registered in England and Wales.  
(b) The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Sixth revision, 1948), including the classification by External Cause of Injury (E codes) for violent deaths. Each three-digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th-digit splits of general interest are also shown. Table 18 should be consulted for greater detail of violent deaths.  
(c) Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 048, Unspecified forms of dysentery, 0, 70, 2,85 denotes that two male deaths (one in age-group 0— and one in 70—) and two female deaths (one in age-group 2— and one in 85—) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

See Explanatory notes on page v.

Causes of death	All Causes		I 001-138 Infective and Parasitic Diseases		TUBERCULOSIS											
					001-019 All forms		001-008 Respiratory system		001 Respiratory tuberculosis with mention of occupational disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003.0 Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	257760	239724	9303	5023	7114	3471	6421	2914	292	3	6066	2868	53	35	22	7
0—	10663	7892	237	206	37	31	9	7	—	—	8	7	1	—	—	—
1—	789	592	151	109	55	44	9	13	—	—	7	13	—	—	—	—
2—	472	364	88	86	41	36	6	6	—	—	6	6	—	—	—	—
3—	358	260	48	45	27	23	1	4	—	—	1	4	—	—	—	—
4—	311	210	45	32	22	11	2	1	—	—	1	1	—	—	—	—
5—	1014	701	117	109	38	49	8	9	—	—	7	9	—	—	—	—
10—	720	476	79	60	44	37	15	8	—	—	14	8	1	—	1	—
15—	1198	709	113	151	82	122	47	80	—	—	46	79	—	—	—	—
20—	1841	1110	216	318	180	277	141	249	—	—	139	247	2	1	2	1
25—	2008	1563	350	440	304	404	266	376	2	—	261	375	3	1	—	1
30—	2517	1968	469	446	406	392	370	365	1	—	367	363	2	—	2	—
35—	3452	2682	535	359	467	311	427	288	6	—	420	287	—	1	—	1
40—	5438	4284	614	343	534	293	498	264	17	—	478	263	3	1	1	1
45—	9155	6367	787	309	702	229	656	206	25	—	627	203	4	3	3	—
50—	14167	9109	1020	320	868	236	828	209	47	1	775	205	4	3	3	—
55—	19356	12565	1085	350	897	226	860	197	50	1	805	193	5	2	3	1
60—	26236	18094	1124	355	883	214	840	185	45	1	790	181	4	3	2	—
65—	34007	25970	962	297	719	175	689	148	48	—	633	144	8	3	1	—
70—	39053	35742	725	271	506	166	472	138	39	—	427	131	6	7	2	2
75—	39725	41790	380	224	230	122	215	100	11	—	199	94	4	6	1	—
80—	28049	35861	120	123	60	54	51	47	1	—	48	43	2	3	—	—
85 and over	17231	31415	38	70	12	19	11	14	—	—	7	12	4	1	1	—

Causes of death	TUBERCULOSIS															
	003.1 Pleurisy with effusion without mention of cause		004* 005 Tracheobronchial gland†r tuberculosis with symptoms		006* 007 Other respiratory tuberculosis		008* 010-019 Other forms		010 Meninges and central nervous system		011 Intestines, peritoneum, & mesenteric glands		012 Bones and joints, active or unspecified		012.0 Active or unspecified tuberculosis of vertebral column	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	31	28	4	7	4	1	693	557	265	246	67	66	110	70	81	54
0—	1	—	—	—	—	—	28	24	18	20	2	1	—	—	—	—
1—	—	—	—	—	—	—	46	31	37	27	2	—	—	1	—	1
2—	—	—	—	—	—	—	35	30	28	25	5	1	1	2	1	2
3—	—	—	—	—	—	—	26	19	22	16	2	—	1	—	1	—
4—	—	—	1	—	—	—	20	10	16	9	1	1	1	—	1	—
5—	—	—	1	—	—	—	30	40	28	34	—	2	1	1	1	1
10—	—	—	—	—	—	—	29	29	20	23	4	3	1	1	1	1
15—	—	—	1	1	—	—	35	42	24	28	2	2	3	2	3	2
20—	—	—	—	1	—	—	39	28	12	17	3	4	6	2	5	1
25—	3	—	—	—	—	—	38	28	10	11	4	6	7	—	5	—
30—	—	—	—	2	—	—	36	27	12	7	2	6	5	2	4	2
35—	—	—	1	—	—	—	40	23	7	8	2	2	10	—	8	—
40—	2	—	—	—	—	—	36	29	7	8	4	2	6	6	6	5
45—	1	3	—	—	—	—	46	23	6	4	5	3	8	3	5	2
50—	1	3	—	—	2	—	40	27	2	2	6	1	9	6	5	4
55—	2	1	—	1	—	—	37	29	7	3	5	4	4	10	3	9
60—	2	3	—	—	1	—	43	29	7	2	5	9	12	4	8	4
65—	7	3	—	—	—	1	30	27	2	1	2	5	10	10	6	9
70—	4	5	—	—	—	—	34	28	—	—	4	7	12	10	8	7
75—	3	6	—	—	1	—	15	22	—	1	4	4	8	5	7	2
80—	2	3	—	1	—	—	9	7	—	—	2	2	5	1	3	—
85 and over	3	1	—	1	—	—	1	5	—	—	1	1	—	4	—	2

\*004, Primary tuberculosis complex with symptoms, 1, 1; 006, Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —; 008, Tuberculosis, unspecified site, —.

TABLE 17—continued.

Causes of death	TUBERCULOSIS															
	012.1;2;3		013*		015		016		017		018		019		019.0;1	
	Others included under 012		014 Skin and subcutaneous cellular tissue		Lymphatic system		Genito-urinary system		Adrenal glands		Other organs		Disseminated tuberculosis		Acute miliary tuberculosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	29	16	1	3	15	14	144	66	13	18	13	11	60	61	4	2
0—	—	—	—	—	—	—	—	—	—	—	—	—	8	3	1	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	7	3	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—
3—	—	—	—	—	—	—	—	—	—	—	1	—	—	3	—	—
4—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
5—	—	—	—	—	—	1	—	—	—	—	—	—	1	2	—	—
10—	—	—	—	—	2	—	2	—	—	—	—	—	—	2	—	—
15—	—	—	—	—	—	—	4	1	—	—	—	2	2	7	—	1
20—	1	1	—	—	1	—	13	1	—	—	2	—	2	4	1	1
25—	2	—	—	—	—	—	12	5	1	1	—	—	4	4	—	—
30—	1	—	—	—	1	1	15	7	1	—	—	2	—	2	—	—
35—	2	—	—	—	—	—	18	7	1	3	—	—	2	2	—	—
40—	—	1	—	—	—	1	11	9	3	2	—	1	5	—	—	—
45—	3	1	—	—	1	—	18	8	1	—	1	1	4	4	—	—
50—	4	2	—	1	1	1	14	7	1	4	1	1	5	4	1	—
55—	1	1	—	—	2	—	12	6	1	2	1	2	5	2	1	—
60—	4	—	—	—	2	1	8	5	2	4	2	—	4	4	—	—
65—	4	1	—	—	2	1	7	4	1	1	2	1	4	4	—	—
70—	4	3	1	—	2	2	7	2	1	1	1	—	5	6	—	—
75—	1	3	—	2	1	5	2	3	—	—	—	—	—	2	—	—
80—	2	1	—	—	—	1	1	1	—	—	1	1	—	1	—	—
85 and over	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	TUBERCULOSIS															
	Tuberculosis		020 029		020		021*		023		024		025		026	
	019.2 Other forms of disseminated tuberculosis		Syphilis and its sequelæ		Congenital syphilis		022 Aneurysm of aorta		Other cardio-vascular syphilis		Tabes dorsalis		General paralysis of insane		Other syphilis of central nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	56	59	1097	522	17	15	435	222	388	173	100	27	78	45	50	21
0—	7	3	13	8	12	8	—	—	—	—	—	—	1	—	—	—
1—	7	3	—	1	—	1	—	—	—	—	—	—	—	—	—	—
2—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—
15—	2	6	2	1	—	1	—	—	—	—	—	—	1	—	—	—
20—	1	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—
25—	4	4	6	3	2	1	1	—	3	2	—	—	—	—	—	—
30—	—	2	7	11	1	—	1	3	2	5	—	—	2	3	—	—
35—	2	2	16	4	—	1	3	1	6	—	1	—	6	1	—	—
40—	5	—	25	14	—	1	4	2	14	3	—	—	5	6	1	1
45—	4	4	39	27	—	—	11	4	15	14	2	3	5	3	4	1
50—	4	4	105	46	—	1	33	7	47	21	8	—	9	13	5	1
55—	4	2	137	71	—	—	44	25	62	27	8	5	15	6	4	5
60—	4	4	198	85	—	1	83	30	71	30	13	9	14	3	13	8
65—	4	4	203	76	1	—	78	36	73	24	27	9	9	5	8	1
70—	5	6	184	59	—	—	85	36	55	17	28	—	6	3	7	2
75—	—	2	110	63	—	—	61	39	28	20	9	1	4	1	7	—
80—	—	1	36	37	—	—	23	27	10	7	2	—	—	1	1	1
85 and over	—	—	14	15	—	—	8	11	2	3	2	—	1	—	—	1

\*013, Late effects of tuberculosis of bones and joints, 45, 45, 50, 60, 70, 25, 35 ; 021, Early syphilis, 50, 50, 60.



TABLE 17—continued.

Causes of death	027		028*		030-039*		040-049 Infectious diseases commonly arising in intestinal tract		040 Typhoid fever		041 Paratyphoid fever		042 Other salmonella infections		043, 044*	
	Other forms of late syphilis		029 Syphilis unqualified		030-039 Gonococcal infection and other venereal diseases										045 Bacillary dysentery	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	23	13	5	4	12	1	63	43	5	4	5	7	27	16	11	10
0—	—	—	—	—	—	—	4	4	—	—	1	1	2	—	—	3
1—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
2—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—
3—	—	—	—	—	—	—	3	—	—	—	—	—	2	—	1	—
4—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
10—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—
15—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—
20—	—	—	—	—	—	—	3	1	—	—	1	1	—	—	1	—
25—	—	—	—	—	—	—	4	1	1	1	—	—	1	—	—	—
30—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
35—	—	—	—	1	—	1	2	—	—	—	1	—	—	—	—	—
40—	1	1	—	—	—	—	4	—	1	—	—	—	1	—	1	—
45—	2	2	—	—	—	—	4	1	—	—	1	—	2	—	—	—
50—	2	2	—	—	—	—	5	1	1	—	—	—	3	1	1	—
55—	3	3	1	—	2	—	7	2	1	—	—	1	6	—	—	—
60—	4	2	—	1	3	—	2	2	—	—	—	—	1	2	—	—
65—	5	1	2	—	—	—	3	7	—	—	1	1	2	4	—	1
70—	3	1	—	—	—	—	5	9	1	2	—	1	2	6	1	—
75—	1	1	—	1	7	—	7	3	—	—	—	—	2	2	2	1
80—	—	—	—	1	—	—	2	4	—	1	—	—	—	1	1	2
85 and over	1	—	—	—	—	—	1	2	—	—	—	—	—	—	1	1

Causes of death	046 Amœbiasis		047, 048*		050-064 Other bacterial diseases		050 Scarlet fever		051 Streptococcal sore throat		052 Erysipelas		053 Septicæmia and pyæmia		054*	
			049 Food poisoning (infection & intoxication)												055 Diphtheria	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	11	—	—	4	395	384	9	14	21	20	6	10	47	64	14	18
0—	—	—	—	—	134	119	—	—	1	1	—	—	12	11	—	—
1—	—	—	—	—	58	39	—	—	3	1	—	—	2	2	—	—
2—	—	—	—	—	25	31	—	1	—	1	—	—	2	1	4	1
3—	—	—	—	—	5	15	—	—	—	—	—	—	—	1	—	1
4—	—	—	—	1	14	8	—	—	—	—	—	—	2	1	3	—
5—	—	—	—	—	25	20	—	—	—	1	—	—	2	2	4	4
10—	—	—	—	—	18	6	2	2	1	—	—	—	—	3	—	—
15—	—	—	—	—	11	7	1	1	2	—	—	1	1	—	—	3
20—	1	—	—	—	8	11	—	1	1	1	—	—	3	3	—	2
25—	2	—	—	—	5	5	1	1	—	2	—	—	2	—	—	—
30—	1	—	—	—	7	6	1	—	1	2	—	—	2	2	1	—
35—	1	—	—	—	8	11	1	—	2	—	—	—	2	7	—	3
40—	1	—	—	—	10	4	—	—	2	—	—	—	1	1	—	1
45—	1	—	—	1	6	7	—	1	1	1	—	—	3	—	—	—
50—	—	—	—	—	13	12	—	1	1	4	2	—	2	3	2	—
55—	—	—	—	1	10	13	—	—	1	2	1	—	2	4	—	2
60—	1	—	—	—	11	19	1	1	1	1	—	—	3	7	—	—
65—	—	—	—	1	10	18	—	2	2	1	—	2	2	7	—	1
70—	—	—	—	—	5	11	1	1	1	1	1	2	—	3	—	—
75—	2	—	—	—	7	11	—	1	1	—	1	2	3	3	—	—
80—	1	—	—	—	3	6	—	—	—	1	—	1	1	2	—	—
85 and over	—	—	—	—	2	5	1	1	—	—	1	2	—	1	—	—

\*028, Latent syphilis, —; 030, Acute or unspecified gonorrhœa, 55, 75; 031, Chronic gonococcal infection of genito-urinary system, 60; 032, Gonococcal infection of joint, —; 033, Gonococcal infection of eye, —; 034, Gonococcal infection of other sites, 35; 035, Late effects of gonococcal infection, 55, 60, 75, 75, 75, 75, 75, 75; 036, Chancroid, —; 037, Lymphogranuloma venereum, 60; 038, Granuloma inguinale, venereal, —; 039, Other and unspecified venereal diseases, —; 043, Cholera, —; 044, Brucellosis (undulant fever), 30, 75; 047, Other protozoal dysentery, —; 048, Unspecified forms of dysentery, 0, 70, 2, 85; 054, Bacterial toxæmia, —.

TABLE 17—continued.

Causes of death	056		057		058, 059, 060*		062*		064*		070, 071*		073, 074*		080	
	Whooping cough		Meningo-coccal infections		Tetanus		Gas gangrene		Spirochætal diseases, except syphilis		Leptospirosis icterohæ-morrhagica (Weil's disease)		Diseases attributable to viruses		Acute poliomyelitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	84	100	160	130	42	21	10	6	32	1	29	1	535	547	167	108
0—	56	55	65	50	—	1	—	—	—	—	—	—	41	41	5	7
1—	18	20	35	16	—	—	—	—	—	—	—	—	36	25	8	1
2—	3	14	16	12	—	1	—	—	—	—	—	—	21	17	4	—
3—	2	4	3	9	—	—	—	—	—	—	—	—	12	7	6	3
4—	1	2	6	3	2	2	—	—	—	—	—	—	9	9	2	2
5—	1	3	8	9	10	1	—	—	—	—	—	—	52	39	26	10
10—	1	—	2	1	12	—	—	—	—	—	—	—	14	17	8	11
15—	1	—	3	2	2	—	1	—	—	—	—	—	17	19	14	10
20—	—	—	2	2	1	2	1	—	1	—	—	—	23	26	12	13
25—	—	1	2	1	—	—	—	—	3	1	2	1	26	26	20	19
30—	—	—	2	1	—	—	—	1	3	—	3	—	44	32	30	13
35—	—	—	2	—	1	1	—	—	—	—	—	—	38	28	19	10
40—	—	—	2	2	4	—	1	—	4	—	4	—	30	31	6	3
45—	1	—	1	3	—	2	—	—	5	—	5	—	26	37	5	2
50—	—	—	4	1	1	3	—	—	7	—	7	—	16	22	2	3
55—	—	—	2	3	3	1	—	1	5	—	5	—	25	32	—	—
60—	—	1	4	6	1	—	1	3	2	—	1	—	22	23	—	1
65—	—	—	—	3	3	2	3	—	1	—	1	—	20	20	—	—
70—	—	—	—	2	—	2	2	—	1	—	1	—	22	24	—	—
75—	—	—	1	3	1	2	—	—	—	—	—	—	18	24	—	—
80—	—	—	—	—	1	1	1	1	—	—	—	—	16	21	—	—
85 and over	—	—	—	1	—	—	—	—	—	—	—	—	7	27	—	—

Causes of death	080.0 Specified as bulbar or polio-encephalitis		080.1 With other paralysis		080.2* 080.3 Unspecified		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis		084* 085 Measles		086* 087 Chickenpox	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	72	42	30	12	63	54	9	11	52	53	79	95	71	70	8	5
0—	2	2	—	—	3	5	—	—	13	6	—	1	16	21	4	2
1—	4	—	2	—	2	1	—	—	6	5	—	—	19	16	1	1
2—	2	—	1	—	1	—	—	2	2	6	—	—	11	6	—	1
3—	2	1	2	—	1	2	—	—	1	—	—	—	3	3	—	—
4—	2	1	—	—	—	1	—	—	—	1	—	—	5	4	1	—
5—	14	5	3	1	9	4	—	1	4	5	1	—	10	16	2	—
10—	4	4	2	—	2	7	1	1	3	2	—	—	2	1	—	—
15—	3	2	5	2	6	6	—	1	1	1	—	—	—	1	—	—
20—	3	7	1	3	8	3	2	1	3	4	—	1	1	—	—	—
25—	8	6	4	2	7	11	1	2	1	1	1	1	—	—	—	—
30—	16	5	5	3	9	5	1	1	4	5	4	6	2	—	—	—
35—	7	5	3	—	9	5	—	2	4	2	9	9	1	—	—	—
40—	2	1	—	—	4	2	1	—	1	4	14	12	1	—	—	—
45—	3	1	2	1	—	—	—	—	3	4	10	15	—	2	—	—
50—	—	2	—	—	2	1	—	—	1	2	2	11	—	—	—	—
55—	—	—	—	—	—	—	2	—	2	—	9	13	—	—	—	—
60—	—	—	—	—	—	1	1	—	1	2	6	9	—	—	—	—
65—	—	—	—	—	—	—	—	—	1	1	6	3	—	—	—	1
70—	—	—	—	—	—	—	—	—	—	2	8	7	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	5	6	—	—	—	—
80—	—	—	—	—	—	—	—	—	1	—	4	1	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*058, Plague, —; 059, Tularæmia, —; 060, Leprosy, —; 062, Anthrax, 50, 55; 064, Other bacterial diseases, 0; 070, Vincent's infection, 20, 60; 071, Relapsing fever, —; 073, Yaws, —; 074, Other spirochætal and leptospirchætal infections, 25; 080.2, Specified as nonparalytic, 3, 25; 084, Smallpox, 55; 086, Rubella (German measles), 0, 2, 5.



TABLE 17 —continued.

Causes of death	088		089		090, 091*		093, 094, 095*		100-108*		110-117		110, 111*		113-117*	
	Herpes zoster		Mumps		092 Infectious hepatitis		096 Other diseases attributable to viruses		100-108 Typhus and other rickettsial diseases		Malaria		112 Falciparum malaria (malignant tertian)		120-138 Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	18	42	4	6	116	148	4	6	—	1	8	1	4	—	47	52
0—	—	—	—	—	2	2	—	2	—	—	—	—	—	—	8	3
1—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	1
3—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—
4—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	2
5—	—	—	1	1	6	4	—	—	—	—	—	—	—	—	1	1
10—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	2	6	—	—	—	—	1	—	1	—	—	—
20—	—	—	—	—	4	7	—	—	—	—	1	—	1	—	—	2
25—	—	—	—	—	2	3	1	—	—	—	1	—	—	—	1	—
30—	—	—	—	—	2	7	—	—	—	—	—	—	—	—	—	4
35—	—	—	—	1	5	4	—	—	—	—	—	—	—	—	4	4
40—	—	—	1	—	6	12	—	—	—	—	1	1	—	—	6	—
45—	—	—	—	—	8	14	—	—	—	—	1	—	1	—	4	8
50—	—	—	—	—	11	5	—	1	—	—	1	—	—	—	5	3
55—	—	1	—	1	10	15	1	1	—	—	1	—	—	—	1	6
60—	—	—	—	—	14	11	—	—	—	1	1	—	1	—	2	11
65—	—	2	—	—	13	12	—	1	—	—	—	—	—	—	6	1
70—	4	5	1	—	8	10	1	—	—	—	—	—	—	—	2	2
75—	4	7	—	—	8	11	1	—	—	—	—	—	—	—	1	1
80—	6	9	—	2	5	9	—	—	—	—	—	—	—	—	3	1
85 and over	4	18	—	1	3	7	—	1	—	—	—	—	—	—	2	2

Causes of death	120-124*		126-131*		133*		135,136, 137*		NEOPLASMS							
	125 Hydatid disease		132 Actinomy- cosis		134 Other fungus infections		138 Other infective and parasitic diseases		II 140-239 Neoplasms		140-205 Malignant neoplasms inc. neoplasms of lymphatic & hæmatopoietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140 Lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	7	5	6	6	10	9	17	30	46220	43138	45429	42213	1472	646	96	18
0—	—	—	—	—	6	3	—	—	49	43	36	24	—	1	—	—
1—	—	—	—	—	—	—	—	—	45	33	43	31	—	—	—	—
2—	—	—	—	—	—	1	—	—	52	43	47	42	—	—	—	—
3—	—	—	—	—	—	—	—	—	55	44	52	42	—	—	—	—
4—	—	—	—	—	—	—	—	—	58	39	55	37	—	1	—	—
5—	—	—	—	—	1	—	—	1	156	122	137	109	2	—	—	—
10—	—	—	—	—	—	—	—	—	103	76	88	65	2	2	—	—
15—	—	—	—	—	—	—	—	—	126	103	116	89	1	2	—	1
20—	—	1	—	—	—	—	1	1	177	116	161	99	8	1	—	—
25—	—	—	—	—	—	—	1	—	256	228	241	203	1	1	—	—
30—	—	1	—	1	—	1	—	1	357	366	333	346	2	8	—	—
35—	—	—	2	—	1	—	1	4	641	773	603	742	6	9	—	—
40—	2	—	—	—	—	—	4	—	1276	1694	1230	1617	20	26	—	—
45—	—	—	—	—	—	1	3	7	2382	2537	2306	2439	33	31	2	1
50—	1	—	—	1	1	—	2	2	3895	3465	3804	3364	66	50	2	—
55—	—	1	—	—	—	—	1	5	5221	4380	5126	4281	107	69	2	—
60—	—	1	1	3	—	—	1	6	6371	5295	6276	5203	149	80	10	—
65—	2	—	1	—	—	—	3	1	7435	6006	7358	5910	244	89	11	1
70—	1	—	—	—	—	—	1	2	7219	6424	7155	6359	273	109	12	5
75—	—	—	—	—	—	—	1	—	6104	5745	6061	5684	309	93	19	5
80—	1	1	1	—	1	—	—	—	3120	3620	3094	3578	186	48	32	4
85 and over	—	—	1	1	—	1	—	—	1122	1986	1107	1949	63	26	6	1

\*090, Dengue, —; 091, Yellow fever, —; 093, Glandular fever (infectious mononucleosis), 5, 5, 20, 30, 5; 094, Rabies, —; 095, Trachoma, 55; 100, Louse-borne epidemic typhus, —; 101, Flea-borne endemic typhus (murine), —; 102, Brills disease, not specified as louse- or flea-borne typhus, 60; 103, Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —; 104, Tick-borne typhus, —; 105, Mite-borne typhus, —; 106, Wolhynian fever (trench fever), —; 107, Typhus, unspecified, —; 108, Other rickettsial diseases, —; 110, Vivax malaria (benign tertian), 40; 111, Malaria malaria (quartan), —; 113, Ovale malaria, —; 114, Mixed malarial infections, —; 115, Blackwater fever, 25; 116, Other and unspecified forms of malaria, 40, 50, 55; 117, Recurrent induced malaria, —; 120, Leishmaniasis, —; 121, Trypanosomiasis, —; 122, Other protozoal diseases, 0, 0, 3, 4, 4; 123, Schistosomiasis, —; 124, Other trematode infestation, —; 126, Other cestode infestation, 45, 50; 127, Filariasis, —; 128, Trichiniasis, —; 129, Ankylostomiasis, —; 130, Infestation with worms of other, mixed and unspecified type, —; 131, Dermatophytosis, 75; 133, Coccidioidomycosis, —; 135, Scabies, 85; 136, Pediculosis, —; 137, Other arthropod infestation, —.

TABLE 17—continued.

Causes of death	NEOPLASMS															
	141 Tongue		142 Salivary gland		143 Floor of mouth		144 Other parts of mouth and mouth unspecified		145 Oral meso-pharynx		146 Naso-pharynx		147 Hypo-pharynx		148 Pharynx, unspecified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	451	135	99	70	65	18	219	74	178	55	76	42	87	148	201	86
0—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
5—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	1	—
15—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
20—	—	—	—	1	—	—	1	—	—	—	5	—	1	—	1	—
25—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
30—	1	2	1	—	—	1	—	—	—	—	—	1	—	3	—	1
35—	—	1	3	1	—	—	—	—	1	—	1	—	—	5	1	2
40—	4	2	2	2	2	1	—	2	3	3	4	4	2	8	3	4
45—	8	—	6	5	—	2	2	4	5	1	3	2	2	9	5	7
50—	12	9	11	6	2	—	7	1	6	5	12	3	5	19	9	7
55—	27	14	8	3	3	2	13	4	16	7	11	3	10	26	17	10
60—	47	16	18	7	7	1	18	11	8	4	8	7	9	19	24	15
65—	74	15	13	9	11	4	33	11	35	14	10	4	23	19	34	12
70—	93	30	16	14	16	2	43	16	37	4	8	7	12	17	36	14
75—	124	23	9	8	11	5	52	10	35	8	8	8	12	17	39	9
80—	47	13	6	10	9	—	36	9	24	6	4	1	7	5	21	—
85 and over	14	9	4	3	4	—	13	6	8	2	—	—	4	1	10	4

Causes of death	NEOPLASMS															
	150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		152 Small intestine including duodenum		153 Large intestine except rectum		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		156 Liver (secondary and unspecified)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	20175	18403	1475	850	8066	6343	109	93	4165	5657	3412	2396	538	792	553	469
0—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
1—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	1	5	—	—	—	—	—	—	—	—	—	—	—	—	1	2
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	2	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	5	3	—	—	—	—	2	—	—	—	—	—	—	1	2	—
0—	3	2	—	—	—	—	—	—	—	—	1	—	—	1	1	1
15—	5	7	—	—	1	1	—	—	2	—	1	—	—	1	—	—
20—	13	9	—	—	8	1	—	—	1	3	1	3	1	1	1	—
25—	40	36	1	2	12	17	—	—	10	12	7	1	3	2	—	1
30—	86	60	—	2	31	15	3	2	31	25	11	12	4	—	1	2
35—	189	164	7	9	74	61	4	1	43	39	30	28	5	5	4	9
40—	428	363	16	24	183	113	3	3	100	108	53	62	14	11	17	10
45—	807	610	40	25	419	203	10	1	127	200	95	93	19	17	20	15
50—	1395	966	74	44	695	319	4	9	219	272	191	142	45	58	30	22
55—	1896	1478	129	63	853	498	16	11	305	436	268	193	50	66	57	38
60—	2575	2022	175	99	1151	643	9	9	419	585	401	305	79	117	76	43
65—	3300	2752	226	134	1403	987	18	17	624	754	541	335	83	152	88	66
70—	3709	3329	283	171	1363	1225	12	18	843	961	683	410	98	142	96	88
75—	3296	3249	305	138	1114	1142	20	18	795	1045	652	409	76	135	87	84
80—	1820	2172	163	89	595	749	5	3	471	752	345	268	47	63	55	54
85 and over	603	1173	56	50	164	368	3	1	175	465	132	135	14	20	16	34



TABLE 17—continued.

Causes of death	NEOPLASMS															
	157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear, & accessory sinuses		161 Larynx		162 Trachea, & of bronchus and lung specified as primary		163 Lung and bronchus, unspecified as to whether primary or secondary	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1723	1562	121	224	13	17	12971	2579	118	85	752	189	3623	743	8358	1494
0—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
1—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
2—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
4—	—	—	2	1	—	—	1	—	—	—	—	—	—	—	1	—
5—	—	—	1	2	—	—	1	1	—	—	—	—	—	—	—	—
10—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
15—	—	1	1	4	—	—	3	—	—	—	—	—	2	—	1	—
20—	—	—	1	1	—	—	10	4	—	—	—	—	7	1	3	3
25—	3	1	4	—	—	—	27	11	—	1	—	2	11	3	13	3
30—	5	1	—	1	—	—	62	20	3	—	1	1	18	11	38	7
35—	17	7	5	5	—	—	164	48	3	1	4	5	60	17	92	24
40—	37	23	5	8	—	1	449	103	8	3	10	8	156	45	271	46
45—	69	44	7	12	1	—	918	157	11	1	18	16	353	70	532	66
50—	128	81	8	19	1	—	1671	235	14	6	44	20	552	80	1047	123
55—	196	140	19	31	3	2	2291	318	16	11	88	18	713	101	1450	181
60—	245	185	19	32	1	4	2357	416	13	14	96	24	642	133	1587	238
65—	298	269	16	35	3	3	2273	406	8	10	132	28	576	107	1538	247
70—	309	276	21	35	1	3	1520	356	16	13	140	25	332	70	1016	233
75—	241	261	5	16	1	1	850	307	15	10	126	27	155	73	550	192
80—	133	178	5	14	1	2	276	136	7	8	70	11	35	21	161	94
85 and over	42	95	—	4	1	1	95	60	4	7	22	3	10	11	58	37

Causes of death	NEOPLASMS											
	164 Mediastinum		165 Thoracic organs (secondary)		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri	172 Corpus uteri	173 Other parts of uterus, including chorioepithelioma	174 Uterus unspecified
Ages at death	M	F	M	F	M	F	M	F	F	F	F	F
All Ages	100	54	20	14	5956	16496	59	8285	2547	1237	27	213
0—	—	—	—	—	5	5	—	—	—	—	—	—
1—	1	—	—	—	4	11	—	—	1	2	—	—
2—	—	—	—	—	6	8	—	—	—	—	—	—
3—	—	—	—	—	7	6	—	—	—	—	—	—
4—	—	—	—	—	8	9	—	—	—	—	—	—
5—	1	1	—	—	10	12	—	—	—	—	—	—
10—	—	—	—	—	2	2	—	—	—	—	—	—
15—	—	—	—	—	5	8	—	—	—	1	—	—
20—	—	—	—	—	21	18	—	4	3	1	2	—
25—	3	2	—	—	26	56	—	19	16	2	2	1
30—	2	1	—	—	28	151	—	76	35	2	—	—
35—	4	1	1	—	52	379	1	212	90	9	1	6
40—	4	1	—	—	84	912	1	510	174	32	2	4
45—	3	3	1	1	166	1401	4	761	208	68	4	19
50—	13	4	1	2	246	1794	6	860	339	109	6	21
55—	15	5	9	2	357	2025	4	973	333	168	5	23
60—	17	7	2	—	617	2198	9	1065	411	173	1	29
65—	16	9	3	5	986	2192	10	1081	319	214	2	38
70—	14	12	2	3	1190	2080	9	1046	266	178	—	26
75—	3	4	1	1	1232	1673	9	828	207	154	2	25
80—	3	2	—	—	641	1008	2	541	104	86	—	11
85 and over	1	2	—	—	263	548	4	309	41	38	—	10

TABLE 17—continued.

Causes of death	NEOPLASMS										
	175 Ovary, Fallopian tube, and broad ligament	176 Other and unspecified female genital organs	177 Prostate	178 Testis	179 Other and unspecified male genital organs	180 Kidney		181 Bladder and other urinary organs		190-199 Malignant neoplasm of other and unspecified sites	
Ages at death	F	F	M	M	M	M	F	M	F	M	F
All Ages	2503	471	3007	208	154	638	471	1890	742	2546	2358
0—	—	1	—	1	—	4	4	—	—	14	7
1—	—	—	—	—	—	4	7	—	1	17	9
2—	—	1	—	—	—	6	7	—	—	13	7
3—	—	1	—	1	—	6	5	—	—	18	15
4—	—	1	—	1	—	7	8	—	—	14	9
5—	—	1	—	—	—	10	10	—	1	47	33
10—	2	—	1	—	—	1	—	—	—	26	26
15—	7	—	—	3	—	1	—	1	—	42	31
20—	8	—	2	17	—	2	—	—	—	41	24
25—	12	1	—	23	—	3	2	—	1	56	42
30—	29	1	—	19	3	4	6	2	2	59	41
35—	53	3	—	31	—	11	4	9	1	83	74
40—	144	12	6	17	4	31	15	25	19	128	123
45—	285	15	14	19	6	46	19	77	22	204	140
50—	375	15	39	14	9	61	31	117	38	246	206
55—	388	21	110	6	8	73	51	156	63	268	233
60—	346	46	221	15	18	94	57	260	70	307	284
65—	307	75	499	17	21	101	56	338	100	295	254
70—	263	90	711	9	25	83	81	353	130	246	292
75—	163	102	804	13	32	66	51	308	141	223	222
80—	80	45	421	1	22	19	41	176	100	129	159
85 and over	41	40	179	1	6	5	16	68	53	70	127

Causes of death	NEOPLASMS															
	190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye		193 Brain and other parts of nervous system		194 Thyroid gland		195 other endocrine glands		196 Bone (including jaw bone)		197 Connective tissue	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	115	178	369	298	49	60	833	525	104	260	74	49	395	326	122	94
0—	—	—	—	—	—	—	7	4	—	—	3	1	1	2	1	—
1—	—	1	—	—	—	—	8	2	—	—	4	3	2	2	1	—
2—	—	—	—	—	—	1	11	4	—	—	2	1	—	—	—	—
3—	—	—	—	—	3	—	5	10	—	—	4	3	3	—	2	—
4—	—	—	1	—	—	—	8	7	—	—	3	—	2	1	—	1
5—	—	—	—	1	3	—	28	19	—	—	5	4	6	7	4	2
10—	—	—	1	1	—	—	13	18	—	—	1	—	10	5	1	2
15—	1	1	2	1	—	—	12	9	—	—	—	1	21	15	4	2
20—	1	3	1	—	—	—	18	8	—	—	1	—	14	12	4	—
25—	7	12	—	2	1	1	22	10	—	1	4	3	12	10	6	1
30—	5	7	1	—	1	1	31	16	1	—	3	2	10	7	3	4
35—	10	12	1	2	—	—	55	30	—	7	1	4	7	6	4	3
40—	5	17	2	4	—	3	80	50	6	4	4	2	10	14	7	8
45—	8	10	12	11	3	6	114	56	7	11	5	—	15	9	12	5
50—	16	14	14	6	7	8	111	69	10	15	7	7	35	31	14	8
55—	8	23	15	18	3	9	125	69	9	22	6	4	32	24	14	11
60—	13	21	28	16	10	8	114	73	14	34	9	3	33	35	8	13
65—	12	12	58	22	4	5	50	46	23	36	8	3	57	47	12	8
70—	11	16	61	49	4	8	14	14	12	55	2	4	53	41	8	13
75—	9	17	69	49	7	5	5	5	17	36	1	2	46	30	10	6
80—	5	5	64	50	3	2	1	4	5	25	—	1	19	21	3	4
85 and over	4	7	39	66	—	3	1	2	—	14	1	1	7	7	4	3



TABLE 17—continued.

Causes of death	NEOPLASMS															
	198 Secondary & unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites		200-205 Neoplasms of lymphatic & hæmato-poietic tissues		200 Lymphosarcoma and reticulo-sarcoma		201 Hodgkin's disease		202 Other forms of lymphoma (reticulosis)		203 Multiple myeloma (plasmocytoma)		204 Leukæmia and aleukæmia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	46	29	439	539	2309	1731	453	286	483	278	90	46	161	175	1102	941
0—	—	—	2	—	15	11	1	1	—	—	2	2	—	—	12	8
1—	—	—	2	1	20	10	2	—	1	1	—	2	—	—	17	7
2—	—	—	—	1	27	22	2	—	—	—	—	—	—	—	25	22
3—	—	—	1	2	27	20	—	1	1	—	—	—	—	—	26	19
4—	—	—	—	—	30	16	2	—	1	—	—	—	—	—	27	16
5—	—	—	1	—	72	60	6	7	2	3	2	—	—	—	62	50
10—	—	—	—	—	54	33	7	7	5	3	—	—	—	1	42	22
15—	—	—	2	2	60	41	9	5	14	8	1	—	1	—	35	28
20—	1	—	1	1	68	43	14	7	25	14	—	1	—	—	29	21
25—	—	—	4	2	91	57	11	11	41	27	3	2	—	—	36	17
30—	—	1	4	3	96	66	16	11	41	26	4	2	4	1	31	26
35—	—	—	5	10	109	68	12	12	44	18	5	1	3	3	43	34
40—	1	3	13	18	121	90	25	15	31	16	7	3	8	6	49	49
45—	5	1	23	31	178	100	37	15	50	15	11	1	11	15	67	53
50—	2	3	30	45	180	113	39	16	44	16	8	4	25	10	63	67
55—	8	1	48	52	207	158	45	26	44	19	14	6	28	30	75	77
60—	8	6	70	75	271	203	59	33	49	33	7	6	28	28	122	102
65—	3	4	68	71	260	217	56	46	33	23	11	9	27	41	131	98
70—	7	5	74	87	217	193	58	35	34	30	10	5	15	27	98	95
75—	9	4	50	68	151	140	38	23	15	19	4	1	9	7	83	90
80—	1	1	28	46	42	55	11	13	5	6	1	1	2	3	22	31
85 and over	1	—	13	24	13	15	3	2	3	1	—	—	—	3	7	9

Causes of death	NEOPLASMS															
	204.0 Lymphatic leukæmia		204.1 Myeloid leukæmia		204.2 Monocytic leukæmia		204.3 Acute leukæmia, unspecified type		204.4 Other and unspecified leukæmia		205 Mycosis fungoides		210-229 Benign Neoplasm		210 Buccal cavity and pharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	443	287	449	462	86	86	91	73	33	33	20	5	346	584	3	2
0—	5	1	2	2	—	—	5	5	—	—	—	—	12	12	—	—
1—	4	5	5	1	1	—	7	1	—	—	—	—	2	2	—	—
2—	11	13	6	2	—	—	8	6	—	1	—	—	1	—	—	—
3—	12	10	4	1	1	2	9	6	—	—	—	—	3	1	—	—
4—	13	7	2	3	—	—	12	5	—	1	—	—	2	—	—	—
5—	33	16	10	10	2	3	15	18	2	3	—	—	3	3	—	—
10—	16	7	17	14	7	1	2	—	—	—	—	—	6	3	—	—
15—	12	6	19	14	1	3	—	5	3	—	—	—	7	9	1	—
20—	7	4	14	9	2	5	6	3	—	—	—	—	6	10	—	—
25—	7	4	22	9	2	2	3	1	2	1	—	—	8	17	—	—
30—	12	5	11	14	6	4	2	2	—	1	—	—	12	13	—	—
35—	9	7	25	22	3	2	2	2	4	1	2	—	17	20	—	—
40—	10	10	30	30	6	6	2	3	1	—	1	1	19	52	—	—
45—	16	9	33	35	10	5	5	3	3	1	2	1	25	69	—	—
50—	23	11	32	44	5	10	3	—	—	2	1	—	30	73	—	—
55—	30	23	38	37	7	9	—	4	—	4	1	—	30	53	—	—
60—	62	26	46	61	9	9	4	3	1	3	6	1	34	51	—	—
65—	69	38	41	48	10	7	6	1	5	4	2	—	32	57	1	1
70—	39	37	45	48	9	5	—	3	5	2	2	1	36	43	1	—
75—	38	28	36	46	3	9	—	—	6	7	2	—	29	42	—	—
80—	10	14	9	10	2	4	—	2	1	1	1	1	21	29	—	—
85 and over	5	6	2	2	—	—	—	—	—	1	—	—	11	25	—	1

TABLE 17—continued.

	NEOPLASMS												
Causes of death	211 Other parts of digestive system		212 Respiratory system		213*	215 Uterus	216 Ovary	217, 218*		220, 221, 222*		224 Endocrine glands	
					214 Uterine fibromyoma			219 Kidney and other urinary organs	223 Brain and other parts of nervous system				
Ages at death	M	F	M	F	F	F	F	M	F	M	F	M	F
All Ages	32	18	15	9	127	9	125	99	31	115	164	48	49
0—	1	1	1	—	—	—	—	—	—	5	2	—	1
1—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	1	—
3—	—	—	—	—	—	—	—	—	—	1	1	1	—
4—	—	—	1	—	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	1	2	1	—
10—	—	—	—	—	—	—	—	—	—	1	3	4	—
15—	—	—	—	—	—	—	—	—	—	5	5	—	2
20—	—	—	—	—	—	—	1	—	—	2	6	3	3
25—	1	1	—	—	2	—	3	—	—	4	8	1	1
30—	1	1	—	1	—	—	3	—	—	6	5	4	3
35—	—	1	3	—	11	—	2	2	—	8	4	3	2
40—	2	—	—	1	27	—	5	1	1	9	12	5	3
45—	1	—	1	1	26	—	8	5	—	10	18	6	9
50—	2	1	1	—	23	—	13	7	—	13	26	5	7
55—	3	—	3	1	5	2	9	2	2	12	25	7	6
60—	6	2	1	1	8	—	10	9	4	15	16	1	5
65—	2	5	3	2	7	1	16	12	1	11	14	3	2
70—	5	1	1	2	7	—	18	18	4	8	5	2	3
75—	3	2	—	—	6	2	16	20	2	3	6	—	2
80—	3	1	—	—	3	—	13	14	6	1	5	—	—
85 and over	2	2	—	—	2	—	8	9	11	—	1	—	—

Causes of death	NEOPLASMS															
	225 Bone and cartilage		226 Lipoma		227 Muscular and connective tissue		228 Hæmangioma and lymphangioma		229*		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs		232-235*	
									230-239 Neoplasm of unspecified nature						236 Unspecified nature of other genito-urinary organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	7	3	6	7	11	13	19	445	341	16	37	36	17	6	7
0—	—	1	—	—	—	1	4	6	1	7	—	1	—	1	—	—
1—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—
3—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
5—	—	—	—	—	—	—	1	1	16	10	—	—	—	—	—	—
10—	—	—	—	—	1	—	—	—	9	8	—	—	—	—	—	—
15—	—	—	—	—	1	1	—	1	3	5	—	—	—	—	—	—
20—	—	—	—	—	1	—	—	—	10	7	—	—	—	—	—	—
25—	—	—	—	—	1	1	1	1	7	8	—	—	—	—	—	—
30—	—	—	—	—	—	—	1	—	12	7	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	21	11	—	—	—	—	—	—
40—	1	—	—	—	1	1	—	—	27	25	—	1	—	1	—	—
45—	1	2	—	2	—	—	1	1	51	29	—	—	5	2	—	—
50—	—	1	—	—	1	1	—	—	61	28	1	—	5	—	1	1
55—	—	1	—	—	—	2	2	—	65	46	—	1	6	4	1	—
60—	—	—	1	1	—	1	1	2	61	41	1	3	2	2	—	1
65—	—	—	—	1	—	1	—	3	45	39	3	3	7	1	1	—
70—	1	1	—	1	—	1	—	—	28	22	5	7	5	1	2	1
75—	1	1	—	1	—	1	1	1	14	19	4	8	2	1	—	2
80—	—	—	1	—	1	—	—	1	5	13	—	6	3	3	—	1
85 and over	—	—	—	—	—	—	—	—	4	12	2	7	1	1	—	1

\*213, Benign neoplasm of breast, 65, 75 ; 217, Benign neoplasm of other female genital organs, 50, 65, 65, 75 ; 218, Benign neoplasm of male genital organs, 50, 55 ; 220, Benign melanoma of skin, — ; 221, Pilonidal cyst, — ; 222, Other benign neoplasm of skin, 0 ; 229, Benign neoplasm of other and unspecified organs and tissues, 35, 75, 80, 60 ; 232, Neoplasm of unspecified nature of breast, — ; 233, Neoplasm of unspecified nature of uterus, 85 ; 234, Neoplasm of unspecified nature of ovary, 45, 70 ; 235, Neoplasm of unspecified nature of other female genital organs, —.



TABLE 17—continued.

Causes of death	NEOPLASMS						III		240-245		240*		242-245*		250	
	237 Unspecified nature of brain and other parts of nervous system		238 Unspecified nature of skin and musculo-skeletal system		239 Unspecified nature of other and unspecified organs		240-289 Allergic, Endocrine System, Meta-bolic, and Nutritional Diseases		Allergic disorders		241 Asthma		250-254 Diseases of thyroid gland		Simple goitre	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	372	260	4	7	11	10	2937	4585	1412	1239	1408	1235	104	679	9	18
0—	1	5	—	—	—	—	40	30	3	2	3	2	3	2	—	—
1—	—	—	—	—	—	—	11	9	4	2	4	2	—	—	—	—
2—	4	1	—	—	—	—	10	4	5	3	4	3	—	—	—	—
3—	—	1	—	—	—	—	7	3	1	2	1	2	—	—	—	—
4—	1	2	—	—	—	—	3	4	1	2	1	2	—	—	—	—
5—	16	10	—	—	—	—	17	8	2	1	2	1	—	1	—	—
10—	9	7	—	1	—	—	15	15	4	5	4	5	—	—	—	—
15—	3	5	—	—	—	—	30	31	13	12	12	11	—	5	—	—
20—	10	7	—	—	—	—	22	44	9	22	9	22	1	5	1	—
25—	7	8	—	—	—	—	32	37	10	16	10	15	2	2	—	—
30—	12	6	—	1	—	—	52	80	26	36	25	36	1	12	—	1
35—	19	9	1	—	1	2	64	78	35	33	35	33	3	11	—	2
40—	25	21	—	1	1	1	100	161	52	73	51	73	3	19	1	—
45—	46	26	—	—	—	—	156	181	92	81	92	81	6	29	1	1
50—	52	25	2	—	—	2	217	271	141	118	141	118	11	51	—	1
55—	58	39	—	2	—	—	292	367	198	138	198	138	8	65	—	1
60—	56	35	—	—	2	—	355	555	195	139	195	139	11	113	—	3
65—	33	34	—	—	1	1	437	741	212	187	212	187	19	126	1	2
70—	14	11	—	1	2	—	482	804	214	148	214	148	19	124	2	2
75—	6	6	—	—	2	2	360	643	131	114	131	114	12	78	3	5
80—	—	1	1	1	1	1	167	373	52	79	52	78	3	24	—	—
85 and over	—	1	—	—	1	1	68	146	12	26	12	25	2	12	—	—

Causes of death	251 Nontoxic nodular goitre		252 Thyrotoxicosis with or without goitre		253 Myxœdema and cretinism		254 Other diseases of thyroid gland		260 Diabetes mellitus		270-277 Diseases of other endocrine glands		270* 271 Diseases of parathyroid gland		272 Diseases of pituitary gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4	38	61	397	27	213	3	13	1091	2247	138	211	4	3	39	64
0—	—	—	—	—	1	1	2	1	—	—	27	21	—	—	1	—
1—	—	—	—	—	—	—	—	—	1	—	3	3	1	—	—	—
2—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	1
4—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—
5—	—	—	—	—	—	1	—	—	8	1	1	1	—	—	—	—
10—	—	—	—	—	—	—	—	—	8	6	1	1	—	—	—	—
15—	—	—	—	4	—	1	—	—	6	10	9	2	—	—	2	—
20—	—	1	—	4	—	—	—	—	9	11	2	4	—	—	—	—
25—	—	—	2	1	—	1	—	—	13	17	3	2	—	—	1	—
30—	—	1	1	8	—	1	—	1	14	16	6	13	—	—	2	6
35—	—	—	2	7	1	1	—	1	12	15	8	14	—	—	2	7
40—	—	1	2	16	—	2	—	—	22	33	11	29	—	1	5	8
45—	—	2	5	24	—	2	—	—	42	41	4	19	1	1	1	10
50—	—	4	9	37	2	7	—	2	46	64	6	24	—	—	4	7
55—	—	3	7	50	1	10	—	1	57	125	11	25	1	—	4	10
60—	—	4	8	70	3	35	—	1	113	263	15	19	1	1	9	6
65—	1	2	11	69	6	53	—	—	163	383	14	15	—	—	4	5
70—	—	8	9	59	7	53	1	2	220	485	10	9	—	—	4	2
75—	2	5	4	37	3	28	—	3	201	428	3	5	—	—	—	1
80—	—	4	1	7	2	13	—	—	101	247	—	3	—	—	—	1
85 and over	1	3	—	4	1	4	—	1	52	100	—	1	—	—	—	—

\*240, Hay fever, 30 ; 242, Angioneurotic œdema, 15, 40, 15, 80, 85 ; 243, Urticaria, — ; 244, Allergic eczema, — ; 245, Other allergic disorders, 2, 25 ; 270, Disorders of pancreatic internal secretion other than diabetes mellitus, 15, 20, 35, 40, 55, 60.

TABLE 17—continued.

Causes of death	273 Diseases of thymus gland		274 Diseases of adrenal glands		275, 276*		280-289 Avita- minoses, and other metabolic diseases		280, 281*		283, 284, 285*		287 Obesity not specified as of endocrine origin		288 Gout	
					277 Polyglandular dysfunction and other diseases of endocrine glands				282 Scurvy		286 Other avita- minoses and nutri- tional deficiency states					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	18	7	52	106	22	28	192	209	2	2	64	61	34	76	21	5
0—	12	5	13	16	1	—	7	5	—	—	1	—	—	—	—	—
1—	—	1	2	1	—	1	3	4	—	—	3	2	—	—	—	—
2—	1	—	—	—	—	—	3	1	—	—	2	1	—	—	—	—
3—	1	—	1	—	—	—	3	—	—	—	—	—	—	—	—	—
4—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	1	—	—	—	6	4	—	—	2	1	—	—	—	—
10—	1	—	—	1	—	—	2	3	—	—	2	—	—	—	—	—
15—	1	—	5	2	—	—	2	2	—	—	1	—	—	—	—	—
20—	—	—	1	3	—	1	1	2	—	—	—	—	—	—	—	—
25—	—	—	2	2	—	—	4	—	—	—	—	—	—	—	—	—
30—	—	—	4	6	—	1	5	3	—	—	2	1	—	1	—	—
35—	—	—	3	6	2	1	6	5	—	1	3	2	2	2	—	—
40—	—	—	4	18	2	1	12	7	—	—	6	1	2	2	—	1
45—	—	—	2	6	—	2	12	11	—	—	6	3	2	4	—	—
50—	—	—	1	15	1	2	13	14	—	—	5	4	—	8	—	—
55—	—	—	2	11	4	3	18	14	—	—	5	3	1	7	2	—
60—	1	—	1	5	3	6	21	21	—	—	2	3	7	8	5	—
65—	—	—	3	4	7	6	29	30	1	—	11	9	10	13	2	—
70—	—	—	4	5	2	2	19	38	1	1	3	6	5	19	3	2
75—	—	—	3	2	—	2	13	18	—	—	3	10	5	6	3	—
80—	—	—	—	2	—	—	11	20	—	—	6	13	—	2	5	2
85 and over	—	—	—	1	—	—	2	7	—	—	1	2	—	4	1	—

Causes of death	289 Other metabolic diseases		IV 290-299 Diseases of the Blood and Blood-forming Organs		290 Pernicious and other hyperchromic anæmias		290.0 Pernicious anæmia		290.1 Subacute combined degeneration of spinal cord		290.2 Other hyperchromic anæmias		291 Iron deficiency anæmias (hypochromic anæmias)		292 Other anæmias of specified type	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	63	56	819	1367	322	661	282	584	33	48	7	29	61	147	181	232
0—	4	4	7	9	—	—	—	—	—	—	—	—	1	—	2	2
1—	—	2	4	2	—	—	—	—	—	—	—	—	—	—	2	1
2—	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—	1
3—	3	—	3	3	—	—	—	—	—	—	—	—	1	—	2	2
4—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	1	1
5—	4	3	15	6	—	—	—	—	—	—	—	—	—	—	4	1
10—	—	3	11	13	—	—	—	—	—	—	—	—	1	—	5	6
15—	1	2	9	11	—	2	—	—	1	—	—	1	—	1	1	2
20—	1	2	8	14	—	—	—	—	—	—	—	—	2	—	3	6
25—	4	—	8	7	1	—	1	—	—	—	—	—	—	—	4	5
30—	3	1	14	20	—	5	—	4	—	1	—	—	1	—	3	6
35—	1	—	18	19	—	2	—	2	—	—	—	—	—	—	5	8
40—	4	2	19	22	1	6	1	5	—	—	—	1	—	2	7	7
45—	4	4	38	48	7	10	5	8	1	2	1	—	3	4	10	18
50—	8	2	40	53	10	11	9	10	1	1	—	—	—	2	9	15
55—	8	3	49	68	11	27	10	23	1	2	—	2	3	5	15	18
60—	6	8	68	145	20	62	16	49	3	11	1	2	4	13	12	26
65—	5	7	124	163	60	73	47	62	13	9	—	2	3	14	27	26
70—	5	9	122	224	58	130	52	115	5	9	1	6	10	30	30	25
75—	1	2	124	283	75	170	68	155	4	7	3	8	14	39	18	36
80—	—	1	89	174	55	109	51	103	4	3	—	3	9	27	13	14
85 and over	—	1	44	79	24	54	22	48	1	2	1	4	9	11	8	6

\*275, Ovarian dysfunction, —; 276, Testicular dysfunction, —; 280, Beriberi, —; 281, Pellagra, 70, 60, 70, 80; 283, Active rickets, 0, 0, 0; 284, Late effects of rickets, 55, 55, 60, 70, 40; 285, Osteomalacia, 75, 55, 60, 65, 80.



TABLE 17—continued.

Causes of death	292.4		292.0-3; 5-7		293		294		295		296		297		298	
	Aplastic anæmia		Others included under 292		Anæmia of unspecified type		Polycythæmia		Hæmophilia		Purpura and other hæmorrhagic conditions		Agranulocytosis		Diseases of spleen	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	137	175	44	57	39	108	35	25	19	1	74	88	17	26	66	76
0—	1	1	1	1	—	—	—	—	1	—	2	6	—	—	1	—
1—	—	1	2	—	—	—	—	—	—	—	2	—	—	1	—	—
2—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—
3—	2	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—
4—	1	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—
5—	4	1	—	—	—	—	—	—	3	—	8	3	—	—	—	1
10—	3	6	2	—	—	1	—	—	2	—	3	5	—	—	—	1
15—	—	1	1	1	—	—	—	—	2	—	2	3	—	—	2	4
20—	3	6	—	—	—	—	—	—	1	—	2	8	—	—	2	—
25—	2	4	2	1	—	—	—	—	1	—	1	1	—	1	1	—
30—	3	5	—	1	—	1	—	—	2	—	2	7	1	—	3	1
35—	4	8	1	—	—	—	—	—	—	—	8	5	1	2	4	2
40—	5	4	2	3	—	3	1	1	1	—	1	—	—	1	8	2
45—	8	14	2	4	2	3	5	2	1	—	2	4	4	4	4	3
50—	6	12	3	3	—	3	5	1	—	—	7	10	—	1	9	10
55—	12	16	3	2	2	3	4	4	1	—	5	3	3	1	4	7
60—	9	18	3	8	4	12	7	4	3	1	5	8	2	4	10	14
65—	18	15	9	11	5	14	5	7	—	—	11	8	3	8	10	13
70—	23	19	7	6	9	22	5	4	—	—	7	4	2	1	1	8
75—	15	23	3	13	6	22	3	1	—	—	2	9	1	—	5	6
80—	11	12	2	2	9	17	—	1	—	—	1	—	—	2	2	4
85 and over	7	6	1	—	2	7	—	—	—	—	1	1	—	—	—	—

Causes of death	299 Other diseases of blood and blood-forming organs		V 300-326 Mental, Psycho-neurotic and Personality Disorders		300-309 Psychoses		300 Schizo-phrenic disorders (dementia præcox)		301 Manic-depressive reaction		302, 303*		305 Presenile psychosis		307* 309 Other and unspecified psychoses	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages at death																
All Ages	5	3	476	675	344	527	39	31	20	53	220	381	35	29	23	26
0—	—	1	28	22	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	5	5	—	—	—	—	—	—	—	—	—	—	—	—
2—	1	—	4	5	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	3	6	1	—	1	—	—	—	—	—	—	—	—	—
4—	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	5	8	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	5	4	—	1	—	1	—	—	—	—	—	—	—	—
20—	—	—	14	6	9	1	8	1	—	—	—	—	—	—	1	—
25—	—	—	11	9	6	6	5	5	—	1	—	—	—	—	1	—
30—	2	—	17	8	9	4	7	2	—	1	—	—	—	—	2	1
35—	—	—	5	18	3	8	2	3	1	3	—	—	—	—	—	1
40—	—	—	12	13	7	2	3	1	2	1	—	—	2	—	—	—
45—	—	—	26	24	15	15	7	3	4	8	—	—	1	1	2	2
50—	—	—	11	24	5	15	—	4	—	5	—	—	3	4	2	2
55—	1	—	29	32	20	24	2	4	5	7	—	2	13	6	—	3
60—	1	1	28	35	20	30	1	2	1	9	8	5	7	8	2	6
65—	—	—	51	63	44	53	1	1	3	7	24	30	9	9	5	5
70—	—	—	57	69	54	58	2	2	3	5	43	47	—	1	3	2
75—	—	—	63	113	59	110	—	2	—	4	55	102	—	—	4	1
80—	—	—	63	110	62	110	—	—	1	1	60	109	—	—	1	—
85 and over	—	—	32	93	30	90	—	—	—	1	30	86	—	—	—	3

\*302, Involutional melancholia, 60, 65, 70, 70, 70, 45, 55, 70, 75 ; 303, Paranoia and paranoid states, 65, 35 ; 307, Alcoholic psychosis, 45, 55, 65.

TABLE 17—continued.

Causes of death	310-318		310*		312-317*		320-326		320, 321*		322.0		322.1		322.2	
	Psycho-neurotic disorders		311 Hysterical reaction without mention of anxiety reaction		318 Psycho-neurotic disorders, other, mixed, & unspecified types		Disorders of character, behaviour, & intelligence		Alcoholism		Acute		Chronic		Unspecified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	15	37	7	26	4	2	117	111	21	23	3	2	16	19	2	2
0—	—	—	—	—	—	—	28	22	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	4	5	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	2	6	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	—	5	7	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
15—	—	1	—	1	—	—	5	2	—	—	—	—	—	—	—	—
20—	—	2	—	1	—	—	5	3	—	—	—	—	—	—	—	—
25—	1	—	—	—	—	—	4	3	1	—	—	—	1	—	—	—
30—	1	—	—	—	—	—	7	4	—	2	—	—	—	2	—	—
35—	—	5	—	4	—	—	2	5	—	—	—	—	—	—	—	—
40—	2	2	1	—	—	1	3	9	1	3	—	—	1	3	—	—
45—	1	—	1	—	—	—	10	9	4	5	1	—	3	5	—	—
50—	—	4	—	2	—	—	6	5	2	2	1	—	—	2	1	—
55—	3	5	—	4	2	—	6	3	4	3	1	—	3	2	—	1
60—	2	3	2	2	—	—	6	2	2	2	—	1	2	1	—	—
65—	—	4	—	3	—	—	7	6	4	1	—	—	4	1	—	—
70—	1	7	—	6	1	1	2	4	2	3	—	1	2	2	—	—
75—	1	2	1	2	—	—	3	1	1	1	—	—	—	1	—	—
80—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	2	1	1	1	1	—	—	2	—	1	—	—	—	—	—	1

Causes of death	323		324*		326*		330-334		330		331		332		333*	
	Other drug addiction		325 Mental deficiency		VI 330-398 Diseases of the Nervous System and Sense Organs		Vascular lesions aff't'g central nervous system		Sub-arachnoid hæmorrhage		Cerebral hæmorrhage		Cerebral embolism & thrombosis		334 Other and ill-defined vascular lesions aff't'g central nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	10	4	86	83	31958	43067	29158	40230	1014	1633	13122	18784	13072	17413	1948	2400
0—	—	—	28	22	170	112	14	6	7	2	—	2	7	2	—	—
1—	—	—	5	5	56	55	5	1	—	1	3	—	2	—	—	—
2—	—	—	4	5	29	22	—	—	—	—	—	—	—	—	—	—
3—	—	—	2	6	14	5	1	—	—	—	—	—	—	—	1	—
4—	—	—	3	4	18	8	—	1	—	1	—	—	—	—	—	—
5—	—	—	5	7	63	45	9	4	7	1	1	3	1	—	—	—
10—	—	—	4	4	54	50	12	13	9	9	3	1	—	—	—	3
15—	—	—	5	2	79	56	20	16	14	15	4	1	2	—	—	—
20—	—	—	5	3	104	75	35	25	22	17	12	7	—	—	1	1
25—	—	—	3	3	137	107	45	36	36	24	5	12	3	—	1	—
30—	2	—	5	2	172	158	71	67	39	38	26	24	4	5	2	—
35—	—	1	2	4	256	244	139	147	66	66	62	63	11	15	—	3
40—	—	—	2	6	397	414	275	292	71	103	169	153	30	31	5	5
45—	2	1	4	3	671	832	501	682	120	158	298	415	71	89	12	20
50—	3	—	1	3	1149	1530	977	1354	133	177	598	882	213	262	33	33
55—	—	—	2	—	1720	2124	1531	1923	121	190	935	1208	426	479	49	46
60—	1	—	3	—	2970	3286	2723	3055	117	227	1541	1795	960	924	105	109
65—	1	2	2	3	4567	5171	4244	4834	111	226	2108	2567	1777	1834	247	207
70—	—	—	—	—	5964	7741	5660	7368	66	172	2556	3597	2662	3189	376	410
75—	1	—	1	—	6518	8886	6248	8546	49	119	2450	3705	3278	4172	471	550
80—	—	—	—	—	4416	7095	4275	6898	23	62	1565	2724	2289	3588	397	524
85 and over	—	—	—	1	2434	5051	2373	4962	3	25	786	1625	1336	2823	248	489

\*310, Anxiety reaction without mention of somatic symptoms, 25, 30, 55, 35 ; 312, Phobic reaction, —; 313, Obsessive-compulsive reaction, 40, 50, 50 ; 314, Neurotic-depressive reaction, 20, 55, 60 ; 315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 65 ; 316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 5 ; 317, Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems, 40 ; 320, Pathological personality, 70 ; 321, Immature personality, —; 324, Primary childhood behaviour disorders, —; 326, Other and unspecified character, behaviour, and intelligence disorders, —; 333, Spasm of cerebral arteries, 65, 80.



TABLE 17—continued.

Causes of death	340-345 Inflam- matory diseases of central nervous system		340 Meningitis, except meningo- coccal and tuber- culous		340.0 H. influenzæ		340.1 Pneumo- coccus		340.2 Due to other specified organism		340.3 Un- specified cause		341 Phlebitis and thrombo- phlebitis of intra- cranial venous sinuses		342 Intra- cranial and intra- spinal abscess		343 Encephal- itis, myelitis & encephalo- myelitis (except acute infectious)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	668	735	197	145	24	15	91	64	24	16	58	50	12	11	52	38	69	55
0—	86	63	62	54	8	4	25	19	17	13	12	18	9	2	2	2	6	4
1—	24	22	14	16	9	6	3	4	—	—	2	6	1	—	1	1	5	5
2—	11	8	4	4	—	2	2	—	—	—	2	2	—	—	1	1	6	1
3—	5	1	3	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—
4—	6	3	4	1	1	—	1	1	—	—	2	—	—	—	—	1	—	—
5—	13	11	9	2	2	—	5	—	2	—	—	2	—	1	—	4	3	4
10—	6	8	3	3	—	1	1	2	—	—	2	—	—	1	—	1	1	1
15—	4	12	—	3	—	—	—	1	—	—	—	2	—	—	1	2	2	3
20—	9	13	4	4	—	1	2	—	—	1	2	2	—	—	2	2	2	1
25—	23	23	1	—	—	—	—	—	—	—	1	—	1	1	2	2	2	2
30—	29	33	7	4	1	1	1	1	1	—	4	2	—	—	4	5	3	2
35—	55	48	5	4	—	—	4	3	—	—	1	1	—	—	5	3	2	—
40—	55	69	11	3	—	—	6	1	—	1	5	1	—	1	5	2	2	4
45—	67	83	11	6	1	—	7	4	—	—	3	2	—	—	6	1	5	3
50—	70	88	10	8	—	—	6	5	2	—	2	3	1	—	4	2	7	8
55—	57	84	11	7	—	—	7	6	—	—	4	1	—	1	7	2	1	6
60—	57	64	12	6	1	—	5	3	—	—	6	3	—	1	4	5	8	4
65—	48	46	11	10	—	—	7	8	—	—	4	2	—	3	5	1	5	3
70—	24	29	10	4	—	—	6	3	1	—	3	1	—	—	2	1	2	2
75—	13	18	4	4	1	—	2	2	1	1	—	1	—	—	—	1	4	2
80—	3	8	—	2	—	—	—	1	—	—	—	1	—	—	—	—	1	—
85 and over	3	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—

Causes of death	344 Late effects of intra- cranial abscess or pyogenic infection		345 Multiple sclerosis		350-357 Other diseases of central nervous system		350 Paralysis agitans		351 Cerebral spastic infantile paralysis		352 Other cerebral paralysis		353 Epilepsy		354* 355 Other diseases of brain	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	26	19	312	467	1843	1901	665	864	56	48	236	247	456	408	70	89
0—	7	1	—	—	11	14	—	—	4	2	—	—	5	7	—	2
1—	3	—	—	—	14	15	—	—	4	2	—	—	7	12	—	—
2—	—	2	—	—	14	12	—	—	5	2	—	—	8	10	1	—
3—	1	—	—	—	6	4	—	—	2	1	—	—	4	3	—	—
4—	2	1	—	—	12	4	—	—	2	1	—	—	8	3	1	—
5—	1	—	—	—	37	22	—	—	11	5	—	—	22	13	4	2
10—	1	2	—	—	27	25	—	—	3	6	—	—	20	18	4	—
15—	—	2	1	2	38	23	—	—	5	2	—	—	28	17	3	3
20—	1	1	—	7	44	34	—	—	2	1	—	—	40	27	—	5
25—	—	1	17	17	57	45	—	—	5	—	—	—	46	40	1	—
30—	2	—	13	22	55	48	1	2	—	6	—	1	45	29	2	4
35—	1	2	42	39	50	43	2	—	—	2	1	—	35	36	2	1
40—	1	4	36	55	54	47	1	4	—	2	2	2	32	28	2	3
45—	—	—	45	73	79	59	9	9	1	1	—	1	39	33	4	2
50—	1	1	47	69	81	77	11	17	—	3	4	4	25	25	8	9
55—	1	1	37	67	118	110	24	33	1	3	13	6	21	33	6	11
60—	2	1	31	47	178	151	63	65	5	2	25	13	17	23	9	6
65—	1	—	26	29	263	275	141	154	2	4	37	31	20	17	4	11
70—	—	—	10	22	268	325	173	216	2	2	34	50	12	10	4	16
75—	—	—	5	11	250	309	151	211	2	1	60	63	10	14	2	4
80—	1	—	1	6	132	177	65	117	—	—	38	41	9	9	9	3
85 and over	—	—	1	1	55	82	24	36	—	—	22	35	3	1	4	7

\*354, Migraine, 20.

TABLE 17—continued.

Causes of death	356 Motor neurone disease and muscular atrophy		356.0 Progressive muscular atrophy		356.1 Amyotrophic lateral sclerosis		356.2; 3 Others included under 356		357 Other diseases of spinal cord		360-369 Diseases of nerves and peripheral ganglia		360* 361 Trigeminal neuralgia		362, 363* 364 Polyneuritis and polyradiculitis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	318	202	208	148	83	37	27	17	41	43	54	48	3	7	22	18
0—	2	2	1	—	—	—	1	2	—	1	11	7	—	—	—	—
1—	2	1	—	1	—	—	2	—	1	—	3	6	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—
15—	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—
20—	1	1	1	1	—	—	—	—	—	—	1	—	—	—	1	—
25—	3	2	3	2	—	—	—	—	2	3	—	—	—	—	—	—
30—	5	2	2	2	2	—	1	—	2	4	2	3	—	—	1	3
35—	10	3	7	2	3	1	—	—	—	1	1	1	—	—	—	1
40—	15	5	7	4	7	—	1	1	2	3	2	2	—	—	1	2
45—	23	11	14	7	5	2	4	2	3	2	3	2	—	—	3	2
50—	31	15	25	11	5	1	1	3	2	4	3	5	—	—	2	5
55—	45	21	26	12	14	6	5	3	8	3	5	3	—	—	4	1
60—	52	37	28	28	19	7	5	2	7	5	6	3	—	1	1	1
65—	55	54	40	38	12	14	3	2	4	4	3	7	—	2	2	2
70—	40	27	29	24	7	3	4	—	3	4	7	3	2	1	3	—
75—	21	13	15	9	6	2	—	2	4	3	4	3	—	1	3	1
80—	10	5	7	5	3	—	—	—	1	2	1	2	1	1	—	—
85 and over	2	2	2	1	—	1	—	—	—	1	—	1	—	1	—	—

Causes of death	365 Erythrædema polyneuritica		366 Other and unspecified forms of neuralgia and neuritis		367-369* 370-379 Inflammatory diseases of eye		370-379* 380-389 Other diseases and conditions of eye		380-384* 385 Cataract		386* 387 Glaucoma		388, 389* 390-398 Diseases of ear and mastoid process		390* 391 Otitis media without mention of mastoiditis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	15	13	13	6	7	5	9	30	3	16	—	9	219	118	156	93
0—	11	7	—	—	2	—	—	—	—	—	—	—	46	22	36	20
1—	3	6	—	—	—	—	—	—	—	—	—	—	10	11	8	9
2—	1	—	—	—	—	—	—	—	—	—	—	—	3	2	1	1
3—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	1	—	—	—	—	—	3	8	2	6
10—	—	—	—	—	—	1	—	—	—	—	—	—	8	3	2	2
15—	—	—	—	—	1	—	—	—	—	—	—	—	16	5	11	4
20—	—	—	—	—	1	—	—	—	—	—	—	—	14	3	12	3
25—	—	—	—	—	—	—	—	—	—	—	—	—	12	3	9	1
30—	—	—	1	—	—	—	—	—	—	—	—	—	15	7	10	6
35—	—	—	1	—	—	—	—	—	—	—	—	—	11	5	7	4
40—	—	—	1	—	—	—	—	—	—	—	—	—	11	4	7	2
45—	—	—	—	—	—	—	1	—	—	—	—	—	21	5	16	4
50—	—	—	1	—	1	—	—	—	—	—	—	—	17	6	11	5
55—	—	—	1	1	1	—	—	—	—	—	—	—	8	4	7	3
60—	—	—	4	—	—	1	—	1	—	1	—	—	6	11	5	8
65—	—	—	1	3	—	1	3	—	1	—	2	—	8	6	5	5
70—	—	—	2	2	—	2	6	—	4	—	2	—	4	8	3	6
75—	—	—	1	—	—	1	8	1	6	—	1	2	2	2	2	2
80—	—	—	—	—	—	1	3	7	2	4	—	2	2	2	—	2
85 and over	—	—	—	—	1	—	2	4	—	—	—	2	—	1	—	—

\*360, Facial paralysis, —; 362, Brachial neuritis, —; 363, Sciatica, 60, 80; 367, Other diseases of cranial nerves, 55; 368, Other diseases of peripheral nerves except autonomic, 60, 75; 369, Diseases of peripheral autonomic nervous system, —; 370, Conjunctivitis and ophthalmia, 0, 50; 371, Blepharitis, —; 372, Hordeolum (stye), 15, 20, 10; 373, Iritis, —; 374, Keratitis, —; 375, Choroiditis, —; 376, Other inflammation of uveal tract, 70, 80; 377, Inflammation of optic nerve and retina, 55; 378, Inflammation of lachrymal glands and ducts, 70; 379, Other inflammatory diseases of eye, 0, 85, 60; 380, Refractive errors, —; 381, Corneal ulcer, 85; 382, Corneal opacity, —; 383, Pterygium, —; 384, Strabismus, 5, 70; 386, Detachment of retina, 65, 75; 388, Other diseases of eye, 45; 389, Blindness, 80, 85, 80, 85, 85; 390, Otitis externa, 65.



TABLE 17—continued.

Causes of death	392		393		394, 395*		397, 398*		400-402		400		401		401.0	
	Otitis media with mastoiditis		Mastoiditis without mention of otitis media		396 Other diseases of ear and mastoid process		VII 400-468 Diseases of the Circulatory System		Rheumatic fever		Rheumatic fever without mention of heart involvement		Rheumatic fever with heart involvement		Active rheumatic pericarditis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	20	6	36	16	5	2	92556	90394	144	184	7	18	128	140	33	39
0—	3	—	5	2	2	—	15	11	—	2	—	1	—	1	—	1
1—	—	—	2	2	—	—	4	6	1	—	—	—	1	—	—	—
2—	1	1	1	—	—	—	2	2	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	3	4	2	1	—	—	2	1	—	—
4—	—	—	—	—	—	—	5	3	3	1	—	1	2	—	1	—
5—	1	2	—	—	—	—	29	31	18	17	2	2	16	15	1	5
10—	2	—	4	1	—	—	56	63	27	36	—	4	26	28	2	—
15—	2	—	3	1	—	—	66	61	10	13	2	1	8	12	3	1
20—	—	—	2	—	—	—	118	137	11	14	1	1	8	12	—	2
25—	1	—	2	1	—	1	195	237	4	9	—	2	4	6	—	1
30—	1	—	4	—	—	1	328	293	10	6	1	1	8	4	—	1
35—	3	1	1	—	—	—	613	456	9	8	—	2	8	4	1	—
40—	1	—	2	2	—	—	1259	713	6	17	—	2	6	12	—	1
45—	3	—	1	1	1	—	2549	1203	4	7	1	1	2	6	1	2
50—	1	—	5	1	—	—	4200	1908	7	11	—	—	6	7	2	2
55—	—	—	—	1	1	—	6162	3141	7	6	—	—	6	4	5	2
60—	1	1	—	2	—	—	9027	5477	7	12	—	—	7	9	4	6
65—	—	—	1	1	1	—	12584	9456	8	8	—	—	8	5	5	4
70—	—	1	1	—	—	—	15852	14481	5	6	—	—	5	5	3	4
75—	—	—	—	—	—	—	17397	18775	4	4	—	—	4	4	4	2
80—	—	—	2	—	—	—	13334	17419	—	3	—	—	—	3	—	3
85 and over	—	—	—	1	—	—	8758	16517	1	3	—	—	1	2	1	2

Causes of death	401.1		401.2		401.3 Active rheumatic fever with other and multiple types of heart involvement		402 Chorea		402.0 Without mention of heart involvement		402.1 With heart involvement		410-416 Chronic rheumatic heart disease		410 Diseases of mitral valve	
	Active rheumatic endocarditis		Active rheumatic myocarditis													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	37	45	10	5	48	51	9	26	7	22	2	4	3469	5637	2385	437
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
1—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—
5—	2	1	2	—	11	9	—	—	—	—	—	—	6	4	2	—
10—	4	9	4	1	16	18	1	4	1	3	—	1	20	18	10	1
15—	3	4	—	1	2	6	—	—	—	—	—	—	33	32	20	2
20—	3	5	1	—	4	5	2	1	2	1	—	—	55	77	29	5
25—	1	2	—	—	3	3	—	1	—	1	—	—	98	147	61	11
30—	3	2	—	1	5	—	1	1	1	1	—	—	141	200	79	15
35—	5	4	1	—	1	—	1	2	—	2	1	—	184	278	130	22
40—	4	5	—	—	2	6	—	3	—	3	—	—	260	371	179	25
45—	1	3	—	1	—	—	1	—	1	—	—	—	356	464	230	36
50—	3	4	—	—	1	1	1	4	—	3	1	1	310	532	211	40
55—	—	2	1	—	—	—	1	2	1	2	—	—	385	548	262	41
60—	2	2	1	—	—	1	—	3	—	2	—	1	359	594	236	45
65—	3	1	—	—	—	—	—	3	—	3	—	—	375	612	262	46
70—	2	—	—	—	—	1	—	1	—	1	—	—	373	642	282	56
75—	—	1	—	1	—	—	—	—	—	—	—	—	283	562	219	4
80—	—	—	—	—	—	—	—	—	—	—	—	—	160	333	115	20
85 and over	—	—	—	—	—	—	—	1	—	—	—	1	71	222	58	1

\*394, Other inflammatory diseases of ear, 40 ; 395, Meniere's disease, 70 ; 397, Deaf mutism, —; 398, Other deafness, —.

TABLE 17—continued.

Causes of death	411		412		413*		415		416		420-422		420		420.0	
	Diseases of aortic valve specified as rheumatic		Diseases of tricuspid valve		414 Other endocarditis specified as rheumatic		Other myocarditis specified as rheumatic		Other heart disease specified as rheumatic		Arterio-sclerotic and degenerative heart disease		Arterio-sclerotic heart disease, including coronary disease		Arterio-sclerotic heart disease so described	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	305	128	3	4	317	499	125	173	334	462	69809	63413	38997	22432	174	155
0—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	—	—	—	—	1	—	—	2	—	—	6	—	3	—	—
10—	2	—	—	—	4	4	—	—	4	1	2	1	—	—	—	—
15—	1	—	1	—	4	2	1	1	6	1	5	2	—	—	—	—
20—	5	1	—	—	9	10	—	2	12	5	21	8	9	2	—	—
25—	10	2	—	—	12	13	5	1	10	12	38	27	20	9	—	—
30—	16	5	—	1	14	22	4	3	28	16	108	32	92	15	—	—
35—	19	6	—	—	17	25	3	6	15	15	314	72	284	33	—	—
40—	17	9	—	1	34	35	4	6	26	24	783	160	691	108	—	—
45—	45	6	—	—	35	34	9	7	37	50	1799	415	1614	265	2	1
50—	33	12	—	—	21	53	13	12	32	55	3231	871	2822	579	5	2
55—	40	18	1	—	31	47	6	10	45	61	4649	1723	3954	1157	2	2
60—	30	18	—	—	34	51	19	22	40	49	6919	3414	5422	2181	21	12
65—	29	15	—	—	39	52	18	25	27	56	9642	6471	6845	3791	21	10
70—	23	14	1	1	31	54	13	26	23	44	12126	10205	7009	4804	32	30
75—	17	15	—	—	15	45	15	25	17	47	13212	13685	5864	4637	45	39
80—	11	1	—	1	15	29	12	20	7	15	10113	13200	3107	3061	30	35
85 and over	5	6	—	—	2	22	3	7	3	11	6845	13124	1263	1787	16	24

Causes of death	420.1		420.2		421		421.0		421.1		421.2; 3*		422		422.0	
	Heart disease specified as involving coronary arteries		Angina pectoris without mention of coronary disease		Chronic endocarditis not specified as rheumatic		of mitral valve specified as non-rheumatic		of aortic valve, not specified as rheumatic		421.4 Other and ill-defined, not specified as rheumatic		Other myocardial degeneration		Fatty degeneration	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	38163	21889	660	388	1506	1386	77	87	914	527	514	766	29306	39600	120	230
0—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	3	—	—	—	1	—	—	—	1	—	—	—	2	—	—
10—	—	—	—	—	1	—	—	—	—	1	—	—	1	1	—	—
15—	—	—	—	—	3	1	—	—	1	—	2	—	2	1	—	—
20—	9	2	—	—	3	1	1	—	1	—	1	1	9	5	1	—
25—	20	9	—	—	6	6	—	1	5	1	1	4	12	12	1	2
30—	91	15	1	—	9	3	—	—	8	1	1	2	7	14	—	—
35—	280	33	4	—	14	14	—	2	10	5	4	6	16	25	2	—
40—	686	105	5	3	34	16	—	2	26	6	8	7	58	36	8	3
45—	1598	260	14	4	72	48	1	1	52	18	19	29	113	102	4	13
50—	2784	572	33	5	114	65	2	3	75	25	37	36	295	227	10	19
55—	3894	1131	58	24	164	86	6	3	111	42	47	41	531	480	10	18
60—	5317	2141	84	28	216	158	10	4	144	72	62	82	1281	1075	24	36
65—	6709	3715	115	66	239	200	12	11	146	82	81	106	2558	2480	17	36
70—	6840	4681	137	93	246	229	8	14	152	75	86	140	4871	5172	19	43
75—	5702	4509	117	89	212	263	24	21	105	94	83	148	7136	8785	14	42
80—	3006	2975	71	51	126	170	11	12	62	61	53	96	6880	9969	7	11
85 and over	1226	1738	21	25	47	123	2	13	16	44	28	66	5535	11214	3	7

\*413, Diseases of pulmonary valve specified as rheumatic, —; 421.2, Of tricuspid valve, specified as nonrheumatic, 35, 65, 80; 421.3, Of pulmonary valve, not specified as rheumatic, 85, 15, 40, 50.



TABLE 17—continued.

Causes of death	422.1 With arterio-sclerosis		422.2 Other diseases included under 422		430-434 Other diseases of heart		430 Acute and subacute endocarditis		431 Acute myocarditis not specified as rheumatic		432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart		434 Other and unspecified diseases of heart	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	11720	14685	17466	24685	3270	3673	182	133	77	77	11	18	1133	1755	1867	1690
0—	—	—	—	—	7	5	1	1	1	—	1	2	4	—	—	2
1—	—	—	1	—	2	5	—	—	1	1	—	—	—	1	1	3
2—	—	—	—	—	2	1	2	—	—	1	—	—	—	—	—	—
3—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	2
4—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—
5—	—	—	—	2	3	3	2	2	1	—	—	—	—	—	—	1
10—	—	—	1	1	2	4	2	3	—	1	—	—	—	—	—	—
15—	—	—	2	1	11	7	6	3	2	3	—	—	1	—	2	1
20—	—	—	8	5	18	15	11	7	2	2	—	—	—	2	5	4
25—	2	2	9	8	20	19	9	8	3	2	—	—	2	1	6	8
30—	2	3	5	11	28	21	17	9	—	1	—	—	4	5	7	6
35—	1	1	13	24	31	31	13	10	2	2	1	—	3	3	12	16
40—	9	5	41	28	54	40	14	12	3	—	—	—	8	13	29	15
45—	18	19	91	70	92	81	15	9	2	6	1	1	18	33	56	32
50—	74	42	211	166	136	110	19	8	5	5	3	2	30	54	79	41
55—	163	131	358	331	233	188	25	19	4	1	—	1	59	82	145	85
60—	455	344	802	695	368	300	19	9	10	7	2	6	119	132	218	146
65—	1027	930	1514	1514	440	466	15	14	8	12	2	—	155	232	260	208
70—	2120	2050	2732	3079	581	657	7	10	14	6	1	3	226	348	333	290
75—	2990	3426	4132	5317	593	758	2	8	8	10	—	2	236	383	347	358
80—	2859	3729	4014	6229	420	571	3	1	7	11	—	—	188	293	222	266
85 and over	2000	4003	3532	7204	227	388	—	—	3	6	—	—	79	173	145	209

Causes of death	440-447 Hypertensive disease		440 Essential benign hypertension with heart disease		441 Essential malignant hypertension with heart disease		442 Hypertensive heart disease with arteriolar nephrosclerosis		443 Other and unspecified hypertensive heart disease		444 Essential benign hypertension without mention of heart		445 Essential malignant hypertension without mention of heart		446 Hypertension with arteriolar nephrosclerosis without mention of heart	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	9006	9970	82	86	93	64	162	196	4744	5567	2108	2308	349	215	536	510
0—	3	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
15—	2	2	—	—	—	—	—	—	1	—	—	—	1	1	—	—
20—	5	8	—	—	—	—	—	—	1	1	2	3	1	3	—	—
25—	20	17	—	—	1	3	—	—	3	2	3	1	12	8	—	—
30—	21	19	—	—	2	2	—	—	2	2	2	1	10	12	4	—
35—	45	34	—	—	2	1	2	—	8	6	4	6	24	16	3	—
40—	105	85	1	—	11	2	1	1	19	29	22	16	42	26	7	—
45—	214	152	3	2	15	9	2	1	63	66	55	33	58	33	14	—
50—	367	262	2	2	18	11	3	5	133	127	93	71	84	31	22	—
55—	646	453	7	4	16	9	13	2	336	230	171	131	50	31	19	2
60—	964	814	12	6	11	6	8	18	526	469	268	202	34	16	38	3
65—	1389	1288	15	16	6	11	16	20	775	764	351	312	17	15	67	4
70—	1643	1913	15	17	6	4	23	29	927	1120	410	433	8	16	68	8
75—	1790	2211	13	22	5	2	45	44	997	1265	358	512	5	6	129	11
80—	1197	1649	9	6	—	2	34	36	639	932	262	370	1	—	99	10
85 and over	592	1062	5	11	—	2	15	40	313	554	104	217	1	1	66	7

TABLE 17—continued.

Causes of death	447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries		450 General arterio-sclerosis		450.0 Without mention of gangrene		450.1 With gangrene		451 Aortic aneurysm specified as nonsyphilitic, & dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	932	1018	6103	6346	5320	5701	4708	5194	612	507	550	456	28	28	71	26
0—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—
1—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	4	4	—	—	—	—	—	—	2	—	—	1	—	—
20—	1	1	4	13	—	—	—	—	—	—	—	—	1	2	—	—
25—	1	2	8	9	—	—	—	—	—	—	3	2	—	1	—	—
30—	1	1	11	3	2	—	2	—	—	—	4	—	1	—	—	—
35—	2	1	22	15	3	1	3	1	—	—	7	1	—	1	4	1
40—	2	3	25	15	5	3	5	3	—	—	7	2	2	2	3	2
45—	4	6	41	24	13	5	11	5	2	—	17	6	2	1	2	1
50—	12	6	95	43	39	19	37	16	2	3	31	17	4	2	8	—
55—	34	23	167	109	88	56	79	52	9	4	46	38	3	4	12	1
60—	67	58	317	203	211	129	193	121	18	8	78	59	3	2	11	1
65—	142	101	617	424	476	351	430	317	46	34	113	60	2	2	13	1
70—	186	206	997	856	866	754	776	696	90	58	113	75	1	2	8	5
75—	238	249	1404	1402	1300	1271	1135	1165	165	106	80	110	8	4	2	10
80—	153	202	1390	1562	1343	1498	1167	1344	176	154	34	48	1	2	6	4
85 and over	88	158	996	1660	974	1614	870	1474	104	140	15	38	—	1	1	—

Causes of death	453.0 Raynaud's disease		453.1 Thrombo-angiitis obliterans		453.2; 3 Others included under 453		454 Arterial embolism & thrombosis		455 Gangrene of unspecified cause		456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	9	51	11	15	6	31	23	17	20	86	92	755	1166	74	218
0—	—	—	—	—	1	—	—	—	—	—	1	—	2	2	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
5—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	1	3	1	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	2	3	1	1	—	—
20—	—	—	—	—	—	—	—	—	—	—	3	11	4	2	—	—
25—	—	—	—	—	—	—	—	—	—	—	5	6	7	9	1	—
30—	—	—	—	—	—	—	—	—	—	—	4	3	9	12	—	1
35—	—	—	4	1	—	—	—	—	—	—	8	11	8	18	2	3
40—	—	1	3	—	—	1	—	—	—	—	8	6	26	25	1	5
45—	1	1	1	—	—	—	1	—	—	—	7	10	43	60	8	10
50—	—	—	6	—	2	—	1	1	1	—	11	4	54	79	5	15
55—	—	1	9	—	3	—	2	1	1	—	15	9	75	114	10	16
60—	1	1	8	—	2	—	6	3	—	—	8	9	93	140	8	26
65—	1	—	9	—	3	1	8	4	2	2	3	4	113	187	9	35
70—	1	3	5	2	2	—	2	7	4	5	3	8	127	202	7	45
75—	—	2	1	6	1	2	6	1	6	3	2	3	111	153	11	31
80—	1	—	4	2	1	2	—	3	3	7	3	—	54	101	8	18
85 and over	—	—	1	—	—	—	6	2	—	3	—	2	26	58	4	13



TABLE 17—continued.

Causes of death	461		462		463		464		465		466		467		468	
	Hæmorrhoids		Varicose veins of other specified sites		Phlebitis and thrombo-phlebitis of lower extremities		Phlebitis and thrombo-phlebitis of other sites		Pulmonary embolism & infarction		Other venous embolism & thrombosis		Other diseases of circulatory system		Certain diseases of lymph nodes and lymph channels	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	21	10	18	21	138	224	10	17	316	360	150	284	21	26	7	6
0—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
15—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
20—	—	—	—	—	—	—	1	—	1	2	2	—	—	—	—	—
25—	2	—	—	1	1	3	—	—	1	4	1	1	—	—	1	—
30—	—	—	2	—	—	3	—	1	2	3	5	4	—	—	—	—
35—	1	—	1	1	1	2	—	1	3	3	—	7	—	—	—	1
40—	1	—	1	—	6	6	—	—	10	7	6	7	1	—	—	—
45—	1	—	1	—	5	12	1	1	21	18	5	18	—	1	1	—
50—	—	3	2	4	9	14	1	—	23	26	12	16	1	1	1	—
55—	1	—	2	1	17	26	—	2	31	36	13	29	1	2	—	2
60—	4	1	2	2	20	28	—	3	32	43	19	35	8	2	—	—
65—	5	1	3	4	20	38	3	3	48	59	22	43	3	4	—	—
70—	1	3	1	4	23	46	1	3	68	51	23	46	3	3	—	1
75—	2	1	3	3	22	22	1	1	45	57	23	32	3	6	1	—
80—	1	—	—	—	11	20	2	2	20	33	11	21	1	5	—	2
85 and over	2	1	—	1	3	4	—	—	11	14	5	23	—	2	1	—

Causes of death	VIII 470-527		470-475		470		471		472		473		474		475	
	Diseases of the Respiratory System		Acute upper respiratory infections		Acute naso-pharyngitis (common cold)		Acute sinusitis		Acute pharyngitis		Acute tonsillitis		Acute laryngitis and tracheitis		Acute upper respiratory infection of multiple or unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	31530	20672	81	81	10	15	1	4	7	11	21	27	29	12	13	12
0—	1491	1108	17	16	2	2	—	1	1	2	2	1	5	1	7	9
1—	220	160	7	4	—	—	—	—	—	—	1	1	5	3	1	—
2—	86	65	7	2	—	—	—	—	—	—	2	1	3	1	2	—
3—	46	44	3	2	—	—	—	—	—	—	1	—	2	2	—	—
4—	31	26	1	1	—	—	—	—	—	—	—	1	1	—	—	—
5—	86	75	4	3	—	1	—	—	—	1	1	—	3	1	—	—
10—	43	39	—	2	—	—	—	1	—	—	—	1	—	—	—	—
15—	64	55	2	—	—	—	—	—	—	—	2	—	—	—	—	—
20—	65	55	1	1	—	—	—	—	1	1	—	—	—	—	—	—
25—	79	81	1	3	—	—	1	1	—	—	—	2	—	—	—	—
30—	143	114	—	1	—	—	—	—	—	—	—	1	—	—	—	—
35—	226	170	1	6	—	—	—	—	—	—	1	6	—	—	—	—
40—	437	223	5	—	—	—	—	—	1	—	2	—	2	—	—	—
45—	927	341	4	2	—	—	—	—	—	—	2	2	1	—	1	—
50—	1694	488	1	3	1	—	—	—	—	1	—	1	—	1	—	—
55—	2601	749	3	1	1	1	—	—	—	—	1	—	1	—	—	—
60—	3757	1289	4	4	2	1	—	—	—	—	1	2	1	1	—	—
65—	4635	2001	1	5	—	2	—	—	—	—	1	2	—	—	—	1
70—	4945	2982	5	5	2	—	—	—	—	2	1	2	1	1	1	—
75—	4601	3852	5	3	—	2	—	1	2	—	—	—	3	—	—	—
80—	3278	3471	3	8	—	3	—	—	1	1	1	2	1	—	—	2
85 and over	2075	3284	6	9	2	3	—	—	1	3	2	2	—	1	1	—

TABLE 17—continued.

Causes of death	480-483		480		481		481 (a)		481 (b)		482		483		490-493	
	Influenza		Influenza with pneumonia		Influenza with other respiratory manifest'ns, & influenza unqualified		Influenza without mention of respiratory complications		Influenza with mention of respiratory complications		Influenza with digestive manifest'ns, but without respiratory symptoms		Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		Pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	879	871	449	429	404	417	212	230	192	187	16	22	10	3	9782	8826
0—	21	16	16	11	4	5	4	4	—	1	—	—	1	—	1197	899
1—	2	3	—	1	1	1	1	—	—	1	—	—	1	1	160	123
2—	3	2	1	2	—	—	—	—	—	—	1	—	1	—	53	44
3—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	27	26
4—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	20	14
5—	7	4	5	2	1	2	1	—	—	2	—	—	1	—	35	36
10—	5	3	5	3	—	—	—	—	—	—	—	—	—	—	23	23
15—	12	4	7	4	1	—	1	—	—	—	1	—	3	—	30	24
20—	3	7	—	5	3	2	2	1	1	1	—	—	—	—	29	25
25—	7	7	2	5	4	2	4	2	—	—	1	—	—	—	36	36
30—	12	5	7	3	4	2	4	1	—	1	1	—	—	—	61	58
35—	16	12	8	8	8	4	5	3	3	1	—	—	—	—	80	65
40—	20	21	9	17	11	4	6	2	5	2	—	—	—	—	148	110
45—	33	26	22	22	11	4	7	3	4	1	—	—	—	—	270	160
50—	58	20	31	12	25	7	10	6	15	1	1	1	1	—	403	213
55—	75	42	43	24	31	15	13	9	18	6	—	1	1	2	562	304
60—	107	67	55	38	50	28	27	20	23	8	1	1	1	—	792	489
65—	110	80	59	44	48	36	21	19	27	17	3	—	—	—	1124	741
70—	130	129	56	58	73	66	38	31	35	35	1	5	—	—	1327	1132
75—	112	164	54	73	56	87	28	52	28	35	2	4	—	—	1445	1506
80—	91	140	44	55	45	84	26	43	19	41	2	1	—	—	1162	1462
85 and over	55	115	25	40	28	68	14	34	14	34	2	7	—	—	798	1336

Causes of death	490		491		492		493		500-502		500		501		502	
	Lobar pneumonia		Broncho-pneumonia		Primary atypical pneumonia		Pneumonia, other and unspecified		Bronchitis		Acute bronchitis		Bronchitis unqualified		Chronic bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2171	1443	6889	6723	76	45	646	615	17694	9574	1885	2051	1117	1097	14692	6426
0—	82	51	1035	773	14	7	66	68	222	153	152	108	60	38	10	7
1—	16	13	134	99	1	2	9	9	40	23	26	13	9	9	5	1
2—	10	6	37	37	3	—	3	1	20	11	15	8	4	2	1	1
3—	7	1	18	23	—	1	2	1	9	12	7	10	1	1	1	1
4—	5	—	14	9	1	1	—	4	3	6	2	3	1	2	—	1
5—	2	7	23	27	3	1	7	1	21	13	9	8	9	4	3	1
10—	6	4	15	16	1	1	1	2	6	3	3	1	2	1	1	1
15—	4	6	22	16	—	—	4	2	1	13	1	5	—	3	—	5
20—	10	4	13	15	1	—	5	6	6	11	3	5	—	3	3	3
25—	16	9	16	22	1	—	3	5	13	13	3	5	3	3	7	5
30—	21	19	28	31	3	—	9	8	30	23	6	6	—	—	24	17
35—	21	22	49	36	2	1	8	6	64	40	15	8	4	4	45	28
40—	53	34	76	65	2	1	17	10	153	57	9	10	3	2	141	45
45—	97	44	148	101	3	2	22	13	455	108	32	21	26	11	397	76
50—	144	65	225	128	1	2	33	18	947	190	57	15	38	20	852	155
55—	187	92	317	180	4	2	54	30	1576	329	82	41	63	32	1431	256
60—	267	115	446	330	8	7	71	37	2399	622	125	87	103	59	2171	476
65—	332	178	704	506	9	2	79	55	2951	1070	200	165	136	108	2615	797
70—	326	215	917	838	7	4	77	75	3097	1557	264	251	206	149	2627	1157
75—	283	241	1071	1159	10	5	81	101	2748	2007	332	404	218	212	2198	1391
80—	171	187	931	1197	1	5	59	73	1830	1706	307	414	136	217	1387	1075
85 and over	111	130	650	1115	1	1	36	90	1103	1607	235	463	95	217	773	927



TABLE 17—continued.

Causes of death	502.0		502.1		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peritonsillar abscess (quinsy)		512*		514*		516 Chronic laryngitis	
	Bronchitis with emphysema		Others included under 502								513 Chronic sinusitis		515 Nasal polyp			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6026	1279	8666	5147	3094	1320	28	19	8	13	39	16	3	3	1	1
0—	2	—	8	7	34	24	—	1	—	—	1	—	—	—	—	—
1—	—	—	5	1	11	7	2	—	—	—	—	—	—	—	—	—
2—	—	—	1	1	3	6	1	2	—	—	1	—	—	—	—	1
3—	—	—	1	1	7	2	2	—	—	—	—	—	—	—	—	—
4—	—	—	—	1	7	3	2	2	—	—	—	—	—	—	—	—
5—	1	—	2	1	19	19	11	11	—	1	3	1	—	—	—	—
10—	—	—	1	1	9	8	4	1	—	—	1	1	—	—	—	—
15—	—	1	—	4	19	14	1	1	—	1	3	3	—	—	—	—
20—	1	2	2	1	26	11	1	—	1	1	3	1	—	—	—	—
25—	4	2	3	3	22	22	—	—	—	1	2	1	—	—	—	—
30—	11	7	13	10	40	27	—	—	1	1	1	1	—	—	—	—
35—	19	8	26	20	65	47	2	—	1	—	8	—	—	—	—	—
40—	77	15	64	30	111	35	—	—	—	—	1	1	1	—	—	—
45—	237	26	160	50	165	45	1	—	2	—	2	2	—	—	—	—
50—	483	53	369	102	285	62	—	—	—	—	3	—	—	1	—	—
55—	787	77	644	179	385	73	—	1	1	—	1	—	1	—	—	—
60—	1124	140	1047	336	455	107	1	—	—	1	2	2	—	—	—	—
65—	1174	222	1441	575	449	105	—	—	—	—	4	1	—	—	—	—
70—	962	251	1665	906	386	159	—	—	1	4	—	2	1	1	1	—
75—	660	241	1538	1150	291	172	—	—	1	3	1	—	—	—	—	—
80—	341	154	1046	921	192	155	—	—	—	—	1	—	—	—	—	—
85 and over	143	80	630	847	113	217	—	—	—	—	1	—	—	1	—	—

Causes of death	517		518		519		520		521		522		523		524 Other specified pneumoconiosis & pulmonary fibrosis of occupational origin	
	Other diseases of upper respiratory tract		Empyema		Pleurisy		Spontaneous pneumothorax		Abscess of lung		Pulmonary congestion and hypostasis		Pneumoconiosis due to silica and silicates (occupational)			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	21	14	82	56	65	37	6	1	46	24	209	349	557	3	6	—
0—	3	2	9	7	1	—	—	—	8	3	1	1	—	—	—	—
1—	2	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
3—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
15—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	1	—	1	—	1	—	—	—	1	2	—	—	—	—	—	—
25—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
30—	1	—	3	1	1	1	1	—	—	—	—	—	—	—	—	—
35—	—	3	3	2	—	1	1	—	—	1	—	—	2	—	—	—
40—	—	—	5	6	—	—	—	2	—	—	1	—	13	—	—	—
45—	—	—	6	1	4	2	—	—	2	1	—	—	27	1	—	—
50—	1	—	2	2	7	—	—	—	4	1	1	1	51	—	—	—
55—	—	—	10	5	7	2	1	—	10	—	1	—	85	—	—	—
60—	—	1	10	7	7	5	—	—	6	4	5	3	121	1	2	—
65—	2	1	6	5	9	4	—	—	4	1	3	5	123	—	1	—
70—	1	1	4	9	13	4	3	—	2	3	19	31	92	1	2	—
75—	2	1	14	2	6	7	—	—	5	2	44	43	36	—	1	—
80—	1	2	7	2	6	7	—	—	2	3	64	91	5	—	—	—
85 and over	1	—	1	5	3	4	—	—	—	—	68	174	2	—	—	—

\*512, Chronic pharyngitis and nasopharyngitis, 80, 85, 75, 75, 80 ; 514, Deflected nasal septum, 45.

TABLE 17—continued.

Causes of death	525		526		527		IX 530-587		530-539		530*		532		533	
	Other chronic interstitial pneumonia		Bronchiectasis		Other diseases of lung and pleural cavity		Diseases of the Digestive System		Diseases of buccal cavity and œsophagus		Abscesses of supporting structures of teeth		Other inflammatory diseases of supporting structures of teeth		Disorders of occlusion, eruption, & tooth development	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	180	87	1085	487	755	207	9243	7022	111	130	—	—	6	8	23	11
0—	1	4	4	1	6	5	562	398	10	6	—	—	—	—	5	4
1—	—	—	4	3	1	2	96	50	5	2	—	—	—	—	4	2
2—	1	—	—	2	—	—	30	17	3	—	—	—	—	—	1	—
3—	—	—	3	1	1	—	24	16	1	—	—	—	—	—	—	—
4—	—	—	2	—	1	—	20	15	—	—	—	—	—	—	—	—
5—	1	—	3	6	1	—	56	45	—	2	—	—	—	1	—	—
10—	1	—	1	4	—	—	38	26	—	—	—	—	—	—	—	—
15—	—	—	11	8	3	1	43	37	1	2	—	—	—	1	—	—
20—	—	—	14	5	3	2	72	38	—	3	—	—	—	—	—	2
25—	3	2	13	12	3	4	67	49	1	3	—	—	—	—	1	2
30—	1	2	26	17	5	4	137	86	2	1	—	—	—	—	2	—
35—	4	4	36	31	8	5	225	105	2	—	—	—	—	—	2	—
40—	3	5	59	18	26	5	339	173	3	2	—	—	—	—	1	1
45—	9	4	76	28	35	6	518	265	3	5	—	—	—	—	2	—
50—	15	7	119	38	82	12	714	333	12	—	—	—	—	—	2	—
55—	24	11	147	39	97	15	808	483	5	4	—	—	1	1	—	—
60—	33	10	145	55	123	18	1029	679	8	7	—	—	—	1	2	—
65—	31	6	154	62	112	20	1279	900	10	9	—	—	1	—	—	—
70—	25	10	113	62	109	31	1219	1088	16	19	—	—	4	1	—	—
75—	19	15	93	58	69	39	1077	970	10	17	—	—	—	1	1	—
80—	8	4	48	22	49	23	611	746	12	23	—	—	—	1	—	—
85 and over	1	3	14	15	21	15	279	503	7	25	—	—	—	1	—	—

Causes of death	534, 535*		537		538		539		540-545		540		540.0		540.1	
	536		Diseases of salivary glands		Other diseases of buccal cavity		Diseases of œsophagus		Diseases of stomach and duodenum		Ulcer of stomach		Without mention of perforation		With perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	7	9	18	46	4	4	52	52	4253	1461	1967	904	1374	696	593	208
0—	1	1	2	1	—	—	2	—	14	14	2	1	1	—	1	1
1—	—	—	—	—	—	—	1	—	1	1	1	—	—	—	1	—
2—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
3—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
15—	—	1	—	—	—	—	1	—	7	3	3	1	—	1	3	—
20—	—	—	—	—	—	—	—	1	17	3	6	1	5	—	1	1
25—	—	—	—	—	—	—	—	1	20	4	6	1	4	—	2	1
30—	—	—	—	1	—	—	—	—	49	7	10	4	9	1	1	3
35—	—	—	—	—	—	—	—	—	96	18	37	8	31	5	6	3
40—	1	—	—	—	—	—	1	1	166	35	57	22	38	14	19	8
45—	—	1	—	—	1	1	—	3	287	59	121	34	86	19	35	15
50—	—	—	1	—	2	—	7	—	415	72	176	39	109	31	67	8
55—	—	—	—	—	—	—	4	3	442	99	201	52	142	41	59	11
60—	—	—	2	—	—	—	4	6	581	137	280	89	209	63	71	26
65—	1	—	—	3	—	—	7	6	702	199	350	121	238	102	112	19
70—	—	—	2	7	—	—	10	11	617	250	293	175	191	138	102	37
75—	1	2	3	8	1	—	4	6	488	239	241	159	168	125	73	34
80—	—	1	4	11	—	1	8	9	238	203	129	129	97	106	32	23
85 and over	1	2	4	15	—	2	2	5	113	114	54	68	46	50	8	18

\*530, Dental caries, —; 534, Toothache from unspecified cause, —; 535, Other diseases of teeth and supporting structures, 65.



TABLE 17—continued.

Causes of death	541 Ulcer of duodenum		541.0 Without mention of perforation		541.1 With perforation		542 Gastrojejunal ulcer		542.0 Without mention of perforation		542.1 With perforation		543 Gastritis and duodenitis		544 Disorders of function of stomach	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2092	421	1350	251	742	170	47	7	34	4	13	3	63	98	6	13
0—	1	2	1	2	—	—	—	—	—	—	—	—	11	10	—	1
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
15—	4	2	3	—	1	2	—	—	—	—	—	—	—	—	—	—
20—	11	1	6	—	5	1	—	—	—	—	—	—	—	1	—	—
25—	12	3	7	2	5	1	1	—	1	—	—	—	1	—	—	—
30—	38	2	25	1	13	1	—	—	—	—	—	—	1	—	—	1
35—	53	9	41	5	12	4	2	—	2	—	—	—	—	1	—	—
40—	103	11	68	7	35	4	2	—	2	—	—	—	1	—	—	1
45—	152	18	101	12	51	6	7	1	3	—	4	1	—	4	—	—
50—	221	30	150	17	71	13	8	1	6	—	2	1	3	2	3	—
55—	218	39	151	24	67	15	5	1	4	—	1	1	2	3	1	1
60—	276	42	171	24	105	18	9	—	7	—	2	—	4	4	1	—
65—	328	66	198	45	130	21	3	—	2	—	1	—	5	8	—	2
70—	300	62	199	35	101	27	8	2	5	2	3	—	7	8	—	1
75—	228	52	137	38	91	14	2	—	2	—	—	—	11	20	—	4
80—	98	56	62	28	36	28	—	1	—	1	—	—	8	16	1	—
85 and over	49	26	30	11	19	15	—	1	—	1	—	—	9	18	—	1

Causes of death	545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550.0 Without mention of peritonitis		550.1 With peritonitis		551 Appendicitis, unqualified		552 Other appendicitis		553 Other diseases of appendix	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	78	18	598	447	517	367	82	46	435	321	79	75	2	2	—	3
0—	—	—	4	1	2	1	—	—	2	1	2	—	—	—	—	—
1—	—	—	10	4	10	3	1	—	9	3	—	—	—	—	—	1
2—	—	—	12	6	12	6	1	1	11	5	—	—	—	—	—	—
3—	—	—	11	3	9	3	2	—	7	3	2	—	—	—	—	—
4—	—	—	9	5	9	5	1	—	8	5	—	—	—	—	—	—
5—	—	1	29	24	28	20	1	2	27	18	1	4	—	—	—	—
10—	—	—	31	12	30	11	2	—	28	11	1	1	—	—	—	—
15—	—	—	23	12	22	10	3	2	19	8	1	2	—	—	—	—
20—	—	—	17	8	16	6	2	1	14	5	1	2	—	—	—	—
25—	—	—	13	7	11	6	1	1	10	5	2	1	—	—	—	—
30—	—	—	24	10	21	7	3	—	18	7	3	3	—	—	—	—
35—	4	—	26	11	22	9	3	2	19	7	4	2	—	—	—	—
40—	3	1	25	10	19	8	6	1	13	7	6	2	—	—	—	—
45—	7	2	26	21	22	15	6	2	16	13	4	5	—	—	—	1
50—	4	—	35	35	29	29	2	3	27	26	6	6	—	—	—	—
55—	15	3	43	30	35	24	7	6	28	18	8	5	—	—	—	1
60—	11	2	52	40	42	33	7	4	35	29	10	6	—	1	—	—
65—	16	2	63	59	54	48	12	7	42	41	8	10	1	1	—	—
70—	9	2	54	60	46	49	7	6	39	43	8	11	—	—	—	—
75—	6	4	61	40	52	33	11	4	41	29	9	7	—	—	—	—
80—	2	1	22	25	18	21	4	1	14	20	3	4	1	—	—	—
85 and over	1	—	8	24	8	20	—	3	8	17	—	4	—	—	—	—

TABLE 17—continued.

Causes of death	560-561		560 Hernia of abdominal cavity without mention of obstruction		561 Hernia of abdominal cavity with obstruction		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570.0 Intus-susception		570.1 Paralytic ileus		570.2 Mesenteric infarction	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	822	842	186	145	636	697	2005	2203	766	714	75	45	10	8	187	174
0—	73	46	57	40	16	6	420	298	58	35	38	26	1	—	2	—
1—	6	2	5	2	1	—	63	36	11	6	10	5	—	—	—	—
2—	2	2	1	1	1	1	12	6	3	2	2	2	—	—	—	—
3—	1	1	—	—	1	1	7	8	3	2	1	1	—	—	—	1
4—	—	—	—	—	—	—	7	8	4	2	3	1	—	—	—	1
5—	—	—	—	—	—	—	17	12	10	3	5	—	—	—	—	—
10—	—	—	—	—	—	—	6	6	4	2	1	—	—	—	1	—
15—	—	1	—	1	—	—	11	11	5	2	2	—	—	—	1	—
20—	3	1	1	—	2	1	24	16	7	3	—	—	—	—	1	1
25—	1	—	—	—	1	—	22	25	4	4	—	—	—	—	1	1
30—	3	3	—	1	3	2	31	47	9	7	—	—	—	—	1	2
35—	8	6	4	1	4	5	49	43	13	13	2	—	—	—	3	2
40—	13	14	6	3	7	11	71	59	30	13	—	—	1	—	7	4
45—	21	16	6	4	15	12	81	80	33	33	1	2	2	—	5	10
50—	35	21	8	5	27	16	99	87	46	27	3	1	1	1	17	8
55—	40	54	9	14	31	40	134	93	72	35	1	1	1	1	21	9
60—	76	88	20	16	56	72	133	179	58	66	1	1	—	1	20	24
65—	112	124	25	20	87	104	197	224	95	84	—	—	2	—	24	25
70—	114	156	13	13	101	143	231	307	115	116	2	4	—	2	42	27
75—	155	133	14	10	141	123	191	274	89	103	1	—	2	2	23	22
80—	104	107	13	8	91	99	137	215	70	84	1	—	—	—	13	22
85 and over	55	67	4	6	51	61	62	169	27	72	1	1	—	1	5	15

Causes of death	570.3		570.4		570.5		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572.0 Regional enteritis		572.1 Diverticulitis		572.2 Ulcerative colitis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	227	165	30	74	237	248	590	561	412	674	22	20	228	330	149	306
0—	13	3	2	3	2	3	351	259	3	1	—	—	—	—	3	1
1—	1	1	—	—	—	—	51	26	—	1	—	—	—	—	—	—
2—	1	—	—	—	—	—	9	4	—	—	—	—	—	—	—	—
3—	1	—	—	—	1	—	4	4	—	—	—	—	—	—	—	—
4—	1	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—
5—	4	2	—	—	1	1	6	8	—	—	—	—	—	—	—	—
10—	1	2	—	—	1	—	1	1	1	3	—	—	—	—	1	3
15—	2	1	—	—	—	1	1	1	4	7	1	—	—	—	3	7
20—	5	—	—	—	1	2	2	2	11	10	3	1	—	—	8	9
25—	1	2	1	—	1	1	1	2	14	19	—	2	1	—	12	17
30—	6	2	—	1	2	2	5	3	13	33	1	2	—	1	12	30
35—	2	4	—	—	6	7	6	2	26	20	7	—	2	3	17	17
40—	9	5	—	—	13	4	8	9	20	32	2	—	7	7	10	25
45—	14	12	3	1	8	8	12	4	17	34	—	1	6	3	11	30
50—	11	4	—	1	14	12	6	8	28	38	1	2	14	8	13	27
55—	28	10	1	3	20	11	3	5	36	44	3	3	25	16	7	25
60—	12	10	2	4	23	26	11	18	34	60	2	2	20	33	12	23
65—	24	20	7	8	38	31	19	29	52	82	—	3	36	53	16	23
70—	35	26	3	23	33	34	18	42	65	106	—	1	52	74	9	30
75—	20	25	4	11	39	43	28	33	52	95	1	2	36	69	11	20
80—	25	22	6	10	25	30	27	50	27	57	—	1	25	41	2	11
85 and over	11	14	1	9	9	32	20	47	9	32	1	—	4	22	2	8



TABLE 17—continued.

Causes of death	572.3 Others included under 572		573 Functional disorders of intestines		574 Anal fissure and fistula		575 Abscess of anal and rectal regions		576 Peritonitis		577 Peritoneal adhesion		578 Other diseases of intestines and peritoneum		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	13	18	18	20	1	2	26	15	52	59	4	9	136	149	1454	1939
0—	—	—	—	—	—	—	—	—	4	2	—	—	4	1	41	33
1—	—	1	—	—	—	—	—	—	1	2	—	—	—	1	11	5
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
3—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	4	4
4—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	4	2
5—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	10	4
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	7
15—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	8
20—	—	—	—	—	—	—	—	—	3	1	—	—	1	—	11	7
25—	1	—	—	—	—	—	—	—	—	—	—	—	3	—	10	10
30—	—	—	1	1	—	—	1	—	—	1	—	—	2	2	28	18
35—	—	—	—	2	—	—	—	—	2	2	—	—	2	4	44	27
40—	1	—	2	—	—	—	—	—	3	2	—	—	8	3	61	53
45—	—	—	2	—	—	—	1	—	6	1	—	—	10	8	100	84
50—	—	1	1	1	—	—	3	2	5	3	—	2	10	6	118	118
55—	1	—	1	2	—	—	4	—	6	—	—	—	12	7	144	203
60—	—	2	2	3	—	—	1	3	10	5	—	1	17	23	179	228
65—	—	3	3	1	—	—	3	4	2	9	1	1	22	14	195	285
70—	4	1	1	3	—	—	5	2	3	10	1	2	23	26	187	296
75—	4	4	—	4	1	1	3	2	5	11	1	2	12	23	172	267
80—	—	4	3	2	—	—	4	1	—	3	—	—	6	18	98	173
85 and over	2	2	2	1	—	1	1	1	—	4	—	1	3	10	34	104

Causes of death	580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis without mention of calculi		586 Other diseases of gallbladder and biliary ducts		587 Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	47	78	645	479	23	12	29	27	239	569	191	443	30	61	250	270
0—	3	4	4	7	1	—	1	1	—	—	—	—	—	1	32	20
1—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	10	3
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
3—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	3	2
4—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
5—	2	—	5	1	—	—	1	—	—	—	—	—	—	—	2	3
10—	—	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	2	1	5	—	—	—	—	—	—	—	—	—	—	—	1
20—	—	3	4	2	1	—	1	—	1	1	1	—	—	—	3	1
25—	1	2	5	6	—	—	1	—	1	—	—	—	1	—	1	2
30—	2	2	11	4	2	—	3	—	5	4	—	1	—	3	5	4
35—	2	4	26	9	—	—	2	3	2	4	2	1	—	2	10	4
40—	1	6	45	21	1	—	1	1	3	10	1	1	—	4	9	10
45—	4	8	65	25	1	4	4	2	5	24	5	8	1	3	15	10
50—	3	6	67	37	5	—	4	2	12	31	10	21	2	5	15	16
55—	4	9	79	65	2	1	1	3	25	44	11	30	2	10	20	41
60—	8	8	86	76	2	2	3	1	27	60	20	39	5	6	28	36
65—	5	9	84	80	2	2	3	3	41	91	23	56	5	10	32	34
70—	3	7	74	71	4	2	—	3	34	97	43	80	5	5	24	31
75—	3	—	52	42	2	1	2	4	44	99	36	93	7	3	26	25
80—	2	3	29	15	—	—	2	4	29	70	27	61	1	6	8	14
85 and over	1	1	6	6	—	—	—	—	10	34	12	52	1	3	4	8

TABLE 17—continued.

Causes of death	X 590-637 Diseases of the Genito-Urinary System		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with oedema, including nephrosis		592 Chronic nephritis		593 Nephritis not specified as acute or chronic		594 Other renal sclerosis		600-609 Other diseases of urinary system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	8657	4167	2994	2879	128	95	199	148	2416	2397	234	215	17	24	1159	1018
0—	41	25	10	9	8	6	1	1	—	—	1	1	—	1	26	16
1—	11	8	3	4	1	2	1	1	1	1	—	—	—	—	5	3
2—	5	8	2	6	—	—	1	2	1	4	—	—	—	—	2	1
3—	8	7	7	6	1	2	3	2	3	2	—	—	—	—	1	1
4—	9	3	9	2	1	1	3	1	5	—	—	—	—	—	—	1
5—	33	28	26	23	7	5	9	2	8	15	2	—	—	1	7	5
10—	36	26	29	23	3	3	7	1	17	15	2	1	—	3	7	2
15—	50	45	47	43	10	5	5	5	30	27	1	5	1	1	3	2
20—	90	66	81	49	9	2	11	9	56	36	5	2	—	—	9	12
25—	93	84	82	65	6	3	8	6	65	54	3	2	—	—	9	13
30—	109	103	96	79	5	2	17	7	71	61	3	6	—	3	12	18
35—	145	124	126	83	5	2	6	7	107	70	8	4	—	—	17	33
40—	167	181	137	123	7	2	8	13	110	103	12	5	—	—	28	32
45—	218	216	180	136	6	3	13	15	150	106	11	11	—	1	31	47
50—	321	257	244	180	12	5	20	8	197	154	15	13	—	—	48	52
55—	462	334	279	227	13	5	14	16	222	186	27	19	3	1	96	88
60—	578	401	274	282	9	15	18	14	221	235	25	17	1	1	98	89
65—	1010	485	333	315	8	3	17	8	272	284	31	18	5	2	150	138
70—	1406	569	308	398	6	15	15	7	264	340	23	33	—	3	199	145
75—	1660	551	335	382	6	10	11	10	294	326	21	34	3	2	183	141
80—	1322	389	237	258	3	3	8	9	198	217	26	26	2	3	135	119
85 and over	883	257	149	186	2	1	3	4	124	161	18	18	2	2	93	60

Causes of death	600 Infections of kidney		601 Hydro-nephrosis		602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder		607* 608 Stricture of urethra	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	498	582	79	70	149	138	36	40	36	5	168	154	54	15	114	2
0—	14	9	3	—	—	—	6	5	—	—	1	2	—	—	—	—
1—	2	2	1	—	—	—	2	1	—	—	—	—	—	—	—	—
2—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—
3—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5—	1	5	4	—	—	—	—	—	1	—	—	—	1	—	—	—
10—	3	2	3	—	—	—	1	—	—	—	—	—	—	—	—	—
15—	1	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—
20—	5	6	2	1	—	2	—	1	1	—	—	1	—	1	1	—
25—	2	9	5	1	2	1	—	1	—	—	—	—	—	1	—	—
30—	5	10	1	—	3	3	—	2	—	—	2	2	1	—	—	1
35—	3	18	2	5	7	6	2	2	—	—	1	1	—	—	2	—
40—	10	18	3	1	12	7	—	1	—	—	—	4	1	1	1	—
45—	11	28	7	3	5	8	1	1	1	1	2	4	—	—	4	—
50—	25	34	3	2	12	7	1	3	1	1	2	4	—	—	4	—
55—	47	50	6	9	26	16	2	6	2	—	5	5	—	1	6	—
60—	41	52	7	3	14	17	6	2	5	—	13	13	1	—	11	—
65—	56	81	4	10	23	23	6	4	7	—	18	17	11	3	21	—
70—	92	79	7	11	21	18	3	3	5	1	37	27	10	4	20	1
75—	87	83	10	12	16	18	2	1	5	1	32	25	12	1	15	—
80—	52	65	7	9	6	9	2	3	5	1	27	28	11	1	20	—
85 and over	41	28	2	3	1	3	1	2	2	—	28	21	6	2	9	—

\*607, Urethritis (non-venereal), 40, 70.



TABLE 17—continued.

Causes of death	609 Other diseases of urethra		610-617 Diseases of male genital organs	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613 Hydrocele	614*	616*
	M	F						615 Redundant prepuce and phimosis	617 Other diseases of male genital organs
Ages at death	M	F	M	M	M	M	M	M	M
All Ages	23	12	4504	4351	99	22	6	11	13
0—	2	—	5	—	—	—	—	4	1
1—	—	—	3	—	—	—	1	2	—
2—	—	—	1	—	—	—	1	—	—
3—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—
25—	—	—	2	1	—	—	1	—	—
30—	—	—	1	—	1	—	—	—	—
35—	—	1	2	1	—	—	—	1	—
40—	—	—	2	—	1	—	—	—	1
45—	—	2	7	5	2	—	—	—	—
50—	—	1	29	24	5	—	—	—	—
55—	2	1	87	80	5	1	—	—	1
60—	—	2	206	192	10	1	—	1	1
65—	4	—	527	510	9	4	2	2	—
70—	3	1	899	869	23	4	—	1	2
75—	4	—	1142	1123	11	3	1	—	4
80—	5	3	950	927	17	4	—	—	2
85 and over	3	1	641	619	15	5	—	—	1

Causes of death	620-626 Diseases of breast, ovary, Fallopian tube, and parametrium	620, 621*	623*	625 Other diseases of ovary and Fallopian tube	626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs	630 Infective disease of uterus, vagina, and vulva	631 Uterovaginal prolapse
		622 Acute salpingitis and oophoritis	624 Salpingitis and oophoritis unqualified					
Ages at death	F	F	F	F	F	F	F	F
All Ages	58	3	34	4	8	212	15	129
0—	—	—	—	—	—	—	—	—
1—	1	—	1	—	—	—	—	—
2—	1	1	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	1	—	1	—	—	—	—	—
15—	—	—	—	—	—	—	—	—
20—	4	1	2	—	1	1	—	—
25—	4	—	2	—	—	2	—	—
30—	3	—	3	—	—	3	—	1
35—	—	—	—	—	—	8	1	1
40—	9	—	9	—	—	17	1	7
45—	10	—	7	1	1	23	—	14
50—	3	—	1	1	—	22	2	8
55—	2	—	—	—	1	17	—	11
60—	4	—	2	—	1	26	—	23
65—	5	1	2	1	—	27	3	18
70—	5	—	—	1	3	21	1	16
75—	4	—	3	—	1	24	2	16
80—	1	—	—	—	—	11	2	7
85 and over	1	—	1	—	—	10	3	7

\*614, Orchitis and epididymitis, 60, 85; 616, Sterility, male, —; 620, Chronic cystic disease of breast, 65; 621, Other diseases of breast, 55, 60, 70, 80; 623, Chronic salpingitis and oophoritis, 25, 25, 45, 50.

TABLE 17—continued.

Causes of death	632*	634 Disorders of menstruation	635, 636*	XI 640-689 Deliveries, & Complications of Pregnancy, Childbirth, and the Puerperium	640-649 Complications of pregnancy	640, 641*	643 Placenta prævia	644 Other hæmorrhage of pregnancy
	633 Other diseases of uterus		637 Other diseases of female genital organs			642 Toxæmias of pregnancy		
Ages at death	F	F	F	F	F	F	F	F
All Ages	28	24	9	498†	181	131	1	4
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	10	4	3	—	—
20—	—	1	—	71	19	14	—	—
25—	1	—	—	110	42	29	1	—
30—	—	—	—	120	40	31	—	1
35—	1	5	—	111	37	28	—	1
40—	4	4	1	57	27	16	—	2
45—	2	6	—	10	7	5	—	—
50—	4	5	2	2	2	2	—	—
55—	2	—	3	2	1	1	—	—
60—	2	1	—	3	1	1	—	—
65—	4	1	—	1	—	—	—	—
70—	2	1	1	—	—	—	—	—
75—	5	—	1	1	1	1	—	—
80—	1	—	1	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

Causes of death	645 Ectopic pregnancy	646, 647*	650-652 Abortion	650 Abortion without mention of sepsis or toxæmia	651 Abortion with sepsis	652 Abortion with toxæmia, without mention of sepsis	660 Delivery without complication	670-678 Delivery with specified complication
		648 Other complications arising from pregnancy						
Ages at death	F	F	F	F	F	F	F	F
All Ages	22	13	90	31	47	12	6	130
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	—	—	—	—	—	—	3
20—	4	1	15	8	4	3	—	20
25—	4	5	21	6	13	2	1	24
30—	6	—	20	5	12	3	—	32
35—	2	3	27	9	16	2	—	32
40—	4	3	7	3	2	2	4	17
45—	1	1	—	—	—	—	—	2
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	1	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

\*632, Malposition of uterus, 25, 65 ; 635, Menopausal symptoms, 30, 45, 50, 55 ; 636, Sterility, female, 30 ; 640, Pyelitis and pyelonephritis of pregnancy, 25, 30, 35 ; 641, Other infections of genito-urinary tract during pregnancy, 35, 40, 40 ; 646, Anæmia of pregnancy, 25, 25, 30, 35 ; 647, Pregnancy with malposition of fœtus in uterus, —

†640-689, Including 35 cases in which it was stated that death followed the maternal condition after an interval of more than 12 months, at ages as follows :—642, 15, 20, 20, 25, 30, 30, 35, 35, 35, 35, 35, 40, 40, 40, 40, 40, 45, 45, 50, 50, 55, 60. 645, 20, 35, 40. 660, 60. 670, 30. 677, 40. 682, 65. 685, 75. 687, 35, 55, 60.



TABLE 17—continued.

Causes of death	670 Delivery complicated by placenta prævia or antepartum hæmorrhage	671 Delivery complicated by retained placenta	672 Delivery complicated by other postpartum hæmorrhage	673* 674 Delivery complicated by disproportion or malposition of fœtus	675 Delivery complicated by prolonged labour of other origin	676* 677 Delivery with other trauma	678 Delivery with other complications of childbirth	680-689 Complications of the puerperium
Ages at death	F	F	F	F	F	F	F	F
All Ages	15	15	24	8	20	18	26	91
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	1	1	—	—	1	—	3
20—	—	3	5	1	4	1	6	17
25—	3	2	7	1	3	2	5	22
30—	4	4	4	2	4	6	8	28
35—	5	4	4	1	6	6	4	15
40—	3	1	3	2	3	1	3	2
45—	—	—	—	1	—	1	—	1
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	1
60—	—	—	—	—	—	—	—	1
65—	—	—	—	—	—	—	—	1
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

Causes of death	680* 681 Sepsis of childbirth and the puerperium	682 Puerperal phlebitis and thrombosis	683* 684 Puerperal pulmonary embolism	685 Puerperal eclampsia	686* 687 Cerebral hæmorrhage in the puerperium	688, 689* XII 690-716 Diseases of the Skin and Cellular Tissue		690-698 Infections of skin and subcutaneous tissue		690 Boil and carbuncle	
Ages at death	F	F	F	F	F	M	F	M	F	M	F
All Ages	4	28	25	13	11	247	356	93	113	24	25
0—	—	—	—	—	—	22	24	14	17	1	1
1—	—	—	—	—	—	3	1	1	—	—	—
2—	—	—	—	—	—	2	—	1	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	2	—	—	—	—
10—	—	—	—	—	—	—	2	—	2	—	—
15—	—	1	1	1	—	—	7	—	4	—	2
20—	2	2	5	2	2	5	8	4	2	1	2
25—	1	9	3	4	1	1	6	—	3	—	3
30—	1	8	10	5	2	3	—	1	—	—	—
35—	—	6	5	1	3	5	7	1	4	—	2
40—	—	1	1	—	—	6	5	1	2	—	1
45—	—	—	—	—	1	10	14	5	3	2	2
50—	—	—	—	—	—	10	14	5	3	2	2
55—	—	—	—	—	1	22	26	12	5	4	2
60—	—	—	—	—	1	16	25	5	6	2	—
65—	—	1	—	—	—	34	25	13	8	5	1
70—	—	—	—	—	—	27	53	8	20	2	3
75—	—	—	—	—	—	32	41	12	12	3	2
80—	—	—	—	—	—	33	48	6	10	—	2
85 and over	—	—	—	—	—	16	48	4	12	2	—

\*673, Delivery complicated by abnormality of bony pelvis, 25, 35, 35, 40 ; 676, Delivery with laceration of perineum, without mention of other laceration, —; 680, Puerperal urinary infection without other sepsis, —; 683, Pyrexia of unknown origin during the puerperium, —; 686, Other forms of puerperal toxæmia, 20, 20, 25 ; 688, Other and unspecified complications of the puerperium, 25, 30 ; 689, Mastitis and other disorders of lactation, 20, 20, 25, 25, 30.

TABLE 17—continued.

Causes of death	691		692 Other cellulitis and abscess without mention of lymphangitis		693-697*		700-716		700		701		702*		704	
	Cellulitis of finger and toe				698 Other local infections of skin and subcutaneous tissue		Other diseases of skin and subcutaneous tissue		Seborrhoeic dermatitis		Eczema		703 Other dermatitis		Pemphigus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3	3	55	62	9	17	154	243	1	1	12	11	6	4	61	60
0—	1	—	9	9	2	7	8	7	—	—	3	4	1	—	2	—
1—	—	—	—	—	1	—	2	1	—	—	1	—	—	1	—	—
2—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	—	1	—	1	—	—	—	3	—	—	—	—	—	—	—	—
20—	—	—	3	—	—	—	1	6	—	—	—	1	—	—	—	—
25—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—
30—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
35—	—	—	1	—	—	1	4	3	—	—	—	—	—	—	2	1
40—	—	—	1	1	—	—	5	3	—	—	—	—	1	—	2	1
45—	—	—	3	1	—	—	5	11	—	—	—	—	—	—	—	2
50—	2	—	—	1	1	—	5	11	—	—	—	—	—	—	1	6
55—	—	—	7	3	1	—	10	21	—	—	—	—	—	—	4	4
60—	—	—	3	5	—	1	11	19	—	—	—	—	—	—	3	7
65—	—	—	6	6	2	1	21	17	—	—	3	—	—	—	11	5
70—	—	—	6	13	—	3	19	33	—	—	1	—	2	—	10	12
75—	—	—	8	9	—	—	20	29	—	—	3	3	1	1	11	10
80—	—	—	5	6	1	1	27	38	—	1	1	2	1	2	11	10
85 and over	—	2	2	7	—	2	12	36	1	—	—	1	—	—	4	2

Causes of death	705		706		707-709*		711-714*		716*		720-727 Arthritis and rheumatism, except rheumatic fever		720 Acute arthritis due to pyogenic organisms		721* Rheumatoid arthritis and allied conditions	
	Erythematous conditions		Psoriasis and similar disorders		710 Other hypertrophic and atrophic conditions of skin		715 Chronic ulcer of skin		XIII 720-749 Diseases of the Bones and Organs of Movement						722	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	31	46	5	9	13	33	21	71	536	957	247	739	12	11	155	546
0—	1	2	—	—	—	1	—	—	19	12	1	—	1	—	—	—
1—	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
2—	—	—	—	—	1	—	—	—	3	2	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5—	—	1	—	—	—	1	—	—	5	4	3	—	1	—	2	—
10—	—	—	—	—	—	—	—	—	15	1	1	1	1	—	—	—
15—	—	2	—	—	—	1	—	—	15	3	—	—	—	—	—	—
20—	—	4	—	—	—	1	—	—	11	2	1	1	—	—	1	1
25—	—	3	—	—	1	—	—	—	8	6	3	2	—	—	2	2
30—	2	—	—	—	—	—	—	—	7	9	5	3	1	—	3	2
35—	1	1	1	—	—	1	—	—	15	4	7	2	—	—	6	2
40—	1	1	1	—	—	1	—	—	14	14	1	7	—	1	—	3
45—	1	3	1	—	2	4	1	1	18	15	9	11	—	—	7	8
50—	1	1	—	—	3	4	—	—	23	35	13	23	—	3	11	17
55—	3	5	—	2	2	5	1	4	40	57	20	43	2	1	13	39
60—	4	1	—	1	2	7	1	1	49	84	23	66	2	—	14	55
65—	3	5	—	—	2	3	2	3	76	102	38	76	1	1	27	66
70—	5	6	—	3	—	2	1	9	63	163	31	137	1	4	17	111
75—	2	4	—	1	—	—	3	10	88	180	47	153	1	—	26	102
80—	4	3	2	1	—	2	7	16	42	154	28	130	1	1	18	86
85 and over	2	4	—	1	—	—	5	27	23	107	16	84	—	—	8	52

\*693, Other cellulitis and abscess with lymphangitis, 35, 70, 75, 80, 85 ; 694, Acute lymphadenitis, —; 695, Impetigo, 0, 75 ; 696, Infectious warts, 10 ; 697, Molluscum contagiosum, —; 702, Occupational dermatitis, —; 707, Lichen planus, 60 ; 708, Pruritus and related conditions, 80, 65, 80 ; 709, Corns and callosities, 60 ; 711, Other dermatoses, 60 ; 712, Diseases of nail, 45 ; 713, Disease of hair and hair follicles, 85 ; 714, Diseases of sweat and sebaceous glands, 70 ; 716, Other diseases of skin, 0, 20, 55 ; 721, Acute nonpyogenic arthritis, —.



TABLE 17—continued.

Causes of death	723 Osteo- arthritis (arthrosis) and allied conditions		724*		726 Muscular rheumatism		727 Rheumatism unspecified		727a; b*		730-738 Osteomyelitis and other diseases of bone and joint		730 Osteomyelitis and periostitis		731 Osteitis deformans	
			725 Arthritis (unspecified)						727c; d; e Others included under 727							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	70	160	4	12	3	1	—	4	—	2	170	148	52	30	87	79
0—	—	—	—	—	—	—	—	—	—	—	7	3	6	3	—	—
1—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	2	2	1	2	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	1	3	1	2	—	—
10—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	2	1	1	1	—	—
20—	—	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
30—	—	—	—	—	1	—	—	1	—	—	2	1	—	1	—	—
35—	1	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—
40—	1	2	—	1	—	—	—	—	—	—	6	3	4	—	—	1
45—	2	2	—	—	—	—	—	—	—	—	4	2	2	1	1	—
50—	1	2	—	—	1	—	—	—	—	—	3	5	1	2	1	1
55—	5	2	—	1	—	—	—	—	—	—	9	5	5	1	2	3
60—	7	9	—	1	—	—	—	1	—	1	19	15	3	6	9	3
65—	8	9	1	—	—	—	—	—	—	—	30	20	9	4	19	11
70—	12	21	—	1	1	—	—	—	—	—	26	20	4	3	18	15
75—	18	44	1	3	—	1	—	1	—	1	36	23	7	1	27	18
80—	8	37	1	5	—	—	—	—	—	—	13	23	5	2	7	16
85 and over	7	32	1	—	—	—	—	—	—	—	6	19	1	—	3	11

Causes of death	732*		734*		736, 737, 738*		740*		742, 743*		745 Curvature of spine	746, 747, 748*		XIV 750-759		
	733 Other diseases of bone		735 Displacement of intervertebral disc		740-749 Other diseases of musculo-skeletal system		741 Synovitis, bursitis and tenosynovitis without mention of occupational origin		744 Other diseases of muscle, tendon, and fascia			749 Other deformities		Congenital Mal-formations		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	15	27	11	4	119	70	1	2	90	51	16	14	7	1	2323	2130
0—	1	—	—	—	11	9	—	—	11	8	—	1	—	—	1597	1469
1—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	71	73
2—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	35	30
3—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	26	17
4—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	9	21
5—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	44	46
10—	—	—	—	—	14	—	—	—	13	—	—	—	—	—	28	32
15—	1	—	—	—	13	2	—	—	12	1	1	1	—	—	46	26
20—	—	—	—	—	7	1	—	—	6	1	1	—	—	—	41	31
25—	—	—	—	—	5	3	—	—	4	3	1	—	—	—	36	22
30—	1	—	—	—	—	5	—	1	—	4	—	—	—	—	37	29
35—	—	1	—	—	8	—	—	—	5	—	2	—	—	—	40	43
40—	—	—	2	2	7	4	—	—	4	3	1	1	1	—	49	39
45—	—	—	—	—	5	2	—	—	1	1	3	1	1	—	51	50
50—	—	1	1	1	7	7	—	—	7	4	—	3	—	—	54	47
55—	1	—	1	—	11	9	—	1	8	8	3	—	—	—	40	45
60—	3	4	3	1	7	3	—	—	7	1	—	1	—	1	41	26
65—	2	4	—	—	8	6	—	—	4	4	2	1	1	—	27	35
70—	2	1	2	—	6	6	1	—	3	4	—	2	2	—	21	19
75—	—	4	1	—	5	4	—	—	3	3	1	1	1	—	18	20
80—	—	5	1	—	1	1	—	—	1	—	—	1	—	—	7	3
85 and over	2	7	—	—	1	4	—	—	—	2	1	1	—	—	5	7

\*724, Other specified forms of arthritis, 25, 65, 75, 45, 50, 75, 75, 80; 727a, Rheumatism acute, not further specified, 10, 30; 727b, Rheumatism subacute, not further specified, —; 732, Osteochondrosis, —; 734, Internal derangement of knee joint, 60; 736, Affection of sacro-iliac joint, —; 737, Ankylosis of joint, 30, 25, 85; 738, Other diseases of joint, 20, 45, 75, 5, 45, 55, 60, 65, 70; 740, Bunion, 65, 85; 742, Synovitis, bursitis, and tenosynovitis of occupational origin, —; 743, Infective myositis and other inflammatory diseases of tendon and fascia, 10, 40; 746, Flat foot, —; 747, Hallux valgus and varus, 35, 65; 748, Clubfoot, 2.

TABLE 17—continued.

Causes of death	750		751		752		753 Other congenital mal- formations of nervous system and sense organs		754		755		756		756.0	
	Monstrosity		Spina bifida and meningocele		Congenital hydrocephalus				Congenital mal- formations of circulatory system		Cleft palate and harelip		Congenital mal- formations of digestive system		Congenital hypertrophic pyloric stenosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	54	66	372	542	117	103	62	41	890	804	24	7	344	197	67	12
0—	54	66	338	517	81	71	34	18	604	491	19	7	267	154	67	12
1—	—	—	13	11	11	9	2	5	21	37	2	—	16	5	—	—
2—	—	—	3	5	3	4	5	2	15	15	—	—	4	1	—	—
3—	—	—	2	3	4	1	2	3	14	9	—	—	1	—	—	—
4—	—	—	—	—	1	5	—	3	6	7	1	—	1	2	—	—
5—	—	—	3	3	1	6	6	—	23	31	—	—	3	3	—	—
10—	—	—	1	—	2	1	2	3	19	20	—	—	2	2	—	—
15—	—	—	5	1	2	—	1	—	32	20	—	—	3	1	—	—
20—	—	—	1	—	2	2	3	1	25	22	—	—	1	1	—	—
25—	—	—	1	—	1	—	1	1	20	16	1	—	4	1	—	—
30—	—	—	1	—	4	1	1	1	17	16	1	—	2	2	—	—
35—	—	—	—	1	—	1	1	—	24	21	—	—	2	2	—	—
40—	—	—	1	—	2	1	—	1	14	16	—	—	2	—	—	—
45—	—	—	1	1	1	—	2	2	13	21	—	—	3	3	—	—
50—	—	—	—	—	1	—	—	—	9	13	—	—	9	2	—	—
55—	—	—	1	—	1	1	1	—	10	18	—	—	3	3	—	—
60—	—	—	—	—	—	—	1	—	8	4	—	—	7	2	—	—
65—	—	—	1	—	—	—	—	1	8	12	—	—	4	5	—	—
70—	—	—	—	—	—	—	—	—	2	6	—	—	5	3	—	—
75—	—	—	—	—	—	—	—	—	3	7	—	—	1	5	—	—
80—	—	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—
85 and over	—	—	—	—	—	—	—	—	3	1	—	—	1	—	—	—

Causes of death	756.1		756.2		757		757.1		757.0; 2; 3		758		759		XV 760-776*	
	Imperforate anus		Others included in 756		Congenital mal- formations of genito- urinary system		Polycystic disease of kidney		Others included under 757		Congenital mal- formations of bone and joint		Other and unspecified congenital mal- formations, not elsewhere classified		Certain diseases of Early Infancy	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	28	12	249	173	265	191	163	143	102	48	31	31	164	148	5966	4115
0—	28	9	172	133	80	24	15	7	65	17	17	20	103	101	5963	4109
1—	—	1	16	4	1	—	—	—	1	—	2	2	3	4	—	6
2—	—	—	4	1	3	2	—	1	3	1	—	—	2	1	3	—
3—	—	—	1	—	3	—	—	—	3	—	—	—	—	1	—	—
4—	—	—	1	2	—	1	—	—	—	1	—	2	—	1	—	—
5—	—	1	3	2	4	—	—	—	4	—	1	1	3	2	—	—
10—	—	—	2	2	2	3	—	—	2	3	—	—	—	3	—	—
15—	—	1	3	—	2	3	1	1	1	2	—	1	1	—	—	—
20—	—	—	1	1	5	4	1	3	4	1	—	1	4	—	—	—
25—	—	—	4	1	3	3	1	1	2	2	2	—	3	1	—	—
30—	—	—	2	2	8	4	7	2	1	2	2	1	1	4	—	—
35—	—	—	2	2	9	14	8	10	1	4	—	—	4	4	—	—
40—	—	—	2	—	24	18	19	16	5	2	2	—	4	3	—	—
45—	—	—	3	3	20	21	19	18	1	3	1	—	10	2	—	—
50—	—	—	9	2	27	26	25	23	2	3	1	—	7	6	—	—
55—	—	—	3	3	21	17	20	15	1	2	—	—	3	6	—	—
60—	—	—	7	2	17	17	14	16	3	1	2	1	6	2	—	—
65—	—	—	4	5	10	13	9	10	1	3	—	1	4	3	—	—
70—	—	—	5	3	10	8	9	7	1	1	—	—	4	2	—	—
75—	—	—	1	5	11	8	11	8	—	—	1	—	2	—	—	—
80—	—	—	3	—	4	—	3	—	1	—	—	—	—	2	—	—
85 and over	—	—	1	—	1	5	1	5	—	—	—	1	—	—	—	—

\*NOTE: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.



TABLE 17—continued.

Causes of death	760-769		760		761		762		763		764		765*		767	
	Birth injuries, asphyxia, and infections of newborn		Intracranial and spinal injury at birth		Other birth injury		Postnatal asphyxia and atelectasis		Pneumonia of newborn		Diarrhœa of newborn		Pemphigus neonatorum		Umbilical sepsis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3360	2182	983	533	204	149	1469	985	534	379	40	26	4	1	14	7
0—	3360	2180	983	533	204	149	1469	983	534	379	40	26	4	1	14	7
1—		2						2								
2—																
3—																
4—																
5—																
10—																
15—																
20—																
25—																
30—																
35—																
40—																
45—																
50—																
55—																
60—																
65—																
70—																
75—																
80—																
85 and over																

Causes of death	768		769		770-776		770		771		772		773		774	
	Other sepsis of newborn		Neonatal disorders arising from maternal toxæmia		Other diseases peculiar to early infancy		Hæmolytic disease of newborn (erythroblastosis)		Hæmorrhagic disease of newborn		Nutritional maladjustment		Ill-defined diseases peculiar to early infancy		Immaturity with mention of any other subsidiary condition	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	23	17	89	85	2606	1933	239	203	103	78	14	5	175	120	98	71
0—	23	17	89	85	2603	1929	236	199	103	78	14	5	175	120	98	71
1—						4		4								
2—					3		3									
3—																
4—																
5—																
10—																
15—																
20—																
25—																
30—																
35—																
40—																
45—																
50—																
55—																
60—																
65—																
70—																
75—																
80—																
85 and over																

\*765, Ophthalmia neonatorum, —.

TABLE 17—continued.

Causes of death	776		XVI 780-795		780-789		780		780.2		780.0; 1; 3; 4; 5; 6; 7; 8; 9		781*		782.4	
	Immaturity unqualified		Symptoms, Senility, and Ill-defined Conditions		Symptoms referable to systems or organs		Certain symptoms referable to nervous system and special senses		Convulsions		Others included under 780		782 Symptoms referable to cardio-vascular and lymphatic system		Acute heart failure, undefined	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1977	1456	2997	4748	95	76	13	16	12	15	1	1	40	34	35	31
0—	1977	1456	26	12	17	11	10	10	10	10	—	—	—	—	—	—
1—	—	—	3	3	1	2	—	1	—	1	—	—	—	—	—	—
2—	—	—	1	2	1	1	1	1	1	1	—	—	—	—	—	—
3—	—	—	2	1	1	1	1	1	1	1	—	—	—	—	—	—
4—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—
20—	—	—	6	2	—	1	—	—	—	—	—	—	—	1	—	1
25—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	2	3	1	1	—	—	—	—	—	—	—	1	—	—
40—	—	—	4	1	1	—	—	—	—	—	—	—	1	—	1	—
45—	—	—	6	6	1	2	—	—	—	—	—	—	1	2	1	2
50—	—	—	7	4	3	1	—	—	—	—	—	—	1	—	—	—
55—	—	—	6	7	4	4	1	2	—	2	1	—	2	2	1	2
60—	—	—	11	9	9	3	—	—	—	—	—	—	6	2	6	1
65—	—	—	28	19	15	8	—	—	—	—	—	—	7	4	6	4
70—	—	—	205	205	10	9	—	1	—	—	—	1	9	5	9	4
75—	—	—	618	743	9	12	—	—	—	—	—	—	4	5	4	5
80—	—	—	937	1314	12	9	—	—	—	—	—	—	5	6	4	6
85 and over	—	—	1130	2410	8	10	—	—	—	—	—	—	4	6	3	6

Causes of death	782.0; 1; 2; 3; 5; 6; 7; 8; 9		783		784		785 Symptoms referable to abdomen and lower gastro-intestinal system		786 Symptoms referable to genito-urinary system		787, 788, 789*		790, 791*		793*	
	Others included under 782		Symptoms referable to respiratory system		Symptoms referable to upper gastro-intestinal tract		Symptoms referable to abdomen and lower gastro-intestinal system		Symptoms referable to genito-urinary system		790-795 Senility and ill-defined diseases		792 Uræmia unqualified		794 Senility without mention of psychosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	3	6	2	13	14	13	4	7	1	2902	4672	18	12	2836	4626
0—	—	—	—	—	—	—	7	1	—	—	9	1	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	6	1	1	—	—	—
25—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—
35—	—	1	—	—	1	—	—	—	—	—	1	2	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	5	4	1	2	—	—
50—	1	—	1	—	—	—	1	—	—	—	4	3	—	—	—	—
55—	1	—	1	—	—	—	—	—	—	—	2	3	1	1	—	—
60—	—	1	1	—	2	1	—	—	—	—	2	6	1	2	—	1
65—	1	—	—	1	5	2	1	—	2	—	13	11	1	2	5	7
70—	—	1	—	1	1	2	—	—	—	—	195	196	1	1	190	192
75—	—	—	—	—	2	5	1	1	1	—	609	731	3	—	603	728
80—	1	—	—	—	1	2	3	—	2	1	925	1305	5	4	917	1299
85 and over	1	—	1	—	1	2	—	2	2	—	1122	2400	1	—	1121	2399

\*781, Other symptoms referable to nervous system and special senses, —; 787, Symptoms referable to limbs and back, —; 788, Other general symptoms, 1, 1, 50; 789, Abnormal urinary constituents of unspecified cause, 75, 80, 15, 65, 75; 790, Nervousness and debility, 3, 70, 80, 60; 791, Headache, —; 793, Observation, without need for further medical care, —.



TABLE 17—continued.

Causes of death	795		XVII E800-E999 Accidents, Poisonings, and Violence (External Cause)		RAILWAY ACCIDENTS								M. V. TRAFFIC ACC.			
	Ill-defined & unknown causes of mortality				E800-E802		E800		E801		E802		E810-E825		E810	
	M	F			M	F	M	F	M	F	M	F	M	F	M	F
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	45	33	11992	6810	390	59	184	3	107	34	99	22	3013	958	10	1
0—	9	1	396	302	—	—	—	—	—	—	—	—	3	2	—	—
1—	2	1	108	70	2	1	—	—	—	1	2	—	24	9	—	—
2—	—	1	119	77	1	3	—	—	1	—	—	3	51	25	—	—
3—	—	—	119	64	1	—	—	—	1	—	—	—	55	27	—	—
4—	1	—	106	52	1	—	—	—	—	—	1	—	54	19	—	—
5—	1	1	387	171	2	—	—	—	—	—	2	—	178	89	—	—
10—	—	—	238	69	1	1	—	—	—	1	1	—	99	27	—	—
15—	—	2	552	106	34	5	4	—	20	5	10	—	206	45	2	—
20—	5	1	892	127	41	5	19	—	14	5	8	—	399	45	1	—
25—	—	1	733	139	23	4	13	—	8	4	2	—	257	36	1	—
30—	—	2	671	134	31	4	17	2	9	1	5	1	197	23	1	—
35—	1	2	662	168	27	2	16	—	5	1	6	1	178	27	—	1
40—	1	1	745	231	25	1	14	—	5	1	6	—	201	34	1	—
45—	4	2	798	316	41	5	24	—	11	3	6	2	153	45	—	—
50—	4	3	812	358	53	5	28	—	15	3	10	2	133	44	2	—
55—	1	2	819	400	36	6	23	—	7	4	6	2	140	49	—	—
60—	1	2	812	430	32	6	23	1	3	3	6	2	145	62	2	—
65—	7	2	758	505	8	3	1	—	1	—	6	3	149	82	—	—
70—	3	3	746	649	16	2	2	—	5	1	9	1	142	98	—	—
75—	3	3	685	763	11	2	—	—	2	—	9	2	123	79	—	—
80—	2	2	510	822	4	3	—	—	—	1	4	2	80	69	—	—
85 and over	—	1	324	857	—	1	—	—	—	—	—	1	46	22	—	—

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS															
	E811*		E813 to pedal cyclist		E814 to rider or passenger of motorcycle, in collision with non- motor vehicle or object		E815 to rider or passenger of motorcycle, in collision with other motor vehicle		E816 Other motor vehicle traffic accident in- volving two or more motor vehicles		E817*		E819 involving collision with fixed or unspecified object		E820 while boarding and alighting	
	E812 to pedestrian										E818 involving collision with animal or animal-drawn vehicle					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1099	663	443	74	60	5	662	48	191	70	7	—	4	3	15	14
0—	1	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—
1—	23	7	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2—	49	22	1	1	—	—	—	—	—	—	—	—	—	—	—	—
3—	50	26	3	1	—	—	—	—	—	—	—	—	—	—	—	—
4—	52	18	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	143	85	19	2	—	—	1	—	1	—	—	—	—	—	1	—
10—	25	20	64	3	—	—	1	1	1	3	—	—	—	—	2	—
15—	25	11	54	13	1	1	75	12	7	2	—	—	—	—	—	—
20—	20	11	28	6	15	—	194	5	24	6	—	—	1	—	—	—
25—	22	9	9	6	11	2	110	8	22	2	—	—	1	—	—	—
30—	16	7	19	2	7	—	73	2	18	5	—	—	—	—	1	—
35—	34	4	24	7	3	—	48	4	21	6	—	—	1	—	1	—
40—	28	9	28	9	10	1	59	5	28	5	1	—	—	—	—	1
45—	36	21	20	6	6	1	44	6	19	4	—	—	—	—	2	—
50—	41	24	38	7	4	—	15	2	14	6	—	—	—	2	—	—
55—	70	35	26	2	2	—	19	3	8	5	1	—	1	—	—	1
60—	72	52	34	2	—	—	11	—	11	6	2	—	—	—	2	2
65—	85	63	31	3	1	—	6	—	10	10	2	—	—	—	1	1
70—	95	79	25	2	—	—	4	—	3	6	1	—	—	1	2	4
75—	103	72	12	1	—	—	1	—	2	1	—	—	—	—	—	2
80—	68	65	6	—	—	—	1	—	1	2	—	—	—	—	—	2
85 and over	41	21	1	—	—	—	—	—	—	—	—	—	—	—	3	1

\*E811, Motor vehicle traffic accident involving collision with street car, —; E817, Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle, 35, 45.

TABLE 17—continued.

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS										M. V. NON-TRAFFIC ACC.					
	E821		E822		E823		E824		E825		E830-E835		E830		E831*	
	to rider of motorcycle not involving collision		involving overturning in roadway		involving running off roadway		Other non-collision motor vehicle traffic accident		of unspecified nature		Motor vehicle non-traffic accidents		to pedestrian		E832 to rider or passenger of motorcycle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	280	25	57	11	96	20	78	22	9	2	134	12	54	8	10	1
0—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	1	1	—	—	1	2	1	2	—	—
2—	—	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—
3—	—	—	—	—	—	—	2	—	—	—	2	1	1	1	—	—
4—	—	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—
5—	—	—	—	—	—	—	13	2	—	—	6	2	4	1	—	—
10—	—	—	—	—	2	—	4	—	—	—	6	2	3	1	—	—
15—	29	5	5	1	3	—	4	—	1	—	14	1	5	—	—	1
20—	88	10	11	—	14	4	2	2	1	1	19	—	4	—	2	—
25—	55	4	4	2	17	2	4	1	1	—	13	1	2	1	2	—
30—	28	1	10	—	15	5	7	1	2	—	6	—	1	—	4	—
35—	22	—	7	2	8	1	5	1	3	1	9	—	2	—	1	—
40—	25	2	6	—	11	1	4	1	—	—	8	—	2	—	—	—
45—	8	2	6	1	10	3	1	1	—	—	8	1	6	1	1	—
50—	7	—	1	2	5	—	6	1	—	—	17	—	11	—	—	—
55—	7	1	—	1	2	—	4	1	—	—	5	—	—	—	—	—
60—	4	—	1	—	3	—	3	—	—	—	5	1	4	1	—	—
65—	3	—	3	2	3	1	4	2	—	—	11	—	6	—	—	—
70—	3	—	1	—	3	2	5	4	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	1	4	2	1	—	—	—	—	—	—	—
80—	1	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
85 and over	—	—	1	—	—	—	—	—	—	—	1	1	1	—	—	—

Causes of death	M. V. NON-TRAFFIC ACCIDENT															
	E833, E834*						E841*									
	E835 of other and unspecified nature		E840-E845 Other road vehicle accidents		E840 Street car accident to pedestrian		E842 Accident to pedestrian caused by pedal cycle		E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844 Accident to pedestrian caused by other non-motor road vehicle		E845 Other non-motor road vehicle accidents		E850-E858 Water transport accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	69	2	229	76	5	4	56	23	125	31	12	4	28	13	137	7
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
3—	1	—	1	1	—	—	—	—	1	—	—	1	—	1	—	—
4—	1	—	2	1	—	—	1	—	—	—	—	—	1	1	1	—
5—	2	1	8	4	—	—	3	3	1	1	—	—	4	—	1	1
10—	3	1	3	6	—	—	—	—	3	3	—	—	—	3	4	—
15—	9	—	22	5	—	—	—	—	18	5	1	—	3	—	20	1
20—	13	—	18	7	—	—	1	—	16	3	—	—	1	4	28	—
25—	9	—	10	4	1	—	—	—	9	2	—	—	—	2	11	—
30—	1	—	13	1	—	—	—	1	11	—	1	—	—	—	10	—
35—	5	—	10	2	—	—	—	—	8	2	—	—	2	—	14	1
40—	6	—	10	4	1	—	3	—	4	2	—	—	2	—	7	2
45—	1	—	17	3	—	—	3	—	9	2	2	—	3	1	8	—
50—	6	—	6	4	—	1	—	1	6	2	—	—	—	—	11	1
55—	5	—	21	2	—	—	6	1	10	1	—	—	5	—	9	—
60—	1	—	19	6	—	—	10	1	8	5	1	—	—	—	9	—
65—	5	—	22	6	—	—	5	2	10	2	3	1	4	—	2	—
70—	—	—	18	4	1	—	8	3	7	1	1	—	1	—	1	—
75—	—	—	12	9	1	1	6	6	1	—	1	2	2	—	—	—
80—	—	—	10	5	—	2	5	3	3	—	1	—	—	—	—	—
85 and over	—	—	6	2	1	—	5	2	—	—	—	—	—	—	—	—

\*E831, Motor vehicle nontraffic accident to pedal cyclist, —; E833, Other motor vehicle nontraffic accident involving two or more motor vehicles, 35; E834, Motor vehicle nontraffic accident while boarding and alighting, 85; E841, Other street car accident, except collision with motor vehicle, 30, 75, 80, 65.



TABLE 17—continued.

Causes of death	E850		E851		E852*		E854, E855*		E857		E858*		E860		E861	
	Submersion of occupant of small boat		Other water transport injury by submersion		E853 Other falls from one level to another in water transport		E856 Machinery accident in water transport		Other specified accidents in water transport		E860-E866 Aircraft accidents		Accident to personnel in military aircraft		Injury to occupant by accident to commercial "transport" aircraft	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	54	3	28	4	23	—	2	—	20	—	291	20	222	—	22	8
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
5—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10—	4	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—
15—	16	—	1	1	1	—	1	—	1	—	39	5	32	—	—	1
20—	16	—	6	—	1	—	—	—	5	—	93	6	79	—	3	2
25—	4	—	3	—	2	—	—	—	2	—	64	2	58	—	1	2
30—	2	—	2	—	2	—	—	—	3	—	56	2	41	—	10	2
35—	5	1	4	—	2	—	—	—	2	—	20	—	10	—	3	—
40—	3	2	—	—	3	—	—	—	—	—	7	—	1	—	3	—
45—	1	—	1	—	3	—	—	—	2	—	3	—	1	—	1	—
50—	—	—	5	1	3	—	—	—	2	—	1	3	—	—	—	—
55—	1	—	1	—	4	—	—	—	1	—	1	1	—	—	1	—
60—	—	—	3	—	2	—	1	—	1	—	1	—	—	—	—	—
65—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	E862*		E864,		ACCIDENTAL POISONING											
	E863		Aircraft accident at airport to person not in aircraft		E865, E866*		E870*		E872		E873*		E875, E876, E877*		E879*	
	Injury to occupant by accident to other aircraft				E870-E888 Accidental poisoning by solid and liquid substances		E871 by barbituric acid and derivatives		by aspirin and salicylates		E874 by other analgesic and soporific drugs		E878 by other and unspecified drugs		E880 by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	13	1	28	8	154	141	61	79	24	26	11	5	4	6	8	—
0—	—	—	—	—	2	2	—	—	1	—	—	—	—	—	—	—
1—	—	—	—	—	17	10	—	—	5	1	—	—	2	2	—	—
2—	—	—	—	—	1	2	—	—	—	—	—	—	—	2	—	—
3—	—	—	—	—	4	1	—	—	2	—	—	—	—	1	—	—
4—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—
5—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
10—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	4	4	2	—	1	—	—	—	—	—	—	—	—	—
20—	4	1	7	3	4	3	2	2	1	—	—	—	—	—	—	—
25—	1	—	4	—	7	5	5	4	1	1	1	—	—	—	—	—
30—	1	—	3	—	10	4	7	2	1	1	1	1	—	—	—	—
35—	2	—	2	—	14	6	7	5	4	—	1	—	—	—	1	—
40—	1	—	2	—	9	7	3	4	—	2	3	—	—	—	—	—
45—	—	—	1	—	14	17	3	9	2	3	—	2	—	1	3	—
50—	—	—	1	1	17	18	6	12	2	4	1	1	1	—	3	—
55—	—	—	—	—	13	15	6	12	1	3	2	—	—	—	—	—
60—	—	—	—	—	11	18	4	10	3	5	1	—	1	—	1	—
65—	—	—	—	—	12	13	8	7	—	3	1	—	—	—	—	—
70—	—	—	—	—	6	9	6	5	—	2	—	—	—	—	—	—
75—	—	—	—	—	5	5	2	4	—	1	—	—	—	—	—	—
80—	—	—	—	—	3	3	1	2	1	—	—	1	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*E852, Fall on stairs and ladders in water transport, 50, 55, 55, 60, 65 ; E854, Falls on same level in water transport, 30, 35, 45, 60 ; E855, Unspecified falls in water transport, — ; E858, Water transport accident of unspecified cause, 40 ; E862, Other injury in commercial "transport" aircraft, — ; E865, Aircraft accident elsewhere to person not in aircraft, 35, 35, 75, 50, 50, 55 ; E866, Other and unspecified aircraft accidents, 30, 35, 60 ; E870, Accidental poisoning by morphine and other opium derivatives, 1, 3, 3, 45, 50, 65, 80, 60 ; E873, Accidental poisoning by bromides, 30 ; E875, Accidental poisoning by sulphonamides, — ; E876, Accidental poisoning by strychnine, 35, 55, 1, 1, 35 ; E877, Accidental poisoning by belladonna, hyoscine, and atropine, 0, 60, 70 ; E879, Accidental poisoning by noxious foodstuffs, —.

TABLE 17—continued.

Causes of death	ACCIDENTAL POISONING															
	E881, E882*		E884-E887*		E890-E895		E890		E891		E892		E893*		E895*	
	E883 by corrosive aromatics, acids, and caustic alkalis		E888 by other and unspecified solid and liquid substances		Accidental poisoning by gases and vapours		by utility (illuminating) gas		by motor vehicle exhaust gas		by other carbon monoxide gas		E894 by other specified gases and vapours		E900-E904 Accidental falls	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	9	4	18	12	246	302	203	295	8	—	24	7	9	—	1676	2402
0—	—	—	—	1	—	2	—	1	—	—	—	1	—	—	9	7
1—	—	1	6	4	2	—	2	—	—	—	—	—	—	—	12	5
2—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	8	8
3—	—	—	—	—	2	2	2	2	—	—	—	—	—	—	7	5
4—	—	—	1	1	1	1	1	1	—	—	—	—	—	—	4	1
5—	2	—	—	—	4	3	2	3	—	—	2	—	—	—	18	6
10—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	24	3
15—	—	—	1	—	5	3	4	3	—	—	—	—	1	—	30	3
20—	—	—	1	—	11	3	8	3	—	—	—	—	3	—	41	7
25—	—	—	—	—	9	6	5	5	1	—	1	1	1	—	48	—
30—	—	—	—	—	13	4	9	4	—	—	2	—	2	—	48	7
35—	—	—	—	—	15	8	8	8	—	—	5	—	1	—	41	6
40—	—	—	2	1	14	11	8	11	2	—	3	—	1	—	57	10
45—	1	1	2	1	10	14	8	12	1	—	1	2	—	—	68	13
50—	2	1	1	—	17	16	13	16	1	—	3	—	—	—	72	23
55—	1	—	1	—	11	16	10	15	—	—	1	1	—	—	70	49
60—	—	1	1	—	20	22	15	22	3	—	2	—	—	—	89	64
65—	—	—	1	3	22	22	21	22	—	—	1	—	—	—	112	144
70—	—	—	—	1	33	43	32	43	—	—	1	—	—	—	193	272
75—	3	—	—	—	20	39	19	39	—	—	1	—	—	—	259	462
80—	—	—	—	—	21	52	21	51	—	—	—	1	—	—	260	580
85 and over	—	—	—	—	15	34	14	33	—	—	1	1	—	—	206	727

Causes of death	E900 Fall on stairs		E901 Fall from ladders		E902 Other falls from one level to another		E903 Fall on same level		E904 Unspecified falls		E910-E936 Other accidents		E910 Blow from falling object		E911 Accident caused by vehicle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	321	488	88	13	507	267	485	1004	275	630	2635	1151	365	13	105	—
0—	—	1	—	—	4	3	1	—	4	3	370	276	—	—	—	—
1—	1	—	—	—	8	5	3	—	—	—	50	38	1	—	—	—
2—	1	1	—	—	7	6	—	1	—	—	52	36	—	1	—	—
3—	—	1	—	—	3	4	1	—	3	—	45	25	1	2	—	—
4—	—	—	—	—	4	—	—	1	—	—	35	27	4	1	—	—
5—	—	1	—	—	14	4	2	—	2	1	160	59	5	4	—	—
10—	—	—	—	—	19	3	5	—	—	—	89	25	6	—	—	—
15—	2	—	2	—	25	3	1	—	—	—	133	16	8	—	7	—
20—	—	1	—	—	31	2	3	—	7	4	139	22	25	—	3	—
25—	2	—	2	—	38	—	3	—	3	—	157	20	32	—	7	—
30—	1	4	2	—	39	—	4	1	2	2	139	20	44	—	10	—
35—	6	1	5	1	24	—	4	2	2	2	156	22	32	—	13	—
40—	10	4	4	—	38	1	2	3	3	2	164	22	54	—	8	—
45—	10	5	10	1	34	3	7	3	7	1	184	38	52	—	13	—
50—	18	5	10	1	28	6	7	8	9	3	158	40	46	1	9	—
55—	12	18	11	2	24	7	13	16	10	6	132	43	20	—	10	—
60—	22	22	12	—	27	7	18	24	10	11	135	59	22	—	15	—
65—	21	34	8	4	28	15	33	61	22	30	93	47	8	—	5	—
70—	56	71	9	1	22	32	69	104	37	64	77	84	2	1	3	—
75—	70	100	6	—	38	46	104	198	41	118	89	89	2	—	1	—
80—	45	114	5	2	26	47	124	255	60	162	52	83	1	1	1	—
85 and over	44	105	2	1	26	73	81	327	53	221	26	60	—	2	—	—

\*E881, Accidental poisoning by petroleum products, 1, 1; E882, Accidental poisoning by industrial solvents, 45, 20; E884, Accidental poisoning by mercury and its compounds, 55; E885, Accidental poisoning by lead and its compounds, 0, 1, 65, 5; E886, Accidental poisoning by arsenic and antimony, and their compounds, 40; E887, Accidental poisoning by fluorides, —; E893, Accidental poisoning by cyanide gas, —; E895, Accidental poisoning by unspecified gases and vapours, 25, 35.



TABLE 17—continued.

Causes of death	E912		E913		E914		E915		E916		E917		E918*		E920*	
	Accident caused by machinery		Accident caused by cutting and piercing instruments		Accident caused by electric current		Accident caused by explosion of pressure vessel		Accident caused by fire and explosion of combustible material		Accident caused by hot substance, corrosive liquid, and steam		E919 Accident caused by firearm		E921 Inhalation and ingestion of food causing obstruction or suffocation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	186	3	15	7	94	18	9	2	†266	439	55	71	104	3	242	159
0—	—	—	—	—	1	—	—	—	5	9	3	6	1	—	148	107
1—	—	—	—	—	—	—	—	—	4	6	9	8	—	—	11	7
2—	—	—	—	—	6	—	—	—	4	18	11	5	—	—	4	1
3—	—	1	—	—	—	—	—	—	8	13	4	5	—	—	2	—
4—	—	—	—	—	3	1	—	—	3	17	1	4	—	—	1	—
5—	1	—	2	—	4	—	—	1	8	39	—	1	5	—	2	—
10—	4	—	—	—	—	1	—	—	6	14	—	1	7	—	1	1
15—	10	—	—	—	11	1	1	—	2	6	—	—	15	—	5	1
20—	12	—	—	—	8	1	1	1	6	4	—	—	16	1	4	2
25—	20	—	4	2	14	1	—	—	12	9	1	2	8	—	4	1
30—	15	—	—	1	12	1	—	—	8	1	3	1	6	—	3	3
35—	24	—	1	2	8	2	1	—	21	6	3	—	6	1	5	2
40—	16	—	1	—	11	—	—	—	18	7	1	1	7	—	8	1
45—	25	—	1	—	6	5	2	—	19	10	3	—	8	—	7	9
50—	15	—	—	1	4	—	—	—	19	15	—	1	5	—	8	—
55—	14	2	—	1	3	—	—	—	13	19	2	1	7	—	5	3
60—	17	—	3	—	2	3	3	—	12	23	1	2	7	—	4	2
65—	10	—	1	—	—	1	—	—	11	26	3	2	1	1	5	4
70—	2	—	1	—	1	—	1	—	15	49	2	5	3	—	4	3
75—	—	—	1	—	—	—	—	—	31	55	5	7	1	—	7	7
80—	—	—	—	—	—	—	—	—	29	57	1	7	1	—	3	4
85 and over	1	—	—	—	—	1	—	—	12	36	2	12	—	—	1	1

Causes of death	E922 Inhalation and ingestion of other object causing obstruction or suffocation		E923 Foreign body entering other orifice		E924 Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927* E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930* E931 Excessive heat and insolation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	10	6	20	21	154	93	48	9	50	46	17	5	713	182	4	5
0—	5	3	—	—	145	90	3	5	50	46	—	—	3	3	—	1
1—	—	—	1	2	3	1	3	—	—	—	1	—	15	12	—	—
2—	—	—	1	2	—	—	—	—	—	—	—	—	24	7	—	—
3—	—	—	—	—	—	—	1	1	—	—	—	—	29	3	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	21	3	1	—
5—	—	—	—	—	—	—	3	2	—	—	1	—	118	12	—	—
10—	1	—	—	—	1	—	2	—	—	—	—	—	46	7	—	—
15—	—	—	2	—	2	—	1	1	—	—	1	—	53	6	—	—
20—	—	—	1	1	1	—	2	—	—	—	—	1	39	9	—	—
25—	—	1	1	—	—	1	8	—	—	—	—	—	36	3	1	—
30—	—	—	1	1	—	—	7	—	—	—	2	—	20	8	—	—
35—	—	—	1	—	1	—	4	—	—	—	1	—	21	9	1	—
40—	—	—	1	—	1	—	4	—	—	—	1	—	24	12	—	—
45—	1	—	1	1	—	—	5	—	—	—	—	1	32	9	—	—
50—	—	—	2	3	—	1	1	—	—	—	3	—	34	13	—	—
55—	1	1	1	1	—	—	—	—	—	—	2	—	46	10	—	—
60—	1	—	1	2	—	—	1	—	—	—	3	—	33	17	1	—
65—	1	—	3	3	—	—	2	—	—	—	1	—	34	8	—	—
70—	—	1	—	1	—	—	1	—	—	—	1	1	34	17	—	—
75—	—	—	2	4	—	—	—	—	—	—	—	—	34	6	—	2
80—	—	—	1	—	—	—	—	—	—	—	—	—	11	5	—	2
85 and over	—	—	—	—	—	—	—	—	—	—	—	2	6	3	—	—

\*E918, Accident caused by radiation, —; E920, Foreign body entering eye and adnexa, —; E927, Accidents caused by bites and stings of venomous animals and insects, 4, 50, 50, 50, 55; E930, High and low air pressure, 20.

†E916. Figures include 80 male deaths, registered in 1952, which occurred in the Creswell Colliery disaster on the 26th September, 1950, at the following ages:—

25—	30—	35—	40—	45—	50—	55—	60—64
8	3	15	13	16	13	8	4

TABLE 17—continued.

Causes of death	E932		E933		E934		E935		E936		E940-E946*		E950-E959		E950	
	Excessive cold		Hunger, thirst, and exposure		Cataclysm		Lightning		Other and unspecified accidents		E940-E946 Complications due to non-therapeutic medical and surgical procedures		Therapeutic misadventure and late complications of therapeutic procedures		Therapeutic misadventure in surgical treatment	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	7	3	11	9	17	12	11	—	129	42	2	4	5	8	2	1
0—	—	—	—	1	1	—	—	—	5	5	1	2	2	—	—	—
1—	—	—	—	—	—	—	—	—	2	2	—	—	—	1	—	—
2—	—	—	—	—	1	—	—	—	1	2	—	1	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
5—	—	—	—	—	2	—	1	—	8	—	—	—	—	—	—	—
10—	—	—	—	—	4	—	—	—	11	1	—	—	—	—	—	—
15—	—	—	—	—	—	—	1	—	14	1	—	—	—	1	—	—
20—	—	—	—	—	—	2	4	—	16	—	—	—	1	—	—	—
25—	—	—	—	—	1	—	—	—	8	—	1	—	—	1	—	—
30—	—	—	1	—	1	2	2	—	4	2	—	—	—	1	—	—
35—	—	—	—	—	1	—	2	—	10	—	—	—	—	—	—	—
40—	—	—	—	1	—	—	—	—	9	—	—	—	—	—	—	—
45—	1	—	1	—	1	1	—	—	6	2	—	—	—	1	—	—
50—	2	—	—	—	1	3	1	—	7	—	—	—	1	—	1	—
55—	—	1	—	—	1	—	—	—	7	3	—	—	—	1	—	—
60—	—	2	—	1	1	2	—	—	8	5	—	—	—	—	—	—
65—	1	—	—	1	—	—	—	—	7	1	—	—	—	1	—	1
70—	2	—	3	2	—	1	—	—	2	3	—	—	1	1	1	—
75—	—	—	2	1	1	1	—	—	2	6	—	1	—	—	—	—
80—	—	—	2	1	1	—	—	—	1	6	—	—	—	—	—	—
85 and over	1	—	2	1	—	—	—	—	1	2	—	—	—	—	—	—

Causes of death	E951-E959*		E960		E961*		E963, E964*		E970-E979		E970		E971		E972	
	E960-E965		Late effect of motor vehicle accident		Late effect of other accidental injury		Late effects of injuries due to war operations		Suicide and self-inflicted injury		Suicide and self-inflicted poisoning by analgesic and soporific substances		Suicide and self-inflicted poisoning by other solid and liquid substances		Suicide and self-inflicted poisoning by gases in domestic use	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	188	27	6	2	79	21	103	2	2788	1550	241	295	113	62	1092	780
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	2	—	—	—	2	—	—	—	2	1	—	—	—	—	2	1
15—	—	—	—	—	—	—	—	—	45	15	4	1	3	1	11	6
20—	7	—	—	—	6	—	1	—	76	18	7	3	3	1	32	8
25—	3	—	1	—	2	—	—	—	116	51	10	11	4	2	45	25
30—	6	1	—	—	3	—	3	—	131	63	17	19	2	1	44	30
35—	9	—	1	—	5	—	3	—	163	89	11	14	8	7	68	44
40—	10	2	1	1	7	1	2	—	223	132	35	27	7	6	86	70
45—	8	—	1	—	5	—	2	—	278	176	30	45	12	3	111	86
50—	15	2	1	—	6	1	8	1	306	197	34	39	18	7	115	103
55—	42	1	1	—	9	1	32	—	337	211	32	38	18	10	123	102
60—	26	2	—	—	8	2	18	—	320	185	19	37	13	9	132	92
65—	29	4	—	—	12	2	17	1	297	182	17	24	8	4	113	102
70—	20	1	—	—	5	1	15	—	238	132	14	21	11	6	104	62
75—	4	5	—	1	2	4	2	—	160	71	6	12	4	2	73	37
80—	6	5	—	—	6	5	—	—	74	22	4	2	2	2	23	11
85 and over	1	4	—	—	1	4	—	—	22	5	1	2	—	1	10	1

\*E940, Generalised vaccinia following vaccination, 0, 0, 0; E941, Postvaccinal encephalitis, 25; E942, Other complications of smallpox vaccination, —; E943, Post-immunization jaundice and hepatitis, —; E944, Other complications of prophylactic inoculation, 2; E945, Complications of anaesthesia for nontherapeutic purpose, —; E946, Other complications due to nontherapeutic medical and surgical procedures, 75; E951, Therapeutic misadventure in infusion or transfusion, 45; E952, Therapeutic misadventure in local applications, 70; E953, Therapeutic misadventure in administration of drugs or biologicals, 0, 20, 30; E954, Therapeutic misadventure in anaesthesia, 25; E955, Other and unspecified therapeutic misadventure, 0, 1, 15, 55; E956, Late complication of surgical operation, —; E957, Late complication of amputation stump, —; E958, Late complication of irradiation, —; E959, Late complications of other forms of treatment, —; E961, Late effect of accidental poisoning, 30, 65; E963, Late effect of self-inflicted injury, —; E964, Late effect of injury purposely inflicted by another person, (not in war), —.



TABLE 17—continued.

Causes of death	E973 Suicide and self-inflicted poisoning by other gases		E974 Suicide and self-inflicted injury by hanging and strangulation		E975 Suicide and self-inflicted injury by submersion (drowning)		E976 Suicide and self-inflicted injury by firearms and explosives		E977 Suicide and self-inflicted injury by cutting and piercing instruments		E978 Suicide and self-inflicted injury by jumping from high place		E979 Suicide and self-inflicted injury by other and unspecified means		E980-E985 Homicide and injury purposely inflicted by other person (not in war)	
Age at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	24	3	531	119	270	189	170	4	155	29	54	38	138	31	102	9
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
15—	—	—	16	2	2	1	6	—	—	—	—	—	3	4	—	2
20—	1	—	16	—	1	2	7	1	—	—	3	2	6	1	15	1
25—	1	—	17	2	6	4	14	—	3	1	5	3	11	3	14	—
30—	5	—	21	3	7	6	11	—	7	2	3	—	14	2	11	—
35—	2	—	26	7	11	11	9	1	6	—	4	3	18	2	6	—
40—	3	—	35	12	16	12	15	—	7	1	7	4	12	—	9	—
45—	3	2	51	10	27	15	13	2	15	3	1	6	15	4	6	—
50—	—	—	58	14	25	22	22	—	16	4	4	4	14	4	5	—
55—	2	1	57	15	37	34	24	—	20	3	9	4	15	4	2	—
60—	2	—	63	10	36	28	16	—	27	2	4	4	8	3	—	—
65—	3	—	69	25	40	22	13	—	19	3	4	2	11	—	1	—
70—	2	—	48	11	29	20	9	—	14	6	3	3	4	3	1	—
75—	—	—	26	7	21	7	8	—	13	4	4	2	5	—	1	—
80—	—	—	23	1	9	5	3	—	6	—	2	—	2	1	—	—
85 and over	—	—	5	—	3	—	—	—	2	—	1	1	—	—	1	—

Causes of death	E980 Non-accidental poisoning by another person		E981 Assault by firearm and explosive		E982 Assault by cutting and piercing instruments		E983 Assault by other means		E984* Execution		E990-E999* Injury resulting from operations of war	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	17	12	10	9	12	18	40	54	23	—	2	—
0—	1	—	—	1	—	—	8	10	—	—	—	—
1—	—	3	—	—	—	—	—	—	—	—	—	—
2—	2	1	—	—	—	—	1	1	—	—	—	—
3—	1	1	—	—	—	—	—	1	—	—	—	—
4—	4	—	—	—	1	—	—	—	—	—	—	—
5—	8	3	—	—	—	1	—	2	—	—	—	—
10—	—	1	—	—	—	—	2	2	—	—	1	—
15—	—	1	—	—	—	4	2	1	—	—	—	—
20—	—	—	1	2	—	2	6	7	8	—	—	—
25—	—	—	3	2	5	3	1	4	5	—	—	—
30—	—	—	1	2	2	—	2	2	6	—	—	—
35—	—	—	1	—	1	2	2	3	2	—	—	—
40—	—	—	2	—	—	3	5	3	2	—	1	—
45—	—	—	2	—	1	2	3	1	—	—	—	—
50—	1	—	—	—	1	1	3	4	—	—	—	—
55—	—	1	—	1	1	—	1	4	—	—	—	—
60—	—	—	—	1	—	—	—	4	—	—	—	—
65—	—	—	—	—	—	—	1	1	—	—	—	—
70—	—	1	—	—	—	—	1	2	—	—	—	—
75—	—	—	—	—	—	—	1	1	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	1	1	—	—	—	—

\*E984, Injury by intervention of police, —; E990, Injury due to war operations by gas and chemicals, —; E991, Injury due to war operations by gunshot, —; E992, Injury due to war operations by grenade and land mine, —; E993, Injury due to war operations by bomb, —; E994, Injury due to war operations by marine mine, depth charge, and torpedo, —; E995, Injury due to war operations by explosion of artillery shell, —; E996, Injury due to war operations by explosion of undetermined origin, —; E997, Injury due to war operations by aircraft destruction, —; E998, Injury due to war operations by other and unspecified means, —; E999, Injury due to war operations but occurring after cessation of hostilities, 10, 40.

**TABLE 18A—Accidental Poisoning by Solid or Liquid and other Non-Transport Accidents by Place of Occurrence, Age, and Sex, 1952.** { England and Wales  
(E870-E936)

*Note:* The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open Verdicts" are included with accidental deaths.

Deaths from poisoning will be analysed periodically in the Text volumes of the Statistical Review to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

*See Explanatory notes on page v.*

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 870. Accidental poisoning by morphine and other opium derivatives.</b>																
All Ages	8	1	—	—	3	—	—	—	—	—	1	—	1	—	3	1
0—	3	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	3	1	—	—	—	—	—	—	—	—	1	—	1	—	1	1
65 & over	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
<b>E 871. Accidental poisoning by barbituric acid and derivatives.</b>																
All Ages	61	79	—	—	37	40	—	—	1	1	2	—	3	2	18	36
0—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	25	17	—	—	16	9	—	—	—	1	1	—	1	—	7	7
45—	19	43	—	—	13	22	—	—	—	—	—	—	1	2	5	19
65 & over	17	18	—	—	8	8	—	—	1	—	1	—	1	—	6	10
<b>E 872. Accidental poisoning by aspirin and salicylates.</b>																
All Ages	24	26	—	—	11	11	—	—	—	—	—	—	1	1	12	14
0—	8	1	—	—	8	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	7	4	—	—	1	1	—	—	—	—	—	—	—	—	6	3
45—	8	15	—	—	2	6	—	—	—	—	—	—	1	—	5	9
65 & over	1	6	—	—	—	3	—	—	—	—	—	—	—	1	1	2
<b>E 873.*</b>																
<b>E 874. Accidental poisoning by other analgesic and soporific drugs.</b>																
All Ages	11	5	—	—	9	4	—	—	—	—	—	—	1	—	1	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	6	1	—	—	4	1	—	—	—	—	—	—	1	—	1	—
45—	4	3	—	—	4	2	—	—	—	—	—	—	—	—	—	1
65 & over	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
<b>E 875.*</b>																
<b>E 876. Accidental poisoning by strychnine.</b>																
All Ages	2	3	—	—	—	3	—	—	—	—	—	—	—	—	2	—
0—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—
45—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>E 877.*</b>																
<b>E 878. Accidental poisoning by other and unspecified drugs.</b>																
All Ages	4	6	—	—	4	5	—	—	—	—	—	—	—	—	—	1
0—	2	5	—	—	2	5	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	2	1	—	—	2	—	—	—	—	—	—	—	—	—	—	1
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>E 879.*</b>																
<b>E 880. Accidental poisoning by alcohol.</b>																
All Ages	8	—	—	—	2	—	—	—	—	—	—	—	1	—	5	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
45—	7	—	—	—	2	—	—	—	—	—	—	—	1	—	4	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*E 873. Acc. poisoning by bromides:- 1M, 15-44 yrs., "Other specified places" ("At work"); E 875. Acc. poisoning by sulphonamides:- Nil; E 877. Acc. poisoning by belladonna, hyoscine and atropine:- 1F, 0-4 yrs., "Resident Institution"; 1F, 45-64 yrs., "Home"; 1F, 65 yrs. and over, "Home"; E 879. Acc. poisoning by noxious foodstuffs:- Nil.



TABLE 18A—continued.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 881, E 882.*</b>																
<b>E 883. Accidental poisoning by corrosive aromatics, acids, and caustic alkalis.</b>																
All Ages	9	4	1	—	4	2	—	—	—	—	1	—	—	—	4	2
0—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	4	3	1	—	1	1	—	—	—	—	1	—	—	—	2	2
65 & over	3	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—
<b>E 834.*</b>																
<b>E 885. Accidental poisoning by lead and its compounds.</b>																
All Ages	3	1	1	—	1	—	—	—	—	—	—	—	—	—	2	1
0—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
5—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
<b>E 886, E 887.*</b>																
<b>E 888. Accidental poisoning by other and unspecified solid and liquid substances.</b>																
All Ages	18	12	—	—	12	7	—	—	1	—	—	—	—	—	5	5
0—	8	6	—	—	8	5	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	4	1	—	—	2	1	—	—	—	—	—	—	—	—	2	—
45—	5	1	—	—	1	—	—	—	1	—	—	—	—	—	3	1
65 & over	1	4	—	—	1	1	—	—	—	—	—	—	—	—	—	3
<b>E 890. Accidental poisoning by utility (illuminating) gas.</b>																
All Ages	203	295	11	1	177	284	10	—	6	2	—	—	3	—	7	9
0—	6	4	—	—	6	4	—	—	—	—	—	—	—	—	—	—
5—	2	4	—	—	2	4	—	—	—	—	—	—	—	—	—	—
15—	42	34	4	—	32	33	4	—	4	—	—	—	2	—	—	1
45—	46	65	6	—	36	58	5	—	1	—	—	—	1	—	3	7
65 & over	107	188	1	1	101	185	1	—	1	2	—	—	—	—	4	1
<b>E 891. Accidental poisoning by motor vehicle exhaust gas.</b>																
All Ages	8	—	1	—	7	—	1	—	—	—	—	—	—	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—
45—	5	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>E 892. Accidental poisoning by other carbon monoxide gas.</b>																
All Ages	24	7	13	—	6	7	7	—	5	—	—	—	6	—	—	—
0—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
15—	11	1	7	—	3	1	3	—	1	—	—	—	4	—	—	—
45—	7	3	5	—	1	3	2	—	2	—	—	—	2	—	—	—
65 & over	4	2	1	—	1	2	2	—	1	—	—	—	—	—	—	—

\*E 881. Acc. poisoning by petroleum products:- 2M, 0-4 yrs., "Home"; E 882. Acc. poisoning by industrial solvents:- 1M, 45-64 yrs., "other specified places" ("At work"); 1F, 15-44 yrs., "Place not specified"; E 884. Acc. poisoning by mercury and its compounds:- 1M, 45-64 yrs., "Industrial place" ("At work"); E 886. Acc. poisoning by arsenic and antimony, and their compounds:- 1M, 15-44 yrs., "Home"; E 887. Acc. poisoning by fluorides:- Nil.

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 893.*</b>																
<b>E 894. Accidental poisoning by other specified gases and vapours.</b>																
All Ages	9	—	9	—	—	—	6	—	—	—	1	—	2	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	9	—	9	—	—	—	6	—	—	—	1	—	2	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>E 895.*</b>																
	Total		At Work		Home		Industrial place and premises		Street and highway		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 900. Fall on stairs.</b>																
All Ages	321	488	6	3	270	454	1	1	—	2	16	10	32	18	2	3
0—	2	3	—	—	2	3	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	21	10	—	1	18	10	—	—	—	—	1	—	2	—	—	—
45—	62	50	6	2	43	45	1	1	—	—	1	1	16	2	1	1
65 & over	236	424	—	—	207	395	—	—	—	2	14	9	14	16	1	2
<b>E 901. Fall from ladders.</b>																
All Ages	88	13	67	3	34	9	32	—	3	—	2	1	17	3	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	15	1	15	—	3	—	11	—	—	—	—	—	1	1	—	—
45—	43	4	38	2	10	2	17	—	3	—	2	1	11	1	—	—
65 & over	30	8	14	1	21	7	4	—	—	—	—	—	5	1	—	—
<b>E 902. Other falls from one level to another.</b>																
All Ages	507	267	255	2	136	178	188	1	10	6	27	58	134	19	12	5
0—	26	18	—	—	20	16	—	—	1	—	—	1	5	1	—	—
5—	33	7	—	—	4	—	3	1	1	—	—	—	25	6	—	—
15—	195	6	155	—	19	2	115	—	3	—	—	—	53	4	5	—
45—	113	23	83	2	13	13	63	—	2	1	1	3	31	6	3	—
65 & over	140	213	17	—	80	147	7	—	3	5	26	54	20	2	4	5
<b>E 903. Fall on same level.</b>																
All Ages	485	1004	20	2	218	665	11	1	149	129	69	189	35	17	3	3
0—	5	2	—	—	4	1	—	—	1	1	—	—	—	—	—	—
5—	7	—	—	—	1	—	—	—	1	—	—	—	5	—	—	—
15—	17	6	2	—	2	3	1	—	6	2	1	—	7	1	—	—
45—	45	51	9	—	11	27	5	—	21	11	2	11	6	2	—	—
65 & over	411	945	9	2	200	634	5	1	120	115	66	178	17	14	3	3
<b>E 904. Unspecified falls.</b>																
All Ages	275	630	14	3	153	443	6	—	—	—	29	52	22	4	65	131
0—	7	3	—	—	1	1	—	—	—	—	1	—	3	—	2	2
5—	2	1	—	—	—	1	—	—	—	—	—	—	2	—	—	—
15—	17	10	4	—	1	3	2	—	—	—	—	1	3	—	11	6
45—	36	21	7	—	10	15	3	—	—	—	3	1	8	—	12	5
65 & over	213	595	3	3	141	423	1	—	—	—	25	50	6	4	40	118

\* E 893. Acc. poisoning by cyanide gas:- Nil ; E 895. Acc. poisoning by unspecified gases and vapours:- 1M, 15-44 yrs., "other specified places" ("At work") ; 1M, 15-44 yrs., "place not specified."



TABLE 18A—continued.

Age Groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 910. Blow from falling object.</b>																
All Ages	365	13	329	—	11	7	175	—	128	1	9	3	40	2	2	—
0—	6	4	—	—	—	2	—	—	—	—	2	1	3	1	1	—
5—	11	4	—	—	1	1	—	—	2	1	—	1	8	1	—	—
15—	195	—	185	—	4	—	93	—	75	—	5	—	18	—	—	—
45—	140	1	133	—	5	—	78	—	47	—	1	1	8	—	1	—
65 & over	13	4	11	—	1	4	4	—	4	—	1	—	3	—	—	—

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 911. Accident caused by vehicle.</b>																
All Ages	105	—	102	—	—	—	—	—	93	—	10	—	2	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	48	—	47	—	—	—	—	—	44	—	4	—	—	—	—	—
45—	47	—	47	—	—	—	—	—	43	—	4	—	—	—	—	—
65 & over	10	—	8	—	—	—	—	—	6	—	2	—	2	—	—	—

<b>E 912. Accident caused by machinery.</b>																
All Ages	186	3	177	2	3	1	10	—	58	—	107	1	7	—	1	1
0—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	5	—	—	—	1	—	—	—	1	—	2	—	1	—	—	—
15—	97	—	96	—	—	—	6	—	28	—	61	—	2	—	—	—
45—	71	2	69	2	1	—	2	—	27	—	37	1	3	—	1	1
65 & over	13	—	12	—	1	—	2	—	2	—	7	—	1	—	—	—

<b>E 913. Accident caused by cutting and piercing instruments.</b>																
All Ages	15	7	2	—	5	2	1	—	1	—	—	—	1	1	7	4
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
15—	6	5	—	—	2	1	—	—	—	—	—	—	1	1	3	3
45—	4	2	1	—	1	1	—	—	1	—	—	—	—	—	2	1
65 & over	3	—	1	—	—	—	1	—	—	—	—	—	—	—	2	—

<b>E 914. Accident caused by electric current.</b>																
All Ages	94	18	58	1	27	15	10	—	7	—	27	—	23	3	—	—
0—	10	1	—	—	6	—	—	—	—	—	—	—	4	1	—	—
5—	4	1	—	—	—	1	—	—	—	—	1	—	3	—	—	—
15—	64	6	48	—	14	5	8	—	5	—	22	—	15	1	—	—
45—	15	8	9	1	7	7	1	—	2	—	4	—	1	1	—	—
65 & over	1	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—

<b>E 915. Accident caused by explosion of pressure vessel.</b>																
All Ages	9	2	6	—	1	1	1	—	1	—	4	1	2	—	—	—
0—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	3	1	2	—	1	—	—	—	1	—	1	1	—	—	—	—
45—	5	—	3	—	—	—	1	—	—	—	3	—	1	—	—	—
65 & over	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 916. Accident caused by fire and explosion of combustible material.‡																
All Ages	†266	439	†108	2	149	425	†86	—	19	1	4	4	8	9	—	—
0—	24	63	—	—	23	61	—	—	—	—	—	—	1	2	—	—
5—	14	53	—	—	12	51	—	—	1	—	—	—	1	2	—	—
15—	67	33	62	1	4	31	45	—	16	—	—	1	2	1	—	—
45—	63	67	45	1	16	66	41	—	2	1	—	—	4	—	—	—
65 & over	98	223	1	—	94	216	—	—	—	—	4	3	—	4	—	—
E 917. Accident caused by hot substance, corrosive liquid, and steam.																
All Ages	55	71	15	2	36	57	—	—	15	1	2	6	—	1	2	6
0—	28	28	—	—	28	24	—	—	—	—	—	3	—	—	—	1
5—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—
15—	8	4	8	1	—	2	—	—	8	1	—	—	—	—	—	1
45—	6	4	5	1	—	3	—	—	5	—	—	—	—	1	1	—
65 & over	13	33	2	—	8	27	—	—	2	—	2	2	—	—	1	4
E 918.*																
	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 919. Accident caused by firearm.																
All Ages	104	3	26	—	16	2	17	—	14	—	3	—	46	—	8	1
0—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	12	—	—	—	3	—	3	—	—	—	—	—	5	—	1	—
15—	58	2	13	—	5	1	9	—	4	—	3	—	33	—	4	1
45—	27	—	13	—	3	—	4	—	10	—	—	—	8	—	2	—
65 & over	6	1	—	—	4	1	1	—	—	—	—	—	—	—	1	—
E 920.*																
	Total		At Work		Home		Industrial place and premises		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 921. Inhalation and ingestion of food causing obstruction or suffocation.																
All Ages	242	159	3	—	176	118	1	—	2	—	22	22	22	2	19	17
0—	166	115	—	—	146	100	—	—	—	—	6	7	4	1	10	7
5—	3	1	—	—	1	—	—	—	—	—	1	—	1	—	—	1
15—	29	10	2	—	10	5	—	—	1	—	5	4	11	—	2	1
45—	24	14	1	—	12	5	1	—	1	—	4	6	2	—	4	3
65 & over	20	19	—	—	7	8	—	—	—	—	6	5	4	1	3	5
E 922. Inhalation and ingestion of other object causing obstruction or suffocation.																
All Ages	10	6	—	—	6	4	—	—	—	—	—	1	1	—	3	1
0—	5	3	—	—	4	3	—	—	—	—	—	—	—	—	1	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
45—	3	1	—	—	2	—	—	—	—	—	—	—	—	—	1	1
65 & over	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—

\* E 918. Acc. caused by radiation:- Nil; E 920. Foreign body entering eye and adnexa:- Nil.

†See footnote to Table 17 for cause, E916.

‡E 916. Including burns by clothing :—domestic fire M13, F117, gasfire M5, F50, electric fire M9, F62, other M30, F65; Burns by falling into fire ; open fire M8, F16, gas fire M3, F4, electric fire M1, F3, other M23, F18. Conflagration ; M111, F55, other and unspecified means ; M63, F49.



TABLE 18A—continued.

[illegible]

**E 924. Accidental mechanical suffocation in bed and cradle.**

[illegible]

**E 925. Accidental mechanical suffocation in other and unspecified circumstances.**

All Ages	48	9	32	—	9	8	5	—	—	—	1	—	33	1	—	—
0—	7	6	—	—	5	6	—	—	—	—	1	—	1	—	—	—
5—	5	2	—	—	2	1	—	—	—	—	—	—	3	1	—	—
15—	26	1	25	—	1	1	3	—	—	—	—	—	22	—	—	—
45—	7	—	6	—	—	—	1	—	—	—	—	—	6	—	—	—
65 & over	3	—	1	—	1	—	1	—	—	—	—	—	1	—	—	—

[illegible]

**E 926. Lack of care of infants under 1 year of age.**

[illegible][illegible]

**E 927.\***

**E 928. Other accidents caused by animals.**

All Ages	17	5	13	1	1	2	9	—	1	—	3	1	3	2	—	—
0—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
15—	5	1	5	1	—	—	3	—	1	—	—	—	1	1	—	—
45—	8	1	6	—	—	—	4	—	—	—	3	—	1	1	—	—
65 & over	2	3	2	—	—	2	2	—	—	—	—	1	—	—	—	—

[illegible]

**E 929. Accidental drowning and submersion.**

All Ages	713	182	29	—	15	17	3	3	20	1	14	—	657	158	4	3
0—	92	28	—	—	10	4	1	1	1	1	1	—	79	21	—	1
5—	164	19	1	—	1	—	1	—	7	—	1	—	153	19	1	—
15—	193	47	17	—	—	2	—	1	9	—	6	—	177	43	1	1
45—	145	49	8	—	—	6	1	1	2	—	6	—	135	42	1	—
65 & over	119	39	3	—	4	5	—	—	1	—	—	—	113	33	1	1

\*E 927. Acc. caused by bites and stings of venomous animals and insects:- 1M, 0-4 yrs., "Other specified places"; 1M, 45-64 yrs., "Other specified places" ("At work"); 3F, 45-64 yrs., "Home."

†E 924. Including 65M, 46F in "bed," and 89M, 47F in "cot, cradle, etc."

TABLE 18A—continued.

Age Groups	Total		At Work		Home		Farm		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 930.*</b>																
<b>E 931. Excessive heat and insolation.</b>																
All Ages	4	5	1	—	1	—	—	—	1	—	—	—	—	—	2	5
0—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—
45—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
65 & over	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	4
<b>E 932. Excessive cold.</b>																
All Ages	7	3	—	—	1	1	1	—	—	—	—	—	4	1	1	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	3	3	—	—	—	1	—	—	—	—	—	—	3	1	—	1
65 & over	4	—	—	—	1	—	1	—	—	—	—	—	1	—	1	—
<b>E 933. Hunger, thirst, and exposure.</b>																
All Ages	11	9	—	—	3	1	—	1	—	—	—	—	5	5	3	2
0—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—
45—	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—
65 & over	9	6	—	—	3	1	—	—	—	—	—	—	3	4	3	1

  

	Total		At Work		Home		Industrial place and premises		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E 934. Cataclysm.</b>																
All Ages	17	12	—	—	2	1	—	—	—	—	—	—	15	11	—	—
0—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
5—	6	—	—	—	1	—	—	—	—	—	—	—	5	—	—	—
15—	3	4	—	—	—	—	—	—	—	—	—	—	3	4	—	—
45—	4	6	—	—	—	1	—	—	—	—	—	—	4	5	—	—
65 & over	2	2	—	—	—	—	—	—	—	—	—	—	2	2	—	—
<b>E 935. Lightning.</b>																
All Ages	11	—	3	—	—	—	—	—	1	—	3	—	7	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
15—	9	—	3	—	—	—	—	—	—	—	2	—	7	—	—	—
45—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>E 936. Other and unspecified accidents.</b>																
All Ages	129	42	24	—	34	17	15	—	18	2	11	4	20	4	31	15
0—	8	10	—	—	4	9	—	—	—	—	—	—	1	1	3	—
5—	19	1	—	—	7	—	—	—	4	1	—	—	6	—	2	—
15—	61	3	14	—	14	1	8	—	13	—	5	—	10	—	11	2
45—	28	10	9	—	5	4	6	—	1	—	4	1	3	—	9	5
65 & over	13	18	1	—	4	3	1	—	—	1	2	3	—	3	6	8

\* E 930. High and low air pressure:— 1M, 15-44 yrs., "Other specified places" ("At work").

E 870—E 936. Non-transport accidents.—Total.

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Resident institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4711	3996	1332	22	1766	2920	85	10	513	2	613	8	59	13	203	147	124	44	189	351	914	214	245	287



**TABLE 18 B.—Deaths from Violent Causes according to Nature of Injury, Sex and Age, 1952.**

**England and Wales**

(N 800 — N 999)

Notes :—(a) Headings to which no deaths were assigned during the year have been omitted from the table.

(b) See note at head of Table 18A.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N800-N999</b>	<b>TOTAL</b>	<b>M 11922 F 6810</b>	<b>396</b>	<b>452</b>	<b>625</b>	<b>1444</b>	<b>1404</b>	<b>1407</b>	<b>1610</b>	<b>1631</b>	<b>1504</b>	<b>1195</b>	<b>324</b>
			<b>302</b>	<b>263</b>	<b>240</b>	<b>233</b>	<b>273</b>	<b>399</b>	<b>674</b>	<b>830</b>	<b>1154</b>	<b>1585</b>	<b>857</b>
<b>N800-N809</b>	<b>Fracture of skull, spine, and trunk</b>												
N 800	Fracture of vault of skull	M 128 F 25	2	15	11	22	16	13	15	11	12	7	4
N 801	Fracture of base of skull	M 755 F 218	3	25	47	142	127	111	98	78	67	47	10
N 802	Fracture of face bones	M 35 F 11	—	—	3	8	2	3	7	4	3	5	—
N 803	Other and unqualified skull fractures	M 1609 F 435	6	89	125	301	281	208	185	169	132	95	18
N 804	Multiple fractures involving skull or face with other bones	M 662 F 158	1	26	46	139	110	88	91	69	54	35	3
N 805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M 238 F 76	—	1	9	32	41	27	39	34	26	27	2
N 806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M 93 F 24	—	—	3	10	16	14	17	17	11	3	2
N 807	Fracture of rib(s) and sternum	M 143 F 60	—	1	—	4	4	7	16	18	34	46	13
N 808	Fracture of pelvis	M 75 F 51	—	3	5	2	8	8	7	12	13	16	1
N 809	Multiple, and ill-defined fractures of trunk	M 128 F 60	—	3	6	9	15	23	27	18	16	9	2
			—	2	—	1	1	1	4	6	14	24	7
<b>N810-N819</b>	<b>Fracture of upper limb</b>												
N 810	Fracture of clavicle	M 7 F 8	—	—	1	—	1	—	—	—	2	1	2
N 811	Fracture of scapula	M 2 F 2	—	—	—	—	—	—	—	—	1	—	—
N 812	Fracture of humerus	M 25 F 65	—	1	1	—	—	1	1	2	5	9	5
N 813	Fracture of radius and ulna	M 2 F 8	—	—	—	—	—	—	—	—	3	3	1
N 814	Fracture of carpal bone(s)	M 5 F 19	—	—	—	—	—	—	—	1	3	9	6
N 816	Fracture of one or more phalanges of hand	M 1 F 1	—	—	—	—	—	—	1	—	—	—	—
N 818	Other, multiple, and ill-defined fractures of upper limb	M 7 F 6	—	—	—	—	—	1	1	—	1	1	4
N 819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M 14 F 12	—	1	—	2	1	1	2	3	2	1	1
			—	—	—	—	—	—	1	—	6	3	2
<b>N820-N829</b>	<b>Fracture of lower limb</b>												
N 820	Fracture of neck of femur	M 261 F 762	—	—	—	—	1	1	1	2	58	136	63
N 821	Fracture of other and unspecified parts of femur	M 302 F 747	—	1	1	4	4	3	4	13	62	143	67
N 822	Fracture of patella	M 4 F 4	—	—	—	—	—	—	—	—	—	4	—
N 823	Fracture of tibia and fibula	M 57 F 49	—	—	1	3	6	3	6	13	12	10	3
N 824	Fracture of ankle	M 9 F 24	—	—	—	—	—	2	1	3	1	1	1
N 825	Fracture of one or more tarsal and metatarsal bones	M 2 F 1	—	—	—	—	—	—	3	6	4	4	7
N 826	Fracture of one or more phalanges of foot	M 1 F 1	—	—	—	—	—	—	—	—	1	—	—
N 827	Other, multiple, and ill-defined fractures of lower limb	M 18 F 9	—	—	—	4	2	1	2	3	5	1	—
N 828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M 73 F 66	—	—	3	8	11	5	3	9	15	15	4
			—	—	—	1	—	1	4	6	18	26	10
N 829	Fracture of unspecified bones	M 20 F 4	—	—	1	4	6	1	1	5	1	1	—
			—	—	—	—	—	—	1	—	1	—	2
<b>N830-N839</b>	<b>Dislocation without fracture</b>												
N 830	Dislocation of jaw	M 1 F 7	—	—	—	—	—	—	1	—	—	—	—
N 831	Dislocation of shoulder	M 8 F 8	—	—	—	—	—	—	—	1	1	3	2
N 836	Dislocation of knee	M 2 F 2	—	—	—	—	—	—	1	—	1	—	—
N 837	Dislocation of ankle	M 1 F 1	—	—	1	—	—	—	—	—	—	1	—
N 839	Other, multiple, and ill-defined dislocations	M 32 F 10	—	1	1	5	6	3	7	5	4	1	—
			—	1	1	2	—	—	—	1	3	2	—

TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N840-N848</b>	<b>Sprains and strains of joints and adjacent muscles</b>												
N 844	Sprains and strains of knee and leg .. {M	—	—	—	—	—	—	—	—	—	—	—	—
	.. .. .. .. .. {F	1	—	—	—	—	—	—	—	—	—	—	1
N 845	Sprains and strains of ankle and foot .. {M	1	—	—	—	—	—	—	—	1	—	—	—
	.. .. .. .. .. {F	—	—	—	—	—	—	—	—	—	—	—	—
N 848	Other and ill-defined sprains and strains .. {M	—	—	—	—	—	—	—	—	—	—	—	—
	.. .. .. .. .. {F	1	—	—	—	—	1	—	—	—	—	—	—
<b>N850-N856</b>	<b>Head injury (excluding skull fracture)</b>												
N 850	Open wound of scalp .. {M	43	—	—	1	4	6	3	5	6	7	5	6
	.. .. .. .. .. {F	34	—	—	—	—	1	—	1	4	8	15	5
N 851	Contusion and hæmatoma of scalp .. {M	17	1	—	3	—	—	2	1	3	—	5	2
	.. .. .. .. .. {F	24	—	1	—	—	—	1	—	1	6	9	6
N 852	Concussion .. {M	56	1	2	—	7	6	6	5	8	7	11	3
	.. .. .. .. .. {F	34	—	3	—	1	—	2	2	6	7	11	2
N 853	Cerebral laceration and contusion .. {M	293	1	14	21	57	33	32	31	31	38	28	7
	.. .. .. .. .. {F	81	—	2	11	8	1	5	8	8	19	14	5
N 854	Subarachnoid, subdural, and extradural hæmorrhage following injury (without mention of cerebral laceration or contusion) .. {M	87	3	2	4	11	7	5	11	9	17	15	3
	.. .. .. .. .. {F	71	1	2	1	1	—	1	3	7	22	21	12
N 855	Other and unspecified intracranial hæmorrhage following injury (without mention of cerebral laceration or contusion) .. {M	113	—	6	8	18	10	12	13	14	14	16	2
	.. .. .. .. .. {F	51	3	2	5	1	2	3	2	5	10	11	7
N 856	Head injury of other and unspecified nature .. {M	230	1	11	14	35	30	32	26	35	25	18	3
	.. .. .. .. .. {F	66	1	3	10	8	5	1	7	4	12	12	3
<b>N860-N869</b>	<b>Internal injury of chest, abdomen, and pelvis</b>												
N 860	Traumatic pneumothorax and hæmorrhax .. {M	46	—	1	1	4	4	7	6	11	7	5	—
	.. .. .. .. .. {F	12	—	—	1	—	2	—	3	3	3	—	—
N 861	Injury to heart and lung .. {M	176	—	2	11	27	33	29	25	29	15	5	—
	.. .. .. .. .. {F	28	—	—	3	5	2	2	1	1	6	6	2
N 862	Injury to other and unspecified intrathoracic organs .. {M	206	—	1	8	41	35	40	34	31	9	7	—
	.. .. .. .. .. {F	32	1	1	3	2	5	3	5	5	4	2	1
N 863	Injury to gastro-intestinal tract .. {M	60	—	2	2	8	10	11	5	9	11	2	—
	.. .. .. .. .. {F	4	—	—	—	—	—	1	—	—	3	—	—
N 864	Injury to liver .. {M	59	—	8	6	11	6	12	6	3	7	—	—
	.. .. .. .. .. {F	17	—	5	2	2	—	1	—	3	2	1	1
N 865	Injury to spleen .. {M	34	—	1	1	8	4	6	6	5	2	1	—
	.. .. .. .. .. {F	5	—	—	—	—	—	—	1	2	—	2	—
N 866	Injury to kidney .. {M	18	—	1	1	2	6	—	2	1	2	2	1
	.. .. .. .. .. {F	4	—	—	—	1	—	—	—	1	—	1	1
N 867	Injury to pelvic organs .. {M	28	—	1	2	6	2	4	2	3	6	2	—
	.. .. .. .. .. {F	8	—	—	—	1	1	—	1	—	4	1	—
N 868	Injury to other and unspecified intra-abdominal organs .. {M	99	—	5	11	20	18	17	8	9	9	1	1
	.. .. .. .. .. {F	22	—	3	4	4	1	2	2	2	2	2	—
N 869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs .. {M	229	—	7	15	56	43	37	34	21	12	4	—
	.. .. .. .. .. {F	41	—	7	7	6	4	3	4	4	4	2	—
<b>N870-N879</b>	<b>Laceration and open wound of face, neck, and trunk</b>												
N 870	Open wound of eye and orbit .. {M	1	—	—	—	—	—	—	1	—	—	—	—
	.. .. .. .. .. {F	—	—	—	—	—	—	—	—	—	—	—	—
N 873	Other and unspecified laceration of face .. {M	16	—	—	1	1	1	2	3	2	2	2	2
	.. .. .. .. .. {F	7	—	—	—	—	—	—	—	—	1	1	5
N 874	Open wound of neck .. {M	178	—	1	1	6	11	18	39	48	32	20	2
	.. .. .. .. .. {F	38	—	1	—	3	4	5	8	6	7	4	—
N 875	Open wound of chest .. {M	20	—	—	—	5	1	1	4	5	4	—	—
	.. .. .. .. .. {F	3	—	—	—	1	2	—	—	—	—	—	—
N 878	Open wound of genital organs, including traumatic amputation .. {M	1	—	—	—	—	—	—	1	—	—	—	—
	.. .. .. .. .. {F	—	—	—	—	—	—	—	—	—	—	—	—
N 879	Multiple and unspecified open wounds of face, neck, and trunk .. {M	24	—	—	1	3	4	6	4	4	1	1	—
	.. .. .. .. .. {F	5	—	—	1	2	1	—	—	1	—	—	—



TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
<b>N880-N888</b>	<b>Laceration and open wound of upper limb</b>												
N 880	Open wound of shoulder and upper arm .. { M	3	—	—	1	—	—	1	—	1	—	—	—
	.. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 881	Open wound of elbow and fore- { M	6	—	—	—	—	2	—	2	2	—	—	—
	arm, and wrist not involving { F	5	—	—	—	—	1	—	—	2	1	—	1
	tendons .. .. .												
N 883	Open wound of hand, except { M	2	—	—	—	—	—	—	1	—	1	—	—
	finger(s) .. .. . { F	1	—	—	—	—	—	—	—	1	—	—	—
N 884	Open wound of finger(s) .. { M	1	—	—	—	—	—	—	—	—	1	—	—
	.. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 885	Multiple and unspecified open { M	7	—	—	—	—	1	3	—	1	1	1	—
	wounds of one upper limb .. { F	1	—	1	—	—	—	—	—	—	—	—	—
N 888	Traumatic amputation of arm { M	4	—	—	—	—	1	1	—	2	—	—	—
	and hand .. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
<b>N890-N898</b>	<b>Laceration and open wound of lower limb</b>												
N 890	Open wound of hip and thigh .. { M	6	—	—	2	—	—	1	—	—	2	1	—
	.. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 891	Open wound of knee, leg (ex- { M	9	—	—	2	—	1	2	1	2	1	—	—
	cept thigh), and ankle not { F	1	—	—	1	—	—	—	—	—	—	—	—
	involving tendons .. .. .												
N 893	Open wound of foot, except { M	1	—	—	—	—	—	—	—	1	—	—	—
	toe(s) .. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 894	Open wound of toe(s) .. .. { M	1	—	—	—	—	—	—	—	—	—	1	—
	.. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 895	Multiple and unspecified open { M	3	—	—	—	1	—	—	—	2	—	—	—
	wounds of one lower limb .. { F	1	—	—	1	—	—	—	—	—	—	—	—
N 897	Traumatic amputation of foot.. { M	—	—	—	—	—	—	—	—	—	—	—	—
	.. .. . { F	1	—	—	—	—	—	—	—	—	1	—	—
N 898	Traumatic amputation of leg .. { M	8	—	—	—	1	—	1	2	4	—	—	—
	.. .. . { F	2	—	—	—	—	1	—	—	—	—	1	—
<b>N900-N908</b>	<b>Laceration and open wounds of multiple location</b>												
N 900	Multiple open wounds of both { M	2	—	—	—	—	—	—	—	1	1	—	—
	upper limbs .. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 901	Multiple open wounds of both { M	1	—	—	—	1	—	—	—	—	—	—	—
	lower limbs .. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 902	Multiple open wounds of both { M	6	—	—	1	—	1	1	1	—	1	1	—
	upper and lower limb(s) .. { F	—	—	—	—	—	—	—	—	—	—	—	—
N 903	Multiple open wounds of both { M	1	—	—	—	1	—	—	—	—	—	—	—
	hands .. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 904	Multiple open wounds of both { M	—	—	—	—	—	—	—	—	—	—	—	—
	head and limb .. .. . { F	1	—	—	—	—	—	—	—	—	—	1	—
N 905	Multiple open wounds of both { M	3	—	—	—	2	1	—	—	—	—	—	—
	head and trunk .. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 906	Multiple open wounds of both { M	13	—	—	—	—	2	3	1	4	2	1	—
	trunk and limb .. .. . { F	1	—	—	—	—	—	—	1	—	—	—	—
N 907	Multiple open wounds of face { M	1	—	—	—	—	—	—	—	—	—	—	1
	with other sites .. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 908	Multiple open wounds of un- { M	150	1	—	3	19	25	18	42	21	11	8	2
	specified location .. .. . { F	42	—	1	3	5	5	1	7	7	5	7	1
<b>N910-N918</b>	<b>Superficial Injury</b>												
N 910	Superficial injury of face and { M	5	—	1	—	—	—	—	—	1	1	—	2
	neck .. .. . { F	1	—	—	—	—	—	—	—	—	—	1	—
N 916	Superficial injury of hip, thigh, { M	2	—	—	—	—	1	1	—	—	—	—	—
	leg, and ankle .. .. . { F	1	—	—	—	—	—	—	—	—	—	1	—
N 918	Superficial injury of other, mul- { M	2	—	—	—	—	—	—	—	—	—	2	—
	multiple, and unspecified sites { F	4	—	—	—	1	1	—	—	—	1	1	—
<b>N920-N929</b>	<b>Contusion and crushing with intact skin surface</b>												
N 920	Contusion of face and neck, { M	4	—	1	—	—	—	—	1	—	—	1	1
	except eye(s) .. .. . { F	7	—	—	—	—	—	—	—	—	1	—	6
N 921	Contusion of eye and orbit .. { M	1	—	—	—	—	—	—	—	—	—	—	1
	.. .. . { F	—	—	—	—	—	—	—	—	—	—	—	—
N 922	Contusion of trunk .. .. . { M	8	—	—	—	1	—	—	—	—	1	3	3
	.. .. . { F	11	—	—	—	—	—	—	—	1	—	7	3
N 923	Contusion of shoulder and { M	1	—	—	—	—	—	—	—	—	1	—	—
	upper arm .. .. . { F	1	—	—	—	—	—	—	—	—	—	1	—
N 926	Contusion of finger(s) .. .. { M	—	—	—	—	—	—	—	—	—	—	—	—
	.. .. . { F	1	—	—	—	—	—	—	—	—	—	—	—
N 927	Contusion of hip, thigh, leg, { M	2	—	—	—	—	—	1	—	—	—	1	—
	and ankle .. .. . { F	16	—	—	—	—	—	2	—	1	1	7	5
N 928	Contusion of foot and toe(s) .. { M	—	—	—	—	—	—	—	—	—	—	—	—
	.. .. . { F	1	—	—	—	—	—	—	—	—	1	—	—
N 929	Contusion of other, multiple, { M	10	—	—	1	—	—	1	—	1	—	3	4
	and unspecified sites .. .. { F	14	—	—	—	—	—	—	—	—	3	5	6

TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N930-N936</b>	<b>Effects of foreign body entering through orifice</b>												
N 933	Foreign body in pharynx and larynx .. .. .	M 252 F 164	155 112	18 7	4 1	9 3	7 4	13 4	15 8	11 5	9 8	10 11	1 1
N 934	Foreign body in bronchus and lung .. .. .	M 4 F 6	— —	1 3	— —	— —	— 1	— —	2 1	1 1	— —	— —	— —
N 935	Foreign body in digestive tract	M 19 F 17	1 —	1 2	— —	2 —	2 —	2 —	3 4	1 3	4 4	3 4	— —
N 936	Foreign body in genito-urinary tract .. .. .	M — F 2	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —
<b>N940-N949</b>	<b>Burns</b>												
N 941	Burn confined to face, head, and neck .. .. .	M 10 F 12	— 2	1 1	— —	— —	1 1	— —	— —	1 1	2 3	2 2	3 2
N 942	Burn confined to trunk .. .. .	M 13 F 32	— —	2 4	— 3	— —	— 1	— 1	— 1	1 2	2 6	8 13	— 1
N 943	Burn confined to upper limb(s), except wrist and hand .. .. .	M 6 F 6	— —	2 1	— —	— —	— —	— —	— —	— 1	— 2	2 1	— 1
N 944	Burn confined to wrist(s) and hand(s) .. .. .	M — F 3	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— 1
N 945	Burn confined to lower limb(s) ..	M 15 F 22	— —	— —	— —	1 —	— —	1 —	1 —	— 3	4 4	7 6	1 9
N 946	Burn involving face, head, and neck, with limb(s) .. .. .	M 16 F 17	— —	3 2	3 —	— —	1 1	2 —	— 1	1 1	2 3	3 7	1 2
N 947	Burn involving trunk with limb(s) .. .. .	M 53 F 142	4 4	9 24	3 21	— 3	2 4	— 2	2 6	5 16	8 12	18 36	2 14
N 948	Burn involving face, head, and neck, with trunk and limb(s) ..	M 78 F 180	1 6	17 33	5 21	4 7	6 1	9 7	8 12	4 17	6 27	16 39	2 10
N 949	Burn involving other and un- specified parts .. .. .	M 54 F 78	1 1	8 9	2 9	7 —	9 3	5 4	4 3	6 6	3 22	5 14	4 7
<b>N950-N959</b>	<b>Injury to nerves and spinal cord without bone injury</b>												
N 958	Spinal cord lesion without evi- dence of spinal bone injury ..	M 38 F 9	— —	— —	1 1	5 —	4 —	3 1	8 —	12 2	2 3	2 2	1 —
<b>N960-N979</b>	<b>Effects of poisons</b>												
N 961	Poisoning by alcohol .. .. .	M 9 F 1	— —	— —	— —	— —	— —	1 —	6 —	2 —	— 1	— —	— —
N 962	Poisoning by petroleum pro- ducts .. .. .	M 2 F —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 963	Poisoning by industrial solvents	M 1 F 2	— —	— —	— —	— 1	— —	— 1	1 —	— —	— —	— —	— —
N 964	Poisoning by corrosive aro- matics, acids, and caustic alkalis .. .. .	M 68 F 48	— —	— 1	2 —	3 —	2 1	6 7	20 9	18 18	10 7	7 4	— 1
N 965	Poisoning by mercury and its compounds .. .. .	M 1 F —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
N 966	Poisoning by lead and its com- pounds .. .. .	M 3 F 1	1 —	1 —	— 1	— —	— —	— —	— —	— —	1 —	— —	— —
N 967	Poisoning by arsenic and anti- mony, and their compounds ..	M 4 F 1	— —	— —	— —	— —	— —	1 —	— 1	— —	2 —	— —	— —
N 968	Poisoning by carbon monoxide ..	M *1461 F 1106	2 4	14 8	14 9	56 21	124 66	216 133	288 222	303 234	279 231	139 142	26 36
N 969	Poisoning by other gases and vapours .. .. .	M 70 F 13	1 —	— —	1 1	4 —	8 —	3 —	2 4	26 —	21 2	4 6	— —
N 970	Poisoning by morphine and other opium derivatives .. ..	M 11 F 2	— —	3 —	— —	— —	1 1	— —	4 —	1 1	1 —	1 —	— —
N 971	Poisoning by barbituric acid and derivatives .. .. .	M 218 F 255	— —	— 1	— —	13 4	28 19	43 36	54 71	40 71	32 35	7 17	1 1
N 972	Poisoning by aspirin and sali- cylates .. .. .	M 98 F 132	1 —	7 1	— —	2 2	11 18	16 14	19 33	22 32	13 27	7 4	— 1
N 973	Poisoning by bromides .. .. .	M 1 F 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
N 974	Poisoning by other analgesic and soporific drugs .. .. .	M 18 F 16	— —	— —	— —	— —	3 1	5 2	4 9	5 3	1 —	— 1	— —
N 976	Poisoning by strychnine .. ..	M 6 F 5	— —	1 3	— —	— —	1 —	1 2	1 —	2 —	— —	— —	— —
N 977	Poisoning by belladonna, hyo- scine, and atropine .. .. .	M — F 3	— 1	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	— —
N 978	Poisoning by venom .. .. .	M 2 F 3	— —	1 —	— —	— —	— —	— —	1 2	— 1	— —	— —	— —
N 979	Poisoning by other and unspec- ified substances .. .. .	M 69 F 35	— 1	10 10	— —	5 2	3 3	11 5	16 5	14 2	8 7	2 —	— —

\*N 968. See footnote to Table 17 for cause E 916.



TABLE 18B—continued.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
<b>N980-N989</b>	<b>Effects of weather, exposure, and related conditions</b>												
N 980	Effects of reduced temperature.. { M	7	—	—	—	—	—	—	3	—	3	—	1
	F	4	—	—	—	—	—	—	—	3	1	—	—
N 981	Effects of heat and insolation .. { M	4	—	1	—	—	1	1	—	1	—	—	—
	F	5	1	—	—	—	—	—	—	—	—	4	—
N 984	Effects of lightning .. .. { M	11	—	—	1	5	2	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
N 985	Effects of hunger.. .. { M	1	—	—	—	—	—	—	—	—	—	1	—
	F	3	2	—	—	—	—	—	—	—	—	1	—
N 987	Effects of exposure, not else- { M	10	—	—	—	—	1	—	1	—	3	3	2
	F	7	—	—	—	—	—	1	—	1	3	1	1
<b>N990-N999</b>	<b>Other and unspecified injuries and reactions</b>												
N 990	Drowning .. .. { M	1098	7	92	175	138	90	87	127	158	138	77	9
	F	401	10	26	21	22	24	48	64	91	68	24	3
N 991	Asphyxia and strangulation .. { M	760	166	8	13	48	51	74	112	117	118	48	5
	F	267	105	5	4	10	11	24	28	33	38	9	—
N 992	Electrocution .. .. { M	104	1	9	4	20	27	21	12	7	3	—	—
	F	18	—	1	1	2	2	2	5	3	1	—	1
N 994	Other general effects of external { M	31	31	—	—	—	—	—	—	—	—	—	—
	F	35	33	—	—	—	1	1	—	—	—	—	—
N 995	Certain early complications of { M	3	—	—	—	—	—	—	—	—	1	2	—
	F	1	—	—	—	—	—	—	—	—	—	1	—
N 996	Injury of other and unspecified { M	342	1	7	12	66	55	45	37	50	34	26	9
	F	117	—	4	3	9	6	4	14	16	14	33	14
N 997	Reactions and complications { M	2	1	—	—	—	1	—	—	—	—	—	—
	F	4	2	1	—	—	—	—	—	—	—	1	—
N 998	Adverse reactions to injections, { M	1	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	—	1	—	1	—	—	—	—
N 999	Adverse reaction to other thera- { M	4	1	—	—	1	—	—	1	—	1	—	—
	F	5	—	—	—	1	1	—	—	1	2	—	—

TABLE 18C—Deaths from Violent Causes—Nature of Injury according to External Cause, 1952.—England and Wales.  
(AE 138-AE 150 ; AN 138-AN 150)

(See Note at head of Table 18A)

External Cause of Injury (Intermediate List)														
Nature of Injury (Intermediate List)	Total	AE 138	AE 139	AE 140	AE 141	AE 142	AE 143	AE 144	AE 145	AE 146	AE 147	AE 148	AE 149	AE 150
		Motor vehicle accidents	Other transport accidents	Acciden- tal poison- ing	Acciden- tal falls	Accident caused by mach- inery	Accident caused by fire and ex- plosion of com- bustible material	Accident caused by hot sub- stance, of cor- rosive liquid, steam, & radia- tion	Accident caused by fire- arm	Acciden- tal drown- ing and sub- mersion	All other acciden- tal causes	Suicide and self- inflicted injury	Homi- cide & injury pur- posely inflicted by other persons (not in war)	Injury resulting from opera- tions of war
											</			



**TABLE 19.—Causes of Death by Sex, at Different Periods of Life, 1952.**  
Classified in accordance with the International Abbreviated List,  
with certain sub-divisions.

Abbreviated List No.	Causes of Death		England and Wales									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M 257760 F 239724	7136 5195	3527 2697	1930 1426	1734 1177	3039 1819	13415 10497	68914 46135	73060 61712	85005 109066	
B1	Tuberculosis of respiratory system	{ M 6421 F 2914	1 —	8 7	18 24	23 17	188 329	1561 1293	3184 797	1161 286	277 161	
B2	Tuberculosis, other forms	{ M 693 F 557	— —	28 24	127 90	59 69	74 70	150 107	166 108	64 55	25 34	
B3	Syphilis and its sequelæ	{ M 1097 F 522	1 3	12 5	— 1	2 —	2 2	54 32	479 229	387 135	160 115	
B4	Typhoid fever	{ M 5 F 4	— —	— —	— —	— —	— —	2 1	2 —	1 2	— 1	
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M 24 F 12	— —	1 3	1 2	2 —	2 —	6 1	3 —	2 1	7 5	
B7	Scarlet fever and streptococcal sore throat	{ M 30 F 34	1 —	— 1	3 3	3 3	4 3	8 5	5 11	4 5	2 3	
B8	Diphtheria	{ M 14 F 18	— —	— —	7 2	4 4	— 5	1 4	2 2	— 1	— —	
B9	Whooping cough	{ M 84 F 100	— —	56 55	24 40	2 3	1 —	— 1	1 1	— —	— —	
B10	Meningococcal infections	{ M 160 F 130	1 3	64 47	60 40	10 10	5 4	8 4	11 13	— 5	1 4	
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M 167 F 108	— 4	5 3	20 6	34 21	26 23	75 45	7 6	— —	— —	
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M 71 F 70	1 —	15 21	38 29	12 17	1 1	4 —	— 2	— —	— —	
B15	Typhus and other rickettsial diseases	{ M — F 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	
B16	Malaria	{ M 8 F 1	— —	— —	— —	— —	2 —	2 1	4 —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 529 F 551	11 2	32 28	34 35	45 25	24 32	97 94	152 163	68 78	66 94	
B18	Malignant neoplasm of stomach (151)	{ M 8066 F 6343	— —	— —	— 1	— —	9 2	300 206	3118 1663	2766 2212	1873 2259	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 11981 F 2237	1 —	— —	1 —	— —	13 4	659 156	6876 992	3462 657	969 428	
	Malignant neoplasm of breast (170)	{ M 59 F 8285	— —	— —	— —	— —	— 4	2 817	23 3659	19 2127	15 1678	
	Malignant neoplasm of uterus (171-174)	{ F 4024	—	—	3	—	7	376	1917	1043	678	
	Leukæmia and aleukæmia (204)	{ M 1102 F 941	1 —	11 8	95 64	104 72	64 49	159 126	327 299	229 193	112 130	
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 24221 F 20383	1 6	22 10	101 84	121 102	191 122	1287 1227	7168 6757	8037 6037	7293 6038	
B19	Benign and unspecified neoplasms	{ M 791 F 925	2 6	11 13	13 7	34 24	26 31	123 153	357 390	141 161	84 140	
B20	Diabetes mellitus	{ M 1091 F 2247	— —	— —	4 2	16 7	15 21	61 81	258 493	383 868	354 775	
B21	Anæmias	{ M 603 F 1148	— —	3 2	6 5	10 8	6 10	22 45	112 232	202 334	242 512	
B22	Vascular lesions affecting central nervous system	{ M 29158 F 40230	4 —	10 6	6 2	21 17	55 41	530 542	5732 7014	9904 12202	12896 20406	
B23	Nonmeningococcal meningitis	{ M 197 F 145	13 13	49 41	25 21	12 5	4 7	24 11	44 27	21 14	5 6	
B24	Rheumatic fever	{ M 144 F 184	— —	— 2	6 2	45 53	21 27	29 40	25 36	13 14	5 10	
B25	Chronic rheumatic heart disease	{ M 3469 F 5637	— —	— 1	— —	26 22	88 109	683 996	1410 2138	748 1254	514 1117	

Note :—The figures shown throughout this table for B40 (Complications of pregnancy, childbirth and puerperium) include some cases where the interval between maternal condition and death was stated to exceed 1 year. These deaths are also shown separately at the foot of the page where they occur.

England and Wales, Regions, Conurbations, and Aggregates of Urban and Rural Areas outside conurbations.

Abbreviated List No.	Causes of Death	England and Wales—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	{ M	38997	1	—	—	9	1087	13812	13854	10234
		{ F	22432	—	—	3	2	165	4182	8595	9485
		{ M	30812	—	—	1	2	17	2786	7914	19936
		{ F	40986	—	1	4	8	126	2241	8081	30524
B27	Other diseases of heart	{ M	3270	3	4	6	5	29	133	829	1021
		{ F	3673	1	4	9	7	22	111	679	1123
B28	Hypertension with heart disease	{ M	5081	—	—	—	1	2	52	1168	1783
		{ F	5913	—	—	—	—	1	48	967	1981
B29	Hypertension without mention of heart	{ M	3925	—	3	—	2	5	139	1023	1249
		{ F	4057	—	—	—	1	9	107	714	1220
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	6858	—	4	1	4	13	116	885	1854
		{ F	7512	—	2	3	4	20	106	772	1669
B30	Influenza	{ M	879	1	20	5	12	15	55	273	240
		{ F	871	1	15	9	7	11	45	155	209
B31	Pneumonia	{ M	9782	—	1197	260	58	59	325	2027	2451
		{ F	8826	—	899	207	59	49	269	1166	1873
B32	Bronchitis	{ M	17694	17	205	72	27	7	260	5377	6048
		{ F	9574	12	141	52	16	24	133	1249	2627
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	3175	13	38	46	32	48	245	1302	841
		{ F	1401	10	30	27	32	26	141	297	274
B33	Ulcer of stomach and duodenum	{ M	4059	3	—	1	—	24	316	1645	1271
		{ F	1325	—	3	—	—	5	60	343	424
B34	Appendicitis	{ M	598	1	3	42	60	40	88	156	117
		{ F	447	1	—	18	36	20	38	126	119
B35	Intestinal obstruction and hernia	{ M	1588	68	63	30	14	15	81	381	436
		{ F	1556	46	35	17	5	7	60	340	480
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	1065	3	362	65	8	18	96	156	166
		{ F	1333	3	267	40	14	21	121	224	275
B37	Cirrhosis of liver	{ M	645	1	3	1	6	5	87	297	158
		{ F	479	2	5	3	5	7	40	203	151
B38	Nephritis and nephrosis	{ M	2994	—	10	21	55	128	441	977	641
		{ F	2879	1	8	18	46	92	350	825	713
B39	Hyperplasia of prostate	M	4351	—	—	—	—	—	2	301	1379
B40	Complications of pregnancy, childbirth & puerperium	F	498	—	—	—	—	81	398	17	1
B41	Congenital malformations	{ M	2323	1006	591	141	72	87	162	186	48
		{ F	2130	942	527	141	78	57	133	168	54
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	2656	2592	64	—	—	—	—	—	—
		{ F	1667	1631	34	2	—	—	—	—	—
B43	Diarrhoea of newborn (764)	{ M	40	40	—	—	—	—	—	—	—
		{ F	26	26	—	—	—	—	—	—	—
		{ M	575	569	6	—	—	—	—	—	—
		{ F	404	403	1	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	2695	2601	91	3	—	—	—	—	—
		{ F	2018	1948	66	4	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	2997	10	16	7	1	6	9	30	233
		{ F	4748	5	7	6	1	5	7	26	224
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	8524	70	223	187	165	247	907	2596	2240
		{ F	10407	44	155	143	140	216	1003	2986	2781
BE47	Motor vehicle accidents	{ M	3147	—	3	190	289	638	869	606	302
		{ F	970	—	2	83	120	91	121	202	180
BE48	All other accidents	{ M	5850	94	290	253	323	667	1260	1321	633
		{ F	4195	77	212	173	110	92	192	513	655
BE49	Suicide and self-inflicted injury	{ M	2788	—	—	—	2	121	633	1241	535
		{ F	1550	—	—	—	1	33	335	769	314
BE50	Homicide and operations of war	{ M	207	5	4	9	11	18	49	73	34
		{ F	95	5	6	7	9	17	24	20	5
BN47	Fractures, head injuries and internal injuries	{ M	6468	6	13	230	372	1009	1679	1456	722
		{ F	3438	6	12	110	136	131	176	394	596
BN48	Burns	{ M	245	—	6	42	13	12	36	33	29
		{ F	492	2	11	75	54	10	26	70	79
BN49	Effects of poisons	{ M	2042	—	5	39	17	83	485	851	368
		{ F	1624	—	6	24	11	30	309	720	311
BN50	All other injuries	{ M	3237	93	273	141	223	340	611	901	385
		{ F	1256	74	191	54	39	62	161	320	168
“Delayed ” maternal deaths (see page 190)			35	—	—	—	—	4	20	9	1



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Northern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M 19126 F 16305	645 439	346 293	187 126	133 105	262 144	1123 865	5257 3379	5221 4405	5952 6549	
B1	Tuberculosis of respiratory system	{ M 505 F 263	— —	1 —	1 1	1 1	25 36	131 135	262 62	75 20	9 8	
B2	Tuberculosis, other forms	{ M 55 F 45	— —	2 —	13 9	8 4	3 6	10 11	14 10	5 5	— —	
B3	Syphilis and its sequelæ	{ M 83 F 31	— —	— 2	— —	— —	— —	4 7	37 15	29 5	13 2	
B4	Typhoid fever	{ M 1 F 1	— —	— —	— —	— —	— —	— —	1 —	— 1	— —	
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M 3 F 2	— —	1 —	— —	— —	— —	— —	1 —	— 1	1 1	
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 2	— —	— —	— —	— 1	— —	— —	— —	1 1	— —	
B8	Diphtheria	{ M — F 2	— —	— —	— —	1 1	— 1	— —	— —	— —	— —	
B9	Whooping cough	{ M 4 F 7	— —	2 3	2 4	— —	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M 19 F 17	— —	9 5	6 9	— —	— —	1 2	3 1	— —	— —	
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M 17 F 4	— —	2 —	7 1	— —	4 2	4 1	— —	— —	— —	
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M 10 F 14	1 —	2 8	5 4	— 2	— —	2 —	— —	— —	— —	
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M 1 F —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 50 F 41	2 —	4 1	3 3	5 1	3 3	13 12	12 12	3 4	5 5	
B18	Malignant neoplasm of stomach (151)	{ M 664 F 488	— —	— —	— —	— —	— —	24 24	277 125	220 191	143 148	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 740 F 135	— —	— —	— —	— —	1 1	46 13	462 65	190 38	41 18	
	Malignant neoplasm of breast (170)	{ M 4 F 441	— —	— —	— —	— —	— —	— 46	— 192	3 122	1 81	
	Malignant neoplasm of uterus (171-174)	{ M — F 317	— —	— —	— —	— —	1 36	— 36	— 159	— 74	— 47	
	Leukæmia and aleukæmia (204)	{ M 57 F 63	— —	2 —	4 7	6 5	3 2	15 6	18 26	6 12	3 5	
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M 1714 F 1321	— —	— 1	7 4	14 10	12 8	86 90	510 476	569 391	516 341	
B19	Benign and unspecified neoplasms	{ M 47 F 55	— 2	2 1	1 —	1 2	2 5	7 11	21 22	6 7	7 5	
B20	Diabetes mellitus	{ M 70 F 133	— —	— —	— —	1 1	1 —	5 3	16 42	30 44	17 43	
B21	Anæmias	{ M 54 F 85	— —	— —	— 1	1 1	— —	2 1	8 23	24 25	19 34	
B22	Vascular lesions affecting central nervous system	{ M 2444 F 2890	— —	— 1	— 1	1 1	2 4	37 48	453 550	839 922	1112 1363	
B23	Nonmeningococcal meningitis	{ M 14 F 7	2 1	3 2	— —	1 1	— —	3 2	3 1	2 —	— —	
B24	Rheumatic fever	{ M 19 F 15	— —	— —	1 1	8 5	— 2	7 5	1 1	2 1	— —	
B25	Chronic rheumatic heart disease	{ M 278 F 401	— —	— —	— —	2 3	11 12	59 76	105 164	70 90	31 56	

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Northern Region—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	Years			
									25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3091	—	—	—	—	1	101	1165	1057	767
		F	1795	—	—	—	—	—	11	412	732	640
		M	2178	—	—	—	1	3	9	206	620	1339
		F	2700	—	—	—	—	—	10	165	630	1895
B27	Other diseases of heart	M	215	1	—	2	—	4	7	64	61	76
		F	194	—	1	1	1	2	11	45	54	79
B28	Hypertension with heart disease	M	337	—	—	—	—	—	8	78	117	134
		F	390	—	—	—	—	—	5	75	135	175
B29	Hypertension without mention of heart	M	284	—	—	—	—	—	11	58	97	118
		F	226	—	—	—	1	1	4	47	78	95
B46 (Pt.)	Other circulatory diseases (450-468)	M	554	—	—	—	1	1	6	55	146	345
		F	480	—	—	—	—	—	12	51	120	297
B30	Influenza	M	48	—	3	—	1	—	5	11	9	19
		F	45	—	2	1	—	—	3	7	10	22
B31	Pneumonia	M	670	—	138	36	7	6	25	139	159	160
		F	540	—	130	18	5	4	11	71	110	191
B32	Bronchitis	M	1022	2	28	3	5	1	23	370	303	287
		F	469	2	18	4	—	2	14	66	126	237
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	182	—	4	4	1	3	22	72	38	38
		F	80	—	3	6	1	—	13	21	11	25
B33	Ulcer of stomach and duodenum	M	264	—	—	1	—	3	35	130	61	34
		F	80	—	—	—	—	1	5	27	25	22
B34	Appendicitis	M	37	—	1	4	2	4	10	6	4	6
		F	24	—	—	1	2	2	3	9	3	4
B35	Intestinal obstruction and hernia	M	120	6	7	1	3	2	6	28	30	37
		F	107	2	2	1	—	1	6	26	33	36
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	88	1	27	8	1	3	9	18	14	7
		F	108	—	25	3	2	2	12	14	22	28
B37	Cirrhosis of liver	M	50	—	—	—	—	—	7	26	11	6
		F	28	—	—	—	1	2	2	11	10	2
B38	Nephritis and nephrosis	M	213	—	—	2	3	14	43	66	39	46
		F	231	—	1	2	6	7	30	74	59	52
B39	Hyperplasia of prostate	M	293	—	—	—	—	—	—	23	108	162
B40	Complications of pregnancy, childbirth & puerperium	F	38	—	—	—	—	2	33	3	—	—
B41	Congenital malformations	M	183	84	43	12	3	9	15	12	3	2
		F	147	71	43	8	6	4	8	3	4	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	189	187	2	—	—	—	—	—	—	—
		F	104	103	—	1	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	6	6	—	—	—	—	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	—
		M	63	63	—	—	—	—	—	—	—	—
		F	43	43	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	286	278	8	—	—	—	—	—	—	—
		F	196	187	7	2	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	233	1	1	—	—	1	1	2	16	211
		F	318	2	1	—	—	—	—	1	24	290
B46 (Rem.)	All other diseases (Remainder 001-795)	M	665	5	25	14	15	17	83	226	144	136
		F	705	10	14	8	14	18	94	196	193	158
BE47	Motor vehicle accidents	M	251	—	—	26	20	50	69	52	18	16
		F	63	—	—	11	13	6	5	15	8	5
BE48	All other accidents	M	532	6	28	23	20	63	118	152	51	71
		F	308	7	22	14	14	5	12	44	54	136
BE49	Suicide and self-inflicted injury	M	191	—	—	—	—	6	47	83	40	15
		F	92	—	—	—	—	1	29	49	10	3
BE50	Homicide and operations of war	M	27	—	1	1	1	4	6	11	1	2
		F	7	2	—	—	—	1	3	1	—	—
BN47	Fractures, head injuries and internal injuries	M	575	—	—	28	23	96	154	158	44	72
		F	245	1	—	10	15	9	9	31	51	119
BN48	Burns	M	34	—	1	9	—	1	6	5	10	2
		F	44	—	2	11	7	1	1	7	6	9
BN49	Effects of poisons	M	126	—	—	2	1	2	34	56	24	7
		F	81	—	—	—	—	1	23	44	7	6
BN50	All other injuries	M	266	6	28	11	17	24	46	79	32	23
		F	100	8	20	4	5	2	16	27	8	10
"Delayed" maternal deaths (see page 190)			3	—	—	—	—	—	1	2	—	—



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Tyneside Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	5225 4402	186 117	95 76	58 37	22 24	59 40	335 261	1523 938	1462 1208	1485 1701
B1	Tuberculosis of respiratory system	{ M F	197 97	— —	— —	1 1	— —	8 12	51 52	103 25	32 6	2 1
B2	Tuberculosis, other forms	{ M F	18 14	— —	1 —	5 3	1 1	2 4	4 2	4 2	1 2	— —
B3	Syphilis and its sequelæ	{ M F	28 10	— —	— 1	— —	— —	— —	2 1	13 4	8 3	5 1
B4	Typhoid fever	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	3 3	— —	2 1	1 2	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	5 5	— —	2 1	3 4	— —	— —	— —	— —	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	3 —	— —	— —	2 —	— —	— —	1 —	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	4 3	1 —	1 2	2 1	— —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	13 11	— —	1 1	1 —	1 1	— 1	4 2	3 4	1 —	2 2
	Malignant neoplasm of stomach (151)	{ M F	183 155	— —	— —	— —	— —	— —	6 8	80 42	54 54	43 51
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	257 48	— —	— —	— —	— —	1 —	18 2	152 23	72 16	14 7
B18	Malignant neoplasm of breast (170)	{ M F	1 116	— —	— —	— —	— —	— —	— 12	— 52	1 33	— 19
	Malignant neoplasm of uterus (171-174)	{ M F	86 —	— —	— —	— —	— —	— —	12 44	52 44	33 18	19 12
	Leukæmia and aleukæmia (204)	{ M F	16 16	— —	1 —	— —	3 2	1 —	4 1	3 6	2 4	2 3
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	477 366	— —	— —	3 1	2 3	4 2	33 22	132 132	165 105	138 101
B19	Benign and unspecified neoplasms	{ M F	11 10	— 1	— 1	— —	— —	— —	3 1	6 2	1 3	1 2
B20	Diabetes mellitus	{ M F	17 35	— —	— —	— —	1 —	— —	1 —	2 12	6 13	7 10
B21	Anæmias	{ M F	12 20	— —	— —	— 1	— —	— —	— —	4 5	6 8	2 6
B22	Vascular lesions affecting central nervous system	{ M F	612 711	— —	— —	— —	— 1	— 1	6 15	127 135	236 235	243 324
B23	Nonmeningococcal meningitis	{ M F	4 4	1 —	1 1	— —	— 1	— —	1 2	— —	1 —	— —
B24	Rheumatic fever	{ M F	3 2	— —	— —	— —	1 —	— —	2 1	— —	— 1	— —
B25	Chronic rheumatic heart disease	{ M F	90 120	— —	— —	— —	— 1	5 2	18 20	36 54	24 30	7 13

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Tyneside Conurbation—continued									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	816	—	—	—	—	—	26	323	266	201
		{ F	497	—	—	—	—	—	4	123	213	157
		{ M	499	—	—	—	—	1	3	46	157	292
		{ F	639	—	—	—	—	—	5	37	140	457
B27	Other diseases of heart	{ M	30	—	—	—	—	—	1	13	6	10
		{ F	50	—	—	—	—	2	5	9	15	19
B28	Hypertension with heart disease	{ M	85	—	—	—	—	—	4	21	29	31
		{ F	110	—	—	—	—	—	2	24	38	46
B29	Hypertension without mention of heart	{ M	85	—	—	—	—	—	2	20	29	34
		{ F	71	—	—	—	—	—	1	15	28	27
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	185	—	—	—	1	1	1	12	50	120
		{ F	147	—	—	—	—	—	5	15	38	89
B30	Influenza	{ M	11	—	2	—	1	—	2	2	1	3
		{ F	13	—	—	—	—	—	2	3	1	7
B31	Pneumonia	{ M	221	—	38	12	1	1	12	48	57	52
		{ F	154	—	35	5	1	1	2	18	33	59
B32	Bronchitis	{ M	351	1	11	1	—	1	8	135	107	87
		{ F	152	—	3	1	—	—	4	15	51	78
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	42	—	1	—	—	1	9	9	13	9
		{ F	25	—	—	1	1	—	4	7	2	10
B33	Ulcer of stomach and duodenum	{ M	76	—	—	—	—	1	7	42	14	12
		{ F	14	—	—	—	—	1	1	3	5	4
B34	Appendicitis	{ M	6	—	—	—	—	—	3	2	—	1
		{ F	1	—	—	—	—	—	1	—	—	—
B35	Intestinal obstruction and hernia	{ M	29	1	2	—	—	2	2	6	9	7
		{ F	28	—	1	—	—	1	3	2	11	10
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	27	—	8	3	—	—	1	10	3	2
		{ F	27	—	7	1	1	1	3	3	5	6
B37	Cirrhosis of liver	{ M	19	—	—	—	—	—	5	8	3	3
		{ F	5	—	—	—	—	—	—	3	1	1
B38	Nephritis and nephrosis	{ M	50	—	—	1	—	4	11	18	11	5
		{ F	72	—	1	1	1	2	10	19	17	21
B39	Hyperplasia of prostate	M	73	—	—	—	—	—	—	6	20	47
B40	Complications of pregnancy, childbirth & puerperium	F	15	—	—	—	—	1	14	—	—	—
B41	Congenital malformations	{ M	41	20	9	7	—	1	2	—	1	1
		{ F	44	22	9	4	5	—	2	1	1	—
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	56	55	1	—	—	—	—	—	—	—
		{ F	22	22	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	1	1	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
		{ M	16	16	—	—	—	—	—	—	—	—
		{ F	16	16	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	88	85	3	—	—	—	—	—	—	—
		{ F	53	52	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	54	1	—	—	—	1	1	1	6	44
		{ F	82	2	—	—	—	—	—	—	6	74
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	189	2	6	4	5	3	23	68	45	33
		{ F	190	1	4	3	1	7	25	57	47	45
BE47	Motor vehicle accidents	{ M	44	—	—	7	1	7	11	12	2	4
		{ F	24	—	—	5	3	2	1	7	4	2
BE48	All other accidents	{ M	122	2	4	4	4	13	27	39	12	17
		{ F	90	—	7	3	1	—	4	18	21	36
BE49	Suicide and self-inflicted injury	{ M	45	—	—	—	—	—	16	14	11	4
		{ F	27	—	—	—	—	—	9	17	—	1
BE50	Homicide and operations of war	{ M	7	—	1	1	—	1	3	1	—	—
		{ F	2	1	—	—	—	—	1	—	—	—
BN47	Fractures, head injuries and internal injuries	{ M	117	—	—	7	1	15	28	40	7	19
		{ F	77	—	—	5	3	2	3	12	21	31
BN48	Burns	{ M	4	—	—	2	—	—	—	—	2	—
		{ F	8	—	—	2	—	—	—	2	1	3
BN49	Effects of poisons	{ M	40	—	—	—	—	—	15	14	8	3
		{ F	25	—	—	—	—	—	8	16	—	1
BN50	All other injuries	{ M	57	2	5	3	4	6	14	12	8	3
		{ F	33	1	7	1	1	—	4	12	3	4



TABLE 19—continued.

Abbreviated List No	Causes of Death	East and West Ridings Region									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 25288 F 23160	686 509	385 309	191 155	152 129	241 162	1316 1038	6908 4687	7419 6287	7990 9884
B1	Tuberculosis of respiratory system	{ M 558 F 252	— —	— —	1 —	6 —	16 31	130 116	276 64	103 26	26 15
B2	Tuberculosis, other forms	{ M 61 F 56	— —	2 1	17 14	3 9	7 8	9 13	13 5	10 3	— 3
B3	Syphilis and its sequelæ	{ M 108 F 61	— 1	— —	— —	1 —	— 1	4 4	56 30	30 13	17 12
B4	Typhoid fever	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M 2 F 2	— —	— —	— —	— 1	— —	— —	— —	2 1	— —
B8	Diphtheria	{ M — F 2	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
B9	Whooping cough	{ M 8 F 14	— —	6 7	2 7	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M 15 F 4	— —	8 —	3 —	2 —	— —	2 —	— 2	— 2	— —
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M 17 F 10	— —	1 —	1 —	2 2	3 2	8 5	2 1	— —	— —
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M 7 F 11	— —	2 3	4 5	1 2	— 1	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M 1 F —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M 42 F 47	2 —	1 2	3 2	3 1	3 2	11 10	9 16	5 9	5 5
B18	Malignant neoplasm of stomach (151)	{ M 823 F 604	— —	— —	— —	— —	— —	44 19	304 180	296 212	179 193
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 1109 F 209	1 —	— —	1 —	— —	1 1	71 16	612 98	338 59	85 35
	Malignant neoplasm of breast (170)	{ M 4 F 735	— —	— —	— —	— —	— —	— 82	4 330	— 182	— 141
	Malignant neoplasm of uterus (171-174)	{ M — F 442	— —	— —	— —	— —	— —	— 36	— 239	— 105	— 62
	Leukæmia and aleukæmia (204)	{ M 99 F 82	— —	1 —	9 7	5 6	8 2	16 12	28 27	23 19	9 9
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 2396 F 1821	— —	5 —	14 7	9 11	10 10	136 111	718 617	820 587	684 478
	Benign and unspecified neoplasms	{ M 90 F 90	1 1	1 1	— —	6 4	3 2	11 17	48 43	14 12	6 10
	Diabetes mellitus	{ M 107 F 205	— —	— —	— —	— 1	2 2	8 5	26 54	39 86	32 57
	Anæmias	{ M 44 F 107	— —	1 —	— 2	2 —	— —	2 8	9 16	19 31	11 50
	Vascular lesions affecting central nervous system	{ M 3132 F 4026	— —	1 1	— 1	1 —	3 —	42 50	618 693	1108 1302	1359 1979
B23	Nonmeningococcal meningitis	{ M 24 F 17	3 1	9 7	3 1	1 —	— —	1 —	5 5	2 3	— —
B24	Rheumatic fever	{ M 11 F 18	— —	— 1	1 —	3 4	2 4	4 5	— 3	1 —	— 1
B25	Chronic rheumatic heart disease	{ M 331 F 570	— —	— —	— —	2 6	7 16	74 126	140 222	66 118	42 82

TABLE 19—continued.

Abbreviated List No.	Causes of Death	East and West Ridings Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	3958	—	—	—	1	106	1486	1452	913
		{ F	2273	—	—	—	—	23	481	938	831
		{ M	2918	—	—	—	1	17	303	792	1805
		{ F	3908	—	—	2	1	9	267	828	2801
B27	Other diseases of heart	{ M	333	—	1	—	2	22	79	100	129
		{ F	343	—	—	2	3	7	73	116	142
B28	Hypertension with heart disease	{ M	509	—	—	—	—	4	126	204	175
		{ F	538	—	—	—	—	7	98	195	238
B29	Hypertension without mention of heart	{ M	279	—	2	—	—	4	69	91	113
		{ F	303	—	—	—	—	8	68	100	127
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	832	—	1	—	1	9	80	224	517
		{ F	897	—	2	1	2	9	69	167	647
B30	Influenza	{ M	84	—	3	1	2	1	9	30	18
		{ F	84	—	1	1	1	8	16	21	36
B31	Pneumonia	{ M	978	—	140	29	4	6	36	218	291
		{ F	860	—	113	22	5	4	34	118	372
B32	Bronchitis	{ M	1904	3	30	9	1	1	28	619	568
		{ F	988	1	19	5	4	4	9	134	513
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	232	2	7	2	—	4	19	113	46
		{ F	141	1	7	4	5	3	15	36	28
B33	Ulcer of stomach and duodenum	{ M	337	—	—	—	—	1	22	145	97
		{ F	114	—	—	—	—	6	34	37	37
B34	Appendicitis	{ M	44	—	—	2	5	6	11	10	4
		{ F	42	1	—	2	5	2	9	18	3
B35	Intestinal obstruction and hernia	{ M	157	8	8	3	3	2	10	46	40
		{ F	148	8	4	3	—	1	3	31	52
B36	Gastritis, enteritis and diarrhoea except	{ M	88	1	41	3	1	1	9	11	10
	diarrhoea of newborn	{ F	120	—	29	4	5	1	6	22	22
B37	Cirrhosis of liver	{ M	50	—	1	—	—	1	12	18	11
		{ F	48	1	1	—	—	1	5	18	20
B38	Nephritis and nephrosis	{ M	345	—	—	2	3	11	57	123	77
		{ F	341	—	—	2	6	12	49	105	93
B39	Hyperplasia of prostate	M	379	—	—	—	—	—	19	116	244
B40	Complications of pregnancy, childbirth & puerperium	F	46	—	—	—	—	7	38	1	—
B41	Congenital malformations	{ M	206	90	60	11	10	5	11	11	5
		{ F	206	97	45	19	7	5	13	13	7
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	253	248	5	—	—	—	—	—	—
		{ F	179	176	3	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	6	6	—	—	—	—	—	—	—
		{ F	2	2	—	—	—	—	—	—	—
		{ M	38	38	—	—	—	—	—	—	—
		{ F	28	28	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	278	271	7	—	—	—	—	—	—
		{ F	196	184	12	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	230	—	1	1	—	—	3	25	200
		{ F	336	—	1	1	—	—	4	16	314
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	720	6	25	14	10	24	91	226	186
		{ F	920	3	21	17	14	17	82	289	245
BE47	Motor vehicle accidents	{ M	271	—	—	23	28	50	70	55	22
		{ F	94	—	1	2	14	6	18	19	14
BE48	All other accidents	{ M	573	5	16	29	36	48	126	120	67
		{ F	451	4	26	23	13	7	19	50	73
BE49	Suicide and self-inflicted injury	{ M	270	—	—	—	—	10	64	118	50
		{ F	160	—	—	—	—	2	32	82	36
BE50	Homicide and operations of war	{ M	27	1	—	2	2	—	5	12	5
		{ F	9	—	1	1	—	1	1	5	—
BN47	Fractures, head injuries and internal injuries	{ M	622	1	1	24	37	76	161	135	69
		{ F	365	—	3	6	17	6	20	46	55
BN48	Burns	{ M	27	—	—	8	3	—	3	5	2
		{ F	66	1	—	14	8	3	4	9	10
BN49	Effects of poisons	{ M	216	—	1	4	3	6	48	91	38
		{ F	184	—	1	3	1	2	34	74	47
BN50	All other injuries	{ M	276	5	14	18	23	26	53	74	35
		{ F	99	3	24	3	1	5	12	27	11

"Delayed" maternal deaths  
(see page 190)

4



TABLE 19—continued.

Abbreviated List No.	Causes of Death		West Yorkshire Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M	11094	267	152	72	54	81	547	3130	3418	3373
		{ F	10832	197	125	67	53	52	419	2198	3030	4691
B1	Tuberculosis of respiratory system	{ M	208	—	—	1	2	4	49	106	42	4
		{ F	105	—	—	—	—	6	53	30	10	6
B2	Tuberculosis, other forms	{ M	22	—	1	9	—	3	—	6	3	—
		{ F	23	—	—	5	4	4	3	3	2	2
B3	Syphilis and its sequelæ	{ M	54	—	—	—	—	—	3	32	14	5
		{ F	27	—	—	—	—	1	—	12	8	6
B4	Typhoid fever	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	{ M	1	—	—	—	—	—	—	—	1	—
		{ F	1	—	—	—	—	—	—	—	1	—
B8	Diphtheria	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	{ M	3	—	3	—	—	—	—	—	—	—
		{ F	7	—	3	4	—	—	—	—	—	—
B10	Meningococcal infections	{ M	6	—	6	—	—	—	—	—	—	—
		{ F	2	—	—	—	—	—	—	1	1	—
B11	Plague	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M	10	—	—	—	1	1	6	2	—	—
		{ F	5	—	—	—	2	1	2	—	—	—
B13	Smallpox	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M	3	—	1	2	—	—	—	—	—	—
		{ F	3	—	—	2	1	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M	1	—	—	—	—	—	1	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M	21	1	1	1	1	2	5	4	3	3
		{ F	19	—	2	1	1	1	1	8	3	2
	Malignant neoplasm of stomach (151)	{ M	338	—	—	—	—	—	18	124	120	76
		{ F	288	—	—	—	—	—	9	86	107	86
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M	473	—	—	—	—	—	32	273	137	31
		{ F	88	—	—	—	—	1	6	34	28	19
B18	Malignant neoplasm of breast (170)	{ M	2	—	—	—	—	—	—	2	—	—
		{ F	341	—	—	—	—	—	35	160	89	57
	Malignant neoplasm of uterus (171-174)	{ F	208	—	—	—	—	—	15	111	50	32
	Leukæmia and aleukæmia (204)	{ M	42	—	—	2	2	2	8	14	9	5
		{ F	35	—	—	2	1	1	4	12	11	4
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M	996	—	2	3	2	5	52	305	367	260
		{ F	891	—	—	5	5	7	41	321	270	242
B19	Benign and unspecified neoplasms	{ M	33	—	1	—	1	1	5	17	6	2
		{ F	40	—	—	—	3	1	4	20	8	4
B20	Diabetes mellitus	{ M	48	—	—	—	—	1	4	12	18	13
		{ F	96	—	—	—	—	—	3	28	42	23
B21	Anæmias	{ M	17	—	—	—	—	—	—	6	8	3
		{ F	49	—	—	—	—	—	4	4	20	21
B22	Vascular lesions affecting central nervous system	{ M	1495	—	—	—	1	—	25	293	542	634
		{ F	1988	—	—	—	—	—	25	326	643	994
B23	Nonmeningococcal meningitis	{ M	10	1	4	2	—	—	1	1	1	—
		{ F	9	1	2	—	—	—	—	4	2	—
B24	Rheumatic fever	{ M	6	—	—	—	1	2	3	—	—	—
		{ F	4	—	—	—	—	1	1	2	—	—
B25	Chronic rheumatic heart disease	{ M	154	—	—	—	—	2	31	69	30	22
		{ F	277	—	—	—	3	4	55	106	69	40

TABLE 19—continued.

Abbreviated List No.	Causes of Death	West Yorkshire Conurbation—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	1853	—	—	—	—	49	715	702	387
		{ F	1093	—	—	—	—	9	228	454	402
		{ M	1298	—	—	—	—	6	140	368	784
		{ F	1887	—	—	2	1	4	128	396	1356
B27	Other diseases of heart	{ M	129	—	—	—	2	10	36	44	37
		{ F	123	—	1	—	—	2	26	42	52
B28	Hypertension with heart disease	{ M	260	—	—	—	—	2	65	114	79
		{ F	279	—	—	—	—	2	48	105	124
B29	Hypertension without mention of heart	{ M	135	—	1	—	—	3	38	37	56
		{ F	143	—	—	—	—	5	31	41	66
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	247	—	1	—	1	3	35	78	129
		{ F	293	—	—	—	—	5	27	52	209
B30	Influenza	{ M	30	—	1	—	1	4	7	9	8
		{ F	32	—	1	—	—	5	9	8	9
B31	Pneumonia	{ M	414	—	51	9	3	13	85	109	144
		{ F	419	—	45	11	2	14	53	99	194
B32	Bronchitis	{ M	940	—	10	3	1	12	302	328	284
		{ F	496	—	6	1	1	5	68	157	258
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	97	—	1	—	3	9	45	23	15
		{ F	74	—	3	1	4	4	19	16	26
B33	Ulcer of stomach and duodenum	{ M	139	—	—	—	—	7	57	43	32
		{ F	47	—	—	—	—	2	15	17	13
B34	Appendicitis	{ M	17	—	—	2	1	2	7	1	4
		{ F	17	—	—	2	—	—	4	10	1
B35	Intestinal obstruction and hernia	{ M	68	3	3	2	—	5	20	17	18
		{ F	57	4	3	1	—	2	13	17	17
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	34	—	14	—	1	3	3	6	7
		{ F	46	—	10	2	3	1	7	10	12
B37	Cirrhosis of liver	{ M	29	—	1	—	—	8	11	7	1
		{ F	16	—	—	—	—	2	9	4	2
B38	Nephritis and nephrosis	{ M	145	—	—	1	2	25	49	33	33
		{ F	163	—	—	—	4	19	47	45	43
B39	Hyperplasia of prostate	M	132	—	—	—	—	—	4	36	92
B40	Complications of pregnancy, childbirth & puerperium	F	18	—	—	—	3	15	—	—	—
B41	Congenital malformations	{ M	93	41	27	5	7	1	4	6	2
		{ F	71	35	14	9	1	2	6	3	—
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	100	98	2	—	—	—	—	—	—
		{ F	59	57	2	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	1	1	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—
		{ M	17	17	—	—	—	—	—	—	—
		{ F	13	13	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	103	101	2	—	—	—	—	—	—
		{ F	93	83	10	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	73	—	—	1	—	—	1	8	63
		{ F	142	—	—	—	—	—	—	7	135
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	311	2	9	3	3	10	41	95	86
		{ F	423	2	14	8	7	4	29	122	128
BE47	Motor vehicle accidents	{ M	99	—	—	12	12	12	25	18	8
		{ F	42	—	—	1	3	3	6	10	7
BE48	All other accidents	{ M	242	2	11	12	17	15	42	55	33
		{ F	208	2	10	11	7	2	11	22	34
BE49	Suicide and self-inflicted injury	{ M	127	—	—	—	—	7	28	60	20
		{ F	67	—	—	—	—	14	34	14	5
BE50	Homicide and operations of war	{ M	18	—	—	—	—	3	10	5	—
		{ F	5	—	—	—	—	1	4	—	—
BN47	Fractures, head injuries and internal injuries	{ M	241	—	1	12	17	22	53	49	32
		{ F	163	—	1	3	5	2	7	22	24
BN48	Burns	{ M	11	—	—	4	2	—	—	3	—
		{ F	27	—	—	8	3	1	2	2	3
BN49	Effects of poisons	{ M	114	—	1	—	1	3	22	51	23
		{ F	92	—	—	1	1	—	20	32	25
BN50	All other injuries	{ M	120	2	9	8	9	9	23	40	11
		{ F	40	2	9	—	1	3	2	14	3
"Delayed" maternal deaths (see page 190)			1	—	—	—	—	—	1	—	—



TABLE 19—continued.

Abbreviated List No.	Causes of Death		North Western Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M 40547 F 38491	1186 960	662 476	310 241	271 188	420 280	2178 1780	11897 7950	11872 10819	11751 15797	
B1	Tuberculosis of respiratory system	{ M 1111 F 476	—	2	4	1	30	290	564	185	35	
B2	Tuberculosis, other forms	{ M 128 F 102	—	9	28	19	14	27	20	5	6	
B3	Syphilis and its sequelæ	{ M 133 F 71	—	5	—	—	1	7	73	34	13	
B4	Typhoid fever	{ M 1 F —	—	—	—	—	—	1	—	—	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 2 F 3	—	—	—	—	1	1	—	—	—	
B7	Scarlet fever and streptococcal sore throat	{ M 7 F 6	1	—	—	1	—	2	2	—	1	
B8	Diphtheria	{ M 4 F 3	—	—	2	1	—	2	1	—	—	
B9	Whooping cough	{ M 15 F 12	—	11	4	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 41 F 17	—	13	15	5	2	3	3	—	—	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 16 F 7	—	—	—	6	1	8	1	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 13 F 15	—	6	7	—	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F 1	—	—	—	—	—	—	1	—	—	
B16	Malaria	{ M 1 F —	—	—	—	—	1	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 80 F 94	3	6	7	5	2	11	23	10	13	
B18	Malignant neoplasm of stomach (151)	{ M 1333 F 1093	—	—	—	—	—	41	560	464	268	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 1897 F 345	—	—	—	—	2	109	1161	516	109	
	Malignant neoplasm of breast (170)	{ M 8 F 1123	—	—	—	—	—	3	4	1	—	
	Malignant neoplasm of uterus (171-174)	{ M — F 669	—	—	1	—	1	122	503	278	219	
	Leukæmia and aleukæmia (204)	{ M 168 F 118	1	—	15	16	8	31	56	31	10	
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 3500 F 2969	—	2	10	18	29	190	1117	1187	947	
	Benign and unspecified neoplasms	{ M 126 F 138	1	1	1	3	8	20	53	28	11	
	Diabetes mellitus	{ M 152 F 354	—	—	—	3	1	12	35	65	35	
	Anæmias	{ M 112 F 240	—	1	1	3	1	6	23	42	35	
	Vascular lesions affecting central nervous system	{ M 4637 F 6376	2	—	—	5	8	85	1047	1705	1785	
B23	Nonmeningococcal meningitis	{ M 29 F 29	—	9	1	2	2	3	12	—	—	
B24	Rheumatic fever	{ M 20 F 32	—	—	2	5	8	3	2	—	—	
B25	Chronic rheumatic heart disease	{ M 564 F 948	—	—	—	3	25	148	232	101	55	
			—	—	—	4	23	223	375	195	128	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	North Western Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	6136	—	—	—	1	185	2469	2208	1273
		F	3374	—	—	—	—	38	772	1383	1181
		M	5196	—	—	—	2	31	568	1518	3077
		F	6956	—	—	1	2	28	459	1682	4784
B27	Other diseases of heart	M	554	—	—	3	1	3	27	170	180
		F	655	—	2	—	2	21	134	225	269
B28	Hypertension with heart disease	M	721	—	—	—	—	5	196	247	273
		F	910	—	—	—	—	9	182	312	407
B29	Hypertension without mention of heart	M	545	—	—	—	1	16	123	192	213
		F	623	—	—	—	2	27	108	207	279
B46 (Pt.)	Other circulatory diseases (450-468)	M	1069	—	1	—	2	31	155	304	576
		F	1172	—	—	1	2	15	122	308	724
B30	Influenza	M	181	1	6	—	2	3	8	62	41
		F	164	—	4	3	—	7	34	42	74
B31	Pneumonia	M	1506	—	250	40	4	11	50	357	425
		F	1337	—	164	44	10	8	54	220	522
B32	Bronchitis	M	3124	3	33	9	1	2	71	1031	835
		F	1862	5	23	8	1	5	30	298	887
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	440	4	6	6	4	11	49	198	60
		F	218	—	7	5	5	9	29	47	73
B33	Ulcer of stomach and duodenum	M	573	—	—	—	—	6	54	238	86
		F	197	—	1	—	—	14	70	68	44
B34	Appendicitis	M	91	—	1	3	9	7	11	31	15
		F	70	—	—	5	1	2	4	23	13
B35	Intestinal obstruction and hernia	M	217	8	7	4	—	2	9	61	57
		F	257	10	9	2	2	—	9	56	81
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	179	1	68	11	3	1	16	29	21
		F	207	—	58	6	—	5	10	36	46
B37	Cirrhosis of liver	M	75	—	—	—	2	1	11	47	9
		F	75	1	1	1	1	1	6	32	24
B38	Nephritis and nephrosis	M	446	—	—	4	8	22	67	168	96
		F	509	—	1	1	12	11	68	145	142
B39	Hyperplasia of prostate	M	531	—	—	—	—	—	—	50	179
B40	Complications of pregnancy, childbirth & puerperium	F	71	—	—	—	—	16	53	2	—
B41	Congenital malformations	M	368	160	108	22	11	13	17	26	7
		F	366	190	86	15	12	8	26	23	4
B42	Birth injuries, postnatal asphyxia & atelectasis	M	442	429	13	—	—	—	—	—	—
		F	318	307	11	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	5	5	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—
		M	119	118	1	—	—	—	—	—	—
		F	67	67	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	438	422	15	1	—	—	—	—	—
		F	357	343	14	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	534	1	4	2	—	2	—	7	470
		F	788	1	2	—	—	1	1	6	45
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1232	13	34	27	28	35	134	408	338
		F	1646	10	22	18	27	26	149	552	430
BE47	Motor vehicle accidents	M	470	—	—	41	50	73	127	103	38
		F	149	—	—	19	17	8	17	34	29
BE48	All other accidents	M	795	13	50	39	51	59	159	203	86
		F	640	16	25	29	20	9	28	79	124
BE49	Suicide and self-inflicted injury	M	436	—	—	—	—	16	94	201	79
		F	244	—	—	—	—	5	47	118	57
BE50	Homicide and operations of war	M	26	—	—	—	1	3	8	8	6
		F	15	—	1	2	1	2	5	3	—
BN47	Fractures, head injuries and internal injuries	M	887	2	—	52	61	102	226	230	92
		F	504	2	1	20	18	11	24	51	110
BN48	Burns	M	39	—	2	2	2	6	5	2	2
		F	85	—	1	15	13	1	2	12	11
BN49	Effects of poisons	M	334	—	—	6	—	15	78	139	59
		F	264	—	1	6	2	5	38	122	57
BN50	All other injuries	M	467	11	48	20	39	28	79	144	56
		F	195	14	23	9	5	7	33	49	32

"Delayed" maternal deaths  
(see page 190)



TABLE 19—continued.

Abbreviated List No.	Causes of Death		South East Lancashire Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	15487 14910	425 345	247 189	109 89	104 71	131 87	849 706	4778 3216	4531 4347	4313 5860
B1	Tuberculosis of respiratory system	{ M F	475 201	— —	1 1	3 2	1 —	10 20	115 96	245 55	79 22	21 5
B2	Tuberculosis, other forms	{ M F	47 32	— —	3 4	10 7	9 4	4 4	9 5	8 4	1 3	3 1
B3	Syphilis and its sequelæ	{ M F	61 29	— —	2 —	— —	— —	1 —	6 3	30 14	15 6	7 6
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	2 3	— —	— 1	— —	— —	— —	1 —	1 2	— —	— —
B8	Diphtheria	{ M F	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	6 4	— —	5 2	1 2	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	11 4	— 1	3 2	3 —	1 —	— —	2 —	2 1	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	5 1	— —	— —	— —	2 —	— 1	2 —	1 —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	4 6	— —	2 1	2 3	— 2	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	29 41	— —	1 2	1 2	3 2	1 —	5 12	11 13	6 4	1 6
B18	Malignant neoplasm of stomach (151)	{ M F	501 419	— —	— —	— 1	— —	— —	13 11	218 122	179 158	91 127
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	796 135	— —	— —	— —	— —	1 —	45 10	474 73	224 31	52 21
	Malignant neoplasm of breast (170)	{ M F	4 460	— —	— —	— —	— —	— —	— 45	1 223	2 115	1 77
	Malignant neoplasm of uterus (171-174)	{ M F	253	—	—	—	—	—	26	137	61	29
	Leukæmia and aleukæmia (204)	{ M F	57 42	— —	— —	4 3	4 3	2 5	10 4	23 12	10 13	4 2
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	1305 1146	— —	— —	4 6	7 2	9 3	70 77	419 418	439 365	357 275
	Benign and unspecified neoplasms	{ M F	48 44	— —	— —	1 —	1 1	3 1	10 6	23 23	9 5	1 8
	Diabetes mellitus	{ M F	59 135	— —	— —	1 —	2 —	— 2	6 6	8 29	25 58	17 40
	Anæmias	{ M F	46 106	— —	1 —	— —	2 1	— —	2 6	7 29	23 29	11 41
	Vascular lesions affecting central nervous system	{ M F	1763 2479	1 —	— —	— —	1 —	2 3	38 44	433 478	644 878	644 1076
B23	Nonmeningococcal meningitis	{ M F	12 11	— —	4 2	— 2	— 1	1 2	1 —	6 1	— 2	— 1
B24	Rheumatic fever	{ M F	9 14	— —	— —	— —	2 4	4 —	2 3	1 4	— 3	— —
B25	Chronic rheumatic heart disease	{ M F	219 387	— —	— —	— —	1 1	6 3	57 102	96 157	37 88	22 36

TABLE 19—continued.

Abbreviated List No.	Causes of Death	South East Lancashire Conurbation—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2150	—	—	—	—	76	933	728	413
		F	1194	—	—	—	—	11	290	497	396
		M	1980	—	—	—	—	11	229	592	1148
		F	2642	—	—	1	—	6	161	699	1775
B27	Other diseases of heart	M	204	—	—	2	1	1	8	68	58
		F	233	—	1	—	1	—	4	48	95
B28	Hypertension with heart disease	M	253	—	—	—	—	—	4	68	91
		F	341	—	—	—	—	—	1	77	147
B29	Hypertension without mention of heart	M	218	—	—	—	—	—	8	47	89
		F	283	—	—	—	—	—	12	57	123
B46 (Pt.)	Other circulatory diseases (450-468)	M	476	—	1	—	—	1	12	62	136
		F	548	—	—	—	—	—	6	49	143
B30	Influenza	M	53	—	1	—	1	2	2	20	18
		F	39	—	1	—	—	—	1	9	8
B31	Pneumonia	M	544	—	81	14	1	7	15	144	149
		F	439	—	55	18	3	2	19	83	107
B32	Bronchitis	M	1415	—	9	5	—	1	32	479	522
		F	899	1	5	4	—	—	13	159	323
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	188	—	4	2	2	5	23	88	42
		F	78	—	2	2	2	3	18	10	12
B33	Ulcer of stomach and duodenum	M	207	—	—	—	—	4	22	92	67
		F	82	—	—	—	—	—	4	31	31
B34	Appendicitis	M	40	—	1	—	4	3	4	15	8
		F	26	—	—	3	—	—	—	9	9
B35	Intestinal obstruction and hernia	M	83	2	1	3	—	1	3	31	22
		F	109	3	7	—	—	—	5	26	32
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	70	—	26	3	1	1	5	12	13
		F	77	—	27	1	—	2	2	14	16
B37	Cirrhosis of liver	M	35	—	—	—	—	1	2	24	6
		F	36	1	—	1	—	—	3	13	11
B38	Nephritis and nephrosis	M	151	—	—	1	3	5	34	57	29
		F	197	—	—	—	5	3	23	65	55
B39	Hyperplasia of prostate	M	183	—	—	—	—	—	—	22	64
B40	Complications of pregnancy, childbirth & puerperium	F	26	—	—	—	—	7	18	1	—
B41	Congenital malformations	M	140	54	47	9	3	10	7	9	—
		F	131	63	36	5	5	5	8	5	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	177	169	8	—	—	—	—	—	—
		F	118	114	4	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
		M	44	43	1	—	—	—	—	—	—
		F	16	16	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	151	147	3	1	—	—	—	—	—
		F	141	137	4	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	191	—	3	1	—	—	—	1	16
		F	261	—	1	—	—	—	—	—	13
B46 (Rem.)	All other diseases (Remainder 001-795)	M	471	3	17	11	8	10	54	182	114
		F	602	3	16	4	13	13	53	210	154
BE47	Motor vehicle accidents	M	159	—	—	15	18	16	43	37	14
		F	68	—	—	9	9	2	8	21	11
BE48	All other accidents	M	269	3	22	12	25	13	55	65	36
		F	251	6	15	11	10	3	7	36	60
BE49	Suicide and self-inflicted injury	M	164	—	—	—	—	4	33	82	30
		F	107	—	—	—	—	2	25	46	26
BE50	Homicide and operations of war	M	11	—	—	—	1	2	2	4	2
		F	7	—	—	1	—	1	3	1	—
BN47	Fractures, head injuries and internal injuries	M	291	2	—	17	24	25	74	75	38
		F	195	1	—	9	9	3	11	26	50
BN48	Burns	M	19	—	2	—	1	—	2	2	1
		F	37	—	1	5	5	1	—	7	7
BN49	Effects of poisons	M	132	—	—	2	—	3	31	59	26
		F	115	—	—	2	2	2	16	48	31
BN50	All other injuries	M	161	1	20	8	19	7	26	52	17
		F	86	5	14	5	3	2	16	23	9



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Merseyside Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M	8061	328	190	93	60	110	494	2375	2227	2184
		{ F	7506	253	126	60	42	93	409	1457	1954	3112
B1	Tuberculosis of respiratory system	{ M	262	—	—	—	—	9	73	133	39	8
		{ F	152	—	—	1	—	19	84	34	7	7
B2	Tuberculosis, other forms	{ M	31	—	2	11	4	5	4	3	2	—
		{ F	33	—	3	3	8	5	4	7	3	—
B3	Syphilis and its sequelæ	{ M	29	—	—	—	—	—	—	16	8	5
		{ F	12	—	1	—	—	—	1	5	2	3
B4	Typhoid fever	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	{ M	1	—	—	—	—	—	—	—	—	1
		{ F	2	—	—	—	—	—	1	1	—	—
B8	Diphtheria	{ M	2	—	—	1	1	—	—	—	—	—
		{ F	1	—	—	—	—	—	1	—	—	—
B9	Whooping cough	{ M	4	—	4	—	—	—	—	—	—	—
		{ F	2	—	—	2	—	—	—	—	—	—
B10	Meningococcal infections	{ M	16	—	7	6	3	—	—	—	—	—
		{ F	9	1	4	2	2	—	—	—	—	—
B11	Plague	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M	3	—	—	—	1	1	1	—	—	—
		{ F	1	—	—	—	—	—	1	—	—	—
B13	Smallpox	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M	7	—	3	4	—	—	—	—	—	—
		{ F	5	—	2	3	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	1	—	—	—	—	—	—	1	—	—
B16	Malaria	{ M	1	—	—	—	—	1	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M	20	2	1	3	—	1	4	4	3	2
		{ F	17	—	1	2	—	2	2	3	3	4
	Malignant neoplasm of stomach (151)	{ M	258	—	—	—	—	—	12	106	84	56
		{ F	224	—	—	—	—	—	6	66	82	70
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M	460	—	—	—	—	—	21	294	113	32
		{ F	75	—	—	—	—	—	3	28	27	17
B18	Malignant neoplasm of breast (170)	{ M	1	—	—	—	—	—	—	1	—	—
		{ F	223	—	—	—	—	1	31	92	52	47
	Malignant neoplasm of uterus (171-174)	{ F	115	—	—	1	—	—	6	53	33	22
	Leukæmia and aleukæmia (204)	{ M	55	—	—	4	7	2	16	13	10	3
		{ F	33	—	—	—	4	2	5	12	7	3
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M	701	—	1	1	5	10	39	222	250	173
		{ F	586	—	1	3	3	10	43	186	176	164
B19	Benign and unspecified neoplasms	{ M	26	1	1	—	1	—	3	11	6	3
		{ F	30	—	—	—	1	—	6	7	9	7
B20	Diabetes mellitus	{ M	24	—	—	—	—	—	2	9	8	5
		{ F	56	—	—	—	—	1	1	13	18	23
B21	Anæmias	{ M	17	—	—	—	—	1	1	4	4	7
		{ F	25	—	—	—	—	—	1	5	8	11
B22	Vascular lesions affecting central nervous system	{ M	806	—	—	—	—	5	15	177	290	319
		{ F	1080	—	—	—	1	2	15	204	337	521
B23	Nonmeningococcal meningitis	{ M	6	—	2	—	—	1	—	3	—	—
		{ F	8	2	2	1	—	—	2	1	—	—
B24	Rheumatic fever	{ M	5	—	—	—	2	2	1	—	—	—
		{ F	9	—	—	—	3	3	1	2	—	—
B25	Chronic rheumatic heart disease	{ M	104	—	—	—	—	8	36	41	14	5
		{ F	197	—	—	—	2	12	59	67	31	26

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Merseyside Conurbation—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	1195	—	—	—	—	—	43	484	422	246
		{ F	734	—	—	—	—	—	7	164	318	245
		{ M	920	—	—	—	—	2	6	93	260	559
		{ F	1224	—	—	—	—	—	4	68	249	903
B27	Other diseases of heart	{ M	131	—	—	1	—	1	7	38	39	4
		{ F	161	—	1	—	—	1	7	28	55	69
B28	Hypertension with heart disease	{ M	178	—	—	—	—	—	—	44	55	79
		{ F	239	—	—	—	—	—	5	31	77	126
B29	Hypertension without mention of heart	{ M	89	—	—	—	—	1	4	23	30	31
		{ F	104	—	—	—	—	1	7	16	31	49
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	154	—	—	—	—	1	5	35	40	73
		{ F	143	—	—	1	—	—	3	20	42	77
B30	Influenza	{ M	47	1	3	—	1	1	1	15	14	11
		{ F	51	—	1	1	—	1	1	12	16	20
B31	Pneumonia	{ M	397	—	75	14	—	2	13	79	89	125
		{ F	419	—	46	17	1	5	10	57	90	193
B32	Bronchitis	{ M	573	2	16	3	1	—	14	197	191	149
		{ F	318	3	11	1	—	4	5	59	88	147
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	106	—	1	1	1	3	11	41	31	17
		{ F	51	—	3	1	2	3	4	14	8	16
B33	Ulcer of stomach and duodenum	{ M	137	—	—	—	—	—	9	56	54	18
		{ F	44	—	1	—	—	—	3	9	19	12
B34	Appendicitis	{ M	13	—	—	—	—	2	1	6	1	3
		{ F	15	—	—	—	—	1	1	5	4	4
B35	Intestinal obstruction and hernia	{ M	34	2	1	—	—	—	4	6	10	11
		{ F	52	5	—	—	—	—	—	10	14	23
B36	Gastritis, enteritis and diarrhoea except	{ M	42	—	22	3	—	—	2	5	6	4
	diarrhoea of newborn	{ F	46	—	14	2	—	—	4	8	6	12
B37	Cirrhosis of liver	{ M	13	—	—	—	—	—	4	6	2	1
		{ F	17	—	1	—	1	1	1	6	7	—
B38	Nephritis and nephrosis	{ M	86	—	—	3	1	7	14	26	12	23
		{ F	71	—	—	—	1	3	12	19	18	18
B39	Hyperplasia of prostate	M	94	—	—	—	—	—	—	8	43	43
B40	Complications of pregnancy, childbirth & puerperium	F	12	—	—	—	—	3	8	1	—	—
B41	Congenital malformations	{ M	91	44	26	6	4	1	3	6	1	—
		{ F	83	48	16	2	2	2	4	8	1	—
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	144	144	—	—	—	—	—	—	—	—
		{ F	109	106	3	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	2	2	—	—	—	—	—	—	—	—
		{ F	2	2	—	—	—	—	—	—	—	—
		{ M	37	37	—	—	—	—	—	—	—	—
		{ F	20	20	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	89	86	3	—	—	—	—	—	—	—
		{ F	69	62	7	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	54	—	—	—	—	1	—	—	3	50
		{ F	90	—	—	—	—	1	—	2	2	85
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	221	3	10	8	6	10	27	60	57	40
		{ F	342	1	2	5	5	7	34	101	89	98
BE47	Motor vehicle accidents	{ M	96	—	—	15	15	13	27	16	6	4
		{ F	21	—	—	3	2	2	3	2	1	8
BE48	All other accidents	{ M	193	4	12	9	7	14	45	57	19	26
		{ F	133	3	5	9	4	1	5	9	19	78
BE49	Suicide and self-inflicted injury	{ M	82	—	—	—	—	5	23	36	11	7
		{ F	37	—	—	—	—	1	8	19	5	4
BE50	Homicide and operations of war	{ M	4	—	—	—	—	—	3	1	—	—
		{ F	3	—	1	—	—	—	—	2	—	—
BN47	Fractures, head injuries and internal injuries	{ M	206	—	—	20	18	20	59	52	16	21
		{ F	106	—	1	4	2	3	4	7	14	71
BN48	Burns	{ M	9	—	—	1	1	—	1	—	1	5
		{ F	18	—	—	6	4	—	2	2	—	4
BN49	Effects of poisons	{ M	73	—	—	2	—	5	20	33	8	5
		{ F	42	—	—	2	—	1	4	19	5	11
BN50	All other injuries	{ M	87	4	12	1	3	7	18	25	11	6
		{ F	28	3	5	—	—	—	6	4	6	4
	“Delayed” maternal deaths (see page 190)		2	—	—	—	—	—	1	1	—	—



TABLE 19—continued.

Abbreviated List No.	Causes of Death		North Midland Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						75 & over
						1-	5-	15-	25-	45-	65-	
	ALL CAUSES	{ M 18937 F 16915	18937 16915	569 445	301 213	153 119	136 95	264 158	973 770	4784 3251	5324 4383	6433 7481
B1	Tuberculosis of respiratory system	{ M 463 F 245	463 245	1 —	— 1	1 3	1 2	18 32	129 114	223 68	78 17	12 8
B2	Tuberculosis, other forms	{ M 52 F 39	52 39	— —	2 3	6 4	2 8	10 7	8 7	14 7	8 3	2 —
B3	Syphilis and its sequelæ	{ M 61 F 41	61 41	1 —	— 1	— —	— —	— —	2 1	22 23	27 11	9 5
B4	Typhoid fever	{ M 1 F —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M 1 F —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
B7	Scarlet fever and streptococcal sore throat	{ M 1 F —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
B8	Diphtheria	{ M — F 1	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —
B9	Whooping cough	{ M 8 F 11	8 11	— —	7 6	1 5	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M 9 F 7	9 7	— —	4 2	4 3	— —	— —	— 1	1 1	— —	— —
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M 14 F 7	14 7	— —	— 1	3 —	3 1	3 2	5 3	— —	— —	— —
B13	Smallpox	{ M — F 1	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
B14	Measles	{ M 7 F 7	7 7	— —	1 1	4 2	2 3	— —	— —	— 1	— —	— —
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M — F 1	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M 37 F 43	37 43	2 1	4 —	3 1	4 4	3 1	5 10	8 13	4 5	4 8
B18	Malignant neoplasm of stomach (151)	{ M 582 F 433	582 433	— —	— —	— —	— —	1 1	23 18	216 120	192 141	150 153
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 747 F 118	747 118	— —	— —	— —	— —	— —	41 12	440 51	212 34	54 21
	Malignant neoplasm of breast (170)	{ M 3 F 574	3 574	— —	— —	— —	— —	— —	1 50	1 267	1 148	— 109
	Malignant neoplasm of uterus (171-174)	{ M — F 273	— 273	— —	— —	— —	— —	— 1	— 32	— 117	— 78	— 45
	Leukæmia and aleukæmia (204)	{ M 70 F 65	70 65	— —	1 1	7 5	8 5	6 7	11 6	23 22	8 14	6 5
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 1821 F 1430	1821 1430	— —	1 —	9 6	11 8	21 7	84 84	552 479	587 447	556 399
	Benign and unspecified neoplasms	{ M 50 F 62	50 62	— 1	— 2	— —	2 1	3 1	7 7	26 26	9 11	3 13
	Diabetes mellitus	{ M 84 F 201	84 201	— —	— —	1 —	— —	2 5	1 7	26 34	25 83	29 72
	Anæmias	{ M 44 F 82	44 82	— —	— —	1 —	— 1	1 —	— 4	11 17	15 20	16 40
	Vascular lesions affecting central nervous system	{ M 2264 F 2932	2264 2932	— —	2 1	1 —	1 2	2 1	39 44	449 514	780 924	990 1446
B23	Nonmeningococcal meningitis	{ M 18 F 15	18 15	1 1	5 6	2 1	1 1	— 1	3 2	5 3	1 —	— —
B24	Rheumatic fever	{ M 9 F 8	9 8	— —	— —	— —	2 1	3 —	1 5	2 1	1 1	— —
B25	Chronic rheumatic heart disease	{ M 233 F 364	233 364	— —	— —	— —	— 1	— 4	— 33	— 94	— 61	— 40
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	{ M 2673 F 1517	2673 1517	— —	— —	— —	— —	1 —	70 10	856 287	986 573	760 647
	Degenerative heart disease (421, 422)	{ M 2387 F 2939	2387 2939	— —	— —	— 1	— —	— 1	9 16	191 171	635 576	1550 2174

TABLE 19—continued.

Abbreviated List No.	Causes of Death		North Midland Region—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
				1-	5-	15-	25-	45-	65-	75 & over		
B27	Other diseases of heart	{ M	280	1	1	1	—	1	8	64	92	112
		{ F	311	—	—	1	1	3	10	70	91	135
B28	Hypertension with heart disease	{ M	433	—	—	—	1	—	7	108	142	175
		{ F	389	—	—	—	—	—	2	72	135	180
B29	Hypertension without mention of heart	{ M	278	—	—	—	1	—	4	81	91	101
		{ F	279	—	—	—	—	—	6	44	93	136
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	484	—	1	—	1	1	6	52	122	301
		{ F	513	—	—	1	1	1	5	47	108	350
B30	Influenza	{ M	56	—	1	1	—	—	3	13	19	19
		{ F	62	—	3	—	1	3	4	7	23	21
B31	Pneumonia	{ M	671	—	109	18	4	6	25	133	152	224
		{ F	536	—	67	20	2	4	19	80	128	216
B32	Bronchitis	{ M	1160	3	24	2	—	—	13	307	400	411
		{ F	623	2	17	1	—	1	11	75	178	338
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	200	—	3	3	1	10	23	72	49	39
		{ F	93	2	2	1	3	1	13	13	22	36
B33	Ulcer of stomach and duodenum	{ M	294	1	—	—	—	1	26	104	108	54
		{ F	74	—	—	—	—	—	3	18	22	31
B34	Appendicitis	{ M	44	—	—	7	4	4	8	10	8	3
		{ F	41	—	—	2	3	4	3	13	10	6
B35	Intestinal obstruction and hernia	{ M	98	5	5	1	—	—	7	27	16	37
		{ F	90	1	3	—	—	1	3	18	33	31
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	52	—	21	2	—	—	5	11	5	8
		{ F	81	1	16	3	—	2	7	12	18	22
B37	Cirrhosis of liver	{ M	42	—	—	—	1	—	7	15	11	8
		{ F	28	—	—	—	—	1	1	13	8	5
B38	Nephritis and nephrosis	{ M	249	—	1	—	6	15	33	80	54	60
		{ F	220	—	2	2	3	7	29	70	57	50
B39	Hyperplasia of prostate	M	309	—	—	—	—	—	—	16	89	204
B40	Complications of pregnancy, childbirth & puerperium	F	38	—	—	—	—	11	27	—	—	—
B41	Congenital malformations	{ M	187	82	46	11	7	5	12	20	1	3
		{ F	163	72	37	15	9	2	10	15	1	2
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	203	197	6	—	—	—	—	—	—	—
		{ F	143	143	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	{ M	4	4	—	—	—	—	—	—	—	—
		{ F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	{ M	46	46	—	—	—	—	—	—	—	—
		{ F	39	39	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	217	205	12	—	—	—	—	—	—	—
		{ F	172	169	2	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	260	1	2	—	—	—	2	—	18	237
		{ F	399	—	—	2	—	—	—	1	25	371
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	673	7	19	21	15	21	61	201	171	157
		{ F	733	3	11	14	11	23	69	216	199	187
BE47	Motor vehicle accidents	{ M	272	—	—	19	27	56	64	57	33	16
		{ F	66	—	—	9	12	8	5	9	12	11
BE48	All other accidents	{ M	*541	10	23	22	29	59	138	135	59	66
		{ F	280	6	26	15	12	3	16	36	32	134
BE49	Suicide and self-inflicted injury	{ M	227	—	—	—	1	4	46	112	48	16
		{ F	115	—	—	—	—	3	21	60	26	5
BE50	Homicide and operations of war	{ M	18	2	—	2	—	1	3	6	4	—
		{ F	9	2	2	1	—	1	2	1	—	—
BN47	Fractures, head injuries and internal injuries	{ M	549	1	—	25	37	86	139	121	79	61
		{ F	233	2	1	12	14	9	14	28	32	121
BN48	Burns	{ M	23	—	—	5	1	3	1	4	1	8
		{ F	36	—	3	4	8	—	3	4	6	8
BN49	Effects of poisons	{ M	*212	—	—	2	2	2	66	103	28	9
		{ F	111	—	—	2	—	2	19	58	19	11
BN50	All other injuries	{ M	274	11	23	11	17	29	45	82	36	20
		{ F	90	6	24	7	2	4	8	16	13	10
	"Delayed" maternal deaths (see page 190)		2	—	—	—	—	—	2	—	—	—

\* Including 80 deaths which occurred in the Creswell Colliery disaster in 1950—see footnote to E916 in Table 17 for age details.



TABLE 19—continued.

Abbreviated List No.	Causes of Death	Midland Region									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 24321 F 21376	767 558	403 322	235 171	208 130	329 216	1431 1055	6613 4301	6768 5435	7567 9188
B1	Tuberculosis of respiratory system	{ M 675 F 312	— —	1 1	4 5	1 4	20 48	178 126	338 86	121 31	12 11
B2	Tuberculosis, other forms	{ M 81 F 55	— —	3 2	23 14	8 9	7 9	15 6	13 8	9 5	3 2
B3	Syphilis and its sequelæ	{ M 93 F 42	— —	1 1	— —	— —	— —	8 2	48 20	31 11	5 8
B4	Typhoid fever	{ M 1 F —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M 2 F —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —
B7	Scarlet fever and streptococcal sore throat	{ M 4 F 4	— —	— —	— 1	— —	2 —	2 1	— 1	— 1	— —
B8	Diphtheria	{ M 4 F 2	— —	— —	3 —	1 1	— —	— 1	— —	— —	— —
B9	Whooping cough	{ M 9 F 18	— —	6 11	2 6	1 —	— —	— —	— 1	— —	— —
B10	Meningococcal infections	{ M 21 F 19	1 —	8 7	7 6	1 3	1 1	1 —	1 1	— —	1 1
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M 13 F 6	— —	— 1	— 1	2 1	3 2	8 1	— —	— —	— —
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M 8 F 4	— —	— 1	5 2	2 —	— —	1 —	— 1	— —	— —
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M 52 F 43	1 —	3 3	3 4	2 1	4 7	9 4	18 14	7 8	5 2
	Malignant neoplasm of stomach (151)	{ M 735 F 580	— —	— —	— —	— —	1 —	22 32	312 153	243 203	157 192
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 1122 F 173	— —	— —	— —	— —	1 1	78 22	677 72	277 57	89 21
B18	Malignant neoplasm of breast (170)	{ M 2 F 814	— —	— —	— —	— —	— 2	— 93	— 364	1 222	1 133
	Malignant neoplasm of uterus (171-174)	{ M — F 376	— —	— —	1 —	— —	1 —	36 —	168 —	101 —	69 —
	Leukæmia and aleukæmia (204)	{ M 119 F 95	— —	2 5	10 5	15 8	13 7	18 14	33 35	17 14	11 7
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 2193 F 1810	— 2	1 —	7 9	12 7	20 16	121 116	634 630	739 533	659 497
B19	Benign and unspecified neoplasms	{ M 83 F 63	— —	2 2	3 —	3 4	2 3	10 14	38 21	9 9	16 10
B20	Diabetes mellitus	{ M 115 F 226	— —	— —	1 1	1 —	2 5	12 9	23 56	39 96	37 59
B21	Anæmias	{ M 50 F 84	— —	— —	— —	2 —	2 1	2 6	7 19	18 23	19 35
B22	Vascular lesions affecting central nervous system	{ M 2732 F 3565	— —	1 —	— —	4 2	5 4	80 55	579 671	905 1093	1158 1740
B23	Nonmeningococcal meningitis	{ M 25 F 14	4 2	6 4	4 2	— 1	— 1	3 2	5 —	2 1	1 1
B24	Rheumatic fever	{ M 18 F 20	— —	— 1	1 —	7 8	3 3	3 3	2 4	1 1	1 —
B25	Chronic rheumatic heart disease	{ M 336 F 546	— —	— —	— —	2 3	12 12	77 117	139 217	63 109	43 88

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Midland Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	3263	—	—	—	—	105	1192	1111	855
		{ F	1694	—	—	—	—	12	332	643	707
		{ M	2843	—	—	—	2	22	257	789	1773
		{ F	3505	—	—	1	2	17	215	723	2547
B27	Other diseases of heart	{ M	313	—	—	2	6	11	92	96	106
		{ F	352	—	2	—	2	11	81	107	149
B28	Hypertension with heart disease	{ M	498	—	—	—	—	6	130	186	176
		{ F	567	—	—	—	—	4	106	192	265
B29	Hypertension without mention of heart	{ M	349	—	1	1	—	16	86	118	127
		{ F	311	—	—	—	—	2	58	91	160
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	604	—	1	—	2	9	103	160	329
		{ F	549	—	—	—	2	4	70	128	345
B30	Influenza	{ M	91	—	—	—	2	11	42	19	17
		{ F	87	—	2	1	2	4	20	20	37
B31	Pneumonia	{ M	969	—	128	25	6	4	37	217	288
		{ F	805	—	101	28	6	9	28	111	341
B32	Bronchitis	{ M	1774	—	24	8	2	29	544	647	518
		{ F	810	1	12	8	2	8	121	201	457
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	291	—	6	6	4	19	136	66	50
		{ F	110	—	3	4	3	14	25	16	43
B33	Ulcer of stomach and duodenum	{ M	429	—	—	—	3	33	204	126	63
		{ F	130	—	—	—	1	8	33	40	48
B34	Appendicitis	{ M	62	1	1	9	14	3	7	9	9
		{ F	40	—	—	—	6	1	6	7	4
B35	Intestinal obstruction and hernia	{ M	155	6	7	5	1	4	34	52	44
		{ F	137	7	1	1	1	5	32	43	46
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	{ M	112	—	43	4	—	4	5	21	19
		{ F	158	—	45	10	—	3	16	22	37
B37	Cirrhosis of liver	{ M	67	—	1	—	—	10	22	25	9
		{ F	66	—	—	1	1	9	28	20	7
B38	Nephritis and nephrosis	{ M	288	—	2	3	9	48	93	68	54
		{ F	236	—	1	1	6	42	60	57	60
B39	Hyperplasia of prostate	M	334	—	—	—	—	—	25	101	208
B40	Complications of pregnancy, childbirth & puerperium	F	50	—	—	—	7	40	3	—	—
B41	Congenital malformations	{ M	270	123	69	16	6	9	23	17	5
		{ F	234	101	64	13	9	6	11	23	5
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	297	290	7	—	—	—	—	—	—
		{ F	172	166	6	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	8	8	—	—	—	—	—	—	—
		{ F	4	4	—	—	—	—	—	—	—
		{ M	56	55	1	—	—	—	—	—	—
		{ F	57	57	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	268	259	9	—	—	—	—	—	—
		{ F	205	202	3	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	460	2	2	—	—	1	1	54	399
		{ F	619	—	1	—	—	—	—	37	581
B46(Rem.)	All other diseases (Remainder 001-795)	{ M	769	5	29	28	17	27	99	211	149
		{ F	917	3	18	17	19	23	82	263	235
BE47	Motor vehicle accidents	{ M	382	—	—	22	36	75	121	63	34
		{ F	100	—	—	8	14	6	17	18	26
BE48	All other accidents	{ M	561	12	35	35	45	59	95	122	60
		{ F	433	13	26	20	11	9	13	48	75
BE49	Suicide and self-inflicted injury	{ M	297	—	—	—	—	15	67	119	69
		{ F	152	—	—	—	—	6	40	72	22
BE50	Homicide and operations of war	{ M	18	—	3	—	1	—	4	6	4
		{ F	5	—	—	—	—	2	2	1	—
BN47	Fractures, head injuries and internal injuries	{ M	676	—	1	26	42	104	175	154	76
		{ F	350	—	2	9	13	9	19	39	79
BN48	Burns	{ M	20	—	1	5	1	—	2	1	3
		{ F	50	—	—	6	6	—	2	5	12
BN49	Effects of poisons	{ M	212	—	1	5	2	11	51	70	51
		{ F	164	—	—	2	1	4	37	72	24
BN50	All other injuries	{ M	350	12	35	21	37	34	59	85	37
		{ F	126	13	24	11	5	8	14	24	9
"Delayed" maternal deaths (see page 190)			6	—	—	—	—	2	2	2	—



TABLE 19—continued.

Abbreviated List No.	Causes of Death		West Midland Conurbation									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M 12225 F 10666	386 288	197 176	111 93	106 60	151 115	731 567	3591 2217	3414 2678	3538 4472	
B1	Tuberculosis of respiratory system	{ M 414 F 175	— —	1 —	3 3	— 3	14 31	102 73	222 46	67 13	5 6	
B2	Tuberculosis, other forms	{ M 40 F 25	— —	2 —	9 7	3 6	6 3	7 3	4 4	7 1	2 1	
B3	Syphilis and its sequelæ	{ M 50 F 20	— —	1 —	— —	— —	— —	5 2	23 7	19 8	2 3	
B4	Typhoid fever	{ M 1 F —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 3	— —	— —	— 1	— —	— —	1 1	— 1	— —	— —	
B8	Diphtheria	{ M 2 F 1	— —	— —	2 —	— —	— —	— 1	— —	— —	— —	
B9	Whooping cough	{ M 4 F 14	— —	4 9	— 5	— —	— —	— —	— —	— —	— —	
B10	Meningococcal infections	{ M 12 F 10	1 —	4 2	3 6	1 1	1 1	1 —	1 —	— —	— —	
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	{ M 5 F 1	— —	— 1	— —	1 —	2 —	2 —	— —	— —	— —	
B13	Smallpox	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B14	Measles	{ M 3 F 2	— —	— 1	3 1	— —	— —	— —	— —	— —	— —	
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B17	All other diseases classified as infective and parasitic	{ M 22 F 22	— —	2 3	— 2	1 1	1 4	5 2	5 5	4 4	4 1	
B18	Malignant neoplasm of stomach (151)	{ M 372 F 297	— —	— —	— —	— —	1 —	12 25	171 85	127 101	61 86	
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 660 F 101	— —	— —	— —	— —	— 1	46 8	402 44	160 36	52 12	
	Malignant neoplasm of breast (170)	{ M 2 F 431	— —	— —	— —	— —	— 1	— 61	— 192	1 111	1 66	
	Malignant neoplasm of uterus (171-174)	{ M — F 178	— —	— —	— 1	— —	— 1	— 15	— 74	— 49	— 38	
	Leukæmia and aleukæmia (204)	{ M 50 F 46	— —	— 2	5 2	7 4	7 3	8 6	13 18	7 7	3 4	
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 1124 F 861	— 1	1 —	6 4	9 3	11 9	73 59	349 302	360 243	315 240	
	Benign and unspecified neoplasms	{ M 49 F 33	— —	1 2	1 —	3 1	1 1	7 8	19 12	7 6	10 3	
	Diabetes mellitus	{ M 50 F 114	— —	— —	1 1	1 —	— 3	8 3	10 27	15 47	15 33	
	Anæmias	{ M 21 F 37	— —	— —	— —	1 —	1 —	1 4	3 9	8 5	7 18	
	B22	Vascular lesions affecting central nervous system	{ M 1300 F 1696	— —	— —	— —	4 1	3 1	42 30	289 343	433 512	529 809
B23	Nonmeningococcal meningitis	{ M 16 F 7	2 1	2 1	3 1	— —	— 1	3 2	5 —	— —	1 1	
B24	Rheumatic fever	{ M 7 F 11	— —	— 1	1 —	1 5	1 2	2 —	1 2	— 1	1 —	
B25	Chronic rheumatic heart disease	{ M 162 F 306	— —	— —	— —	— 1	9 6	35 78	70 116	29 59	17 46	

TABLE 19—continued.

Abbreviated List No.	Causes of Death	West Midland Conurbation—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1550	—	—	—	—	50	600	521	379
		F	829	—	—	—	—	4	167	304	354
		M	1255	—	—	—	2	11	127	360	755
		F	1640	—	—	—	1	7	120	332	1180
B27	Other diseases of heart	M	160	—	—	2	2	6	53	47	50
		F	162	—	—	1	2	4	37	52	66
B28	Hypertension with heart disease	M	282	—	—	—	—	5	69	103	105
		F	336	—	—	—	—	1	61	118	156
B29	Hypertension without mention of heart	M	198	—	1	—	—	5	51	73	68
		F	174	—	—	—	—	1	27	56	90
B46 (Pt.)	Other circulatory diseases (450-468)	M	278	—	—	—	2	3	50	80	143
		F	262	—	—	—	2	2	40	67	151
B30	Influenza	M	53	—	—	—	2	8	26	12	5
		F	43	—	1	—	1	3	8	9	20
B31	Pneumonia	M	528	—	55	11	4	21	135	150	150
		F	421	—	55	16	3	11	62	90	179
B32	Bronchitis	M	1043	—	11	4	2	20	331	383	291
		F	442	—	3	3	—	6	69	113	248
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	139	—	2	3	1	4	13	63	30
		F	65	—	2	—	2	7	12	13	27
B33	Ulcer of stomach and duodenum	M	240	—	—	—	—	16	121	69	33
		F	77	—	—	—	—	3	16	26	32
B34	Appendicitis	M	29	1	—	5	5	2	5	5	3
		F	17	—	—	—	3	1	9	2	1
B35	Intestinal obstruction and hernia	M	84	2	5	2	—	1	24	28	21
		F	84	7	—	1	1	1	22	26	25
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	60	—	23	3	—	3	11	12	5
		F	99	—	34	4	—	1	12	16	20
B37	Cirrhosis of liver	M	37	—	1	—	—	7	13	11	5
		F	36	—	—	1	—	5	14	12	4
B38	Nephritis and nephrosis	M	122	—	—	2	5	18	38	30	22
		F	104	—	—	—	1	20	30	25	23
B39	Hyperplasia of prostate	M	141	—	—	—	—	—	13	32	96
B40	Complications of pregnancy, childbirth & puerperium	F	29	—	—	—	1	25	3	—	—
B41	Congenital malformations	M	151	66	35	10	6	7	16	8	1
		F	108	47	30	6	1	2	5	14	2
B42	Birth injuries, postnatal asphyxia & atelectasis	M	166	164	2	—	—	—	—	—	—
		F	100	96	4	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	6	6	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—
		M	22	22	—	—	—	—	—	—	—
		F	31	31	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	114	111	3	—	—	—	—	—	—
		F	96	94	2	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	245	1	2	—	—	—	—	37	205
		F	337	—	—	—	—	—	—	24	313
B46 (Rem.)	All other diseases (Remainder 001-795)	M	385	2	18	9	6	13	46	117	104
		F	434	1	12	9	8	13	35	130	127
BE47	Motor vehicle accidents	M	151	—	—	13	14	18	46	26	15
		F	50	—	—	4	7	4	8	11	5
BE48	All other accidents	M	254	8	20	12	27	23	33	55	30
		F	215	8	11	13	8	3	5	26	37
BE49	Suicide and self-inflicted injury	M	154	—	—	—	—	3	34	64	37
		F	81	—	—	—	—	2	20	39	13
BE50	Homicide and operations of war	M	10	—	1	—	—	—	3	4	2
		F	1	—	—	—	—	—	1	—	—
BN47	Fractures, head injuries and internal injuries	M	274	—	—	14	17	31	60	68	33
		F	172	—	2	4	6	4	10	21	38
BN48	Burns	M	13	—	1	3	1	—	1	—	3
		F	29	—	—	4	5	—	—	3	7
BN49	Effects of poisons	M	123	—	—	2	1	3	31	42	30
		F	88	—	—	2	1	2	19	39	14
BN50	All other injuries	M	159	8	20	6	22	10	24	39	18
		F	58	8	9	7	3	3	4	14	2
"Delayed" maternal deaths (see page 190)			3	—	—	—	—	—	1	2	—



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Eastern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M F	17465 16623	444 330	197 139	116 95	107 72	245 123	824 636	3921 2832	4812 3974	6799 8422
B1	Tuberculosis of respiratory system	{ M F	292 162	— —	— —	— —	1 3	6 16	79 48	122 61	61 21	23 13
B2	Tuberculosis, other forms	{ M F	43 26	— —	1 2	4 2	1 2	5 3	9 5	19 6	2 3	2 3
B3	Syphilis and its sequelæ	{ M F	62 42	— —	1 —	— —	— —	— —	3 1	18 15	29 12	11 14
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —
B8	Diphtheria	{ M F	1 2	— —	— —	— —	— —	— 1	1 —	— —	— 1	— —
B9	Whooping cough	{ M F	3 8	— —	1 4	2 4	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	4 9	— 1	— 2	4 3	— 1	— 1	— —	— 1	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	14 12	— —	— —	2 1	4 2	— —	8 7	— 2	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	6 3	— —	1 —	1 2	4 1	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	45 35	— —	1 2	4 4	8 1	2 3	5 7	12 6	5 6	8 6
B18	Malignant neoplasm of stomach (151)	{ M F	513 431	— —	— —	— —	— —	— —	16 11	187 96	175 136	135 188
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	801 135	— —	— —	— —	— —	— —	43 10	435 49	237 40	86 36
	Malignant neoplasm of breast (170)	{ M F	4 620	— —	— —	— —	— —	— —	— 62	1 283	1 143	2 132
	Malignant neoplasm of uterus (171-174)	{ F	265	—	—	1	—	—	24	114	66	60
	Leukæmia and aleukæmia (204)	{ M F	78 67	— —	— —	5 5	9 6	1 4	16 11	22 16	13 15	12 10
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	1739 1504	1 —	— 1	4 10	4 6	9 9	81 91	443 469	594 409	603 509
	Benign and unspecified neoplasms	{ M F	51 80	— —	2 —	1 1	1 4	1 —	8 17	21 31	12 16	5 11
	Diabetes mellitus	{ M F	91 182	— —	— —	— —	4 —	2 2	5 5	24 29	24 69	32 77
	Anæmias	{ M F	45 71	— —	— 1	— —	— 3	— 1	2 2	9 11	14 22	20 31
	Vascular lesions affecting central nervous system	{ M F	2070 2915	— —	— —	— —	1 1	5 3	35 34	358 441	647 808	1024 1628
B23	Nonmeningococcal meningitis	{ M F	12 9	— —	3 2	1 3	1 —	— 1	1 —	2 2	2 1	2 —
B24	Rheumatic fever	{ M F	4 10	— —	— —	— —	— 4	— 2	1 1	— 1	2 —	1 2
B25	Chronic rheumatic heart disease	{ M F	223 319	— —	— —	— —	1 1	4 3	29 40	84 119	59 82	46 74

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Eastern Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2703	—	—	—	—	58	769	974	902
		F	1616	—	—	—	—	5	253	578	780
		M	2187	—	—	1	1	6	142	485	1552
		F	2835	—	—	—	—	6	118	468	2243
B27	Other diseases of heart	M	268	—	—	1	6	9	49	86	117
		F	295	—	—	—	2	9	34	92	158
B28	Hypertension with heart disease	M	311	—	—	—	—	2	44	98	167
		F	369	—	—	—	—	1	48	133	187
B29	Hypertension without mention of heart	M	290	—	—	—	—	15	63	87	125
		F	270	—	—	—	—	4	39	65	162
B46 (Pt.)	Other circulatory diseases (450-468)	M	512	—	—	—	—	8	60	139	305
		F	531	—	—	1	2	9	68	97	354
B30	Influenza	M	38	—	1	—	—	1	11	13	10
		F	34	—	1	—	—	—	3	8	21
B31	Pneumonia	M	663	—	63	17	2	7	104	149	295
		F	618	—	34	11	2	1	61	123	376
B32	Bronchitis	M	844	—	6	3	2	7	230	271	325
		F	468	—	6	4	1	3	35	104	307
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	190	—	—	4	—	2	12	75	51
		F	92	1	—	2	1	3	6	13	50
B33	Ulcer of stomach and duodenum	M	281	—	—	—	—	20	97	92	72
		F	90	—	—	—	—	4	18	28	40
B34	Appendicitis	M	36	—	—	3	2	4	9	6	8
		F	30	—	—	2	2	2	3	7	6
B35	Intestinal obstruction and hernia	M	111	5	3	2	—	6	22	26	47
		F	108	5	4	1	—	3	23	30	42
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	87	—	30	9	—	4	4	12	26
		F	94	—	12	—	1	12	22	23	24
B37	Cirrhosis of liver	M	44	—	—	—	—	3	23	11	7
		F	37	—	—	1	—	2	17	11	6
B38	Nephritis and nephrosis	M	179	—	1	1	5	8	30	56	34
		F	162	1	—	1	2	7	23	34	47
B39	Hyperplasia of prostate	M	371	—	—	—	—	—	20	120	231
B40	Complications of pregnancy, childbirth & puerperium	F	30	—	—	—	—	4	25	1	—
B41	Congenital malformations	M	142	52	37	14	5	5	11	12	5
		F	137	55	38	11	6	4	3	15	3
B42	Birth injuries, postnatal asphyxia & arelectasis	M	163	158	5	—	—	—	—	—	—
		F	110	108	2	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—
		M	39	39	—	—	—	—	—	—	—
		F	23	23	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	175	171	4	—	—	—	—	—	—
		F	131	127	4	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	251	—	—	1	—	—	3	6	241
		F	413	—	—	2	—	1	—	16	394
B46 (Rem.)	All other diseases (Remainder 001-795)	M	589	10	16	11	10	13	53	163	153
		F	736	3	10	5	6	15	72	174	245
BE47	Motor vehicle accidents	M	239	—	1	8	17	59	70	49	19
		F	73	—	—	4	10	13	11	12	9
BE48	All other accidents	M	434	5	20	13	22	89	97	65	45
		F	294	4	14	12	2	14	14	29	41
BE49	Suicide and self-inflicted injury	M	200	—	—	—	—	11	38	89	43
		F	108	—	—	—	—	1	27	52	22
BE50	Homicide and operations of war	M	14	1	—	2	1	2	1	4	3
		F	10	1	—	3	2	2	—	—	—
BN47	Fractures, head injuries and internal injuries	M	511	—	1	10	26	116	132	97	53
		F	256	—	—	4	10	21	16	28	34
BN48	Burns	M	16	—	1	1	1	1	1	3	4
		F	29	—	1	6	—	1	1	2	4
BN49	Effects of poisons	M	102	—	—	6	1	2	19	40	22
		F	106	—	1	4	1	2	26	39	22
BN50	All other injuries	M	258	6	19	6	12	42	54	67	31
		F	94	5	12	5	3	6	11	24	12
"Delayed" maternal deaths (see page 190)			3	—	—	—	—	—	2	1	—



TABLE 19—continued.

Abbreviated List No.	Causes of Death		London and South Eastern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	62308 60584	1413 1000	603 456	383 265	383 253	607 389	3079 2530	17117 11182	17769 14904	20954 29605
B1	Tuberculosis of respiratory system	{ M F	1616 665	— —	2 2	2 5	4 4	29 54	324 298	823 174	324 74	108 54
B2	Tuberculosis, other forms	{ M F	142 121	— —	4 1	18 12	6 10	12 13	39 29	39 27	18 13	6 16
B3	Syphilis and its sequelæ	{ M F	361 159	— —	1 —	— —	1 —	— 1	12 7	142 68	141 37	64 46
B4	Typhoid fever	{ M F	— 2	— —	— —	— —	— —	— —	— —	— —	1 —	— 1
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	11 4	— —	— —	— 1	1 —	1 —	3 1	1 —	2 —	3 2
B7	Scarlet fever and streptococcal sore throat	{ M F	7 9	— —	— —	2 1	— —	1 1	2 1	2 3	— 1	— 2
B8	Diphtheria	{ M F	2 2	— —	— —	1 1	1 —	— —	— —	1 —	— —	— —
B9	Whooping cough	{ M F	17 11	— —	11 5	4 5	1 1	1 —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	27 35	— —	15 18	7 8	2 1	1 1	1 1	1 3	— 1	— 2
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	53 38	— 1	2 —	4 2	12 6	7 11	24 16	4 2	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	11 10	— —	2 2	5 2	2 6	1 —	1 —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	3 —	— —	— —	— —	— —	— —	— —	3 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	110 137	— 1	7 8	5 4	6 8	3 6	20 15	34 44	22 22	13 29
B18	Malignant neoplasm of stomach (151)	{ M F	1761 1453	— —	— —	— —	— —	6 1	73 48	661 364	599 488	422 552
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	3640 752	— —	— —	— —	— —	7 1	173 44	1983 333	1139 212	338 162
	Malignant neoplasm of breast (170)	{ M F	19 2397	— —	— —	— —	— —	— 1	1 217	11 1061	3 586	4 532
	Malignant neoplasm of uterus (171-174)	{ M F	907	—	—	—	—	1	83	430	221	172
	Leukæmia and aleukæmia (204)	{ M F	307 279	— —	2 —	20 16	21 22	11 10	31 39	96 88	88 49	38 55
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	6270 5527	— 2	6 3	26 18	34 29	46 27	363 317	1919 1776	2009 1571	1867 1784
	Benign and unspecified neoplasms	{ M F	190 254	— —	2 5	4 3	12 3	5 8	34 40	83 115	32 42	18 38
	Diabetes mellitus	{ M F	255 512	— —	— —	1 —	5 4	2 2	11 23	56 103	88 182	92 198
	Anæmias	{ M F	124 234	— —	1 —	3 2	2 —	1 3	2 8	22 38	24 63	69 120
	Vascular lesions affecting central nervous system	{ M F	6027 9389	1 —	3 2	4 —	5 5	14 12	114 124	1176 1552	1946 2634	2764 5060
B23	Nonmeningococcal meningitis	{ M F	41 21	1 2	7 6	8 1	4 —	1 1	8 —	7 2	4 5	1 4
B24	Rheumatic fever	{ M F	33 44	— —	— —	1 —	13 7	4 8	1 8	8 10	4 7	2 4
B25	Chronic rheumatic heart disease	{ M F	880 1466	— —	— —	— —	8 1	10 13	156 208	354 516	202 348	150 380

TABLE 19—continued.

Abbreviated List No.	Causes of Death	London and South Eastern Region—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M 9828	—	—	—	—	3	273	3413	3466	2673
		{ F 5958	—	—	—	2	2	30	913	2183	2828
		{ M 6498	—	—	1	—	2	21	521	1460	4493
		{ F 9884	—	—	—	—	—	20	389	1645	7830
B27	Other diseases of heart	{ M 698	1	1	—	—	4	29	171	234	258
		{ F 836	1	1	2	—	5	23	132	231	441
B28	Hypertension with heart disease	{ M 1290	—	—	—	—	1	9	259	432	589
		{ F 1665	—	—	—	—	—	10	204	527	924
B29	Hypertension without mention of heart	{ M 1159	—	—	—	—	4	35	334	359	427
		{ F 1295	—	—	—	—	3	24	220	375	673
B46 (Pt.)	Other circulatory diseases (450-468)	{ M 1496	—	1	—	2	3	26	217	400	847
		{ F 1847	—	—	—	1	6	31	200	437	1172
B30	Influenza	{ M 226	—	3	3	3	4	11	55	63	84
		{ F 243	1	—	2	2	4	16	42	49	127
B31	Pneumonia	{ M 2730	—	169	52	22	13	77	540	712	1145
		{ F 2634	—	124	38	14	11	67	319	536	1525
B32	Bronchitis	{ M 5335	6	39	25	9	1	56	1570	1812	1817
		{ F 3011	1	29	16	5	3	36	352	792	1777
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M 717	3	5	14	11	7	45	263	187	182
		{ F 376	2	3	4	9	5	28	80	84	161
B33	Ulcer of stomach and duodenum	{ M 1143	2	—	—	—	7	70	419	377	268
		{ F 418	—	—	—	—	1	12	90	133	182
B34	Appendicitis	{ M 175	—	—	9	17	7	20	47	48	27
		{ F 131	—	—	4	11	4	13	30	27	42
B35	Intestinal obstruction and hernia	{ M 420	17	12	7	2	5	25	96	122	134
		{ F 427	8	5	6	1	2	18	97	123	167
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M 206	—	52	6	—	4	28	32	36	48
		{ F 303	2	35	2	3	6	34	51	71	99
B37	Cirrhosis of liver	{ M 169	1	—	—	2	3	19	76	42	26
		{ F 111	—	—	—	2	1	8	43	39	18
B38	Nephritis and nephrosis	{ M 613	—	4	8	14	23	97	201	124	142
		{ F 590	—	—	5	7	22	57	179	118	202
B39	Hyperplasia of prostate	M 1097	—	—	—	—	—	2	88	351	656
B40	Complications of pregnancy, childbirth & puerperium	F 113	—	—	—	—	19	89	4	1	—
B41	Congenital malformations	{ M 527	208	126	36	19	22	42	52	13	9
		{ F 502	184	129	32	14	14	47	45	22	15
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M 577	562	15	—	—	—	—	—	—	—
		{ F 336	332	3	1	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M 4	4	—	—	—	—	—	—	—	—
		{ F 2	2	—	—	—	—	—	—	—	—
		{ M 96	93	3	—	—	—	—	—	—	—
		{ F 79	79	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M 491	476	14	1	—	—	—	—	—	—
		{ F 371	359	11	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M 346	4	2	1	—	—	2	6	24	307
		{ F 776	1	—	—	1	1	3	6	19	745
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M 2056	13	34	43	29	63	208	644	549	473
		{ F 2611	8	27	33	27	52	259	700	667	838
BE47	Motor vehicle accidents	{ M 618	—	1	16	51	111	182	112	70	75
		{ F 240	—	1	11	23	20	33	51	41	60
BE48	All other accidents	{ M 1164	20	57	45	59	120	238	250	129	246
		{ F 982	14	34	27	20	21	54	134	138	540
BE49	Suicide and self-inflicted injury	{ M 680	—	—	—	—	33	159	313	108	67
		{ F 397	—	—	—	1	6	89	188	87	26
BE50	Homicide and operations of war	{ M 42	1	—	1	3	4	12	13	6	2
		{ F 18	—	2	—	3	6	2	3	2	—
BN47	Fractures, head injuries and internal injuries	{ M 1298	1	6	22	66	172	342	264	162	263
		{ F 821	—	3	18	25	29	46	96	121	483
BN48	Burns	{ M 46	—	1	6	5	—	7	5	6	16
		{ F 100	1	3	8	8	2	7	18	15	38
BN49	Effects of poisons	{ M 536	—	—	8	5	33	121	237	80	52
		{ F 454	—	3	5	5	9	91	188	88	65
BN50	All other injuries	{ M 624	20	51	26	37	63	121	182	65	59
		{ F 262	13	28	7	9	13	34	74	44	40

"Delayed" maternal deaths  
(see page 190)

9



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Greater London									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M F	46737 44216	1062 742	443 360	277 184	285 185	443 294	2451 2006	13618 8496	13410 11014	14748 20935
B1	Tuberculosis of respiratory system	{ M F	1297 540	— —	— 1	2 2	2 3	21 43	242 251	666 142	275 55	89 43
B2	Tuberculosis, other forms	{ M F	98 91	— —	2 1	8 9	4 5	11 10	25 21	28 22	15 10	5 13
B3	Syphilis and its sequelæ	{ M F	289 128	— —	— —	— —	1 —	— 1	8 7	111 49	117 31	52 40
B4	Typhoid fever	{ M F	— 2	— —	— —	— —	— —	— —	— —	— —	— 1	— 1
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	10 2	— —	— 1	— —	1 —	1 —	2 —	1 —	2 —	3 1
B7	Scarlet fever and streptococcal sore throat	{ M F	4 5	— —	— —	— —	— —	1 1	1 1	2 2	— 1	— —
B8	Diphtheria	{ M F	2 2	— —	— —	1 1	1 —	— —	— —	— 1	— —	— —
B9	Whooping cough	{ M F	12 7	— —	7 4	4 2	1 1	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	27 33	— —	15 18	7 7	2 1	1 1	1 1	1 2	— 1	— 2
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	43 22	— 1	1 —	3 1	10 5	6 7	19 7	4 1	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	10 7	— —	1 —	5 2	2 5	1 —	1 —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	2 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	84 104	— 1	5 7	2 3	4 7	2 5	14 13	30 33	18 16	9 19
B18	Malignant neoplasm of stomach (151)	{ M F	1348 1117	— —	— —	— —	— —	5 1	63 39	525 300	463 371	292 406
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	2902 595	— —	— —	— —	— —	6 1	144 40	1600 264	893 157	259 133
	Malignant neoplasm of breast (170)	{ M F	16 1754	— —	— —	— —	— —	— 1	— 164	9 809	3 421	4 359
	Malignant neoplasm of uterus (171-174)	{ M F	681 —	— —	— —	— —	— —	1 —	59 —	339 —	160 —	122 —
	Leukæmia and aleukæmia (204)	{ M F	238 205	— —	2 —	17 11	14 13	8 6	21 25	81 73	67 32	28 45
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	4614 4018	— 2	4 3	20 14	23 23	32 23	286 248	1454 1306	1465 1136	1330 1263
	Benign and unspecified neoplasms	{ M F	145 176	— —	— 3	1 2	10 2	2 6	26 30	68 79	23 29	15 25
	Diabetes mellitus	{ M F	187 392	— —	— —	1 —	3 3	1 2	10 19	45 77	64 135	63 156
	Anæmias	{ M F	89 181	— —	1 —	3 2	2 —	1 2	2 7	17 34	19 46	44 90
	B22	Vascular lesions affecting central nervous system	{ M F	4147 6531	1 —	2 —	2 —	4 3	11 10	91 101	890 1135	1315 1864
B23	Nonmeningococcal meningitis	{ M F	30 15	1 —	4 3	7 1	3 —	1 1	6 —	5 2	2 4	1 4
B24	Rheumatic fever	{ M F	23 30	— —	— —	— —	11 6	4 4	1 7	4 5	2 6	1 2
B25	Chronic rheumatic heart disease	{ M F	698 1184	— —	— —	— —	8 1	9 12	140 173	278 419	157 284	106 295

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Greater London—continued.										
		Age										
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	7466	—	—	—	—	3	233	2710	2613	1907
		F	4322	—	—	—	1	2	21	698	1588	2012
		M	4160	—	—	—	—	2	11	372	944	2831
		F	6526	—	—	—	—	—	13	267	1102	5144
B27	Other diseases of heart	M	513	1	1	—	—	2	23	136	175	175
		F	599	—	1	1	—	5	16	96	166	314
B28	Hypertension with heart disease	M	974	—	—	—	—	—	5	204	325	440
		F	1303	—	—	—	—	—	9	164	408	722
B29	Hypertension without mention of heart	M	930	—	—	—	—	3	26	282	290	329
		F	1074	—	—	—	—	2	17	176	314	565
B46 (Pt.)	Other circulatory diseases (450-468)	M	1130	—	—	—	1	2	20	183	321	603
		F	1375	—	—	—	1	5	22	150	341	856
B30	Influenza	M	176	—	2	2	1	2	10	47	46	66
		F	163	1	—	2	1	4	13	29	32	81
B31	Pneumonia	M	2180	—	126	35	18	9	63	447	588	894
		F	2065	—	100	26	10	6	50	253	432	1188
B32	Bronchitis	M	4556	5	35	18	6	1	44	1379	1578	1490
		F	2564	1	24	13	5	2	33	301	706	1479
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	560	3	5	12	8	3	39	204	148	138
		F	296	1	1	4	8	4	24	62	68	124
B33	Ulcer of stomach and duodenum	M	905	2	—	—	—	6	61	342	300	194
		F	329	—	—	—	—	1	12	71	103	142
B34	Appendicitis	M	128	—	—	8	13	7	16	35	30	19
		F	104	—	—	4	8	4	11	24	24	29
B35	Intestinal obstruction and hernia	M	323	12	10	4	2	3	18	80	93	101
		F	312	6	5	6	1	1	15	66	90	122
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	154	—	41	3	—	3	22	27	25	33
		F	235	1	29	1	1	5	26	44	55	73
B37	Cirrhosis of liver	M	130	1	—	—	1	3	18	58	31	18
		F	81	—	—	—	2	—	7	30	26	16
B38	Nephritis and nephrosis	M	440	—	3	8	11	15	77	158	82	86
		F	410	—	—	2	6	15	50	135	79	123
B39	Hyperplasia of prostate	M	796	—	—	—	—	—	2	72	259	463
B40	Complications of pregnancy, childbirth & puerperium	F	94	—	—	—	—	14	76	3	1	—
B41	Congenital malformations	M	395	154	95	27	14	17	34	36	11	7
		F	407	145	108	21	13	12	42	34	19	13
B42	Birth injuries, postnatal asphyxia & atelectasis	M	439	427	12	—	—	—	—	—	—	—
		F	266	264	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	3	3	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
		M	77	74	3	—	—	—	—	—	—	—
		F	63	63	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	364	351	12	1	—	—	—	—	—	—
		F	246	236	9	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	202	3	—	1	—	—	1	4	14	179
		F	453	—	—	—	—	1	2	3	14	433
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1543	8	22	28	24	52	160	502	403	344
		F	1892	5	18	20	18	35	192	520	479	605
BE47	Motor vehicle accidents	M	441	—	1	11	39	72	130	77	50	61
		F	180	—	1	7	14	14	26	40	29	49
BE48	All other accidents	M	887	15	31	35	39	82	193	202	101	189
		F	720	13	20	19	14	15	42	96	108	393
BE49	Suicide and self-inflicted injury	M	516	—	—	—	—	28	131	231	78	48
		F	300	—	—	—	1	5	72	139	68	15
BE50	Homicide and operations of war	M	34	1	—	1	2	4	11	9	5	1
		F	13	—	1	—	3	4	2	1	2	—
BN47	Fractures, head injuries and internal injuries	M	957	1	5	15	48	112	260	187	119	210
		F	613	—	2	11	15	20	33	76	95	361
BN48	Burns	M	34	—	—	5	5	—	6	4	5	9
		F	72	1	1	6	6	1	6	15	12	24
BN49	Effects of poisons	M	431	—	—	6	4	31	98	193	61	38
		F	345	—	3	3	5	6	76	142	65	45
BN50	All other injuries	M	456	15	27	21	23	43	101	135	49	42
		F	183	12	16	6	6	11	27	43	35	27
"Delayed" maternal deaths (see page 190)			7	—	—	—	—	2	3	1	1	—



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Southern Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M F	14839 14264	391 287	169 124	115 77	96 56	231 92	690 502	3444 2468	4155 3480	5548 7178
B1	Tuberculosis of respiratory system	{ M F	316 123	— —	— —	— —	2 1	11 7	83 49	144 42	60 12	16 12
B2	Tuberculosis, other forms	{ M F	43 29	— —	1 —	10 4	4 3	5 1	9 4	9 11	3 4	2 2
B3	Syphilis and its sequelæ	{ M F	69 34	— —	2 —	— —	— —	— —	3 2	22 10	28 11	14 11
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	1 1	— —	— —	— —	1 —	— —	— —	— —	— —	— 1
B7	Scarlet fever and streptococcal sore throat	{ M F	3 2	— —	— —	— —	— —	1 —	— —	1 1	— 1	1 —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	5 5	— —	4 3	1 2	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	8 10	— —	2 3	3 5	— —	1 —	— —	2 1	— 1	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	7 6	— 3	— —	1 —	2 1	— —	4 2	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	3 1	— —	1 1	2 —	— —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	38 33	1 —	3 2	2 2	3 1	1 —	4 5	14 7	5 7	5 9
B18	Malignant neoplasm of stomach (151)	{ M F	448 309	— —	— —	— —	— —	1 —	16 7	156 74	150 112	125 116
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	703 133	— —	— —	— —	— —	1 —	32 9	386 51	209 44	75 29
	Malignant neoplasm of breast (170)	{ M F	4 544	— —	— —	— —	— —	— —	— 47	2 230	— 136	2 131
	Malignant neoplasm of uterus (171-174)	F	227	—	—	—	—	—	21	102	68	36
	Leukæmia and aleukæmia (204)	{ M F	82 62	— —	2 —	7 3	9 5	9 1	10 8	12 17	16 14	17 14
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	1473 1330	— —	3 2	7 9	9 6	13 9	62 58	387 381	489 428	503 437
	Benign and unspecified neoplasms	{ M F	48 59	— 1	— —	1 1	1 2	1 3	11 5	22 19	7 15	5 13
	Diabetes mellitus	{ M F	60 121	— —	— —	— —	1 —	3 —	1 5	14 19	16 42	25 55
	Anæmias	{ M F	36 51	— —	— 1	— —	— —	— —	1 1	9 10	12 13	14 26
	Vascular lesions affecting central nervous system	{ M F	1752 2459	— —	1 —	1 —	2 1	5 4	22 24	301 385	590 694	830 1351
B23	Nonmeningococcal meningitis	{ M F	8 13	— 1	— 3	2 2	— —	— —	— 2	1 3	5 2	— —
B24	Rheumatic fever	{ M F	7 5	— —	— —	— 1	2 1	1 —	1 —	3 —	— —	— 3
B25	Chronic rheumatic heart disease	{ M F	162 270	— —	— 1	— —	— —	5 4	26 27	62 93	31 66	38 79

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Southern Region—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2314	—	—	—	—	1	47	705	815	746
		F	1460	—	—	—	—	8	217	517	718	
		M	1871	—	—	—	1	10	155	429	1276	
		F	2474	—	1	—	1	4	119	427	1922	
B27	Other diseases of heart	M	172	—	—	—	—	2	5	31	48	86
		F	214	—	—	—	—	2	5	27	69	111
B28	Hypertension with heart disease	M	280	—	—	—	—	1	2	55	107	115
		F	332	—	—	—	—	1	1	52	104	174
B29	Hypertension without mention of heart	M	215	—	—	—	—	14	54	67	80	
		F	239	—	—	—	—	11	38	65	125	
B46 (Pt.)	Other circulatory diseases (450-468)	M	401	—	—	—	—	1	6	51	110	233
		F	464	—	—	—	—	2	5	46	88	323
B30	Influenza	M	18	—	1	—	—	—	6	5	6	
		F	29	—	—	—	—	1	6	7	15	
B31	Pneumonia	M	547	—	52	10	2	3	14	87	134	245
		F	527	—	33	11	5	1	9	47	88	333
B32	Bronchitis	M	690	—	2	5	2	—	5	168	230	278
		F	370	—	3	3	—	2	2	42	82	236
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	163	2	3	2	3	2	9	49	42	51
		F	92	1	—	1	3	2	9	13	19	44
B33	Ulcer of stomach and duodenum	M	261	—	—	—	—	1	13	97	87	63
		F	82	—	1	—	—	—	3	21	20	37
B34	Appendicitis	M	34	—	—	1	4	1	4	10	11	3
		F	21	—	—	—	2	—	2	7	6	4
B35	Intestinal obstruction and hernia	M	103	5	2	2	1	—	6	19	34	34
		F	88	2	2	—	—	3	17	19	19	45
B36	Gastritis, enteritis, and diarrhœa except diarrhœa of newborn	M	72	—	17	9	1	1	6	7	14	17
		F	83	—	15	2	—	1	5	14	11	35
B37	Cirrhosis of liver	M	44	—	—	1	—	—	5	19	14	5
		F	35	—	1	—	—	1	5	14	10	4
B38	Nephritis and nephrosis	M	166	—	—	1	2	7	19	41	36	60
		F	159	—	—	—	—	6	12	49	35	57
B39	Hyperplasia of prostate	M	321	—	—	—	—	—	13	100	208	
B40	Complications of pregnancy, childbirth & puerperium	F	30	—	—	—	—	2	26	1	—	1
B41	Congenital malformations	M	138	58	41	8	4	3	10	11	1	2
		F	114	50	28	7	7	5	4	9	3	1
B42	Birth injuries, postnatal asphyxia & atelectasis	M	152	150	2	—	—	—	—	—	—	—
		F	82	79	3	—	—	—	—	—	—	—
B43	Diarrhœa of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
		M	31	31	—	—	—	—	—	—	—	—
		F	18	18	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	139	132	6	1	—	—	—	—	—	—
		F	125	125	—	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	157	—	—	1	—	1	—	4	9	142
		F	299	1	—	—	—	2	—	2	6	288
B46(Rem.)	All other diseases (Remainder 001-795)	M	553	5	9	12	16	15	66	141	151	138
		F	664	1	8	12	6	11	71	179	166	210
BE47	Motor vehicle accidents	M	214	—	—	11	12	58	60	35	24	14
		F	56	—	—	3	7	11	6	11	8	10
BE48	All other accidents	M	324	6	15	13	12	61	61	62	37	57
		F	263	5	13	9	3	8	11	25	39	150
BE49	Suicide and self-inflicted injury	M	167	—	—	—	—	12	40	69	29	17
		F	107	—	—	—	—	3	21	53	20	10
BE50	Homicide and operations of war	M	15	—	—	1	1	2	3	8	—	—
		F	10	—	—	—	2	2	2	3	1	—
BN47	Fractures, head injuries and internal injuries	M	390	1	1	14	14	86	102	73	42	57
		F	202	—	1	6	10	12	10	17	29	117
BN48	Burns	M	7	—	—	—	—	—	2	1	—	4
		F	23	—	—	4	—	—	2	2	4	11
BN49	Effects of poisons	M	110	—	1	2	1	8	17	44	23	14
		F	110	—	—	1	1	4	15	49	22	18
BN50	All other injuries	M	213	5	13	9	10	39	43	56	25	13
		F	101	5	12	1	1	8	13	24	13	24
“Delayed” maternal deaths (see page 190)			3	—	—	—	—	—	2	—	—	1



TABLE 19—continued.

Abbreviated List No.	Causes of Death		South Western Region									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M	17944	514	164	117	131	238	836	4338	4852	6754
		{ F	17986	330	143	85	80	124	643	3161	4389	9031
B1	Tuberculosis of respiratory system	{ M	393	—	1	3	3	11	95	191	69	20
		{ F	201	—	—	2	—	25	74	55	28	17
B2	Tuberculosis, other forms	{ M	45	—	1	4	4	7	8	16	2	3
		{ F	38	—	3	6	3	1	4	11	6	4
B3	Syphilis and its sequelæ	{ M	56	—	—	—	—	1	5	27	13	10
		{ F	22	1	—	1	—	—	—	6	11	3
B4	Typhoid fever	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	1	—	—	—	—	—	1	—	—	—
B5	Cholera	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M	1	—	—	—	—	—	—	1	—	—
		{ F	2	—	1	—	—	—	—	—	—	1
B7	Scarlet fever and streptococcal sore throat	{ M	3	—	—	—	1	—	2	—	—	—
		{ F	5	—	—	1	—	1	1	1	—	1
B8	Diphtheria	{ M	2	—	—	1	1	—	—	—	—	—
		{ F	2	—	—	1	—	—	1	—	—	—
B9	Whooping cough	{ M	6	—	3	3	—	—	—	—	—	—
		{ F	11	—	9	1	1	—	—	—	—	—
B10	Meningococcal infections	{ M	6	—	2	4	—	—	—	—	—	—
		{ F	5	—	1	1	1	1	—	—	—	1
B11	Plague	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M	9	—	—	1	2	3	3	—	—	—
		{ F	15	—	—	1	7	2	5	—	—	—
B13	Smallpox	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M	3	—	—	3	—	—	—	—	—	—
		{ F	2	—	1	1	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M	36	—	1	2	3	2	7	12	4	5
		{ F	34	—	1	2	1	2	6	10	3	9
	Malignant neoplasm of stomach (151)	{ M	533	—	—	—	—	—	15	184	182	152
		{ F	464	—	—	—	—	—	12	101	147	204
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M	656	—	—	—	—	—	44	370	185	57
		{ F	144	—	—	—	—	—	7	70	34	33
	Malignant neoplasm of breast (170)	{ M	7	—	—	—	—	—	—	1	3	3
		{ F	594	—	—	—	—	—	51	238	180	125
B18	Malignant neoplasm of uterus (171-174)	{ F	309	—	—	—	—	1	23	140	78	67
	Leukæmia and aleukæmia (204)	{ M	63	—	1	8	8	4	5	24	10	3
		{ F	69	—	2	4	3	3	9	21	17	10
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M	1675	—	2	9	9	12	84	453	554	552
		{ F	1528	—	—	3	8	10	100	468	425	514
B19	Benign and unspecified neoplasms	{ M	47	—	—	—	3	1	4	19	13	7
		{ F	68	1	—	—	1	2	9	28	16	11
B20	Diabetes mellitus	{ M	89	—	—	—	—	—	1	16	37	35
		{ F	163	—	—	—	1	1	6	43	59	53
B21	Anæmias	{ M	50	—	—	—	—	—	3	7	19	21
		{ F	93	—	—	—	1	2	3	25	27	35
B22	Vascular lesions affecting central nervous system	{ M	2156	—	—	—	1	7	45	390	690	1023
		{ F	3156	—	—	—	—	2	37	487	868	1762
B23	Nonmeningococcal meningitis	{ M	12	1	3	2	1	1	1	1	1	1
		{ F	11	3	2	2	—	1	1	2	—	—
B24	Rheumatic fever	{ M	9	—	—	—	1	—	5	2	—	1
		{ F	16	—	—	—	4	2	3	6	1	—
B25	Chronic rheumatic heart disease	{ M	215	—	—	—	1	5	34	90	45	40
		{ F	362	—	—	—	1	4	32	125	92	108

TABLE 19—continued.

Abbreviated List No.	Causes of Death	South Western Region—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2613	1	—	—	—	1	61	832	904	814
		F	1594	—	—	—	1	9	262	589	733	
		M	2686	—	—	—	—	12	225	626	1823	
		F	3498	—	—	—	—	7	185	574	2732	
B27	Other diseases of heart	M	231	—	—	—	—	1	8	56	70	
		F	265	—	—	—	2	6	45	78	134	
B28	Hypertension with heart disease	M	405	—	—	—	—	7	97	139	162	
		F	482	—	—	—	—	4	77	159	242	
B29	Hypertension without mention of heart	M	267	—	—	—	—	14	79	78	96	
		F	280	—	—	—	1	13	50	83	133	
B46 (Pt.)	Other circulatory diseases (450-468)	M	513	—	—	—	—	9	65	143	295	
		F	641	—	—	—	1	11	57	134	438	
B30	Influenza	M	84	—	1	—	4	3	33	17	23	
		F	64	—	1	—	—	1	8	14	39	
B31	Pneumonia	M	576	—	59	18	3	16	123	145	212	
		F	615	—	60	10	6	20	96	114	305	
B32	Bronchitis	M	763	—	3	3	4	5	211	229	308	
		F	474	—	4	2	1	4	52	118	291	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	244	—	—	2	4	2	100	81	41	
		F	124	2	2	—	2	1	30	22	58	
B33	Ulcer of stomach and duodenum	M	255	—	—	—	—	18	106	65	65	
		F	89	—	—	—	—	3	17	35	34	
B34	Appendicitis	M	37	—	—	2	1	2	12	6	10	
		F	32	—	—	2	4	2	8	11	5	
B35	Intestinal obstruction and hernia	M	109	6	5	2	3	1	27	18	44	
		F	117	—	3	2	—	6	20	41	45	
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	94	—	24	8	—	6	13	17	25	
		F	91	—	7	7	2	1	18	23	24	
B37	Cirrhosis of liver	M	49	—	—	—	—	8	23	10	8	
		F	28	—	—	—	—	1	13	6	8	
B38	Nephritis and nephrosis	M	240	—	1	—	3	7	72	54	83	
		F	206	—	—	2	3	4	48	50	83	
B39	Hyperplasia of prostate	M	378	—	—	—	—	—	21	103	254	
B40	Complications of pregnancy, childbirth & puerperium	F	49	—	—	—	—	9	38	2	—	
B41	Congenital malformations	M	150	79	23	7	3	7	11	6	3	
		F	133	60	26	12	5	6	13	4	4	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	212	209	3	—	—	—	—	—	—	
		F	117	117	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	—	—	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	
		M	41	41	—	—	—	—	—	—	—	
		F	22	22	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	169	167	2	—	—	—	—	—	—	
		F	122	117	5	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	196	—	1	1	—	—	—	12	182	
		F	371	—	—	—	—	2	3	9	357	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	672	4	8	9	8	18	63	199	174	
		F	780	1	5	4	11	14	61	206	243	
BE47	Motor vehicle accidents	M	244	—	1	9	29	67	58	46	25	
		F	69	—	—	10	3	5	4	18	20	
BE48	All other accidents	M	449	6	19	16	31	64	91	99	56	
		F	288	5	10	8	7	10	14	37	44	
BE49	Suicide and self-inflicted injury	M	187	—	—	—	—	8	43	81	43	
		F	114	—	—	—	—	2	17	59	26	
BE50	Homicide and operations of war	M	8	—	—	—	—	1	3	4	—	
		F	5	—	—	—	1	1	2	—	1	
BN47	Fractures, head injuries and internal injuries	M	492	—	2	12	40	105	109	114	56	
		F	241	1	1	13	7	10	8	29	50	
BN48	Burns	M	10	—	—	—	—	1	4	2	1	
		F	27	—	—	3	—	1	1	5	5	
BN49	Effects of poisons	M	128	—	—	3	1	4	27	45	36	
		F	102	—	—	—	—	15	49	17	21	
BN50	All other injuries	M	258	6	18	10	19	29	53	68	37	
		F	106	4	9	2	4	7	13	31	18	
“Delayed ” maternal deaths (see page 190)			1	—	—	—	—	—	—	1	—	—



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales I									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M F	11986 9527	368 250	220 173	93 60	86 51	127 94	688 507	3407 2096	3463 2459	3534 3837
B1	Tuberculosis of respiratory system	{ M F	359 157	— —	1 —	2 2	3 1	20 15	86 80	176 46	60 9	11 4
B2	Tuberculosis, other forms	{ M F	30 30	— —	2 3	4 3	3 3	4 7	10 6	5 6	2 2	— —
B3	Syphilis and its sequelæ	{ M F	53 15	— —	1 1	— —	— —	— —	6 —	23 7	20 6	3 1
B4	Typhoid fever	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	3 —	— —	— —	— —	— —	— —	2 —	— —	— —	1 —
B7	Scarlet fever and streptococcal sore throat	{ M F	1 2	— —	— —	— —	1 —	— 1	— —	— 1	— —	— —
B8	Diphtheria	{ M F	1 1	— —	— —	— —	— —	1 1	— —	— —	— —	— —
B9	Whooping cough	{ M F	5 3	— —	3 2	1 —	— —	— —	— 1	1 —	— —	— —
B10	Meningococcal infections	{ M F	5 5	— —	1 2	4 1	— 1	— —	— —	— 1	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	6 1	— —	— —	1 —	1 —	2 —	2 1	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	3 3	— —	— 1	2 2	1 —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	36 31	— —	2 3	2 1	5 1	1 5	12 3	8 13	3 3	3 2
B18	Malignant neoplasm of stomach (151)	{ M F	448 304	— —	— —	— —	— —	— —	21 2	170 96	161 110	96 96
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	430 69	— —	— —	— —	— —	— —	16 3	271 41	120 20	23 5
	Malignant neoplasm of breast (170)	{ M F	2 313	— —	— —	— —	— —	— —	— 41	— 130	2 92	— 50
	Malignant neoplasm of uterus (171-174)	F	157	—	—	—	—	1	19	85	38	14
	Leukæmia and aleukæmia (204)	{ M F	42 21	— —	— —	8 2	6 1	— —	5 4	10 3	12 7	1 4
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	956 773	— —	2 1	6 4	1 6	11 4	58 47	285 300	323 227	270 184
	Benign and unspecified neoplasms	{ M F	49 43	— —	1 —	2 1	1 1	— 2	7 9	24 22	9 5	5 3
	Diabetes mellitus	{ M F	50 110	— —	— —	— 1	1 —	— 1	4 2	17 24	16 48	12 34
	Anæmias	{ M F	25 64	— —	— —	1 —	— 1	— 1	2 —	4 12	11 21	7 29
	Vascular lesions affecting central nervous system	{ M F	1295 1620	— —	2 1	— —	— —	2 2	23 24	249 331	458 499	561 763
B23	Nonmeningococcal meningitis	{ M F	11 7	1 —	3 2	2 3	— —	— —	1 —	3 2	1 —	— —
B24	Rheumatic fever	{ M F	12 14	— —	— —	— —	4 7	— 1	2 3	4 3	2 —	— —
B25	Chronic rheumatic heart disease	{ M F	186 304	— —	— —	— —	6 3	4 10	41 69	86 130	34 56	15 36

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales I—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	1722	—	—	—	—	—	55	682	632	353
		{ F	793	—	—	—	—	—	14	183	325	276
		{ M	1416	—	—	—	—	3	12	165	390	846
		{ F	1515	—	—	—	—	—	6	110	365	1034
B27	Other diseases of heart	{ M	122	—	1	—	1	—	4	29	45	42
		{ F	114	—	—	—	—	1	5	25	38	45
B28	Hypertension with heart disease	{ M	201	—	—	—	—	—	2	49	76	74
		{ F	192	—	—	—	—	—	5	44	69	74
B29	Hypertension without mention of heart	{ M	186	—	—	—	—	—	8	54	53	71
		{ F	148	—	—	—	—	1	3	28	42	74
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	289	—	—	—	—	1	5	38	78	167
		{ F	286	—	—	—	1	2	2	31	57	193
B30	Influenza	{ M	36	—	1	—	—	1	2	6	12	14
		{ F	36	—	—	1	—	—	1	9	11	14
B31	Pneumonia	{ M	344	—	67	10	2	2	14	89	83	77
		{ F	252	—	56	4	3	2	13	33	57	84
B32	Bronchitis	{ M	859	—	12	4	1	—	18	265	306	253
		{ F	363	—	9	1	1	—	11	64	87	190
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	455	2	3	1	3	1	26	205	162	52
		{ F	52	1	1	—	—	—	4	14	10	22
B33	Ulcer of stomach and duodenum	{ M	164	—	—	—	—	1	16	83	49	15
		{ F	33	—	1	—	—	1	2	9	10	10
B34	Appendicitis	{ M	25	—	—	1	1	1	5	8	5	4
		{ F	12	—	—	—	—	—	2	2	7	1
B35	Intestinal obstruction and hernia	{ M	59	1	7	1	1	1	2	12	20	14
		{ F	61	2	2	1	—	—	2	17	14	23
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	68	—	31	4	2	1	5	7	8	10
		{ F	63	—	23	1	1	—	6	8	11	13
B37	Cirrhosis of liver	{ M	33	—	—	—	1	—	2	16	9	5
		{ F	19	—	2	—	—	—	1	12	2	2
B38	Nephritis and nephrosis	{ M	170	—	1	—	1	7	22	58	40	41
		{ F	153	—	2	1	1	7	21	45	39	37
B39	Hyperplasia of prostate	M	217	—	—	—	—	—	—	20	68	129
B40	Complications of pregnancy, childbirth & puerperium	F	20	—	—	—	—	3	17	—	—	—
B41	Congenital malformations	{ M	108	49	27	4	2	6	8	10	1	1
		{ F	92	47	18	6	3	2	7	7	1	1
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	110	106	4	—	—	—	—	—	—	—
		{ F	67	63	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	2	2	—	—	—	—	—	—	—	—
		{ F	4	4	—	—	—	—	—	—	—	—
		{ M	33	32	1	—	—	—	—	—	—	—
		{ F	24	23	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	175	165	10	—	—	—	—	—	—	—
		{ F	112	106	6	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	230	1	2	—	1	—	2	1	19	204
		{ F	309	—	2	1	—	1	—	3	18	284
B46(Rem.)	All other diseases (Remainder 001-795)	{ M	405	1	15	6	11	8	28	124	113	99
		{ F	490	2	18	11	3	10	49	141	113	143
BE47	Motor vehicle accidents	{ M	127	—	—	15	13	21	32	27	10	9
		{ F	48	—	—	5	6	8	4	12	8	5
BE48	All other accidents	{ M	322	8	20	12	12	26	93	80	32	39
		{ F	168	2	12	8	7	1	7	19	26	86
BE49	Suicide and self-inflicted injury	{ M	90	—	—	—	—	2	24	40	17	7
		{ F	44	—	—	—	—	3	9	26	5	1
BE50	Homicide and operations of war	{ M	9	—	—	—	1	1	5	1	1	—
		{ F	5	—	—	—	—	1	2	1	1	—
BN47	Fractures, head injuries and internal injuries	{ M	317	—	1	17	18	36	94	81	34	36
		{ F	155	—	—	10	6	10	5	23	23	78
BN48	Burns	{ M	14	—	—	3	—	—	4	3	—	4
		{ F	22	—	—	1	4	—	3	5	6	3
BN49	Effects of poisons	{ M	46	—	1	—	—	—	16	19	6	4
		{ F	30	—	—	—	—	1	9	15	5	—
BN50	All other injuries	{ M	171	8	18	7	8	14	40	45	20	11
		{ F	58	2	12	2	3	2	5	15	6	11

"Delayed" maternal deaths  
(see page 190)

1



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales II									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	4999 4493	153 87	77 49	30 32	31 18	75 37	277 171	1228 828	1405 1177	1723 2094
B1	Tuberculosis of respiratory system	{ M F	133 58	— —	— 1	— 2	— 1	2 7	36 24	65 15	25 6	5 2
B2	Tuberculosis, other forms	{ M F	13 16	— —	1 —	— 3	1 —	— 4	6 4	4 4	— 1	1 —
B3	Syphilis and its sequelæ	{ M F	18 4	— —	1 —	— —	— —	— —	— —	11 3	5 1	1 —
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	1 1	— —	— —	1 —	— —	— —	— —	— 1	— —	— —
B8	Diphtheria	{ M F	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
B9	Whooping cough	{ M F	4 —	— —	2 —	2 —	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	5 2	— —	2 —	3 1	— —	— —	— —	— —	1 —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	1 2	— —	— —	— —	— —	— —	1 1	— 1	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	3 13	— —	— 1	— 2	1 1	— 1	— 2	2 4	— 1	— 1
	Malignant neoplasm of stomach (151)	{ M F	226 184	— —	— —	— —	— —	— —	5 5	91 37	84 70	46 72
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	136 24	— —	— —	— —	— —	— —	6 1	79 9	39 5	12 9
	Malignant neoplasm of breast (170)	{ M F	2 130	— —	— —	— —	— —	— —	— 6	— 61	1 38	1 25
B18	Malignant neoplasm of uterus (171-174)	{ M F	82 —	— —	— —	— —	— —	— —	5 36	— 36	28 —	13 —
	Leukæmia and aleukæmia (204)	{ M F	17 20	— —	— —	2 1	1 1	1 1	1 4	5 4	5 6	2 3
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	484 370	— —	— —	2 1	— —	8 1	22 21	150 123	166 105	136 119
B19	Benign and unspecified neoplasms	{ M F	10 13	— —	— —	— 1	1 —	— —	4 4	2 1	2 5	1 2
B20	Diabetes mellitus	{ M F	18 40	— —	— —	— —	— —	— —	1 3	5 10	4 13	8 14
B21	Anæmias	{ M F	19 37	— —	— —	— —	— —	1 —	— —	3 4	4 17	11 16
B22	Vascular lesions affecting central nervous system	{ M F	649 902	1 —	— —	— —	— 1	2 1	8 11	112 158	236 280	290 451
B23	Nonmeningococcal meningitis	{ M F	3 2	— —	1 1	— —	1 —	— —	— —	— 1	— —	— —
B24	Rheumatic fever	{ M F	2 2	— —	— —	— —	— 2	— —	1 —	1 —	— —	— —
B25	Chronic rheumatic heart disease	{ M F	61 87	— —	— —	— —	— —	1 1	6 8	24 39	16 22	14 17

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Wales II—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	696	—	—	—	—	—	26	243	249	178
		F	353	—	—	—	—	—	5	70	134	144
	Degenerative heart disease (421, 422)	M	632	—	—	—	—	—	7	53	170	402
		F	772	—	—	—	—	1	3	43	163	562
B27	Other diseases of heart	M	84	—	—	—	—	—	3	24	19	38
		F	94	—	—	1	1	—	3	13	22	54
B28	Hypertension with heart disease	M	96	—	—	—	—	—	—	26	35	35
		F	79	—	—	—	—	—	—	9	20	50
B29	Hypertension without mention of heart	M	73	—	—	—	—	—	2	22	16	33
		F	83	—	—	—	—	1	5	14	21	42
B46 (Pt.)	Other circulatory diseases (450-468)	M	104	—	—	—	—	—	1	9	28	66
		F	132	—	—	—	—	—	3	11	25	93
B30	Influenza	M	17	—	—	—	—	—	1	4	5	7
		F	23	—	1	—	2	—	—	3	4	13
B31	Pneumonia	M	128	—	22	5	2	1	5	20	30	43
		F	102	—	17	1	1	1	4	10	29	39
B32	Bronchitis	M	219	—	4	1	—	—	5	62	66	81
		F	136	—	1	—	3	—	—	10	35	87
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	61	—	1	2	1	2	7	19	17	12
		F	23	—	2	—	—	—	3	2	6	10
B33	Ulcer of stomach and duodenum	M	58	—	—	—	—	—	9	22	20	7
		F	18	—	—	—	—	1	—	6	6	5
B34	Appendicitis	M	13	—	—	1	1	1	4	4	1	1
		F	4	—	—	—	—	1	—	1	1	1
B35	Intestinal obstruction and hernia	M	39	1	—	2	—	—	3	9	9	15
		F	16	1	—	—	1	1	2	3	4	4
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	19	—	8	1	—	—	3	3	2	2
		F	25	—	2	2	—	—	4	5	3	9
B37	Cirrhosis of liver	M	22	—	1	—	—	—	3	12	5	1
		F	4	—	—	—	—	—	—	2	1	1
B38	Nephritis and nephrosis	M	85	—	—	—	1	3	5	19	19	38
		F	72	—	1	1	—	—	3	16	16	35
B39	Hyperplasia of prostate	M	121	—	—	—	—	—	—	6	44	71
B40	Complications of pregnancy, childbirth & puerperium	F	13	—	—	—	—	1	12	—	—	—
B41	Congenital malformations	M	44	21	11	—	2	3	2	4	1	—
		F	36	15	13	3	—	1	1	2	—	1
B42	Birth injuries, postnatal asphyxia & atelectasis	M	58	56	2	—	—	—	—	—	—	—
		F	39	37	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	13	13	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	59	55	4	—	—	—	—	—	—	—
		F	31	29	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	100	—	1	—	—	1	1	3	2	92
		F	120	—	—	—	—	—	—	—	9	111
B46(Rem.)	All other diseases (Remainder 001-795)	M	190	1	9	2	6	6	21	53	50	42
		F	205	—	1	4	2	7	15	70	62	44
BE47	Motor vehicle accidents	M	59	—	—	—	6	18	16	7	9	3
		F	12	—	—	1	1	—	1	3	5	1
BE48	All other accidents	M	155	3	7	6	6	19	44	33	11	26
		F	88	1	4	8	1	5	4	12	9	44
BE49	Suicide and self-inflicted injury	M	43	—	—	—	1	4	11	16	9	2
		F	17	—	—	—	—	1	3	10	3	—
BE50	Homicide and operations of war	M	3	—	—	—	—	1	1	1	—	—
		F	2	—	—	—	—	—	1	1	—	—
BN47	Fractures, head injuries and internal injuries	M	151	—	—	—	8	30	45	29	17	22
		F	66	—	—	2	1	5	5	6	12	35
BN48	Burns	M	9	—	—	3	—	—	1	2	—	3
		F	10	—	1	3	—	1	—	1	—	4
BN49	Effects of poisons	M	20	—	1	1	1	—	8	7	1	1
		F	18	—	—	1	—	—	2	10	3	2
BN50	All other injuries	M	80	3	6	2	4	12	18	19	11	5
		F	25	1	3	3	1	—	2	9	2	4



TABLE 19—continued.

Abbreviated List No.	Causes of Death		All Conurbations									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						75 & over
						1-	5-	15-	25-	45-	65-	
	ALL CAUSES	{ M F	98829 92532	2654 1942	1324 1052	720 530	631 435	975 681	5407 4368	29015 18522	28462 24231	29641 40771
B1	Tuberculosis of respiratory system	{ M F	2853 1270	— —	2 2	10 9	5 6	66 131	632 609	1475 332	534 113	129 68
B2	Tuberculosis, other forms	{ M F	256 218	— —	11 8	52 34	21 28	31 30	49 38	53 42	29 21	10 17
B3	Syphilis and its sequelæ	{ M F	511 226	— —	3 2	— —	1 —	1 2	24 14	225 91	181 58	76 59
B4	Typhoid fever	{ M F	2 2	— —	— —	— —	— —	— —	1 —	1 —	— 1	— 1
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	11 3	— —	— 1	— 1	1 —	1 —	2 —	2 —	2 —	3 1
B7	Scarlet fever and streptococcal sore throat	{ M F	9 14	— —	— 1	— 1	— —	1 1	3 3	3 6	1 2	1 —
B8	Diphtheria	{ M F	6 5	— —	— —	4 1	2 1	— —	— 2	— 1	— —	— —
B9	Whooping cough	{ M F	32 37	— —	25 19	6 17	1 1	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	77 63	1 2	37 27	22 19	7 4	2 2	4 1	4 4	— 2	— 2
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	69 30	— 1	1 1	5 1	15 7	10 9	31 10	7 1	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	31 26	1 —	8 6	18 12	2 8	1 —	1 —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
B16	Malaria	{ M F	5 —	— —	— —	— —	— —	1 —	2 —	2 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	189 214	3 1	11 16	8 10	10 12	7 13	37 32	57 66	35 30	21 34
	Malignant neoplasm of stomach (151)	{ M F	3000 2500	— —	— —	— 1	— —	6 1	124 98	1224 701	1027 873	619 826
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	5548 1042	— —	— —	— —	— —	8 3	306 69	3195 466	1599 295	440 209
B18	Malignant neoplasm of breast (170)	{ M F	26 3325	— —	— —	— —	— —	— 3	— 348	13 1528	7 821	6 625
	Malignant neoplasm of uterus (171-174)	{ M F	1521	—	—	2	—	2	133	758	371	255
	Leukæmia and aleukæmia (204)	{ M F	458 377	— —	3 2	32 18	37 27	22 17	67 45	147 133	105 74	45 61
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	9217 7868	— 3	8 4	37 33	48 39	71 54	553 490	2881 2665	3046 2295	2573 2285
B19	Benign and unspecified neoplasms	{ M F	312 333	1 1	3 6	3 2	16 8	7 9	54 55	144 143	52 60	32 49
B20	Diabetes mellitus	{ M F	385 828	— —	— —	3 1	7 3	2 8	31 32	86 186	136 313	120 285
B21	Anæmias	{ M F	202 418	— —	2 —	3 3	5 1	3 3	6 22	41 86	68 116	74 187
B22	Vascular lesions affecting central nervous system	{ M F	10123 14485	2 —	2 —	2 —	10 6	21 17	217 230	2209 2621	3460 4469	4200 7142
B23	Nonmeningococcal meningitis	{ M F	78 54	5 4	17 11	12 5	3 2	3 4	12 6	20 8	4 8	2 6
B24	Rheumatic fever	{ M F	53 70	— —	— 1	1 —	18 18	13 10	11 13	6 15	2 11	2 2
B25	Chronic rheumatic heart disease	{ M F	1427 2471	— —	— —	— —	11 9	39 39	317 487	590 919	291 561	179 456

TABLE 19—continued.

Abbreviated List No.	Causes of Death	All Conurbations—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	15030	—	—	—	—	3	477	5765	5252	3533
		F	8669	—	—	—	1	2	56	1670	3374	3566
		M	10112	—	—	—	—	7	48	1007	2681	6369
		F	14558	—	—	—	3	2	39	781	2918	10815
B27	Other diseases of heart	M	1167	1	1	3	3	8	55	344	377	375
		F	1328	—	3	3	1	10	38	244	414	615
B28	Hypertension with heart disease	M	2032	—	—	—	—	—	20	471	716	825
		F	2608	—	—	—	—	—	20	405	862	1321
B29	Hypertension without mention of heart	M	1655	—	2	—	—	4	48	461	533	607
		F	1854	—	—	—	—	3	43	322	566	920
B46 (Pt.)	Other circulatory diseases (450-468)	M	2470	—	1	1	2	8	44	377	705	1332
		F	2768	—	—	1	1	7	43	301	683	1732
B30	Influenza	M	370	1	9	2	5	7	27	117	100	102
		F	341	1	4	5	1	5	25	70	74	156
B31	Pneumonia	M	4284	—	426	95	24	24	137	938	1142	1498
		F	3917	—	336	93	20	20	106	526	851	1965
B32	Bronchitis	M	8878	8	92	34	9	5	130	2823	3109	2668
		F	4871	5	52	23	5	7	66	671	1438	2604
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	1132	5	14	19	12	19	104	450	287	222
		F	589	1	11	9	19	13	61	124	119	232
B33	Ulcer of stomach and duodenum	M	1704	2	—	—	—	12	122	710	547	311
		F	593	—	1	—	—	2	25	145	201	219
B34	Appendicitis	M	233	1	1	15	23	14	31	70	43	35
		F	180	—	—	9	11	6	14	51	49	40
B35	Intestinal obstruction and hernia	M	621	22	22	11	2	7	33	167	179	178
		F	642	25	16	8	2	3	26	139	190	233
B36	Gastritis, enteritis, and diarrhoea except	M	387	—	134	15	1	8	36	68	65	60
	diarrhoea of newborn	F	530	1	121	11	5	10	48	88	108	138
B37	Cirrhosis of liver	M	263	1	2	—	1	4	44	120	60	31
		F	191	1	1	2	3	1	18	75	61	29
B38	Nephritis and nephrosis	M	994	—	3	16	22	40	179	346	197	191
		F	1017	—	1	3	18	33	134	315	239	274
B39	Hyperplasia of prostate	M	1419	—	—	—	—	—	2	125	454	838
B40	Complications of pregnancy, childbirth & puerperium	F	194	—	—	—	—	29	156	8	1	—
B41	Congenital malformations	M	911	379	239	64	34	37	66	65	16	11
		F	844	360	213	47	27	22	63	68	29	15
B42	Birth injuries, postnatal asphyxia & atelectasis	M	1082	1057	25	—	—	—	—	—	—	—
		F	674	659	15	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	14	14	—	—	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	—
		M	213	209	4	—	—	—	—	—	—	—
		F	159	159	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	909	881	26	2	—	—	—	—	—	—
		F	698	664	33	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	819	5	5	3	—	2	2	7	84	711
		F	1365	2	1	—	—	2	2	5	66	1287
B46(Rem.)	All other diseases (Remainder 001-795)	M	3121	20	82	63	52	98	351	1024	809	622
		F	3883	13	66	49	52	79	368	1140	1024	1092
BE47	Motor vehicle accidents	M	990	—	1	73	99	138	282	186	95	116
		F	385	—	1	29	38	27	52	91	63	84
BE48	All other accidents	M	1967	34	100	84	119	160	395	473	231	371
		F	1617	32	68	66	44	24	74	207	279	823
BE49	Suicide and self-inflicted injury	M	1088	—	—	—	—	47	265	487	187	102
		F	619	—	—	—	1	10	148	294	126	40
BE50	Homicide and operations of war	M	84	1	2	2	3	7	25	29	14	1
		F	31	1	2	1	3	6	6	9	2	1
BN47	Fractures, head injuries and internal injuries	M	2086	3	6	85	125	225	534	471	245	392
		F	1326	1	6	36	40	34	68	164	242	735
BN48	Burns	M	90	—	3	15	10	—	10	9	12	31
		F	191	1	2	31	23	3	10	31	30	60
BN49	Effects of poisons	M	913	—	1	12	6	45	217	392	156	84
		F	707	—	3	10	9	11	143	296	140	95
BN50	All other injuries	M	1040	32	93	47	80	82	206	303	114	83
		F	428	31	60	19	14	19	59	110	58	58

“Delayed ” maternal deaths  
(see page 190)

13



TABLE 19—continued.

Abbreviated List No.	Causes of Death	Areas outside the Conurbations									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
	<b>ALL CAUSES</b>	<b>{ M 158931 F 147192</b>	<b>4482 3253</b>	<b>2203 1645</b>	<b>1210 896</b>	<b>1103 742</b>	<b>2064 1138</b>	<b>8008 6129</b>	<b>39899 27613</b>	<b>44598 37481</b>	<b>55364 68295</b>
B1	Tuberculosis of respiratory system	{ M 3568 F 1644	1 —	6 5	8 15	18 11	122 198	929 684	1709 465	627 173	148 93
B2	Tuberculosis, other forms	{ M 437 F 339	— —	17 16	75 56	38 41	43 40	101 69	113 66	35 34	15 17
B3	Syphilis and its sequelæ	{ M 586 F 296	1 3	9 3	— 1	1 —	1 —	30 18	254 138	206 77	84 56
B4	Typhoid fever	{ M 3 F 2	— —	— —	— —	— —	— —	1 1	1 —	1 1	— —
B5	Cholera	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M 13 F 9	— —	1 2	1 1	1 —	1 —	4 1	1 —	— 1	4 4
B7	Scarlet fever and streptococcal sore throat	{ M 21 F 20	1 —	— —	3 2	3 3	3 2	5 2	2 5	3 3	1 3
B8	Diphtheria	{ M 8 F 13	— —	— —	3 1	2 3	— 5	1 2	2 1	— 1	— —
B9	Whooping cough	{ M 52 F 63	— —	31 36	18 23	1 2	1 —	— 1	1 1	— —	— —
B10	Meningococcal infections	{ M 83 F 67	— 1	27 20	38 21	3 6	3 2	4 3	7 9	— 3	1 2
B11	Plague	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M 98 F 78	— 3	4 2	15 5	19 14	16 14	44 35	— 5	— —	— —
B13	Smallpox	{ M — F 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
B14	Measles	{ M 40 F 44	— —	7 15	20 17	10 9	— 1	3 —	— 2	— —	— —
B15	Typhus and other rickettsial diseases	{ M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M 3 F 1	— —	— —	— —	— —	1 —	— 1	2 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M 340 F 337	8 1	21 12	26 25	35 13	17 19	60 62	95 97	33 48	45 60
	Malignant neoplasm of stomach (151)	{ M 5066 F 3843	— —	— —	— —	— —	3 1	176 108	1894 962	1739 1339	1254 1433
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 6433 F 1195	1 —	— —	1 —	— —	5 1	353 87	3681 526	1863 362	529 219
B18	Malignant neoplasm of breast (170)	{ M 33 F 4760	— —	— —	— —	— —	— 1	2 469	10 2131	12 1306	9 1053
	Malignant neoplasm of uterus (171-174)	{ F 2503	—	—	1	—	5	243	1159	672	423
	Leukæmia and aleukæmia (204)	{ M 644 F 564	1 —	8 6	53 46	57 55	42 32	92 81	180 166	124 119	67 69
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 15004 F 12515	1 3	14 6	64 51	73 63	120 68	734 737	4287 4092	4991 3742	4720 3753
B19	Benign and unspecified neoplasms	{ M 479 F 592	1 5	8 7	10 5	18 16	19 22	69 98	213 247	89 101	52 91
B20	Diabetes mellitus	{ M 706 F 1419	— —	— —	1 1	9 4	13 13	30 49	172 307	247 555	234 490
B21	Anæmias	{ M 401 F 730	— —	1 2	3 2	5 7	3 7	16 23	71 146	134 218	168 325
B22	Vascular lesions affecting central nervous system	{ M 19035 F 25745	2 —	8 6	4 2	11 11	34 24	313 312	3523 4393	6444 7733	8696 13264
B23	Nonmeningococcal meningitis	{ M 119 F 91	8 9	32 30	13 16	9 3	1 3	12 5	24 19	17 6	3 —
B24	Rheumatic fever	{ M 91 F 114	— —	— 1	5 2	27 35	8 17	18 27	19 21	11 3	3 8
B25	Chronic rheumatic heart disease	{ M 2042 F 3166	— —	— 1	— —	15 13	49 70	366 509	820 1219	457 693	335 661

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Areas outside the Conurbations—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
					1-	5-	15-	25-	45-	65-	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	23967	1	—	—	—	6	610	8047	8602	6701
		{ F	13763	—	—	—	2	109	2512	5221	5919	
		{ M	20700	—	—	1	2	108	1779	5233	13567	
		{ F	26428	—	1	1	1	87	1460	5163	19709	
B27	Other diseases of heart	{ M	2103	2	3	3	2	21	78	485	644	865
		{ F	2345	1	1	6	6	12	73	435	709	1102
B28	Hypertension with heart disease	{ M	3049	—	—	—	1	2	32	697	1067	1250
		{ F	3305	—	—	—	—	1	28	562	1119	1595
B29	Hypertension without mention of heart	{ M	2270	—	1	—	2	1	91	562	716	897
		{ F	2203	—	—	—	1	6	64	392	654	1086
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	4388	—	3	—	2	5	72	508	1149	2649
		{ F	4744	—	2	2	3	13	63	471	986	3204
B30	Influenza	{ M	509	—	11	3	7	8	28	156	140	156
		{ F	530	—	11	4	6	6	20	85	135	263
B31	Pneumonia	{ M	5498	—	771	165	34	35	188	1089	1309	1907
		{ F	4909	—	563	114	39	29	163	640	1022	2339
B32	Bronchitis	{ M	8816	9	113	38	18	2	130	2554	2939	3013
		{ F	4703	7	89	29	11	17	67	578	1189	2716
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	2043	8	24	27	20	29	141	852	554	388
		{ F	812	9	19	18	13	13	80	173	155	332
B33	Ulcer of stomach and duodenum	{ M	2355	1	—	1	—	12	194	935	724	488
		{ F	732	—	2	—	—	3	35	198	223	271
B34	Appendicitis	{ M	365	—	2	27	37	26	57	86	74	56
		{ F	267	1	—	9	25	14	24	75	70	49
B35	Intestinal obstruction and hernia	{ M	967	46	41	19	12	8	48	214	257	322
		{ F	914	21	19	9	3	4	34	201	290	333
B36	Gastritis, enteritis, and diarrhœa except diarrhœa of newborn	{ M	678	3	228	50	7	10	60	88	101	131
		{ F	803	2	146	29	9	11	73	136	167	230
B37	Cirrhosis of liver	{ M	382	—	1	1	5	1	43	177	98	56
		{ F	288	1	4	1	2	6	22	128	90	34
B38	Nephritis and nephrosis	{ M	2000	—	7	5	33	88	262	631	444	530
		{ F	1862	1	7	15	28	59	216	510	474	552
B39	Hyperplasia of prostate	M	2932	—	—	—	—	—	—	176	925	1831
B40	Complications of pregnancy, childbirth & puerperium	F	304	—	—	—	—	52	242	9	—	1
B41	Congenital malformations	{ M	1412	627	352	77	38	50	96	121	32	19
		{ F	1286	582	314	94	51	35	70	100	25	15
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	1574	1535	39	—	—	—	—	—	—	—
		{ F	993	972	19	2	—	—	—	—	—	—
B43	Diarrhœa of newborn (764) Other infections of newborn (763, 765-768)	{ M	26	26	—	—	—	—	—	—	—	—
		{ F	20	20	—	—	—	—	—	—	—	—
		{ M	362	360	2	—	—	—	—	—	—	—
		{ F	245	244	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	1786	1720	65	1	—	—	—	—	—	—
		{ F	1320	1284	33	3	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	2178	5	11	4	1	4	7	23	149	1974
		{ F	3383	3	6	6	1	3	5	21	158	3180
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	5403	50	141	124	113	149	556	1572	1431	1267
		{ F	6524	31	89	94	88	137	635	1846	1757	1847
BE47	Motor vehicle accidents	{ M	2157	—	2	117	190	500	587	420	207	134
		{ F	585	—	1	54	82	64	69	111	117	87
BE48	All other accidents	{ M	3883	60	190	169	204	507	865	848	402	638
		{ F	2578	45	144	107	66	68	118	306	376	1348
BE49	Suicide and self-inflicted injury	{ M	1700	—	—	—	2	74	368	754	348	154
		{ F	931	—	—	—	—	23	187	475	188	58
BE50	Homicide and operations of war	{ M	123	4	2	7	8	11	24	44	20	3
		{ F	64	4	4	6	6	11	18	11	3	1
BN47	Fractures, head injuries and internal injuries	{ M	4382	3	7	145	247	784	1145	985	477	589
		{ F	2112	5	6	74	96	97	108	230	354	1142
BN48	Burns	{ M	155	—	3	27	3	12	26	24	17	43
		{ F	301	1	9	44	31	7	16	39	49	105
BN49	Effects of poisons	{ M	1129	—	4	27	11	38	268	459	212	110
		{ F	917	—	3	14	2	19	166	424	171	118
BN50	All other injuries	{ M	2197	61	180	94	143	258	405	598	271	187
		{ F	828	43	131	35	25	43	102	210	110	129
"Delayed" maternal deaths (see page 190)			22	—	—	—	—	2	14	5	—	1



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban areas with populations of 100,000 and over									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M 34703 F 32141		983 706	510 400	249 173	231 176	391 273	1801 1451	9633 6412	10121 8483	10784 14067
B1	Tuberculosis of respiratory system	{ M 1028 F 455		1	2	2	3	41	258	493	184	44
B2	Tuberculosis, other forms	{ M 88 F 76		—	1	12	8	15	18	22	8	4
		{ F 76		—	1	14	5	14	15	12	12	3
B3	Syphilis and its sequelæ	{ M 164 F 83		—	2	—	—	—	7	70	60	25
B4	Typhoid fever	{ M 83 F —		—	—	—	—	—	5	45	19	14
B5	Cholera	{ M — F —		—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M 5 F 1		—	—	—	—	—	3	—	—	2
B7	Scarlet fever and streptococcal sore throat	{ M 1 F 5		1	—	—	—	—	—	—	—	—
B8	Diphtheria	{ M 3 F —		—	—	1	1	2	—	1	—	1
B9	Whooping cough	{ M 5 F 17		—	4	1	—	—	—	—	—	—
B10	Meningococcal infections	{ M 18 F 16		—	7	6	2	1	—	2	—	—
		{ F 16		—	4	3	3	—	1	3	2	—
B11	Plague	{ M — F —		—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M 15 F 15		—	—	3	5	2	5	—	—	—
		{ F 15		—	—	—	3	3	7	2	—	—
B13	Smallpox	{ M — F —		—	—	—	—	—	—	—	—	—
B14	Measles	{ M 12 F 11		—	—	8	4	—	—	—	—	—
		{ F 11		—	1	5	3	1	—	1	—	—
B15	Typhus and other rickettsial diseases	{ M — F —		—	—	—	—	—	—	—	—	—
B16	Malaria	{ M — F —		—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M 64 F 66		2	3	8	6	5	12	18	4	6
		{ F 66		—	1	3	4	5	11	18	14	10
	Malignant neoplasm of stomach (151)	{ M 1107 F 850		—	—	—	—	—	35	456	365	251
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M 1757 F 296		1	—	—	—	3	114	1026	473	140
		{ F 296		—	—	—	—	—	28	134	87	47
B18	Malignant neoplasm of breast (170)	{ M 11 F 1096		—	—	—	—	—	—	5	5	1
	Malignant neoplasm of uterus (171-174)	{ F 617		—	—	—	—	—	107	485	293	210
		{ F 617		—	—	—	—	—	62	289	162	104
	Leukæmia and aleukæmia (204)	{ M 146 F 107		—	1	18	7	8	29	43	31	9
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M 3235 F 2664		—	5	16	20	22	158	979	1098	937
		{ F 2664		—	1	13	14	18	164	906	807	741
B19	Benign and unspecified neoplasms	{ M 108 F 124		—	1	3	5	4	16	48	25	6
		{ F 124		1	1	2	5	5	24	57	16	13
B20	Diabetes mellitus	{ M 141 F 289		—	—	—	3	2	4	46	49	37
		{ F 289		—	—	—	2	6	11	59	121	90
B21	Anæmias	{ M 70 F 177		—	—	1	1	1	3	13	22	29
		{ F 177		—	—	1	1	3	6	34	53	79
B22	Vascular lesions affecting central nervous system	{ M 3964 F 5277		1	1	3	—	3	77	788	1388	1703
B23	Nonmeningococcal meningitis	{ M 25 F 19		1	6	2	1	—	3	8	4	—
		{ F 19		2	5	3	1	—	3	4	1	—
B24	Rheumatic fever	{ M 21 F 30		—	—	1	4	—	5	6	4	1
		{ F 30		—	1	1	10	2	9	2	1	4
B25	Chronic rheumatic heart disease	{ M 446 F 818		—	—	—	4	16	92	198	93	43
		{ F 818		—	1	—	4	24	137	345	167	140

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Urban areas with populations of 100,000 and over—continued.										
		Age										
		All Ages	0-4 weeks	4 wks. -1 yr.	Years							
1-	5-				15-	25-	45-	65-	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	5228	—	—	—	—	2	147	1929	1868	1282
		{ F	3032	—	—	—	1	—	24	573	1179	1255
		{ M	3928	—	—	—	—	6	21	385	1090	2426
		{ F	5386	—	—	1	1	1	16	323	1076	3968
B27	Other diseases of heart	{ M	451	1	2	1	1	4	21	92	142	187
		{ F	484	1	—	—	1	2	16	88	155	221
B28	Hypertension with heart disease	{ M	777	—	—	—	—	1	7	180	294	295
		{ F	874	—	—	—	—	—	9	150	301	414
B29	Hypertension without mention of heart	{ M	501	—	—	—	—	—	12	109	169	211
		{ F	520	—	—	—	1	1	15	82	162	259
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	1083	—	—	—	—	2	18	142	315	606
		{ F	1170	—	2	—	1	5	7	104	265	786
B30	Influenza	{ M	99	—	3	—	1	1	5	38	27	24
		{ F	99	—	1	—	1	1	7	23	24	42
B31	Pneumonia	{ M	1456	—	201	32	6	13	54	318	383	449
		{ F	1268	—	158	28	5	6	35	182	298	556
B32	Bronchitis	{ M	2286	2	25	6	5	—	40	724	820	664
		{ F	1188	1	16	6	2	3	22	152	314	672
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	464	3	6	7	1	5	29	216	119	78
		{ F	176	3	5	3	2	6	21	33	31	72
B33	Ulcer of stomach and duodenum	{ M	553	—	—	1	—	4	49	226	179	94
		{ F	180	—	1	—	—	2	14	41	56	66
B34	Appendicitis	{ M	68	—	—	6	10	4	10	12	18	8
		{ F	59	—	—	—	7	4	6	15	21	6
B35	Intestinal obstruction and hernia	{ M	203	8	6	7	3	1	6	52	58	62
		{ F	220	10	5	1	—	1	6	45	78	74
B36	Gastritis, enteritis, and diarrhoea except	{ M	171	1	68	8	1	2	14	28	23	26
	diarrhoea of newborn	{ F	186	—	41	3	2	3	20	34	38	45
B37	Cirrhosis of liver	{ M	73	—	—	1	3	—	11	31	16	11
		{ F	78	1	2	—	—	2	3	35	29	6
B38	Nephritis and nephrosis	{ M	387	—	—	—	7	16	52	124	108	80
		{ F	389	—	1	2	7	11	57	106	115	90
B39	Hyperplasia of prostate	M	580	—	—	—	—	—	—	36	192	352
B40	Complications of pregnancy, childbirth & puerperium	F	55	—	—	—	—	9	46	—	—	—
B41	Congenital malformations	{ M	318	155	79	14	7	11	21	28	1	2
		{ F	288	127	74	14	14	5	15	27	8	4
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	334	325	9	—	—	—	—	—	—	—
		{ F	214	207	7	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	7	7	—	—	—	—	—	—	—	—
		{ F	7	7	—	—	—	—	—	—	—	—
		{ M	101	99	2	—	—	—	—	—	—	—
		{ F	59	58	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	353	345	8	—	—	—	—	—	—	
		{ F	279	273	6	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	290	1	2	—	1	1	4	22	258	
		{ F	507	—	2	2	—	2	10	25	466	
B46(Rem.)	All other diseases (Remainder 001-795)	{ M	1148	12	24	27	28	38	134	358	277	250
		{ F	1338	4	19	20	21	21	132	382	371	368
BE47	Motor vehicle accidents	{ M	338	—	—	26	41	54	92	69	35	21
		{ F	137	—	1	12	23	13	10	30	29	19
BE48	All other accidents	{ M	672	16	42	26	40	81	126	139	79	123
		{ F	566	11	29	20	15	13	20	68	79	311
BE49	Suicide and self-inflicted injury	{ M	374	—	—	—	—	20	87	159	72	36
		{ F	258	—	—	—	—	6	48	137	50	17
BE50	Homicide and operations of war	{ M	26	1	—	2	2	2	5	12	1	1
		{ F	15	—	—	2	2	3	6	1	1	—
BN47	Fractures, head injuries and internal injuries	{ M	712	1	1	32	53	99	181	156	77	112
		{ F	461	—	2	15	26	16	12	59	72	259
BN48	Burns	{ M	25	—	—	2	1	2	2	9	4	5
		{ F	73	—	3	10	8	2	5	4	13	28
BN49	Effects of poisons	{ M	295	—	—	5	3	12	59	126	63	27
		{ F	279	—	—	3	1	6	47	137	57	28
BN50	All other injuries	{ M	378	16	41	15	26	44	68	88	43	37
		{ F	163	11	25	6	5	11	20	36	17	32



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban Areas with populations of 50,000 and under 100,000									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	19916 19142	530 448	279 219	160 121	140 96	212 151	952 760	5264 3483	5687 4948	6692 8916
B1	Tuberculosis of respiratory system	{ M F	466 210	— —	— —	— 2	4 1	18 27	119 80	225 63	84 20	16 17
B2	Tuberculosis, other forms	{ M F	61 45	— —	1 4	10 9	6 8	6 5	18 6	17 7	2 4	1 2
B3	Syphilis and its sequelæ	{ M F	83 51	— 1	— —	— 1	— —	— —	4 3	41 25	31 13	7 8
B4	Typhoid fever	{ M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	— 3	— —	— —	— 1	— 1	— —	— —	— 1	— —	— —
B8	Diphtheria	{ M F	1 4	— —	— —	— —	— 1	— 1	1 1	— 1	— 1	— —
B9	Whooping cough	{ M F	6 5	— —	2 1	4 3	— 1	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	15 7	— 1	7 2	6 2	— 1	— —	1 —	1 1	— —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	9 9	— —	1 —	1 1	2 2	1 2	4 4	— —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	5 7	— —	1 3	3 3	1 1	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	39 44	2 —	2 2	4 4	3 3	1 —	4 4	12 17	6 5	5 9
	Malignant neoplasm of stomach (151)	{ M F	620 521	— —	— —	— —	— —	1 —	23 18	245 127	208 183	143 193
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	903 173	— —	— —	— —	— —	— —	51 14	508 73	269 58	75 28
B18	Malignant neoplasm of breast (170)	{ M F	3 578	— —	— —	— —	— —	— —	1 47	1 240	— 151	1 140
	Malignant neoplasm of uterus (171-174)	F	334	—	—	1	—	1	28	157	89	58
	Leukæmia and aleukæmia (204)	{ M F	72 74	— —	— 2	6 8	8 3	1 2	8 15	26 20	15 14	8 10
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	1857 1660	— —	2 2	9 7	13 4	9 10	84 94	548 513	610 503	582 527
B19	Benign and unspecified neoplasms	{ M F	70 71	1 —	— —	— —	1 —	5 2	10 7	29 30	14 15	10 17
B20	Diabetes mellitus	{ M F	83 170	— —	— —	— —	2 —	3 —	4 3	18 31	31 69	25 67
B21	Anæmias	{ M F	48 90	— —	1 2	1 1	1 3	1 2	4 5	8 21	15 23	17 33
B22	Vascular lesions affecting central nervous system	{ M F	2312 3245	— —	— 2	— 1	1 3	2 6	31 45	434 529	839 975	1005 1684
B23	Nonmeningococcal meningitis	{ M F	17 11	3 —	4 2	2 3	2 —	— 1	— —	5 5	1 —	— —
B24	Rheumatic fever	{ M F	6 17	— —	— —	— —	1 4	1 3	3 5	1 3	— —	— 2
B25	Chronic rheumatic heart disease	{ M F	246 402	— —	— —	— —	2 1	3 8	49 70	98 147	45 93	49 83

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban Areas with populations of 50,000 and under 100,000—contd.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						75 & over
						1-	5-	15-	25-	45-	65-	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3141	—	—	—	—	—	82	1107	1090	862
		F	1861	—	—	—	—	—	11	321	712	817
		M	2570	—	—	—	1	—	17	255	662	1634
		F	3445	—	—	—	—	—	13	190	670	2572
B27	Other diseases of heart	M	268	—	—	1	—	4	7	63	95	98
		F	331	—	—	2	—	2	13	55	113	146
B28	Hypertension with heart disease	M	362	—	—	—	1	—	4	76	117	164
		F	463	—	—	—	—	—	2	78	167	216
B29	Hypertension without mention of heart	M	244	—	—	—	—	—	14	62	87	81
		F	280	—	—	—	—	—	10	44	87	139
B46 (Pt.)	Other circulatory diseases (450-468)	M	518	—	—	—	—	1	11	66	144	296
		F	586	—	—	—	—	2	8	73	123	380
B30	Influenza	M	67	—	—	—	—	—	6	21	20	20
		F	58	—	1	—	1	1	3	6	15	31
B31	Pneumonia	M	688	—	99	21	3	4	17	152	165	227
		F	677	—	73	14	5	3	27	89	123	343
B32	Bronchitis	M	1220	1	11	9	1	—	11	406	411	370
		F	648	—	15	4	2	1	5	79	173	369
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	208	2	3	—	2	5	21	81	55	39
		F	125	4	2	1	5	2	8	25	24	54
B33	Ulcer of stomach and duodenum	M	302	1	—	—	—	1	26	118	95	61
		F	93	—	—	—	—	—	6	24	31	32
B34	Appendicitis	M	47	—	—	3	4	3	11	14	5	7
		F	27	—	—	2	5	—	1	7	11	1
B35	Intestinal obstruction and hernia	M	130	7	6	2	—	1	9	28	39	38
		F	122	3	4	1	1	—	4	22	39	48
B36	Gastritis, enteritis, and diarrhœa except diarrhœa of newborn	M	93	1	32	5	2	—	8	6	15	24
		F	112	—	18	7	2	3	9	19	24	30
B37	Cirrhosis of liver	M	53	—	—	—	1	—	4	26	18	4
		F	39	—	1	—	—	—	2	21	8	7
B38	Nephritis and nephrosis	M	257	—	1	1	7	10	35	80	54	69
		F	232	1	—	1	2	12	27	52	63	74
B39	Hyperplasia of prostate	M	369	—	—	—	—	—	—	38	105	226
B40	Complications of pregnancy, childbirth & puerperium	F	35	—	—	—	—	5	30	—	—	—
B41	Congenital malformations	M	166	74	40	14	8	3	5	15	4	3
		F	187	96	39	13	5	3	9	17	3	2
B42	Birth injuries, postnatal asphyxia & atelectasis	M	175	169	6	—	—	—	—	—	—	—
		F	153	149	2	2	—	—	—	—	—	—
B43	Diarrhœa of newborn (764) Other infections of newborn (763, 765-768)	M	6	6	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
		M	46	46	—	—	—	—	—	—	—	—
		F	29	29	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	222	204	18	—	—	—	—	—	—	—
		F	153	147	6	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	244	1	—	1	—	1	1	2	22	216
		F	353	1	1	—	—	—	—	1	18	332
B46 (Rem.)	All other diseases (Remainder 001-795)	M	693	5	11	14	14	21	68	206	185	169
		F	851	4	10	11	13	23	76	238	233	243
BE47	Motor vehicle accidents	M	230	—	1	18	19	48	59	39	24	22
		F	50	—	—	2	9	3	2	9	15	10
BE48	All other accidents	M	438	6	30	23	30	49	67	96	44	93
		F	353	8	25	14	7	15	16	40	43	185
BE49	Suicide and self-inflicted injury	M	220	—	—	—	—	7	45	86	57	25
		F	136	—	—	—	—	4	25	63	37	7
BE50	Homicide and operations of war	M	15	1	—	2	—	1	3	4	4	—
		F	10	2	—	—	2	2	4	—	—	—
BN47	Fractures, head injuries and internal injuries	M	474	—	1	23	24	80	106	93	59	88
		F	247	2	—	5	11	7	7	21	44	150
BN48	Burns	M	10	—	1	1	—	1	—	1	1	5
		F	34	—	2	6	3	3	1	5	2	12
BN49	Effects of poisons	M	164	—	—	4	—	2	36	59	38	25
		F	167	—	1	4	1	5	30	64	34	28
BN50	All other injuries	M	255	7	29	15	25	22	32	72	31	22
		F	101	8	22	1	3	9	9	22	15	12

"Delayed" maternal deaths  
(see page 190)



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban Areas with populations under 50,000									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	57018 53548	1578 1120	825 559	395 315	381 245	601 380	2785 2223	14429 10049	16176 13559	19848 25098
B1	Tuberculosis of respiratory system	{ M F	1234 559	— —	2 4	3 8	9 7	37 61	309 248	613 145	214 56	47 30
B2	Tuberculosis, other forms	{ M F	149 109	— —	10 6	28 17	14 15	10 11	35 25	33 21	13 9	6 5
B3	Syphilis and its sequelæ	{ M F	204 87	1 2	6 1	— —	1 —	— —	12 5	84 38	71 28	29 13
B4	Typhoid fever	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	3 5	— —	1 1	— 1	— —	1 —	— 1	— —	— —	1 2
B7	Scarlet fever and streptococcal sore throat	{ M F	6 11	— —	— —	1 —	1 1	1 —	1 2	1 4	1 2	— 2
B8	Diphtheria	{ M F	4 7	— —	— —	2 1	1 2	— 3	— —	1 1	— —	— —
B9	Whooping cough	{ M F	21 22	— —	13 13	6 6	— 1	1 —	— 1	1 1	— —	— —
B10	Meningococcal infections	{ M F	26 24	— —	9 8	13 10	1 2	— 1	3 1	— 1	— —	— 1
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	37 32	— 2	2 2	3 1	9 5	3 6	20 13	— 3	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	17 15	— —	6 6	6 6	3 3	— —	2 —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	116 126	2 —	15 6	6 9	10 3	3 8	24 30	30 39	11 12	15 19
B18	Malignant neoplasm of stomach (151)	{ M F	1860 1402	— —	— —	— —	— —	1 —	67 34	692 358	654 477	446 533
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	2249 415	— —	— —	— —	— —	1 —	110 23	1289 184	677 124	172 84
	Malignant neoplasm of breast (170)	{ M F	10 1830	— —	— —	— —	— —	— —	1 174	1 787	3 473	5 396
	Malignant neoplasm of uterus (171-174)	{ M F	896	—	—	—	—	2	88	419	245	142
	Leukæmia and aleukæmia (204)	{ M F	216 196	1 —	4 1	20 15	26 18	17 13	32 28	56 62	36 41	24 18
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	5463 4576	— 3	2 1	19 21	16 28	49 21	255 273	1579 1479	1781 1376	1762 1374
	Benign and unspecified neoplasms	{ M F	164 216	— 2	5 5	4 1	7 4	5 11	18 33	75 87	27 43	23 30
	Diabetes mellitus	{ M F	251 518	— —	— —	1 1	2 —	6 4	13 14	60 130	93 193	76 176
	Anæmias	{ M F	158 247	— —	— —	— —	2 3	— —	3 6	34 45	55 77	64 116
	Vascular lesions affecting central nervous system	{ M F	7064 9601	— —	2 —	1 —	9 5	13 12	123 109	1319 1623	2368 2863	3229 4989
B23	Nonmeningococcal meningitis	{ M F	43 32	2 5	14 11	5 4	4 —	— 1	5 1	6 8	6 2	1 —
B24	Rheumatic fever	{ M F	43 39	— —	— —	3 1	17 11	4 7	5 9	9 9	4 —	1 2
B25	Chronic rheumatic heart disease	{ M F	758 1056	— —	— —	— —	4 2	18 22	148 183	308 432	176 228	104 189

TABLE 19—continued.

Abbreviated List No.	Causes of Death		Urban Areas with populations under 50,000—continued.									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	8781	1	—	—	—	2	242	2957	3194	2385
		F	5050	—	—	—	1	—	50	941	1868	2190
		M	7488	—	—	1	—	1	35	632	1977	4842
		F	9870	—	—	—	—	4	29	531	1934	7372
B27	Other diseases of heart	M	724	1	—	1	—	6	27	197	213	279
		F	840	—	—	2	3	6	26	157	245	401
B28	Hypertension with heart disease	M	1044	—	—	—	—	—	10	256	351	427
		F	1083	—	—	—	—	1	8	195	361	518
B29	Hypertension without mention of heart	M	797	—	—	—	1	1	35	205	255	300
		F	775	—	—	—	—	2	20	149	226	378
B46 (Pt.)	Other circulatory diseases (450-468)	M	1442	—	—	—	—	1	21	154	368	898
		F	1591	—	—	1	1	4	24	156	345	1060
B30	Influenza	M	189	—	6	2	4	2	7	55	50	63
		F	193	—	5	2	1	1	6	33	50	95
B31	Pneumonia	M	1852	—	289	51	10	12	62	371	417	640
		F	1674	—	180	35	13	12	59	211	348	816
B32	Bronchitis	M	3197	3	37	14	2	2	48	918	1054	1119
		F	1652	5	32	11	1	6	30	207	437	923
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	741	2	7	10	11	8	53	308	212	130
		F	290	2	6	9	4	3	29	70	54	113
B33	Ulcer of stomach and duodenum	M	815	—	—	—	—	5	64	329	250	167
		F	257	—	—	—	—	1	7	85	68	96
B34	Appendicitis	M	139	—	1	10	13	9	20	35	32	19
		F	90	1	—	4	5	6	9	30	16	19
B35	Intestinal obstruction and hernia	M	336	18	15	3	7	3	18	72	87	113
		F	316	5	4	5	—	—	13	78	94	117
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	M	219	1	71	21	1	3	23	23	38	38
		F	283	1	46	11	3	2	23	43	58	96
B37	Cirrhosis of liver	M	136	—	—	—	—	1	15	61	38	21
		F	101	—	1	—	2	3	11	42	31	11
B38	Nephritis and nephrosis	M	716	—	3	3	10	38	95	234	158	175
		F	694	—	3	4	8	18	77	216	163	205
B39	Hyperplasia of prostate	M	1023	—	—	—	—	—	—	53	329	641
B40	Complications of pregnancy, childbirth & puerperium	F	116	—	—	—	—	23	88	4	—	1
B41	Congenital malformations	M	494	215	132	18	12	14	31	45	21	6
		F	439	188	111	36	17	13	25	35	9	5
B42	Birth injuries, postnatal asphyxia & atelectasis	M	570	558	12	—	—	—	—	—	—	—
		F	335	331	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	5	5	—	—	—	—	—	—	—	—
		F	8	8	—	—	—	—	—	—	—	—
		M	100	100	—	—	—	—	—	—	—	—
		F	83	83	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	651	626	25	—	—	—	—	—	—	—
		F	474	459	13	2	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	874	2	6	1	—	1	4	11	63	786
		F	1423	2	2	2	1	1	3	4	68	1340
B46(Rem.)	All other diseases (Remainder 001-795)	M	1928	20	65	40	40	39	181	572	528	443
		F	2408	9	36	26	23	47	247	658	670	692
BE47	Motor vehicle accidents	M	678	—	—	46	57	135	179	137	77	47
		F	194	—	—	21	28	19	22	28	43	33
BE48	All other accidents	M	1331	19	63	53	72	120	293	317	151	243
		F	937	12	50	41	24	15	41	123	157	474
BE49	Suicide and self-inflicted injury	M	610	—	—	—	2	25	126	283	115	59
		F	335	—	—	—	—	7	70	171	65	22
BE50	Homicide and operations of war	M	40	1	2	—	3	3	10	11	8	2
		F	16	—	1	1	—	3	5	6	—	—
BN47	Fractures, head injuries and internal injuries	M	1437	2	2	54	74	194	373	351	173	214
		F	739	—	1	26	32	30	34	71	148	397
BN48	Burns	M	59	—	—	12	1	1	11	10	5	19
		F	118	—	2	18	13	—	5	21	21	38
BN49	Effects of poisons	M	393	—	3	5	4	16	89	160	69	47
		F	330	—	1	4	—	6	60	159	55	45
BN50	All other injuries	M	770	18	60	28	55	72	135	227	104	71
		F	295	12	47	15	7	8	39	77	41	49
"Delayed" maternal deaths (see page 190)			11	—	—	—	—	1	5	4	—	1



TABLE 19—continued.

Abbreviated List No.	Causes of Death		Rural Areas									
			Age									
			All Ages	0-4 weeks	4 wks. -1 yr.	1-	5-	15-	25-	45-	65-	75 & over
	ALL CAUSES	{ M F	47294 42361	1391 979	589 467	406 287	351 225	860 334	2470 1695	10573 7669	12614 10491	18040 20214
B1	Tuberculosis of respiratory system	{ M F	840 420	— —	2 1	3 4	2 1	26 45	243 170	378 124	145 48	41 27
B2	Tuberculosis, other forms	{ M F	139 109	— —	5 5	25 16	10 13	12 10	30 23	41 26	12 9	4 7
B3	Syphilis and its sequelæ	{ M F	135 75	— —	1 2	— —	— —	1 —	7 5	59 30	44 17	23 21
B4	Typhoid fever	{ M F	1 2	— —	— —	— —	— —	— —	— 1	— —	1 1	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	4 3	— —	— 1	1 —	1 —	— —	— —	1 —	— —	1 2
B7	Scarlet fever and streptococcal sore throat	{ M F	14 1	— —	— —	2 —	2 —	2 —	4 —	1 —	2 1	1 —
B8	Diphtheria	{ M F	— 2	— —	— —	— —	— —	— 1	— 1	— —	— —	— —
B9	Whooping cough	{ M F	20 19	— —	12 11	7 8	1 —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	24 20	— —	4 6	13 6	— —	2 1	— 1	4 4	— 1	1 1
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	37 22	— 1	1 —	8 3	3 4	10 3	15 11	— —	— —	— —
B13	Smallpox	{ M F	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
B14	Measles	{ M F	6 11	— —	— 5	3 3	2 2	— —	1 —	— 1	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	2 1	— —	— —	— —	— —	1 —	— 1	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	121 101	2 1	1 3	8 9	16 3	8 6	20 17	35 23	12 17	19 22
B18	Malignant neoplasm of stomach (151)	{ M F	1479 1070	— —	— —	— —	— —	1 1	51 25	501 259	512 367	414 418
	Malignant neoplasm of trachea, bronchus and lung (162, 163)	{ M F	1524 311	— —	— —	1 —	— —	1 1	78 22	858 135	444 93	142 60
	Malignant neoplasm of breast (170)	{ M F	9 1456	— —	— —	— —	— —	— —	— 141	3 619	4 389	2 307
	Malignant neoplasm of uterus (171-174)	{ M F	656	—	—	—	—	2	65	294	176	119
	Leukæmia and aleukæmia (204)	{ M F	210 187	— —	3 3	19 17	26 12	16 14	23 25	55 50	42 39	26 27
	Other malig. & lymphatic neoplasms (Rem. 140-205)	{ M F	4449 3615	1 —	5 2	20 10	24 17	40 19	237 206	1181 1194	1502 1056	1439 1111
	Benign and unspecified neoplasms	{ M F	137 181	— 2	2 1	3 2	5 7	5 4	25 34	61 73	23 27	13 31
	Diabetes mellitus	{ M F	231 442	— —	— —	— —	2 2	2 3	9 21	48 87	74 172	96 157
	Anæmias	{ M F	125 216	— —	— —	1 —	1 —	1 2	6 6	16 46	42 65	58 97
	Vascular lesions affecting central nervous system	{ M F	5695 7622	1 —	5 2	— 1	1 3	16 3	82 84	982 1251	1849 2259	2759 4019
B23	Nonmeningococcal meningitis	{ M F	34 29	2 2	8 12	4 6	2 2	1 1	4 1	5 2	6 3	2 —
B24	Rheumatic fever	{ M F	21 28	— —	— —	1 —	5 10	3 5	5 4	3 7	3 2	1 —
B25	Chronic rheumatic heart disease	{ M F	592 890	— —	— —	— —	5 6	12 16	77 119	216 295	143 205	139 249

TABLE 19—continued.

Abbreviated List No.	Causes of Death	Rural Areas—continued.									
		Age									
		All Ages	0-4 weeks	4 wks. -1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	6817	—	—	—	2	139	2054	2450	2172
		{ F	3820	—	—	—	—	24	677	1462	1657
		{ M	6714	—	—	1	2	35	507	1504	4665
		{ F	7727	—	1	—	1	29	416	1483	5797
B27	Other diseases of heart	{ M	660	—	1	—	7	23	133	194	301
		{ F	690	—	1	2	2	18	135	196	334
B28	Hypertension with heart disease	{ M	866	—	—	—	1	11	185	305	364
		{ F	885	—	—	—	—	9	139	290	447
B29	Hypertension without mention of heart	{ M	728	—	1	—	—	30	186	205	305
		{ F	628	—	—	—	3	19	117	179	310
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	1345	—	3	—	2	22	146	322	849
		{ F	1397	—	—	1	1	24	138	253	978
B30	Influenza	{ M	154	—	2	1	2	5	10	42	49
		{ F	180	—	4	2	3	4	23	46	95
B31	Pneumonia	{ M	1502	—	182	61	15	55	248	344	591
		{ F	1290	—	152	37	16	42	158	253	624
B32	Bronchitis	{ M	2113	3	40	9	10	—	31	506	860
		{ F	1215	1	26	8	6	7	10	140	752
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	630	1	8	10	6	11	38	247	141
		{ F	221	—	6	5	2	2	45	46	93
B33	Ulcer of stomach and duodenum	{ M	685	—	—	—	—	2	55	262	166
		{ F	202	—	1	—	—	8	48	68	77
B34	Appendicitis	{ M	111	—	1	8	10	16	25	19	22
		{ F	91	—	—	3	8	4	23	22	23
B35	Intestinal obstruction and hernia	{ M	298	13	14	7	2	3	15	62	73
		{ F	256	3	6	2	2	3	11	56	79
B36	Gastritis, enteritis, and diarrhoea except diarrhoea of newborn	{ M	195	—	57	16	3	5	15	31	25
		{ F	222	1	41	8	2	3	21	40	59
B37	Cirrhosis of liver	{ M	120	—	1	—	1	—	13	59	26
		{ F	70	—	—	1	—	1	6	30	22
B38	Nephritis and nephrosis	{ M	640	—	3	1	9	24	80	193	124
		{ F	547	—	3	8	11	18	55	136	133
B39	Hyperplasia of prostate	M	960	—	—	—	—	—	49	299	612
B40	Complications of pregnancy, childbirth & puerperium	F	98	—	—	—	—	15	78	5	—
B41	Congenital malformations	{ M	434	183	101	31	11	22	39	33	6
		{ F	372	171	90	31	15	14	21	21	5
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	495	483	12	—	—	—	—	—	—
		{ F	291	285	6	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	8	8	—	—	—	—	—	—	—
		{ F	3	3	—	—	—	—	—	—	—
		{ M	115	115	—	—	—	—	—	—	—
		{ F	74	74	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	560	545	14	1	—	—	—	—	—
		{ F	414	405	8	1	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	770	1	3	2	—	1	6	42	714
		{ F	1100	—	1	2	—	2	6	47	1042
B46(Rem.)	All other diseases (Remainder 001-795)	{ M	1634	13	41	43	31	51	173	436	441
		{ F	1927	14	24	37	31	46	180	568	483
BE47	Motor vehicle accidents	{ M	911	—	1	27	73	263	257	175	71
		{ F	204	—	—	19	22	29	35	44	30
BE48	All other accidents	{ M	1442	19	55	67	62	257	379	296	128
		{ F	722	14	40	32	20	25	41	75	97
BE49	Suicide and self-inflicted injury	{ M	496	—	—	—	—	22	110	226	104
		{ F	202	—	—	—	—	6	44	104	36
BE50	Homicide and operations of war	{ M	42	1	—	3	3	5	6	17	7
		{ F	23	2	3	3	2	3	4	2	1
BN47	Fractures, head injuries and internal injuries	{ M	1759	—	3	36	96	411	485	385	168
		{ F	665	3	3	28	27	44	55	79	90
BN48	Burns	{ M	61	—	2	12	1	8	13	4	7
		{ F	76	1	2	10	7	2	5	9	13
BN49	Effects of poisons	{ M	277	—	1	13	4	8	84	114	42
		{ F	141	—	1	3	—	2	29	64	25
BN50	All other injuries	{ M	794	20	50	36	37	120	170	211	93
		{ F	269	12	37	13	10	15	34	75	37
"Delayed" maternal deaths (see page 190)			9	—	—	—	—	1	7	1	—



**TABLE 20.—Causes of Death by Sex, at Different Periods of Life, 1952, classified in accordance with the Abridged List.**

**London and Metropolitan Boroughs, County Boroughs.**  
**Aggregates of other Urban and of Rural Districts in each Administrative County.**

**Note:—**Publication of this table has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Abridged List as well as the Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, Standard Regions, Conurbations and National Density Aggregates in Table 19.

All details which in past years appeared in Table 20 can be obtained on request from the General Register Office.





**TABLE 21.—Causes of Death by Sex, 1952, classified in accordance with the Abridged List and Supplementary Abridged List (see statement below).**

*Note* :—See Table 19 for further details for England and Wales, Standard Regions, Conurbations and National Density Aggregates. For individual administrative areas not separately shown in this table, figures can be obtained on request from the General Register Office.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the detailed International Classification.

<i>No.</i>	<i>Registrar General's Abridged List.</i>	<i>Corresponding number in the Detailed International Classification.</i>
1.	Tuberculosis, respiratory ... ..	001-008.
2.	Tuberculosis, other ... ..	010-019.
3.	Syphilitic disease ... ..	020-029.
4.	Diphtheria ... ..	055.
5.	Whooping cough ... ..	056.
6.	Meningococcal infections ... ..	057.
7.	Acute poliomyelitis ... ..	080.
8.	Measles ... ..	085.
9.	Other infective and parasitic diseases ... ..	030-054, 058-074, 081-084, 086-138.
10.	Malignant neoplasm, stomach ... ..	151.
11.	Malignant neoplasm, lung, bronchus ... ..	162, 163.
12.	Malignant neoplasm, breast ... ..	170.
13.	Malignant neoplasm, uterus ... ..	171-174.
14.	Other malignant and lymphatic neoplasms ... ..	140-150, 152-161, 164, 165, 175-203, 205.
15.	Leukæmia, aleukæmia ... ..	204.
16.	Diabetes ... ..	260.
17.	Vascular lesions of nervous system ... ..	330-334.
18.	Coronary disease, angina ... ..	420.
19.	Hypertension with heart disease ... ..	440-443.
20.	Other heart disease ... ..	410-416, 421-434.
21.	Other circulatory disease ... ..	444-468.
22.	Influenza ... ..	480-483.
23.	Pneumonia ... ..	490-493, 763.
24.	Bronchitis ... ..	500-502.
25.	Other diseases of respiratory system ... ..	470-475, 510-527.
26.	Ulcer of stomach and duodenum ... ..	540, 541.
27.	Gastritis, enteritis and diarrhœa ... ..	543, 571, 572, 764.
28.	Nephritis and nephrosis ... ..	590-594.
29.	Hyperplasia of prostate ... ..	610.
30.	Pregnancy, childbirth, abortion ... ..	640-689.*
31.	Congenital malformations ... ..	750-759.
32.	Other defined and ill-defined diseases ... ..	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795.
33.	Motor vehicle accidents ... ..	E810-835.
34.	All other accidents ... ..	E800-802, 840-962.
35.	Suicide ... ..	E963, 970-979.
36.	Homicide and operations of war ... ..	E964, 965, 980-999.

\*640-689. The deaths against this heading include some cases where it was stated that the interval between maternal condition and death exceeded 12 months. These deaths are distinguished by footnotes where they occur.

See Explanatory notes on page vi.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE ABRIDGED LIST OF CAUSES OF DEATH and its relation to the detailed International Classification.

<i>No.</i>	<i>Registrar General's Supplementary Abridged List.</i>	<i>Detailed International Classification No.</i>
2 (1)	Tuberculosis of meninges and nervous system	010.
9 (1)	Typhoid fever .. .. .	040.
9 (2)	Scarlet fever .. .. .	050.
9 (3)	Streptococcal sore throat .. .. .	051.
9 (4)	Erysipelas, septicæmia, pyæmia .. .. .	052, 053.
9 (5)	Acute infectious encephalitis .. .. .	082.
9 (6)	Smallpox .. .. .	084.
9 (7)	Infectious hepatitis .. .. .	092.
14 (1)	Malignant neoplasm, mouth and pharynx ..	140-148.
14 (2)	„ „ œsophagus .. .. .	150.
14 (3)	„ „ intestine and rectum ..	152-154.
14 (4)	„ „ larynx .. .. .	161.
13 (1)	„ „ cervix uteri .. .. .	171.
14 (5)	Hodgkin's disease .. .. .	201.
14 (6)	Lymphosarcoma, reticulosarcoma .. .. .	200.
32 (1)	Thyrotoxicosis .. .. .	252.
32 (2)	Otitis media and mastoiditis .. .. .	391-393.
32 (3)	Rheumatic fever .. .. .	400-402.
20 (1)	Chronic rheumatic heart disease .. .. .	410-416.
21 (1)	Hypertension without mention of heart ..	444-447.
32 (4)	Appendicitis .. .. .	550-553.
32 (5)	Intestinal obstruction and hernia .. .. .	560, 561, 570.
32 (6)	Cirrhosis of liver .. .. .	581.
32 (7)	Cholelithiasis, cholecystitis .. .. .	584, 585.
30 (1)	Maternal sepsis (not abortion) .. .. .	640, 641, 681, 682, 684.
30 (2)	Toxæmias of pregnancy and puerperium ..	642, 685, 686.
30 (3)	Abortion .. .. .	650-652.
32 (8)	Birth injury .. .. .	760, 761.
32 (9)	Post-natal asphyxia and atelectasis .. ..	762.
32 (10)	Pneumonia of newborn .. .. .	763.
32 (11)	Ophthalmia, pemphigus, sepsis of newborn ..	765-768.
32 (12)	Hæmolytic disease of newborn .. .. .	770.
32 (13)	Immaturity (without other disease peculiar to early infancy) .. .. .	774, 776.
32 (14)	Senility without psychosis .. .. .	794.
32 (15)	Ill-defined and unknown cause .. .. .	780-789, 790-793, 795.



TABLE 21—continued. England and Wales, Standard Regions and Conurbations.

Abridged list Causes of Death (See first page of Table)			England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland		
				Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland
1	Tuberculosis respiratory	M	6421	505	197	308	558	208	350	1111	475	262	374	463	675	414	261
		F	2914	263	97	166	252	105	147	476	201	152	123	245	312	175	137
2	Tuberculosis other	M	693	55	18	37	61	22	39	128	47	31	50	52	81	40	4
		F	557	45	14	31	56	23	33	102	32	33	37	39	55	25	30
3	Syphilitic disease	M	1097	83	28	55	108	54	54	133	61	29	43	61	93	50	43
		F	522	31	10	21	61	27	34	71	29	12	30	41	42	20	22
4	Diphtheria	M	14	—	—	—	—	—	—	4	—	—	—	—	4	2	2
		F	18	2	—	2	2	—	2	3	1	1	1	1	2	1	1
5	Whooping cough	M	84	4	3	1	8	3	5	15	6	4	5	8	9	4	5
		F	100	7	3	4	14	7	7	12	4	2	6	11	18	14	4
6	Meningococcal infections	M	160	19	5	14	15	6	9	41	11	16	14	9	21	12	9
		F	130	17	5	12	4	2	2	17	4	9	4	7	19	10	9
7	Acute poliomyelitis	M	167	17	3	14	17	10	7	16	5	3	8	14	13	5	8
		F	108	4	—	4	10	5	5	7	1	1	5	7	6	1	5
8	Measles	M	71	10	4	6	7	3	4	13	4	7	2	7	8	3	5
		F	70	14	3	11	11	3	8	15	6	5	4	7	4	2	2
9	Other infective, etc., diseases	M	596	56	16	40	45	23	22	91	31	22	38	40	59	24	35
		F	604	46	11	35	49	20	29	104	45	20	39	45	47	25	22
10	Malignant neoplasm: stomach	M	8066	664	183	481	823	338	485	1333	501	258	574	582	735	372	363
		F	6343	488	155	333	604	288	316	1093	419	224	450	433	580	297	283
11	lung, bronchus	M	11981	740	257	483	1109	473	636	1897	796	460	641	747	1122	660	462
		F	2237	135	48	87	209	88	121	345	135	75	135	118	173	101	72
12	breast	M	59	4	1	3	4	2	2	8	4	1	3	3	2	2	—
		F	8285	441	116	325	735	341	394	1123	460	223	440	574	814	431	383
13	uterus	F	4024	317	86	231	442	208	234	669	253	115	301	273	376	178	198
14	Other malignant and lymphatic neoplasms	M	24221	1714	477	1237	2396	996	1400	3500	1305	701	1494	1821	2193	1124	1069
		F	20383	1321	366	955	1821	891	930	2969	1146	586	1237	1430	1810	861	949
15	Leukæmia, aleukæmia	M	1102	57	16	41	99	42	57	168	57	55	56	70	119	50	69
		F	941	63	16	47	82	35	47	118	42	33	43	65	95	46	49
16	Diabetes	M	1091	70	17	53	107	48	59	152	59	24	69	84	115	50	65
		F	2247	133	35	98	205	96	109	354	135	56	163	201	226	114	112
17	Vascular lesions of nervous system	M	29158	2444	612	1832	3132	1495	1637	4637	1763	806	2068	2264	2732	1300	1432
		F	40230	2890	711	2179	4026	1988	2038	6376	2479	1080	2817	2932	3565	1696	1869
18	Coronary disease, angina	M	38997	3091	816	2275	3958	1853	2105	6136	2150	1195	2791	2673	3263	1550	1713
		F	22432	1795	497	1298	2273	1093	1180	3374	1194	734	1446	1517	1694	829	865
19	Hypertension with heart disease	M	5081	337	85	252	509	260	249	721	253	178	290	433	498	282	216
		F	5913	390	110	280	538	279	259	910	341	239	330	389	567	336	231
20	Other heart disease	M	37551	2671	619	2052	3582	1581	2001	6314	2403	1155	2756	2900	3492	1577	1915
		F	50296	3295	809	2486	4821	2287	2534	8559	3262	1582	3715	3614	4403	2108	2295
21	Other circulatory disease	M	10783	838	270	568	1111	382	729	1614	694	243	677	762	953	476	477
		F	11569	706	218	488	1200	436	764	1795	836	247	712	792	860	436	424
22	Influenza	M	879	48	11	37	84	30	54	181	53	47	81	56	91	53	38
		F	871	45	13	32	84	32	52	164	39	51	74	62	87	43	44
23	Pneumonia	M	10316	730	236	494	1015	430	585	1615	583	431	601	715	1020	549	471
		F	9205	579	168	411	888	432	456	1398	452	438	508	575	862	452	410
24	Bronchitis	M	17694	1022	351	671	1904	940	964	3124	1415	573	1136	1160	1774	1043	731
		F	9574	469	152	317	988	496	492	1862	899	318	645	623	810	442	368
25	Other diseases of respiratory system	M	3175	182	42	140	232	97	135	440	188	106	146	200	291	139	152
		F	1401	80	25	55	141	74	67	218	78	51	89	93	110	65	45
26	Ulcer of stomach and duodenum	M	4059	264	76	188	337	139	198	573	207	137	229	294	429	240	189
		F	1325	80	14	66	114	47	67	197	82	44	71	74	130	77	53
27	Gastritis, enteritis and diarrhoea	M	1105	94	28	66	94	35	59	184	71	44	69	56	120	66	54
		F	1359	115	27	88	122	46	76	210	77	48	85	83	162	101	61
28	Nephritis and nephrosis	M	2994	213	50	163	345	145	200	446	151	86	209	249	288	122	166
		F	2879	231	72	159	341	163	178	509	197	71	241	220	236	104	132
29	Hyperplasia of prostate	M	4351	293	73	220	379	132	247	531	183	94	254	309	334	141	193
30	Pregnancy, childbirth, abortion.*	F	498	38	15	23	46	18	28	71	26	12	33	38	50	29	21
31	Congenital malformations	M	2323	183	41	142	206	93	113	368	140	91	137	187	270	151	119
		F	2130	147	44	103	206	71	135	366	131	83	152	163	234	108	126
32	Other defined and ill-defined dis.	M	21479	1717	472	1245	1902	768	1134	3326	1268	625	1433	1660	2259	1155	1104
		F	23749	1648	419	1229	2101	909	1192	3956	1471	767	1718	1773	2337	1192	1145
33	Motor vehicle accidents	M	3147	251	44	207	271	99	172	470	159	96	215	272	382	151	231
		F	970	63	24	39	94	42	52	149	68	21	60	66	100	50	50
34	All other accidents	M	5850	532	122	410	573	242	331	795	269	193	333	541	561	254	307
		F	4195	308	90	218	451	208	243	640	251	133	256	280	433	215	218
35	Suicide	M	2788	191	45	146	270	127	143	436	164	82	190	227	297	154	143
		F	1550	92	27	65	160	67	93	244	107	37	100	115	152	81	71
36	Homicide, operations of war	M	207	27	7	20	27	18	9	26	11	4	11	18	18	10	8
		F	95	7	2	5	9	5	4	15	7	3	5	9	5	1	4
*** Delayed ** maternal deaths (see page 240)			35	3	—	3	4	1	3	3	—	2	1	2	6	3	3



TABLE 21—continued. England and Wales, Standard Regions and Conurbations.

Supplementary Abridge List of Causes of Death (See first page of Table)		England and Wales	Northern			East & West Ridings			North Western				North Midland	Midland			
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western		Total	West Midlands Conurbation	Remainder of Midland	
(1)	Tub. of meninges and nervous system	M	265	23	5	18	22	7	15	64	28	17	19	22	34	15	19
		F	246	22	8	14	32	14	18	55	20	18	17	19	32	14	18
(1)	Typhoid fever	M	5	1	1	—	—	—	—	1	—	—	1	1	1	1	—
		F	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—
(2)	Scarlet fever	M	9	—	—	—	—	—	—	2	—	—	2	1	2	1	1
		F	14	1	—	1	2	1	1	1	—	1	—	—	—	—	—
(3)	Streptococcal sore throat	M	21	1	—	1	2	1	1	5	2	1	2	—	2	—	2
		F	20	1	—	1	—	—	—	5	3	1	1	—	4	3	1
(4)	Erysipelas, septicaemia, pyaemia	M	53	7	2	5	6	4	2	6	1	3	2	3	10	3	7
		F	74	4	1	3	4	3	1	15	6	7	2	6	5	2	3
(5)	Acute infectious encephalitis	M	52	3	—	3	3	1	2	10	3	1	6	9	4	2	2
		F	53	6	2	4	3	2	1	14	4	2	8	4	5	3	2
(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
(7)	Infectious hepatitis	M	116	4	1	3	10	6	4	18	9	5	4	9	11	3	8
		F	148	14	3	11	14	6	8	18	12	2	4	12	9	4	5
(1)	Malig. neoplasm, mouth and pharynx	M	1472	141	36	105	131	58	73	247	94	50	103	92	146	79	67
		F	646	53	15	38	62	26	36	106	44	19	43	26	54	26	28
(2)	Malig. neoplasm, oesophagus	M	1475	100	36	64	106	41	65	232	84	44	104	101	148	71	77
		F	850	68	16	52	58	27	31	127	45	30	52	48	60	24	36
(3)	Malig. neoplasm, intestine and rectum	M	7686	577	147	430	784	318	466	1156	428	201	527	628	757	393	364
		F	8146	529	141	388	735	368	367	1221	479	237	505	570	766	389	377
(4)	Malig. neoplasm, larynx	M	752	41	12	29	70	28	42	118	45	26	47	63	64	34	30
		F	189	16	3	13	25	14	11	32	12	5	15	10	17	5	12
(1)	Malig. neoplasm, cervix uteri	F	2547	234	66	168	331	160	171	423	164	77	182	170	203	86	117
(5)	Hodgkin's disease	M	483	41	16	25	62	34	28	72	25	18	29	33	33	21	12
		F	278	17	5	12	33	19	14	48	15	12	21	14	17	6	11
(6)	Lymphosarcoma, reticulosarcoma	M	453	31	9	22	31	9	22	57	16	18	23	30	36	14	22
		F	286	20	7	13	15	3	12	38	12	14	12	18	17	5	12
(1)	Thyrotoxicosis	M	61	2	1	1	4	—	4	5	2	1	2	6	6	3	3
		F	397	25	6	19	23	9	14	55	17	9	29	41	40	18	22
(2)	Otitis media and mastoiditis	M	212	22	2	20	29	7	22	29	9	3	17	25	27	18	9
		F	115	8	2	6	11	8	3	23	6	10	7	10	7	4	3
(3)	Rheumatic fever	M	144	19	3	16	11	6	5	20	9	5	6	9	18	7	11
		F	184	15	2	13	18	4	14	32	14	9	9	8	20	11	9
(1)	Chronic rheumatic heart disease	M	3469	278	90	188	331	154	177	564	219	104	241	233	336	162	174
		F	5637	401	120	281	570	277	293	948	387	197	364	364	546	306	240
(1)	Hyperten. without mention of heart	M	3925	284	85	199	279	135	144	545	218	89	238	278	349	198	151
		F	4057	226	71	155	303	143	160	623	288	104	231	279	311	174	137
(4)	Appendicitis	M	598	37	6	31	44	17	27	91	40	13	38	44	62	29	33
		F	447	24	1	23	42	17	25	70	26	15	29	41	40	17	23
(5)	Intestinal obstruc. and hernia	M	1588	120	29	91	157	68	89	217	83	34	100	98	155	84	71
		F	1556	107	28	79	148	57	91	257	109	52	96	90	137	84	53
(6)	Cirrhosis of liver	M	645	50	19	31	50	29	21	75	35	13	27	42	67	37	30
		F	479	28	5	23	48	16	32	75	36	17	22	28	66	36	30
(7)	Cholelithiasis, cholecystitis	M	430	34	14	20	52	29	23	63	20	13	30	35	32	13	19
		F	1012	62	18	44	98	55	43	189	85	35	69	64	106	49	57
(1)	Maternal sepsis (not abortion)	F	63	7	2	5	2	1	1	10	6	2	2	6	9	5	4
(2)	Toxæmias of pregnancy and puerperium	F	147	12	7	5	16	6	10	22	4	3	15	10	20	9	11
(3)	Abortion	F	90	4	1	3	10	6	4	11	6	1	4	8	5	5	—
(8)	Birth injury	M	1187	91	29	62	124	47	77	183	74	56	53	88	127	76	51
		F	682	51	7	44	76	23	53	122	42	47	33	66	80	48	32
(9)	Post-natal asphyxia and atelectasis	M	1469	98	27	71	129	53	76	259	103	88	68	115	170	90	80
		F	985	53	15	38	103	36	67	196	76	62	58	77	92	52	40
(10)	Pneumonia of newborn	M	534	60	15	45	37	16	21	109	39	34	36	44	51	21	30
		F	379	39	14	25	28	13	15	61	13	19	29	39	57	31	26
(11)	Ophth., pemphigus, sepsis of newborn	M	41	3	1	2	1	1	—	10	5	3	2	2	5	1	4
		F	25	4	2	2	—	—	—	6	3	1	2	—	—	—	—
(12)	Hæmolytic disease of newborn	M	239	9	4	5	24	8	16	37	8	8	21	21	22	8	14
		F	203	17	6	11	15	9	6	26	10	7	9	22	24	13	11
(13)	Immaturity (without other dis. peculiar to early infancy)	M	2075	223	70	153	235	92	143	337	117	72	148	154	207	81	126
		F	1527	149	38	111	162	75	87	293	116	55	122	122	155	69	86
(14)	Senility without psychosis	M	2836	217	49	168	224	70	154	509	183	52	274	247	450	241	209
		F	4626	309	79	230	327	139	188	768	257	85	426	388	610	333	277
(15)	Ill-defined and unknown cause	M	161	16	5	11	6	3	3	25	8	2	15	13	10	4	6
		F	122	9	3	6	9	3	6	20	4	5	11	11	9	4	5



TABLE 21—continued. Standard Regions and Conurbations. Density Aggregate Summary.

Abridged List of Causes of Death (See first page of Table)			Eastern	London & South Eastern			Southern	South Western	Wales			Conurbations	Areas outside the Conurbations	Urban Areas with Populations of 100,000 and over	Urban Areas with Populations of 50,000 & under 100,000	Urban Areas with Population under 50,000	Rural Areas
				Total	Greater London	Remainder of South Eastern			Total	Wales I	Wales II						
1	Tuberculosis, respiratory	M	292	1616	1297	319	316	393	492	359	133	2853	3568	1028	466	1234	840
		F	162	665	540	125	123	201	215	157	58	1270	1644	455	210	559	420
2	Tuberculosis other	M	43	142	98	44	43	45	43	30	13	256	437	88	61	149	133
		F	26	121	91	30	29	38	46	30	16	218	339	76	45	109	109
3	Syphilitic disease	M	62	361	289	72	69	56	71	53	18	511	586	164	83	204	135
		F	42	159	128	31	34	22	19	15	4	226	296	83	51	87	75
4	Diphtheria	M	1	2	2	—	—	2	1	1	—	6	8	3	1	4	—
		F	2	2	2	—	—	2	2	1	1	5	13	—	4	7	2
5	Whooping cough	M	3	17	12	5	5	6	9	5	4	32	52	5	6	21	20
		F	8	11	7	4	5	11	3	3	—	37	63	17	5	22	19
6	Meningococcal infections	M	4	27	27	—	8	6	10	5	5	77	83	18	15	26	24
		F	9	35	33	2	10	5	7	5	2	63	67	16	7	24	20
7	Acute poliomyelitis	M	14	53	43	10	7	9	7	6	1	69	98	15	9	37	37
		F	12	38	22	16	6	15	3	1	2	30	78	15	9	32	22
8	Measles	M	6	11	10	1	3	3	3	3	—	31	40	12	5	17	6
		F	3	10	7	3	1	2	3	3	—	26	44	11	7	15	1
9	Other infective, etc., diseases	M	46	131	100	31	42	40	46	41	5	216	380	70	41	127	147
		F	36	152	113	39	36	42	47	33	14	234	370	72	47	142	109
10	Malignant neoplasm: stomach	M	513	1761	1348	413	448	533	674	448	226	3000	5066	1107	620	1860	1479
		F	431	1453	1117	336	309	464	488	304	184	2500	3843	850	521	1402	1070
11	lung, bronchus	M	801	3640	2902	738	703	656	566	430	136	5548	6433	1757	903	2249	1522
		F	135	752	595	157	133	144	93	69	24	1042	1195	296	173	415	311
12	breast	M	4	19	16	3	4	7	4	2	2	26	33	11	3	10	—
		F	620	2397	1754	643	544	594	443	313	130	3325	4960	1096	578	1830	1452
13	uterus	F	265	907	681	226	227	309	239	157	82	1521	2503	617	334	896	651
14	Other malignant and lymphatic neoplasms	M	1739	6270	4614	1656	1473	1675	1440	956	484	9217	15004	3235	1857	5463	4441
		F	1504	5527	4018	1509	1330	1528	1143	773	370	7868	12515	2664	1660	4576	3611
15	Leukæmia, aleukæmia	M	78	307	238	69	82	63	59	42	17	458	644	146	72	216	211
		F	67	279	205	74	62	69	41	21	20	377	564	107	74	196	181
16	Diabetes	M	91	255	187	68	60	89	68	50	18	385	706	141	83	251	231
		F	182	512	392	120	121	163	150	110	40	828	1419	289	170	518	441
17	Vascular lesions of nervous system	M	2070	6027	4147	1880	1752	2156	1944	1295	649	10123	19035	3964	2312	7064	5691
		F	2915	9389	6531	2858	2459	3156	2522	1620	902	14485	25745	5277	3245	9601	7621
18	Coronary disease, angina	M	2703	9828	7466	2362	2314	2613	2418	1722	696	15030	23967	5228	3141	8781	6811
		F	1616	5958	4322	1636	1460	1594	1151	798	353	8669	13763	3032	1861	5050	3821
19	Hypertension with heart disease	M	311	1290	974	316	280	405	297	201	96	2032	3049	777	362	1044	861
		F	369	1665	1303	362	332	482	271	192	79	2608	3305	874	463	1083	881
20	Other heart disease	M	2678	8076	5371	2705	2205	3132	2501	1724	777	12706	24845	4825	3084	8970	7961
		F	3449	12186	8309	3877	2958	4125	2886	1933	953	18357	31939	6688	4178	11766	9301
21	Other circulatory disease	M	802	2655	2060	595	616	780	652	475	177	4125	6658	1584	762	2239	2071
		F	801	3142	2449	693	703	921	649	434	215	4622	6947	1690	866	2366	2021
22	Influenza	M	38	226	176	50	18	84	53	36	17	370	509	99	67	189	151
		F	34	243	163	80	29	64	59	36	23	341	530	99	58	193	181
23	Pneumonia	M	700	2814	2245	569	577	616	514	374	140	4474	5842	1552	732	1949	1601
		F	639	2708	2124	584	544	636	376	271	105	4066	5139	1323	705	1753	1351
24	Bronchitis	M	844	5335	4556	779	690	763	1078	859	219	8878	8816	2286	1220	3197	2111
		F	468	3011	2564	447	370	474	499	363	136	4871	4703	1188	648	1652	1211
25	Other diseases of respiratory system	M	190	717	560	157	163	244	516	455	61	1132	2043	464	208	741	611
		F	92	376	296	80	92	124	75	52	23	589	812	176	125	290	211
26	Ulcer of stomach and duodenum	M	281	1143	905	238	261	255	222	164	58	1704	2355	553	302	815	611
		F	90	418	329	89	82	89	51	33	18	593	732	180	93	257	211
27	Gastritis, enteritis and diarrhoea	M	89	210	157	53	73	94	91	70	21	401	704	178	99	224	211
		F	95	305	237	68	83	92	92	67	25	536	823	193	114	291	211
28	Nephritis and nephrosis	M	179	613	440	173	166	240	255	170	85	994	2000	387	257	716	611
		F	162	590	410	180	159	206	225	153	72	1017	1862	389	232	694	511
29	Hyperplasia of prostate	M	371	1097	796	301	321	378	338	217	121	1419	2932	580	369	1023	911
30	Pregnancy, childbirth, abortion*	F	30	113	94	19	30	49	33	20	13	194	304	55	35	116	—
31	Congenital malformations	M	142	527	395	132	138	150	152	108	44	911	1412	318	166	494	411
		F	137	502	407	95	114	133	128	92	36	844	1286	288	187	439	311
32	Other defined and ill-defined dis.	M	1483	4634	3428	1206	1282	1563	1653	1137	516	7716	13763	2698	1707	5045	4311
		F	1737	5321	3760	1561	1443	1756	1677	1203	474	8518	15231	3049	1888	5685	4611
33	Motor vehicle accidents	M	239	618	441	177	214	244	186	127	59	990	2157	338	230	678	911
		F	73	240	180	60	56	69	60	48	12	385	585	137	50	194	211
34	All other accidents	M	434	1164	887	277	324	449	477	322	155	1967	3883	672	438	1331	1411
		F	294	982	720	262	263	288	256	168	88	1617	2578	566	353	937	711
35	Suicide	M	200	680	516	164	167	187	133	90	43	1088	1700	374	220	610	411
		F	108	397	300	97	107	114	61	44	17	619	931	258	136	335	211
36	Homicide, operations of war	M	14	42	34	8	15	8	12	9	3	84	123	26	15	40	—
		F	10	18	13	5	10	5	7	5	2	31	64	15	10	16	—
** "Delayed" maternal deaths (see page 240)			3	9	7	2	3	1	1	1	—	13	22	1	1	11	—



TABLE 21 —continued. Standard Regions and Conurbations. Density Aggregate Summary.

Supplementary Abridged List of Causes of Death (See first page of Table)			Eastern	London & South Eastern			Southern	South Western	Wales			Conurbations	Areas outside the Conurbations	Urban Areas with Popula- tions of 100,000 and over	Urban Areas with Poplns of 50,000 & under 100,000	Urban Areas with Popula- tion under 50,000	Rural Areas
				Total	Greater London	Remainder of South Eastern			Total	Wales I	Wales II						
Tub. of meninges and nervous system	M	11	39	26	13	15	18	17	14	3	98	167	32	28	60	47	
	F	6	37	30	7	8	14	21	15	6	104	142	31	22	46	43	
Typhoid fever	M	—	—	—	—	—	—	1	1	—	2	3	—	1	1	—	
	F	—	2	2	—	—	1	—	—	—	2	2	—	—	—	2	
Scarlet fever	M	—	1	1	—	1	1	1	1	—	2	7	—	—	3	4	
	F	1	5	3	2	—	1	3	2	1	5	9	4	1	4	—	
Streptococcal sore throat	M	—	6	3	3	2	2	1	—	1	7	14	1	—	3	10	
	F	—	4	2	2	2	4	—	—	—	9	11	1	2	7	1	
Erysipelas, septicæmia, pyæmia	M	7	7	5	2	5	2	—	—	—	18	35	9	4	11	11	
	F	5	16	13	3	10	4	5	4	1	32	42	13	3	12	14	
Acute infectious encephalitis	M	1	14	10	4	2	3	3	3	—	17	35	4	11	14	6	
	F	5	8	8	—	1	2	5	3	2	21	32	6	5	15	6	
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	
Infectious hepatitis	M	9	31	25	6	7	11	6	5	1	49	67	18	7	17	25	
	F	10	39	28	11	6	13	13	8	5	55	93	16	12	36	29	
Malig. neoplasm, mouth and pharynx	M	112	331	252	79	84	108	80	52	28	569	903	191	127	335	250	
	F	56	170	116	54	31	32	56	38	18	246	400	83	54	144	119	
Malig. neoplasm, œsophagus	M	110	385	276	109	73	109	111	73	38	552	923	201	120	334	268	
	F	62	213	150	63	41	77	96	63	33	292	558	119	59	203	177	
Malig. neoplasm, intestine and rectum	M	564	1815	1336	479	433	473	499	316	183	2823	4863	1012	596	1830	1425	
	F	613	2119	1541	578	521	613	459	301	158	3155	4991	1029	698	1820	1444	
Malig. neoplasm, larynx	M	52	213	172	41	47	47	37	31	6	317	435	108	57	166	104	
	F	10	39	25	14	11	16	13	9	4	64	125	28	21	40	36	
Malig. neoplasm, cervix uteri	F	170	548	415	133	142	183	143	96	47	968	1579	419	214	551	395	
Hodgkin's disease	M	19	126	98	28	19	34	44	36	8	212	271	55	27	102	87	
	F	17	82	64	18	19	17	14	11	3	121	157	30	16	67	44	
Lymphosarcoma, reticulosarcoma	M	30	148	122	26	31	36	23	17	6	188	265	63	26	88	88	
	F	19	103	84	19	19	25	12	8	4	125	161	37	18	67	39	
Thyrototoxicosis	M	5	14	14	—	6	6	7	4	3	21	40	9	4	11	16	
	F	26	76	56	20	23	50	38	26	12	115	282	43	28	103	108	
Otitis media and mastoiditis	M	12	49	38	11	10	2	7	4	3	77	135	42	19	44	30	
	F	6	29	21	8	6	4	11	9	2	51	64	13	11	22	18	
Rheumatic fever	M	4	33	23	10	7	9	14	12	2	53	91	21	6	43	21	
	F	10	44	30	14	5	16	16	14	2	70	114	30	17	39	28	
Chronic rheumatic heart disease	M	223	880	698	182	162	215	247	186	61	1427	2042	446	246	758	592	
	F	319	1466	1184	282	270	362	391	304	87	2471	3166	818	402	1056	890	
Hyperten. without mention of heart	M	290	1159	930	229	215	267	259	186	73	1655	2270	501	244	797	728	
	F	270	1295	1074	221	239	280	231	148	83	1854	2203	520	280	775	628	
Appendicitis	M	36	175	128	47	34	37	38	25	13	233	365	68	47	139	111	
	F	30	131	104	27	21	32	16	12	4	180	267	59	27	90	91	
Intestinal obstruc. and hernia	M	111	420	323	97	103	109	98	59	39	621	967	203	130	336	298	
	F	108	427	312	115	88	117	77	61	16	642	914	220	122	316	256	
Cirrhosis of liver	M	44	169	130	39	44	49	55	33	22	263	382	73	53	136	120	
	F	37	111	81	30	35	28	23	19	4	191	288	78	39	101	70	
Cholelithiasis, cholecystitis	M	31	98	74	24	23	32	30	19	11	163	267	59	38	92	78	
	F	72	224	166	58	51	72	74	51	23	408	604	126	84	243	151	
Maternal sepsis (not abortion)	F	3	14	14	—	1	4	7	3	4	30	33	5	1	11	16	
Toxæmias of pregnancy and puerperium	F	7	20	14	6	10	23	7	3	4	43	104	15	11	39	39	
Abortion	F	5	28	25	3	7	6	6	4	2	44	46	13	6	14	13	
Birth injury	M	79	239	183	56	71	100	85	64	21	465	722	155	75	252	240	
	F	50	123	98	25	31	44	39	27	12	265	417	94	64	147	112	
Post-natal asphyxia and atelectasis	M	84	338	256	82	81	112	83	46	37	617	852	179	100	318	255	
	F	60	213	168	45	51	73	67	40	27	409	576	120	89	188	179	
Pneumonia of newborn	M	37	84	65	19	30	40	42	30	12	190	344	96	44	97	107	
	F	21	74	59	15	17	21	22	19	3	149	230	55	28	79	68	
Ophth., pemphigus, sepsis of newborn	M	2	12	12	—	1	1	4	3	1	23	18	5	2	3	8	
	F	2	5	4	1	1	1	6	5	1	10	15	4	1	4	6	
Hæmolytic disease of newborn	M	15	60	50	10	17	12	22	15	7	86	153	30	18	58	47	
	F	16	45	25	20	15	12	11	8	3	70	133	26	14	48	45	
Immaturity (without other dis. peculiar to early infancy)	M	131	374	276	98	108	137	169	128	41	708	1367	281	177	494	415	
	F	97	267	174	93	96	92	94	80	14	527	1000	220	126	342	312	
Senility without psychosis	M	234	316	184	132	146	186	307	218	89	779	2057	270	233	829	725	
	F	404	750	436	314	290	363	417	301	116	1329	3297	487	343	1393	1074	
Ill-defined and unknown cause	M	17	30	18	12	11	10	23	12	11	40	121	20	11	45	45	
	F	9	26	17	9	9	8	12	8	4	36	86	20	10	30	26	



TABLE 21—continued.—London Metropolitan Boroughs.

Abridged List of Causes of Death (See first page of Table)			London Administrative County.	City of London.	Inner & Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
1	Tuberculosis respiratory	M	684	5	—	24	18	13	37	8	20	13	25	20	28	31	11
		F	249	—	—	10	4	6	11	4	7	6	8	9	15	8	4
2	Tuberculosis other	M	45	—	—	2	—	1	2	1	1	1	1	1	1	1	1
		F	41	—	—	1	—	1	2	2	1	2	—	2	3	3	3
3	Syphilitic disease	M	144	1	—	4	2	3	7	—	2	1	5	2	4	4	7
		F	69	—	—	2	—	5	6	3	1	1	1	1	2	3	1
4	Diphtheria	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	6	—	—	—	—	—	1	—	—	1	—	—	1	—	—
		F	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—
6	Meningococcal infections	M	12	—	—	—	1	—	1	—	—	—	—	—	—	2	—
		F	17	—	—	1	—	1	—	—	—	1	—	1	—	1	—
7	Acute poliomyelitis	M	18	—	—	—	—	—	—	—	—	—	—	1	—	1	1
		F	5	—	—	—	—	—	—	1	—	—	—	—	1	—	—
8	Measles	M	4	—	—	—	—	—	—	1	—	—	—	—	1	—	—
		F	4	—	—	—	—	—	1	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	43	—	—	2	1	1	—	—	—	—	1	2	4	—	1
		F	53	—	—	—	—	—	1	3	3	1	3	1	2	3	5
10	Malignant neoplasm: stomach	M	593	1	—	21	7	6	39	8	16	6	22	15	35	26	7
		F	506	—	—	22	11	12	28	6	8	8	22	9	34	22	11
11	lung, bronchus	M	1329	1	—	43	32	44	70	27	33	22	47	27	62	53	31
		F	283	—	—	9	—	4	11	6	2	4	12	4	16	11	13
12	breast	M	9	—	—	—	—	—	—	—	—	—	1	—	—	—	—
		F	736	1	—	21	8	10	33	13	9	4	23	11	42	24	17
13	uterus	M	296	1	—	10	4	4	18	6	7	5	12	6	11	7	9
14	Other malignant and lymphatic neoplasms	M	2067	4	—	57	34	30	103	33	53	22	72	51	92	75	57
		F	1728	3	—	56	24	31	86	32	31	25	64	38	103	72	63
15	Leukæmia, aleukæmia	M	94	—	—	3	1	1	2	1	1	1	2	6	4	4	5
		F	85	—	—	1	—	2	2	1	2	1	3	1	6	5	3
16	Diabetes	M	84	—	—	3	2	3	6	3	1	1	5	3	6	3	4
		F	195	—	—	8	3	9	13	2	2	7	4	4	13	3	6
17	Vascular lesions of nervous system	M	1669	5	—	60	22	18	91	33	40	15	60	37	65	59	46
		F	2589	2	—	94	37	32	147	59	46	14	98	64	107	101	98
18	Coronary disease, angina	M	3095	5	—	100	48	44	154	37	63	39	108	72	177	112	102
		F	1880	2	—	73	34	26	89	30	34	19	64	40	108	73	80
19	Hypertension with heart disease	M	414	—	—	20	8	4	28	2	8	1	11	9	23	19	9
		F	555	1	—	13	10	3	33	3	18	5	22	18	37	14	16
20	Other heart disease	M	2388	6	—	99	48	34	139	55	58	28	80	68	96	85	40
		F	3614	2	—	133	65	49	224	57	97	34	115	80	153	99	91
21	Other circulatory disease	M	938	5	—	36	30	16	46	17	25	8	34	36	32	24	20
		F	1132	1	—	30	31	25	57	30	28	15	34	40	45	32	28
22	Influenza	M	86	—	—	2	1	2	2	3	—	—	1	1	11	2	1
		F	76	—	—	2	2	—	2	2	—	—	2	—	3	2	2
23	Pneumonia	M	1039	5	—	32	27	20	46	16	27	12	49	29	52	39	13
		F	998	—	—	32	17	19	27	32	20	12	42	19	74	27	20
24	Bronchitis	M	2341	2	—	88	44	48	162	19	68	33	92	52	121	76	42
		F	1321	—	—	55	30	28	99	11	29	25	54	22	69	41	25
25	Other diseases of respiratory system	M	267	—	—	7	10	10	14	5	8	5	11	8	13	8	3
		F	144	—	—	5	2	4	4	2	3	—	4	3	6	4	3
26	Ulcer of stomach and duodenum	M	427	—	—	18	9	10	34	5	10	3	14	13	28	10	11
		F	154	—	—	6	3	3	2	1	1	4	10	—	14	6	3
27	Gastritis, enteritis and diarrhœa	M	68	—	—	2	—	—	1	1	—	—	5	1	6	1	1
		F	113	—	—	1	1	—	5	2	4	—	5	1	10	1	1
28	Nephritis and nephrosis	M	176	—	—	5	4	3	8	3	4	5	5	7	2	6	6
		F	185	—	—	8	1	—	8	2	5	2	4	3	15	5	7
29	Hyperplasia of prostate	M	366	1	—	10	2	12	27	10	3	6	9	9	18	9	6
30	Pregnancy, childbirth, abortion*	F	50	—	—	3	2	—	2	—	—	—	1	3	—	2	—
31	Congenital malformations	M	154	—	—	3	1	3	9	—	3	—	6	3	12	3	1
		F	180	—	—	4	2	2	8	2	2	4	4	6	7	3	10
32	Other defined and ill-defined dis.	M	1517	3	—	47	28	33	101	24	48	17	57	38	66	46	49
		F	1665	2	—	48	31	26	96	16	35	19	71	26	77	55	51
33	Motor vehicle accidents	M	139	—	—	8	4	2	6	1	1	3	4	4	8	6	2
		F	82	—	—	6	1	2	5	2	2	1	5	2	—	2	4
34	All other accidents	M	422	3	—	13	15	6	15	10	7	6	14	14	13	5	6
		F	308	—	—	13	6	2	10	9	5	5	11	6	3	5	22
35	Suicide	M	248	—	—	8	1	6	15	2	5	4	14	5	10	8	11
		F	136	—	—	1	—	—	16	5	1	—	6	4	7	4	7
36	Homicide, operations of war	M	19	—	—	—	—	3	—	—	—	—	2	—	—	1	—
		F	9	—	—	1	—	—	—	—	—	1	—	—	—	—	—
** "Delayed" maternal deaths (see page 240)			3	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued.—London Metropolitan Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)		London. Administrative County	City of London.	Inner & Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
2(1)	Tub. of meninges and nervous system	M	16	—	—	—	1	—	—	—	—	—	—	—	—	1
		F	13	—	—	—	—	1	—	—	1	—	1	1	—	1
9(1)	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2)	Scarlet fever	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9(3)	Streptococcal sore throat	M	1	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4)	Erysipelas, septicæmia, pyæmia	M	2	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	5	—	—	—	—	—	—	1	—	—	—	—	—	—
9(5)	Acute infectious encephalitis	M	6	—	1	—	—	—	—	—	—	—	1	—	1	—
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	—
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	9	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	14	—	—	—	—	—	2	—	—	1	—	—	1	1
4(1)	Malig. neoplasm, mouth and pharynx	M	146	—	4	4	1	9	4	3	1	3	8	4	1	4
		F	47	—	—	—	1	2	1	1	1	—	1	6	2	2
4(2)	Malig. neoplasm, œsophagus	M	126	—	3	3	3	3	4	—	1	2	3	5	3	1
		F	60	—	—	—	—	3	2	2	2	—	1	3	7	2
4(3)	Malig. neoplasm, intestine and rectum	M	561	1	15	7	8	34	8	19	5	21	13	27	28	16
		F	668	—	24	13	9	36	14	15	13	26	15	31	27	25
4(4)	Malig. neoplasm, larynx	M	93	—	6	1	—	4	2	2	1	8	1	2	2	2
		F	11	—	—	—	—	—	1	—	—	—	—	2	1	—
3(1)	Malig. neoplasm, cervix uteri	F	192	1	9	2	2	13	4	5	4	6	3	8	6	6
4(5)	Hodgkin's disease	M	37	—	1	1	—	2	2	1	1	1	—	1	2	2
		F	24	—	—	—	1	—	1	—	—	1	1	—	2	—
4(6)	Lymphosarcoma, reticulosarcoma	M	64	—	2	—	2	3	—	2	1	—	3	2	2	4
		F	49	—	—	1	—	3	—	1	—	2	1	8	1	2
3(1)	Thyrototoxicosis	M	8	—	—	—	—	—	1	1	—	—	—	—	—	—
		F	28	—	5	—	—	—	—	—	—	—	3	—	—	—
2(2)	Otitis media and mastoiditis	M	16	—	1	—	1	1	—	—	—	1	—	—	2	—
		F	8	—	1	—	—	1	—	—	1	—	—	1	—	1
3(3)	Rheumatic fever	M	10	—	—	—	—	1	—	—	—	—	—	2	—	—
		F	15	—	2	1	—	—	—	—	—	—	—	1	2	—
1(1)	Chronic rheumatic heart disease	M	321	1	13	9	6	27	6	3	9	16	6	9	14	7
		F	561	—	19	12	10	37	9	11	8	18	15	25	6	15
1(1)	Hyperten. without mention of heart	M	431	1	20	12	8	23	9	15	3	14	16	8	10	8
		F	498	1	10	15	14	27	10	15	1	13	20	29	10	19
4(4)	Appendicitis	M	54	—	3	—	1	3	—	6	—	2	1	3	—	2
		F	40	—	3	3	1	1	—	2	—	3	1	—	1	1
5(5)	Intestinal obstruc. and hernia	M	143	1	5	2	5	14	3	5	1	5	5	6	3	4
		F	142	—	4	3	3	7	3	1	1	5	1	6	4	5
6(6)	Cirrhosis of liver	M	69	1	2	1	3	2	3	—	1	—	5	4	2	1
		F	46	—	—	—	2	1	—	1	1	—	—	3	3	1
7(7)	Cholelithiasis, cholecystitis	M	33	—	2	—	2	—	—	—	—	1	1	2	1	—
		F	78	—	3	2	1	7	—	—	—	7	1	1	1	5
1(1)	Maternal sepsis (not abortion)	F	8	—	1	1	—	1	—	—	—	—	—	—	—	—
2(2)	Toxæmias of pregnancy and puerperium	F	7	—	1	—	—	—	—	—	—	—	—	—	1	—
3(3)	Abortion	F	15	—	1	—	—	—	—	—	—	—	—	—	1	—
8(8)	Birth injury	M	93	—	3	—	3	3	1	5	1	4	1	3	2	6
		F	52	—	—	2	—	4	—	2	—	7	—	1	1	1
9(9)	Post-natal asphyxia and atelectasis	M	113	—	2	3	2	12	2	2	—	4	1	11	6	7
		F	67	—	—	—	3	6	1	2	—	2	1	4	2	1
10(10)	Pneumonia of newborn	M	29	—	2	1	—	2	—	1	—	—	—	1	1	1
		F	27	—	—	—	1	—	—	1	—	1	—	—	—	2
11(11)	Ophth., pemphigus, sepsis of newborn	M	5	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—	—	—
12(12)	Hæmolytic disease of newborn	M	24	1	—	—	—	3	1	1	—	2	—	—	1	—
		F	13	—	—	—	—	—	—	2	—	—	—	—	—	—
13(13)	Immatutity (without other dis. peculiar to early infancy)	M	142	—	4	3	2	10	3	5	2	5	4	3	4	6
		F	74	—	3	3	4	2	2	4	—	5	—	6	1	3
14(14)	Senility without psychosis	M	66	—	2	2	1	10	1	1	—	2	3	4	3	—
		F	175	—	3	3	1	23	2	1	—	8	1	11	8	4
15(15)	Ill-defined and unknown cause	M	10	—	—	—	—	—	—	—	—	1	1	1	—	—
		F	11	—	—	—	—	—	—	—	—	—	1	1	—	—



TABLE 21—continued.—Metropolitan and County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.	Barnsley.	Barrow.	Bath.	Birkenhead.
1	Tuberculosis respiratory	M	5	48	24	44	22	27	16	10	32	8	37	34	5	53	41	25	18	7	8	25
		F	1	23	5	16	13	5	1	4	11	5	8	15	7	26	5	12	5	6	7	8
2	Tuberculosis other	M	1	3	3	2	6	—	1	3	3	—	2	—	1	5	1	1	—	3	—	1
		F	—	2	—	3	1	1	2	—	—	1	2	1	—	6	1	1	3	2	—	5
3	Syphilitic disease	M	—	11	7	19	6	5	3	4	9	1	5	7	2	8	11	4	2	—	2	4
		F	1	5	4	2	3	2	—	1	6	2	3	2	1	7	1	3	1	—	1	1
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1
5	Whooping cough	M	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	—	1	1	—	—	1	—	1	—	—	—	—	—	1	—	4	2	1	1	1
		F	—	—	2	1	—	2	1	—	1	—	1	2	1	1	—	—	—	—	—	2
7	Acute poliomyelitis	M	—	—	2	2	—	—	—	2	1	—	—	1	—	5	—	2	—	—	—	—
		F	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—
8	Measles	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1
		F	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
9	Other infective, etc., diseases	M	1	3	3	2	2	2	—	3	1	1	3	1	1	4	3	1	1	1	1	1
		F	—	4	1	2	2	1	2	2	5	2	1	1	—	4	2	2	3	—	1	2
10	Malignant neoplasm: stomach	M	2	44	18	34	45	25	21	7	19	6	32	19	11	50	24	27	16	20	25	38
		F	4	36	23	24	30	13	12	12	18	9	12	18	10	57	13	22	11	15	20	26
11	lung, bronchus	M	14	107	52	75	77	47	26	33	76	24	40	36	18	128	31	53	18	14	27	46
		F	2	20	19	26	9	12	8	5	15	6	11	8	2	22	11	15	3	2	1	10
12	breast	M	—	—	—	—	2	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—
		F	6	47	53	41	64	31	11	28	28	8	19	17	16	93	22	36	14	9	13	29
13	uterus	F	3	19	19	25	21	9	1	11	11	5	3	9	6	38	6	10	6	10	6	14
14	Other malignant and lymphatic neoplasms	M	17	143	105	157	117	73	45	58	101	22	47	78	28	233	75	85	42	44	52	80
		F	11	135	85	105	109	53	37	44	75	24	45	49	23	181	56	68	32	29	54	57
15	Leukæmia, aleukæmia	M	1	7	1	5	5	4	2	5	5	—	2	5	4	8	3	6	—	3	1	9
		F	—	4	6	5	5	2	1	4	5	2	1	2	2	14	4	1	3	1	1	1
16	Diabetes	M	—	3	3	2	1	—	5	5	2	—	1	3	2	9	2	6	—	2	3	2
		F	1	9	6	13	20	3	6	5	3	1	10	3	4	21	6	10	8	2	1	5
17	Vascular lesions of nervous system	M	2	126	80	117	132	45	35	70	68	19	56	52	19	170	44	83	45	56	55	67
		F	16	177	149	184	167	88	45	88	117	25	89	62	25	276	63	119	61	61	107	129
18	Coronary disease, angina	M	29	219	149	211	212	107	67	91	136	24	82	117	45	310	102	133	49	68	61	136
		F	22	130	111	112	115	84	31	66	83	22	40	62	25	180	55	70	29	18	37	73
19	Hypertension with heart disease	M	5	26	10	37	28	22	14	27	13	7	12	12	4	33	6	16	6	9	9	16
		F	3	48	12	47	27	20	10	23	14	6	14	34	13	55	14	22	5	9	18	31
20	Other heart disease	M	13	143	84	191	214	75	46	54	72	28	97	82	26	252	49	126	119	98	92	146
		F	24	273	199	279	268	119	58	90	121	49	136	99	35	440	75	150	98	96	131	190
21	Other circulatory disease	M	4	63	26	74	43	31	21	32	38	10	53	40	11	110	28	25	18	10	22	29
		F	4	76	60	73	43	54	27	50	39	24	49	31	12	124	28	42	16	8	36	36
22	Influenza	M	—	4	4	12	5	1	3	—	3	4	7	1	1	13	2	—	2	4	1	7
		F	—	3	10	9	5	6	2	—	1	—	4	2	1	13	1	2	2	1	—	6
23	Pneumonia	M	8	74	37	67	56	39	27	23	51	18	43	60	20	83	22	44	26	19	14	41
		F	4	85	61	82	47	24	20	24	27	16	46	40	12	97	31	41	12	15	21	36
24	Bronchitis	M	8	184	67	162	137	74	67	52	94	47	120	107	33	224	41	77	27	32	24	66
		F	8	119	38	96	66	42	38	25	54	28	51	36	19	141	24	48	16	7	8	33
25	Other diseases of respiratory system	M	—	9	11	22	19	8	9	2	14	6	8	11	4	17	8	17	1	3	8	14
		F	—	12	13	5	23	4	3	1	5	1	3	5	3	15	1	10	—	1	6	11
26	Ulcer of stomach and duodenum	M	6	36	18	21	24	12	12	7	15	9	16	18	12	30	10	16	6	7	5	21
		F	—	12	6	12	6	14	3	5	1	2	1	1	3	22	7	6	1	5	3	5
27	Gastritis, enteritis and diarrhoea	M	—	4	8	3	3	7	1	1	6	1	4	1	1	5	3	2	3	—	4	3
		F	—	5	8	11	5	6	4	5	11	1	2	2	3	7	8	4	4	1	5	5
28	Nephritis and nephrosis	M	4	9	16	11	10	7	1	1	10	6	3	6	6	19	3	6	4	3	8	7
		F	2	18	9	12	9	11	3	2	6	1	5	5	3	31	3	5	6	2	8	4
29	Hyperplasia of prostate	M	4	27	25	27	19	18	11	10	8	6	8	19	4	44	4	10	9	5	10	11
30	Pregnancy, childbirth, abortion*	F	—	4	5	8	1	1	1	2	3	—	1	6	1	3	1	—	1	—	1	2
31	Congenital malformations	M	2	10	6	9	13	5	7	3	10	3	7	5	4	14	8	4	5	7	6	12
		F	1	8	14	8	15	7	2	8	5	4	7	4	4	25	4	10	5	8	9	8
32	Other defined and ill-defined dis.	M	12	95	67	125	114	56	35	33	71	17	29	51	17	141	39	58	53	43	36	69
		F	11	114	104	119	113	69	33	47	62	31	59	36	27	178	40	69	36	28	39	73
33	Motor vehicle accidents	M	—	9	9	4	18	5	4	1	8	2	6	5	—	9	5	5	4	6	3	9
		F	—	9	5	1	5	5	1	2	3	1	—	3	2	7	3	3	2	2	1	1
34	All other accidents	M	5	33	24	26	21	26	14	9	25	6	12	19	4	35	16	20	7	10	4	22
		F	5	15	21	19	18	18	4	20	8	4	11	13	5	28	9	13	3	5	8	8
35	Suicide	M	2	11	15	12	10	16	6	6	20	4	10	5	5	20	11	6	4	1	8	7
		F	2	7	11	7	5	4	2	6	6	—	1	5	1	14	6	8	1	2	5	4
36	Homicide, operations of war	M	—	2	—	2	2	1	—	—	1	—	—	2	—	1	1	1	—	—	—	—
		F	—	1	1	1	1	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—

\*“Delayed” maternal deaths  
(see page 240)

TABLE 21—continued.—Metropolitan and County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)		Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.
Tub. of meninges and nervous system	M	1	—	3	—	1	—	1	1	—	—	2	—	—	4	1	—	—	—	—	1
Typhoid fever	F	—	—	—	2	—	1	1	—	—	1	1	—	—	1	—	1	2	2	—	3
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Streptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicæmia, pyæmia	M	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute infectious encephalitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malig. neoplasm, mouth and pharynx	M	1	7	14	16	6	7	4	8	8	2	5	6	1	10	3	2	3	6	2	5
Malig. neoplasm, œsophagus	F	1	—	3	—	2	1	—	1	4	—	1	1	—	11	2	3	—	2	—	2
Malig. neoplasm, intestine and rectum	M	1	8	9	8	14	7	3	4	6	1	2	7	1	12	9	3	3	4	3	7
Malig. neoplasm, larynx	F	—	4	4	4	3	2	3	—	3	2	1	1	—	7	3	1	—	3	2	2
Malig. neoplasm, cervix uteri	M	4	44	18	40	29	13	17	17	22	3	7	24	10	72	16	23	14	14	16	23
Hodgkin's disease	F	3	47	28	48	55	26	13	17	24	8	19	17	11	54	21	29	16	12	21	26
Lymphosarcoma, reticulosarcoma	M	—	3	2	11	3	1	2	5	3	3	4	1	—	16	5	3	—	1	5	—
Thyrototoxicosis	F	—	1	2	—	1	—	—	—	—	—	—	1	—	2	—	—	1	1	—	—
Otitis media and mastoiditis	M	—	—	1	1	1	1	—	—	1	1	1	—	1	1	—	1	2	—	—	1
Rheumatic fever	F	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Chronic rheumatic heart disease	M	1	3	—	—	2	—	—	—	—	—	—	1	1	3	1	—	—	—	—	—
Hyperten. without mention of heart	F	—	1	—	2	4	—	—	—	3	—	2	1	—	3	2	—	—	—	2	—
Appendicitis	M	—	6	3	9	1	2	—	3	—	—	1	3	2	8	3	2	—	—	1	3
Intestinal obstruc. and hernia	F	—	2	3	4	4	—	2	1	1	1	—	—	—	7	2	3	—	—	—	2
Cirrhosis of liver	M	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholelithiasis, cholecystitis	F	—	2	1	3	6	—	—	1	1	—	1	—	1	—	1	3	—	—	2	—
Maternal sepsis (not abortion)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Toxæmias of pregnancy and puerperium	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abortion	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Birth injury	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Post-natal asphyxia and atelectasis	M	3	17	17	20	22	12	8	8	8	4	10	12	4	29	4	17	11	3	10	7
Pneumonia of newborn	F	5	47	35	41	30	21	20	13	25	15	17	13	5	56	14	19	17	10	10	18
Ophth., pemphigus, sepsis of newborn	M	2	36	15	31	16	19	10	7	22	1	29	25	7	43	10	11	—	2	6	8
Hæmolytic disease of newborn	F	2	46	29	27	13	19	16	18	24	8	23	14	5	43	12	15	2	2	12	16
Immaturity (without other dis. peculiar to early infancy)	M	—	3	2	3	5	2	1	1	3	—	1	1	—	7	2	2	—	1	—	1
Senility without psychosis	F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ill-defined and unknown cause	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



TABLE 21—continued.—County Boroughs.

Abridged List of Causes of Death (See first page of Table)		Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.
1	Tuberculosis respiratory	M 201	24	26	30	19	20	42	21	62	16	7	11	4	8	4	29	41	6	17	6
		F 75	3	12	12	13	13	25	7	29	7	2	4	1	6	1	22	15	4	6	6
2	Tuberculosis other	M 20	2	5	2	2	2	3	1	5	1	1	2	—	—	2	4	3	—	4	1
		F 9	4	1	3	6	3	8	1	6	1	—	1	1	3	—	11	1	1	—	—
3	Syphilitic disease	M 28	2	1	3	—	4	8	9	9	3	2	2	—	1	1	9	6	2	5	3
		F 14	—	3	4	1	5	9	3	—	2	—	1	—	1	—	1	3	—	2	1
4	Diphtheria	M 1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M 2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
6	Meningococcal infections	M 6	1	—	—	3	—	1	—	1	—	—	—	—	—	—	—	1	—	1	1
		F 3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
7	Acute poliomyelitis	M 3	1	1	1	1	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—
		F 1	—	1	1	—	—	—	1	1	—	2	—	—	1	—	—	1	—	—	1
8	Measles	M 2	—	—	—	1	—	1	—	—	—	—	1	—	—	—	1	—	—	1	—
		F —	—	—	1	—	—	—	—	—	1	—	1	—	—	—	1	—	1	—	—
9	Other infective, etc., diseases	M 16	5	1	3	1	—	1	—	7	1	—	2	—	1	—	4	5	1	1	2
		F 8	2	3	5	2	6	2	3	3	2	—	2	—	2	—	2	4	2	—	1
10	Malignant neoplasm: stomach	M 186	30	34	46	14	24	49	35	82	21	5	13	6	7	8	33	31	18	27	13
		F 161	20	33	31	15	25	47	22	61	15	6	8	4	12	7	23	47	17	20	12
11	lung, bronchus	M 339	28	41	57	21	50	81	65	125	27	10	17	7	11	18	64	72	27	36	15
		F 58	7	11	10	2	14	19	12	26	4	—	2	1	—	3	14	13	3	4	2
12	breast	M 1	—	—	—	—	—	1	—	2	—	—	—	—	1	—	—	1	—	—	—
		F 184	14	37	42	7	35	71	45	83	9	9	14	8	10	9	33	51	10	22	11
13	uterus	F 93	15	30	21	3	14	45	12	43	12	3	8	1	7	8	25	26	9	12	7
14	Other malignant and lymphatic neoplasms	M 614	76	101	86	22	115	179	104	236	46	33	40	15	38	16	110	164	53	86	26
		F 456	65	87	86	19	121	154	131	180	39	19	21	19	20	27	83	143	40	54	30
15	Leukæmia, aleukæmia	M 25	5	2	3	4	6	9	4	6	1	—	2	2	1	—	8	10	1	4	4
		F 21	3	—	3	2	6	3	2	9	2	1	1	—	2	1	10	9	1	6	1
16	Diabetes	M 19	3	2	3	2	8	7	1	4	2	5	1	—	—	1	9	7	4	5	3
		F 57	9	14	16	4	14	17	8	23	6	4	3	—	3	1	8	7	2	7	2
17	Vascular lesions of nervous system	M 628	86	129	119	41	112	266	103	276	72	26	43	18	55	33	164	151	82	88	55
		F 858	119	228	182	46	224	323	174	413	87	49	64	32	83	52	174	247	103	125	75
18	Coronary disease, angina	M 871	116	198	175	56	172	347	144	355	101	41	64	26	80	49	205	221	86	147	52
		F 454	77	105	104	34	126	209	124	233	55	9	40	16	30	25	90	141	55	97	31
19	Hypertension with heart disease	M 151	14	7	30	8	23	60	27	106	15	3	6	4	8	4	34	47	6	28	9
		F 189	21	22	29	11	23	59	34	127	9	5	6	4	6	7	32	56	16	26	11
20	Other heart disease	M 719	130	220	183	37	150	249	232	384	79	49	83	13	77	44	156	199	63	130	53
		F 1037	168	288	257	65	269	457	329	515	135	53	106	27	115	56	215	363	78	137	74
21	Other circulatory disease	M 279	45	47	53	13	42	71	25	113	28	5	19	19	14	12	29	68	17	53	15
		F 267	48	55	58	9	60	72	45	136	35	12	30	11	12	11	37	75	19	61	12
22	Influenza	M 28	4	6	7	2	—	9	3	12	6	1	3	—	—	—	6	6	2	—	1
		F 18	2	5	7	1	3	3	2	10	3	—	2	—	—	—	3	3	—	—	1
23	Pneumonia	M 271	42	28	43	25	32	93	29	111	18	15	6	5	11	11	52	50	22	41	11
		F 236	38	25	29	19	34	73	35	124	16	8	3	8	9	13	44	65	9	32	9
24	Bronchitis	M 500	61	66	89	36	43	171	46	146	46	23	27	10	16	19	74	141	34	37	32
		F 238	42	32	48	21	35	82	29	85	49	16	26	7	8	8	46	75	15	15	22
25	Other diseases of respiratory system	M 60	5	4	12	2	13	12	12	47	4	3	11	6	2	—	18	12	3	14	2
		F 33	4	2	8	2	4	18	5	16	4	2	1	2	—	2	3	6	1	3	1
26	Ulcer of stomach and duodenum	M 116	5	17	15	11	19	19	20	38	8	5	7	3	11	7	14	27	9	20	2
		F 39	6	8	7	2	9	7	5	21	1	1	2	1	4	1	4	5	2	4	2
27	Gastritis, enteritis and diarrhoea	M 28	1	5	7	3	4	8	5	14	3	1	2	1	3	—	7	3	2	1	2
		F 49	2	4	4	1	6	7	3	9	7	—	5	—	2	1	9	7	3	2	1
28	Nephritis and nephrosis	M 65	13	15	9	—	8	32	13	24	9	4	4	2	4	3	13	12	12	5	6
		F 46	15	11	13	7	14	31	8	19	13	2	6	2	8	5	14	13	3	4	9
29	Hyperplasia of prostate	M 73	15	21	11	2	27	14	22	42	13	4	5	6	6	5	22	32	11	11	3
30	Pregnancy, childbirth, abortion*	F 15	2	1	—	—	1	4	—	7	—	—	1	2	—	—	1	2	—	—	—
31	Congenital malformations	M 76	5	5	6	3	4	16	10	20	2	2	1	1	1	2	13	16	2	13	2
		F 54	2	5	10	4	2	10	9	25	6	1	1	3	4	2	16	6	2	7	1
32	Other defined and ill-defined dis.	M 463	54	92	94	42	67	123	75	169	54	30	32	11	36	20	114	94	30	62	33
		F 525	76	106	110	32	92	156	85	175	61	35	30	9	35	19	103	111	44	66	27
33	Motor vehicle accidents	M 82	8	11	12	8	5	12	3	25	4	3	7	1	12	8	27	13	4	6	3
		F 24	3	4	—	—	4	9	3	15	1	2	4	—	1	2	8	—	—	2	—
34	All other accidents	M 117	9	15	23	17	16	55	19	54	9	7	6	4	4	5	33	16	11	12	9
		F 104	12	20	23	4	25	51	17	44	8	7	6	2	12	3	25	12	7	4	5
35	Suicide	M 78	10	8	12	4	8	24	10	27	9	11	6	2	3	2	26	15	4	12	6
		F 42	8	2	10	1	8	8	7	29	7	2	5	—	3	—	11	11	6	2	1
36	Homicide, operations of war	M 5	1	—	—	—	—	1	—	1	—	—	1	—	2	—	—	1	—	—	—
		F 1	—	2	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—

\*“Delayed” maternal deaths  
(see page 240)

TABLE 21—continued.—County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)		Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.
(1) Tub. of meninges and nervous system	M	5	—	1	1	—	—	2	—	3	1	—	1	—	—	1	2	—	—	2	—
	F	6	2	1	1	4	—	5	—	2	1	—	—	—	—	—	5	—	—	—	—
(1) Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(2) Scarlet fever	M	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(3) Streptococcal sore throat	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
(4) Erysipelas, septicæmia, pyæmia	M	3	1	—	—	1	—	—	—	1	—	—	—	—	1	—	1	—	1	—	—
	F	—	—	1	1	2	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—
(5) Acute infectious encephalitis	M	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	1
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(7) Infectious hepatitis	M	1	—	1	2	—	—	—	—	2	—	—	—	—	—	—	3	2	—	—	—
	F	1	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	1
(1) Malig. neoplasm, mouth and pharynx	M	37	—	12	8	2	2	15	8	12	5	2	4	1	3	2	14	3	6	3	2
	F	13	4	1	2	1	2	5	5	—	—	—	—	—	2	1	4	2	1	1	1
(2) Malig. neoplasm, œsophagus	M	47	10	4	6	2	8	8	6	16	5	2	4	2	1	1	7	12	1	5	—
	F	13	1	2	4	—	7	4	3	9	2	2	1	1	—	1	5	7	1	3	1
(3) Malig. neoplasm, intestine and rectum	M	223	31	36	27	8	43	52	27	68	15	11	11	1	11	5	30	50	17	28	11
	F	204	18	32	42	9	50	70	56	68	21	8	12	7	8	12	33	53	21	20	16
(4) Malig. neoplasm, larynx	M	18	1	2	4	1	5	6	2	7	2	—	1	—	2	3	8	4	—	4	2
	F	1	—	—	2	—	2	4	—	5	—	—	—	—	—	—	2	1	—	—	1
(1) Malig. neoplasm, cervix uteri	F	51	7	19	17	2	10	42	6	29	9	2	6	1	4	7	16	10	9	7	6
(5) Hodgkin's disease	M	5	3	3	3	—	3	8	—	7	1	1	—	1	1	—	1	8	1	2	1
	F	4	3	—	1	—	3	4	—	2	—	—	1	1	—	—	—	3	1	—	—
(6) Lymphosarcoma, reticulosarcoma	M	6	2	2	1	1	2	3	4	2	—	—	—	—	—	—	2	4	—	2	1
	F	3	—	—	—	—	1	1	3	6	—	1	—	—	—	—	—	3	—	—	—
(1) Thyrotoxicosis	M	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—
	F	10	1	4	1	—	2	—	2	2	2	—	2	—	—	—	2	2	1	—	—
(2) Otitis media and mastoiditis	M	7	2	—	1	—	—	1	2	—	—	—	—	—	—	—	—	1	—	2	—
	F	2	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—
(3) Rheumatic fever	M	5	—	—	1	2	—	1	—	3	—	1	—	—	1	—	—	1	—	—	—
	F	4	—	1	1	1	—	1	1	3	—	—	—	—	—	—	2	2	1	1	—
(1) Chronic rheumatic heart disease	M	91	12	11	16	5	9	15	9	31	13	4	7	1	3	1	19	13	8	6	4
	F	177	21	21	19	13	22	40	26	60	16	2	17	3	10	6	26	26	5	21	8
(1) Hyperten. without mention of heart	M	127	21	10	17	8	15	23	13	31	18	—	2	8	2	6	9	27	3	21	3
	F	103	16	15	21	4	18	24	20	33	18	4	11	5	6	5	12	27	3	12	4
(4) Appendicitis	M	10	2	1	5	1	1	6	5	4	—	—	1	—	—	—	3	8	1	2	2
	F	7	1	3	3	—	1	5	1	3	1	1	—	—	—	—	—	7	1	4	1
(5) Intestinal obstruc. and hernia	M	44	5	9	13	5	8	12	7	11	2	1	—	2	5	1	9	11	1	5	1
	F	48	7	11	17	2	16	8	9	15	3	1	3	—	4	1	1	7	3	4	2
(6) Cirrhosis of liver	M	17	—	2	—	—	—	6	1	9	—	2	1	—	—	—	5	4	—	1	—
	F	23	1	1	2	2	3	2	3	3	1	—	1	—	—	—	6	3	—	—	—
(7) Cholelithiasis, cholecystitis	M	10	—	2	1	1	1	3	1	6	4	1	1	—	1	1	2	2	—	3	1
	F	27	6	5	7	2	5	7	3	8	4	—	—	—	1	2	9	3	2	8	2
(1) Maternal sepsis (not abortion)	F	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
(2) Toxæmias of pregnancy and puerperium	F	3	—	—	—	—	—	1	—	4	—	—	—	—	—	—	1	—	—	—	—
(3) Abortion	F	4	—	—	—	—	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—
(8) Birth injury	M	29	4	4	5	6	3	7	4	13	4	1	—	—	1	1	3	3	1	2	2
	F	31	1	—	2	5	—	2	5	6	1	2	—	—	1	1	5	3	1	4	—
(9) Post-natal asphyxia and atelectasis	M	43	4	—	8	6	6	8	2	23	1	3	5	1	2	2	14	6	2	2	6
	F	31	3	1	5	1	1	6	7	12	1	—	2	—	1	1	7	—	—	6	1
(10) Pneumonia of newborn	M	13	3	2	2	—	3	3	1	6	—	1	—	—	1	1	2	1	4	4	—
	F	14	—	2	—	1	—	2	3	5	2	2	—	—	—	—	1	1	1	2	1
(11) Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(12) Hæmolytic disease of newborn	M	5	—	—	1	—	1	3	—	2	—	—	1	—	1	1	2	2	—	1	—
	F	7	1	1	1	2	1	2	1	2	—	—	1	—	—	—	—	1	—	—	1
(13) Immaturity (without other dis. peculiar to early infancy)	M	30	8	6	2	2	4	24	6	1	6	2	2	3	7	3	17	8	1	4	4
	F	24	4	6	5	3	4	24	6	2	4	1	6	2	4	1	12	6	2	8	2
(14) Senility without psychosis	M	29	6	23	10	1	4	7	5	3	10	10	4	1	1	3	6	3	2	5	5
	F	63	16	25	10	2	5	24	8	14	8	10	2	1	5	3	9	12	11	6	4
(15) Ill-defined and unknown cause	M	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
	F	1	—	2	2	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—



TABLE 21—continued—County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.
1	Tuberculosis respiratory	M	16	14	9	19	14	32	12	8	13	13	9	13	15	57	84	52	16	161	195	28
		F	4	3	1	7	5	13	5	5	15	4	2	4	6	30	32	40	3	105	74	12
2	Tuberculosis other	M	2	—	—	2	2	1	2	1	2	2	2	2	—	3	5	5	—	22	14	5
		F	—	—	—	—	—	3	—	—	1	—	—	3	1	4	6	2	—	13	10	2
3	Syphilitic disease	M	3	—	3	5	1	4	1	3	7	4	2	7	4	7	20	5	1	17	11	3
		F	3	—	—	3	—	2	2	1	2	1	1	—	—	10	8	3	—	7	7	1
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5	Whooping cough	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	4	4	—
		F	—	2	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	1	4	1
6	Meningococcal infections	M	—	—	—	—	—	2	1	—	1	1	—	—	—	2	2	1	—	12	2	—
		F	—	—	—	—	—	1	—	1	1	—	—	—	—	1	1	—	—	6	—	1
7	Acute poliomyelitis	M	—	—	—	1	—	2	—	—	1	—	—	—	—	—	5	—	1	1	1	—
		F	1	—	1	1	—	—	—	—	1	—	—	—	—	—	2	—	—	1	—	—
8	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	5	3	—
		F	—	—	—	—	—	1	—	—	1	1	1	—	—	2	2	1	—	3	3	1
9	Other infective, etc., diseases	M	1	—	1	—	1	1	—	3	2	3	3	—	2	5	13	2	—	17	8	2
		F	1	—	1	2	1	2	1	1	1	—	1	—	2	2	10	3	—	14	18	—
10	Malignant neoplasm: stomach	M	19	15	13	28	20	23	14	4	18	23	9	25	25	54	89	44	14	152	154	28
		F	7	8	10	21	12	19	4	6	15	21	10	22	18	45	88	43	8	136	118	16
11	lung, bronchus	M	27	12	15	46	13	38	17	8	29	17	21	28	18	111	189	82	21	283	284	35
		F	5	1	2	8	5	5	2	4	6	12	4	7	7	17	28	11	4	44	42	5
12	breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	17	21	23	13	15	8	9	15	21	15	23	22	53	86	58	8	121	118	13
13	uterus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	5	3	6	6	8	3	10	12	14	4	10	7	33	60	32	5	70	69	18
14	Other malignant and lymphatic neoplasms	M	33	29	40	67	38	66	33	35	49	56	58	84	55	186	297	174	37	405	372	75
		F	27	21	40	50	41	59	31	29	50	66	59	82	43	115	237	138	28	323	347	54
15	Leukæmia, aleukæmia	M	1	3	2	6	2	2	3	2	1	4	2	4	2	4	10	4	1	26	14	1
		F	2	—	2	4	2	2	1	—	2	1	4	6	2	4	13	9	1	21	15	4
16	Diabetes	M	1	—	2	4	2	3	2	2	3	3	1	5	5	3	9	8	1	14	13	3
		F	3	4	2	8	1	5	4	3	8	10	1	10	8	13	24	14	3	35	33	6
17	Vascular lesions of nervous system	M	49	36	58	66	55	76	29	44	59	110	47	124	73	176	376	194	62	469	466	102
		F	63	42	107	95	80	96	47	45	60	128	80	150	95	204	579	270	61	570	642	114
18	Coronary disease, angina	M	78	35	55	108	82	109	40	58	82	119	58	143	97	216	515	232	78	653	548	135
		F	44	22	52	69	40	67	29	48	38	61	42	69	57	130	330	122	30	399	288	75
19	Hypertension with heart disease	M	12	11	4	13	6	15	4	4	20	16	18	23	10	31	57	49	5	95	74	20
		F	8	7	16	22	6	15	8	4	16	21	16	15	24	43	85	45	13	122	116	15
20	Other heart disease	M	52	61	82	93	63	97	73	46	54	101	91	164	83	232	339	270	90	718	605	137
		F	77	72	154	108	102	115	88	67	76	136	178	195	123	349	495	401	83	892	860	150
21	Other circulatory disease	M	29	12	5	32	27	37	8	16	34	30	9	32	29	48	104	59	22	129	172	34
		F	21	10	10	22	21	27	13	15	38	56	23	28	29	55	133	42	25	136	171	33
22	Influenza	M	4	1	—	1	1	1	2	—	—	1	3	1	—	4	10	2	—	23	12	2
		F	1	—	1	2	—	—	1	—	—	—	7	1	1	5	18	5	—	38	12	—
23	Pneumonia	M	17	9	12	41	11	40	7	4	32	15	14	18	17	112	190	67	10	285	201	59
		F	8	8	10	36	13	24	8	8	16	15	20	18	8	88	222	47	12	305	135	36
24	Bronchitis	M	31	44	11	74	23	47	29	22	37	48	20	47	36	145	344	114	26	347	441	55
		F	19	13	6	35	17	18	14	14	17	28	17	32	20	75	159	66	9	191	300	20
25	Other diseases of respiratory system	M	2	2	2	6	11	5	4	2	5	6	3	8	3	13	36	16	4	67	74	12
		F	1	—	2	9	2	4	2	1	7	3	2	5	4	9	18	6	1	24	27	2
26	Ulcer of stomach and duodenum	M	7	3	8	9	4	10	4	5	8	10	9	16	10	29	42	24	4	63	67	11
		F	3	1	3	1	2	3	—	1	2	4	—	7	3	7	8	9	3	31	27	3
27	Gastritis, enteritis and diarrhoea	M	2	1	1	1	3	4	2	3	—	4	1	1	5	14	6	8	3	31	27	5
		F	2	2	4	4	4	6	2	1	4	3	4	2	3	13	17	8	—	30	29	4
28	Nephritis and nephrosis	M	8	6	8	12	15	4	4	5	3	8	5	12	10	43	29	17	5	50	47	11
		F	7	4	6	6	9	4	4	3	2	6	4	21	8	32	27	26	5	34	52	6
29	Hyperplasia of prostate	M	10	3	10	7	15	11	4	8	14	13	9	9	14	30	35	14	3	53	40	10
30	Pregnancy, childbirth, abortion*	F	—	1	—	2	1	—	1	—	3	1	1	1	2	3	6	4	—	7	9	2
31	Congenital malformations	M	2	7	2	4	2	8	2	1	5	4	—	6	3	21	30	21	2	55	53	7
		F	11	3	—	5	1	7	3	2	6	6	5	8	6	27	23	16	2	46	46	5
32	Other defined and ill-defined dis.	M	34	35	22	52	45	71	42	21	48	44	34	59	35	142	234	117	37	353	359	58
		F	42	40	35	41	44	63	33	30	57	53	57	74	68	131	260	138	30	449	449	88
33	Motor vehicle accidents	M	12	2	2	11	5	4	3	3	2	3	2	11	3	14	29	20	6	53	47	8
		F	2	1	1	3	1	2	—	—	1	4	2	7	2	4	13	5	1	12	24	5
34	All other accidents	M	8	4	3	10	14	15	12	6	22	11	7	15	16	35	69	29	7	113	80	21
		F	13	11	6	8	9	20	6	6	6	17	12	16	17	38	54	22	7	86	58	15
35	Suicide	M	7	5	6	5	5	7	6	—	6	11	2	10	7	22	33	17	1	51	47	12
		F	5	1	2	6	3	4	4	1	4	3	1	6	6	11	28	15	3	18	28	3
36	Homicide, operations of war	M	—	—	—	—	1	—	—	—	—	—	—	—	—	4	11	3	—	3	5	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	1	2	1	—

\*“Delayed” maternal deaths  
(see page 240)

TABLE 21—continued.—County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)		Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.
(1) Tub. of meninges and nervous system	M	1	—	—	1	1	1	1	—	2	2	—	—	—	1	2	2	—	15	7	1
	F	—	—	—	—	—	3	—	—	1	—	—	2	—	2	3	1	—	6	6	2
(1) Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(2) Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—
(4) Erysipelas, septicæmia, pyæmia	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	5	3	—
(5) Acute infectious encephalitis	M	—	—	1	—	—	—	—	—	2	—	—	—	—	1	—	—	—	1	1	—
	F	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	1	—	2	2	—
(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(7) Infectious hepatitis	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	1	—	1	—	—	—	—	1	1	5	1	—	3	2	—
(1) Malig. neoplasm, mouth and pharynx	M	1	2	2	3	3	5	5	—	4	2	2	3	1	6	13	7	3	21	25	11
	F	1	1	5	4	—	3	1	1	—	2	2	2	1	8	3	2	1	11	11	3
(2) Malig. neoplasm, œsophagus	M	2	2	5	2	2	4	2	2	2	2	2	8	6	8	11	9	1	23	28	8
	F	2	—	—	1	2	4	1	1	2	5	2	4	1	7	2	9	2	19	12	6
(3) Malig. neoplasm, intestine and rectum	M	16	7	9	24	11	19	16	14	16	20	18	28	20	59	82	58	17	121	112	22
	F	9	9	12	17	24	22	13	11	21	23	25	39	15	37	83	57	15	128	148	18
(4) Malig. neoplasm, larynx	M	—	—	2	1	—	4	1	1	1	2	2	1	—	4	6	7	1	18	15	1
	F	—	—	—	2	1	—	1	—	2	—	3	—	1	—	5	1	—	2	3	1
(1) Malig. neoplasm, cervix uteri	F	7	2	2	4	3	8	1	9	6	7	3	6	3	26	45	16	4	49	43	18
(5) Hodgkin's disease	M	—	3	—	3	—	1	—	—	2	2	—	3	1	3	16	2	1	12	10	1
	F	—	—	—	—	—	1	—	—	—	2	—	—	2	2	7	1	1	6	4	1
(6) Lymphosarcoma, reticulosarcoma	M	—	—	—	2	2	—	—	—	1	—	1	1	—	4	2	2	—	12	4	2
	F	—	—	1	1	3	3	1	—	—	—	—	—	—	4	1	6	—	6	4	1
(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
	F	—	—	—	—	—	2	1	1	1	2	1	2	—	1	1	1	1	4	5	—
(2) Otitis media and mastoiditis	M	1	—	1	2	—	—	—	—	1	—	—	1	—	8	4	3	—	2	2	2
	F	—	—	—	—	—	—	—	—	1	—	—	1	—	2	4	—	1	6	1	—
(3) Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	2	1	1
	F	3	—	1	—	1	—	—	—	—	—	—	—	2	1	2	1	—	7	4	1
(1) Chronic rheumatic heart disease	M	7	5	5	17	1	17	3	2	2	11	4	14	6	12	53	28	8	71	64	10
	F	5	7	3	24	5	22	4	10	12	19	13	14	9	40	98	54	5	117	126	16
(1) Hyperten. without mention of heart	M	5	6	—	18	7	8	1	7	6	8	4	13	8	7	43	26	8	51	71	14
	F	5	2	1	17	11	5	3	6	10	25	7	3	9	13	39	20	9	64	74	11
(2) Appendicitis	M	2	2	1	1	1	1	1	—	2	1	1	1	—	4	4	2	2	8	11	1
	F	1	—	—	1	1	—	—	—	—	3	1	1	—	1	4	3	—	7	8	2
(5) Intestinal obstruc. and hernia	M	3	1	2	7	4	4	4	3	—	3	5	4	1	14	25	8	3	16	23	8
	F	1	4	7	6	7	4	1	1	2	5	3	5	2	8	14	8	2	30	29	10
(6) Cirrhosis of liver	M	1	1	1	—	3	4	2	—	—	2	1	5	—	1	9	5	—	9	12	1
	F	—	—	2	—	2	1	—	—	3	1	2	1	1	6	7	2	1	7	13	3
(7) Cholelithiasis, cholecystitis	M	1	—	3	1	1	1	—	—	1	2	—	2	1	2	5	2	1	4	4	1
	F	1	—	1	2	2	3	2	1	1	6	1	6	2	2	16	8	1	14	21	2
(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1
(2) Toxæmias of pregnancy and puerperium	F	—	—	—	—	—	—	1	—	3	—	1	—	1	2	2	—	—	1	1	—
(3) Abortion	F	—	1	—	1	—	—	—	—	—	1	—	—	—	—	3	3	—	1	1	1
(8) Birth injury	M	—	2	—	1	1	5	1	—	1	2	3	1	2	13	19	5	1	36	30	4
	F	2	—	—	1	1	2	—	2	3	2	1	1	1	8	8	3	1	30	13	4
(9) Post-natal asphyxia and atelectasis	M	3	3	—	7	2	6	3	—	6	2	1	3	2	13	15	4	3	47	32	9
	F	5	—	—	3	3	3	4	—	7	2	2	4	6	7	10	2	—	39	33	4
(10) Pneumonia of newborn	M	1	—	—	—	—	4	—	—	1	2	—	2	—	4	6	1	1	25	15	2
	F	—	2	—	—	—	3	—	—	—	1	1	3	1	—	5	1	—	13	6	4
(11) Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
	F	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—
(12) Hæmolytic disease of newborn	M	1	—	—	2	—	—	—	—	1	—	1	1	—	1	2	1	1	6	2	—
	F	—	—	1	—	—	1	—	1	—	—	1	—	1	1	2	1	—	4	3	1
(13) Immaturity (without other predis. peculiar to early infancy)	M	6	4	1	4	5	14	5	2	4	5	3	1	4	24	29	10	7	38	38	9
	F	2	4	1	4	3	4	2	—	1	1	1	6	6	23	17	8	2	38	33	5
(14) Senility without psychosis	M	—	12	2	3	1	9	4	1	13	2	5	15	1	7	8	10	4	27	41	4
	F	6	15	4	10	4	4	8	7	13	6	16	28	12	9	23	20	11	47	74	11
(15) Ill-defined and unknown cause	M	—	—	—	2	—	2	—	—	1	—	1	—	1	—	2	2	—	—	3	—
	F	—	—	—	—	—	2	—	—	—	—	2	—	—	—	2	2	—	2	1	—



TABLE 21—continued.—County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.
1	Tuberculosis respiratory	M	60	18	25	65	26	8	27	40	25	15	18	13	26	37	84	15	50	13	11	45
		F	35	8	8	34	9	3	24	11	2	5	8	4	11	24	33	6	18	5	1	18
2	Tuberculosis other	M	8	1	4	3	6	2	2	7	1	—	2	1	—	—	7	—	4	2	5	2
		F	4	3	—	5	2	2	3	4	—	4	2	1	3	1	3	1	2	—	1	—
3	Syphilitic disease	M	9	—	—	3	4	1	6	12	3	3	4	4	—	7	11	2	8	9	6	1
		F	3	1	2	4	1	1	4	5	6	2	2	1	1	5	8	1	—	3	1	2
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	1	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	2	—	—	2	1	1	1	—	—	—	—	1	—	1	1	—	1
6	Meningococcal infections	M	1	—	1	1	—	1	1	2	1	—	1	—	—	1	1	1	1	—	—	—
		F	1	—	—	2	—	1	1	1	1	—	—	—	1	1	1	1	—	—	—	2
7	Acute poliomyelitis	M	—	—	1	—	—	—	1	—	—	1	—	—	1	—	1	—	1	3	—	—
		F	—	—	1	1	—	—	1	1	—	1	—	—	—	—	2	—	—	3	—	—
8	Measles	M	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1
9	Other infective, etc., diseases	M	6	1	—	3	2	1	4	6	2	1	1	—	—	4	3	—	3	1	1	2
		F	7	2	1	6	2	—	1	4	—	—	1	—	—	—	7	2	4	2	2	1
10	Malignant neoplasm: stomach	M	68	16	12	48	30	19	31	54	22	12	15	19	19	40	94	10	38	26	27	20
		F	44	14	16	43	26	9	25	33	16	18	18	15	21	24	64	15	19	27	18	23
11	lung, bronchus	M	93	32	38	100	31	36	51	61	29	35	22	26	30	74	176	23	59	74	25	25
		F	21	1	7	8	2	3	5	10	6	6	6	5	4	13	31	5	10	14	7	7
12	breast	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—
		F	38	24	22	66	16	21	46	43	29	32	22	10	10	32	91	11	39	50	14	21
13	uterus	M	29	12	12	35	15	7	23	22	13	13	12	6	9	14	54	3	26	14	11	20
14	Other malignant and lymphatic neoplasms	M	173	57	75	167	63	42	110	130	64	67	39	49	56	98	309	42	100	85	49	62
		F	134	47	63	135	52	48	96	109	52	51	30	28	78	212	22	81	86	64	47	47
15	Leukæmia, aleukæmia	M	7	4	5	8	2	—	3	6	2	5	3	3	3	4	22	4	4	—	—	5
		F	7	2	1	5	2	3	2	3	—	—	1	3	2	2	10	1	3	1	3	5
16	Diabetes	M	7	3	2	7	2	1	7	4	7	2	3	4	1	3	11	2	3	4	5	4
		F	9	5	8	12	4	3	11	10	6	6	4	4	4	10	22	7	9	10	6	3
17	Vascular lesions of nervous system	M	217	116	94	175	105	45	149	159	77	84	84	53	73	111	378	53	128	94	74	70
		F	272	123	139	239	138	73	218	181	119	103	124	58	71	155	454	62	147	174	128	72
18	Coronary disease, angina	M	282	94	103	208	111	87	203	187	112	105	96	61	99	149	500	48	156	179	130	81
		F	185	71	60	151	61	70	107	121	79	60	52	27	38	76	229	33	89	130	100	42
19	Hypertension with heart disease	M	26	18	14	46	16	5	35	25	15	5	16	10	9	16	49	9	26	29	14	12
		F	23	9	24	45	13	10	38	32	21	14	10	8	8	36	61	10	16	35	16	23
20	Other heart disease	M	203	97	91	188	147	43	161	202	99	84	105	56	68	132	391	63	162	122	95	69
		F	292	152	152	297	181	72	241	262	156	132	112	62	96	182	530	74	201	184	168	80
21	Other circulatory disease	M	116	17	26	71	53	15	52	61	35	26	41	25	40	44	302	17	39	42	22	47
		F	94	13	34	65	66	29	60	74	34	32	38	17	26	58	314	16	46	61	40	36
22	Influenza	M	4	2	3	6	—	—	5	1	3	1	1	4	2	3	10	2	1	1	4	2
		F	4	1	1	4	—	—	2	1	3	2	2	2	4	1	14	—	2	1	5	3
23	Pneumonia	M	91	18	27	105	32	30	79	60	36	36	20	26	29	55	129	12	45	70	20	38
		F	63	22	32	95	25	29	60	50	25	29	21	13	27	49	108	18	30	67	18	34
24	Bronchitis	M	119	39	40	166	78	39	49	68	44	30	48	36	60	143	204	60	57	53	34	57
		F	66	17	26	86	54	10	34	40	26	22	19	22	18	92	113	24	35	28	20	24
25	Other diseases of respiratory system	M	17	3	9	17	8	4	5	19	7	2	7	5	7	19	32	4	12	14	4	4
		F	12	3	4	11	4	7	9	8	5	5	2	3	4	9	12	1	6	7	4	2
26	Ulcer of stomach and duodenum	M	25	11	18	41	15	8	20	28	8	13	11	6	11	9	38	10	19	17	11	10
		F	2	2	—	9	6	4	6	9	3	2	4	2	2	4	17	3	3	7	2	3
27	Gastritis, enteritis and diarrhœa	M	12	2	—	8	2	2	8	10	4	8	—	1	6	3	9	3	5	6	1	4
		F	9	2	4	10	1	3	7	7	7	3	4	1	5	6	16	4	5	7	2	2
28	Nephritis and nephrosis	M	21	14	6	19	10	7	14	14	7	4	3	6	5	9	24	3	12	4	4	5
		F	27	4	5	14	13	7	14	15	14	3	4	4	11	11	32	5	8	9	5	12
29	Hyperplasia of prostate	M	30	5	16	29	11	6	29	24	6	18	13	8	9	12	52	1	15	12	14	11
30	Pregnancy, childbirth, abortion*	F	5	—	1	2	2	1	3	3	—	—	1	—	1	1	5	—	2	2	2	4
31	Congenital malformations	M	9	5	6	13	5	9	11	15	8	6	6	3	5	7	25	10	10	4	1	7
		F	11	1	4	11	6	10	3	7	18	7	4	2	7	16	26	6	9	5	2	3
32	Other defined and ill-defined dis.	M	153	49	66	139	65	25	121	141	59	57	59	51	58	99	183	31	65	67	50	76
		F	142	33	81	165	85	52	130	123	82	62	62	46	63	107	219	36	95	79	66	72
33	Motor vehicle accidents	M	17	6	8	15	6	8	11	13	7	7	4	3	8	14	25	7	14	3	2	5
		F	10	3	4	8	4	3	5	2	5	—	2	4	—	1	11	3	4	6	—	4
34	All other accidents	M	40	6	11	34	10	7	28	15	19	12	12	9	12	19	64	11	20	14	7	18
		F	29	3	13	36	15	15	13	22	10	10	12	11	4	16	59	5	15	17	18	10
35	Suicide	M	16	5	1	28	10	8	14	18	8	4	6	8	10	11	25	12	15	10	8	5
		F	10	5	4	16	14	2	7	14	4	8	6	3	3	2	16	6	11	13	4	1
36	Homicide, operations of war	M	2	—	—	1	1	—	2	1	—	—	1	—	—	—	—	—	—	—	1	—
		F	1	—	—	—	1	—	2	2	—	1	1	—	—	1	—	—	—	—	—	—
**“Delayed” maternal deaths (see page 240)			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued.—County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)			Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.
2(1)	Tub. of meninges and nervous system	M	1	1	1	2	3	1	1	2	1	—	2	1	—	—	1	—	3	—	—	—
		F	3	1	—	3	1	—	1	1	—	3	2	—	1	—	1	—	1	—	1	—
9(1)	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2)	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
9(3)	Streptococcal sore throat	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4)	Erysipelas, septicæmia, pyæmia	M	1	—	—	2	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	4	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
9(5)	Acute infectious encephalitis	M	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—
		F	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	1	—	—	1	—	—	1	2	1	—	1	—	—	—	1	—	1	—	—	—
		F	2	1	—	—	—	—	1	1	—	—	1	—	—	—	1	1	1	1	1	—
14(1)	Malig. neoplasm, mouth and pharynx	M	14	8	7	8	4	1	9	8	6	2	1	5	1	6	14	3	6	4	2	7
		F	6	2	1	5	2	3	6	3	2	1	2	4	—	5	4	3	1	1	1	2
14(2)	Malig. neoplasm, œsophagus	M	17	1	10	9	4	2	7	3	3	4	3	3	6	4	7	3	5	4	1	6
		F	6	1	3	2	—	4	7	4	2	1	5	—	3	2	3	3	2	2	3	2
14(3)	Malig. neoplasm, intestine and rectum	M	49	23	23	50	27	11	28	32	22	25	13	12	17	32	103	15	31	21	17	16
		F	49	21	32	50	21	17	28	40	17	28	18	13	8	33	87	3	35	36	28	23
14(4)	Malig. neoplasm, larynx	M	5	2	—	11	1	1	3	2	1	—	—	1	2	4	16	1	1	3	1	1
		F	2	—	1	—	—	—	1	1	1	—	1	—	—	1	3	—	1	—	1	—
13(1)	Malig. neoplasm, cervix uteri	F	23	8	8	24	11	5	15	13	12	7	8	4	5	10	37	2	20	7	7	15
14(5)	Hodgkin's disease	M	7	—	2	5	1	—	—	2	1	—	—	4	—	1	5	2	—	1	—	1
		F	2	2	—	—	—	1	1	—	1	—	1	—	1	1	3	—	—	2	—	—
14(6)	Lymphosarcoma, reticulosarcoma	M	2	—	1	5	—	1	4	3	1	1	—	1	3	1	3	—	6	2	1	1
		F	2	—	1	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	1	1
32(1)	Thyrotoxicosis	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	1	—
		F	3	—	—	3	1	—	4	1	—	1	—	—	—	—	1	—	3	2	2	—
32(2)	Otitis media and mastoiditis	M	1	1	—	6	2	—	—	2	2	1	1	—	—	1	3	1	—	1	1	1
		F	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	2	—
32(3)	Rheumatic fever	M	1	—	—	—	—	—	1	1	—	—	—	—	—	1	4	—	—	1	—	2
		F	1	—	1	1	1	1	1	—	1	—	—	—	—	1	3	—	2	—	1	—
20(1)	Chronic rheumatic heart disease	M	35	9	11	20	15	6	7	16	13	6	7	9	9	14	44	6	14	13	10	10
		F	51	16	25	44	23	9	30	28	19	19	14	19	12	29	66	6	20	18	12	9
21(1)	Hyperten. without mention of heart	M	35	8	14	21	16	7	20	22	12	11	6	7	13	16	40	5	15	16	8	12
		F	31	8	15	23	20	10	22	25	9	6	6	4	4	28	51	8	21	18	11	12
32(4)	Appendicitis	M	2	2	1	5	—	1	2	5	4	1	1	1	3	3	5	1	2	2	—	1
		F	—	1	2	6	1	1	2	—	1	1	1	—	3	4	5	1	2	1	—	1
32(5)	Intestinal obstruc. and hernia	M	6	5	6	10	3	3	5	10	4	5	5	2	4	2	25	2	3	5	7	6
		F	13	1	8	5	6	3	14	6	7	3	2	3	3	8	27	3	6	8	5	6
32(6)	Cirrhosis of liver	M	6	1	1	5	2	1	3	6	1	2	1	—	—	3	5	1	4	2	3	2
		F	3	3	—	5	2	—	3	4	2	3	1	—	—	4	13	1	2	3	1	—
32(7)	Cholelithiasis, cholecystitis	M	7	2	2	2	2	—	2	5	—	2	—	—	1	2	3	2	2	2	3	3
		F	8	—	—	5	4	5	3	2	2	3	4	1	2	7	9	1	2	3	5	1
30(1)	Maternal sepsis (not abortion)	F	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
30(2)	Toxæmias of pregnancy and puerperium	F	1	—	—	—	1	1	1	—	—	—	—	—	—	—	2	—	1	—	1	3
30(3)	Abortion	F	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	1	—	—	—
32(8)	Birth injury	M	5	5	3	10	2	—	9	9	2	1	4	4	2	4	16	1	1	1	2	4
		F	2	1	3	10	4	—	1	—	1	—	4	3	2	—	14	1	5	1	5	1
32(9)	Post-natal asphyxia and atelectasis	M	10	3	1	18	10	5	9	10	1	4	4	1	4	6	2	6	3	6	1	1
		F	3	3	1	12	4	4	1	6	—	3	2	4	1	4	7	1	1	2	1	2
32(10)	Pneumonia of newborn	M	4	1	1	3	2	2	10	5	2	2	1	—	—	4	2	—	5	2	2	2
		F	3	2	1	1	—	1	3	—	2	1	—	—	1	1	2	2	1	1	2	2
32(11)	Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	1	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
32(12)	Hæmolytic disease of newborn	M	2	—	—	2	1	—	—	2	1	—	—	—	—	—	3	—	3	1	—	—
		F	—	—	—	1	—	1	1	1	1	—	—	—	1	1	2	—	—	1	—	—
32(13)	Immaturity (without other dis. peculiar to early infancy)	M	26	4	3	10	8	—	18	6	11	3	7	4	12	15	21	2	10	3	3	12
		F	10	1	2	4	11	2	11	4	9	1	5	4	11	14	10	2	14	1	6	11
32(14)	Senility without psychosis	M	13	3	21	7	15	—	11	20	6	1	10	14	12	12	8	4	6	6	3	6
		F	22	5	34	28	13	5	21	35	15	8	15	13	20	13	18	9	9	11	3	12
32(15)	Ill-defined and unknown cause	M	1	—	—	—	—	—	1	—	2	1	1	—	1	—	1	—	—	1	1	—
		F	1	—	2	1	—	—	2	1	1	1	—	—	—	—	2	—	—	1	1	—



TABLE 21—continued.—County Boroughs.

Abridged List of Causes of Death (See first page of Table)			Stockport.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
1	Tuberculosis respiratory	M	28	70	42	14	5	13	30	11	19	29	17	6	29	10	14	57	12	15	39
		F	7	34	19	9	4	5	11	3	8	10	5	4	6	8	1	23	11	8	12
2	Tuberculosis other	M	5	6	5	—	1	1	1	3	2	1	1	1	5	1	1	3	3	3	1
		F	3	1	1	3	—	2	2	1	2	4	2	3	1	—	2	1	1	1	3
3	Syphilitic disease	M	3	7	5	7	1	6	1	—	—	7	3	1	6	—	4	17	—	2	6
		F	—	3	4	—	2	2	—	—	—	3	3	1	2	2	1	4	—	2	1
4	Diphtheria	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	2	—	2	—	—	—	—	2	1	2	—	—	1	2	—	—	—	1	1
		F	—	2	2	—	—	1	1	—	—	1	—	—	—	—	—	2	—	1	—
7	Acute poliomyelitis	M	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	1	—	1	—
		F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
8	Measles	M	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
		F	—	—	2	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—
9	Other infective, etc., diseases	M	2	3	1	1	1	—	1	1	—	1	1	—	1	1	—	5	—	—	4
		F	3	6	2	—	—	—	1	3	2	4	2	—	1	—	—	3	2	1	2
10	Malignant neoplasm: stomach	M	26	74	53	17	14	15	21	19	9	33	18	18	34	8	15	55	21	18	49
		F	28	54	31	18	12	17	14	13	9	17	9	11	13	7	9	32	14	13	34
11	lung, bronchus	M	44	92	48	22	12	35	47	27	31	60	25	21	40	14	34	75	11	28	50
		F	10	13	13	3	2	8	7	2	4	4	6	6	6	2	7	8	2	7	6
12	breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
		F	30	43	23	10	8	18	25	8	14	23	8	13	38	17	13	53	9	16	29
13	uterus	M	13	31	20	5	10	11	12	7	6	16	9	12	14	5	19	28	7	10	14
		F	13	31	20	5	10	11	12	7	6	16	9	12	14	5	19	28	7	10	14
14	Other malignant and lymphatic neoplasms	M	83	119	95	40	29	63	49	48	32	87	49	42	79	23	68	122	33	61	83
		F	58	128	77	23	26	62	44	24	22	56	30	32	77	37	36	108	12	44	81
15	Leukæmia, aleukæmia	M	3	7	5	1	2	5	4	—	3	5	—	—	4	3	4	11	—	3	1
		F	1	5	2	—	—	3	5	—	1	4	1	3	5	2	2	4	2	1	2
16	Diabetes	M	2	6	3	—	1	2	3	2	6	4	—	2	4	2	7	6	1	2	7
		F	9	13	11	2	4	7	3	6	6	9	—	11	5	4	6	8	3	2	12
17	Vascular lesions of nervous system	M	104	145	130	53	45	64	44	40	61	89	50	72	95	49	84	153	60	91	107
		F	164	204	179	67	53	108	85	50	52	114	53	82	128	62	104	199	70	86	133
18	Coronary disease, angina	M	118	211	174	72	61	99	72	73	48	129	55	80	105	55	102	266	56	90	163
		F	70	105	125	36	28	71	36	30	18	72	50	37	56	27	67	136	15	32	79
19	Hypertension with heart disease	M	8	28	17	7	5	19	22	10	10	25	13	10	10	11	8	28	2	20	17
		F	18	40	16	15	4	16	25	13	8	28	18	7	9	9	16	29	5	12	25
20	Other heart disease	M	117	224	79	65	59	89	79	49	52	133	53	82	147	65	81	157	72	107	134
		F	210	285	136	61	65	138	110	63	63	189	64	96	160	58	118	217	81	125	160
21	Other circulatory disease	M	56	68	40	18	10	19	19	21	21	28	20	18	21	14	27	68	12	18	47
		F	67	65	57	17	8	14	24	24	15	28	11	25	22	11	36	67	12	11	32
22	Influenza	M	1	5	5	—	—	9	6	2	4	6	—	6	2	1	1	8	2	2	2
		F	2	8	4	2	1	4	7	2	2	6	—	8	3	—	1	2	2	2	5
23	Pneumonia	M	24	75	59	19	12	25	48	21	18	66	18	23	50	8	17	49	17	20	29
		F	27	64	44	18	6	23	50	19	15	57	25	23	28	9	15	45	11	16	28
24	Bronchitis	M	94	154	74	17	40	32	57	63	56	122	37	52	67	32	47	108	47	44	94
		F	69	71	29	3	19	21	21	28	14	62	17	34	24	14	18	45	17	18	36
25	Other diseases of respiratory system	M	2	48	9	3	—	10	6	2	10	18	3	9	14	1	9	15	12	13	14
		F	5	11	5	—	—	5	3	3	2	5	3	2	10	1	3	5	1	3	7
26	Ulcer of stomach and duodenum	M	10	23	21	7	5	12	11	5	13	30	10	3	15	4	13	18	6	12	15
		F	2	9	10	2	2	2	7	—	2	7	1	1	6	3	3	4	1	1	3
27	Gastritis, enteritis and diarrhea	M	6	10	2	—	5	2	3	1	—	3	3	1	9	1	2	8	5	6	6
		F	1	10	11	3	3	3	4	3	4	4	1	1	15	2	1	13	1	4	10
28	Nephritis and nephrosis	M	9	23	12	5	3	5	8	3	3	10	9	7	6	—	4	19	6	6	13
		F	7	26	17	4	4	9	11	11	6	9	1	6	8	4	6	19	1	13	8
29	Hyperplasia of prostate	M	11	14	17	—	8	10	4	4	8	14	4	8	10	4	12	24	10	16	24
30	Pregnancy, childbirth, abortion*	F	4	3	2	1	—	1	3	—	—	—	—	—	1	—	1	1	2	—	1
31	Congenital malformations	M	8	21	18	1	4	6	6	7	5	7	8	9	7	2	2	9	4	4	13
		F	3	14	13	5	2	6	7	12	7	7	1	6	9	2	3	9	6	3	11
32	Other defined and ill-defined dis.	M	71	132	89	42	30	52	96	34	63	71	38	68	129	23	45	125	46	50	92
		F	79	142	101	34	25	65	69	40	56	69	30	86	111	31	65	145	32	58	93
33	Motor vehicle accidents	M	7	17	11	5	4	8	5	5	7	9	7	7	10	6	8	22	1	6	4
		F	6	10	4	—	2	3	2	1	3	2	—	3	7	—	3	6	—	—	2
34	All other accidents	M	10	46	31	10	9	12	14	12	10	17	18	19	23	11	13	24	11	13	22
		F	12	34	16	4	3	14	12	10	10	9	4	8	10	2	5	28	1	9	12
35	Suicide	M	12	14	13	2	3	8	9	2	6	5	3	7	13	5	7	13	4	6	6
		F	6	16	6	1	1	6	5	5	3	5	—	1	2	—	7	7	1	3	4
36	Homicide, operations of war	M	—	2	5	—	—	1	1	—	—	—	—	—	1	—	2	1	1	—	—
		F	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	—	—

\*“Delayed” maternal deaths  
(see page 240)

TABLE 21—continued.—County Boroughs.

Supplementary Abridged List of Causes of Death (See first page of Table)			Stockport.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon).	Swansea.
2(1)	Tub. of meninges and nervous system	M	4	3	2	—	—	—	1	2	1	1	1	—	4	1	—	1	3	1	—
9(1)	Typhoid fever	F	3	—	—	—	—	2	1	1	1	2	—	2	1	—	2	—	1	—	2
		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2)	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
9(3)	Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4)	Erysipelas, septicaemia, pyaemia	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
9(5)	Acute infectious encephalitis	M	1	—	—	—	—	—	—	1	2	1	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
		F	—	2	1	—	—	—	—	—	—	3	—	—	1	—	—	1	—	1	1
4(1)	Malig. neoplasm, mouth and pharynx	M	9	9	9	4	2	7	6	8	2	4	8	—	2	—	3	8	1	2	7
		F	3	4	1	—	1	1	—	3	1	2	1	—	2	—	—	2	1	4	3
4(2)	Malig. neoplasm, oesophagus	M	6	15	4	2	1	5	1	1	3	3	4	2	6	2	5	11	3	4	3
		F	1	3	4	2	1	6	1	1	—	1	1	—	—	2	1	9	—	1	7
4(3)	Malig. neoplasm, intestine and rectum	M	28	29	29	13	11	16	17	11	10	20	19	16	21	8	30	31	8	27	27
		F	23	43	30	8	14	18	22	11	10	27	14	9	46	17	12	41	4	17	38
4(4)	Malig. neoplasm, larynx	M	5	2	4	—	1	2	1	4	3	4	1	3	1	1	3	2	2	2	4
		F	—	1	2	1	—	2	—	—	1	—	—	2	—	—	—	3	—	1	—
3(1)	Malig. neoplasm, cervix uteri	F	12	22	17	4	8	7	4	4	2	12	8	5	4	5	14	20	6	8	8
4(5)	Hodgkin's disease	M	1	1	1	—	—	2	1	1	—	2	—	1	3	—	1	3	1	—	3
		F	1	2	—	—	—	2	—	—	—	3	1	—	1	1	1	1	—	—	1
4(6)	Lymphosarcoma, reticulosarcoma	M	1	—	3	3	—	—	1	2	1	1	—	1	1	—	1	1	—	2	2
		F	—	1	1	—	1	4	—	—	—	1	—	2	—	—	—	2	—	—	3
2(1)	Thyrototoxicosis	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	2	—	—	—
		F	1	4	—	—	1	3	1	—	—	—	—	1	1	1	1	2	1	1	2
2(2)	Otitis media and mastoiditis	M	—	1	1	—	1	—	2	—	2	1	—	1	1	—	1	—	—	—	2
		F	—	—	2	—	—	—	—	—	—	1	—	1	1	—	—	1	1	1	1
2(3)	Rheumatic fever	M	—	3	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	3
		F	1	3	—	—	—	—	—	1	—	4	—	—	1	—	1	—	—	—	3
0(1)	Chronic rheumatic heart disease	M	9	26	12	7	4	9	8	1	6	15	7	10	15	1	3	26	7	9	20
		F	26	43	22	7	9	15	17	9	9	30	12	16	25	6	5	48	14	14	23
1(1)	Hyperten. without mention of heart	M	14	22	13	10	3	5	7	3	6	7	10	4	11	7	6	32	8	11	20
		F	18	36	19	6	3	4	7	9	6	19	4	10	17	4	9	31	4	7	14
2(4)	Appendicitis	M	2	2	1	—	1	1	3	1	2	2	2	2	2	3	—	—	—	1	2
		F	1	2	7	—	—	4	3	1	2	3	—	1	1	—	2	—	3	1	1
2(5)	Intestinal obstruc. and hernia	M	4	9	6	3	1	2	4	2	3	11	1	2	4	1	2	4	2	2	7
		F	8	6	8	2	1	6	1	3	1	8	1	6	4	1	3	8	1	—	3
2(6)	Cirrhosis of liver	M	—	1	2	1	1	—	4	2	2	3	2	—	2	1	2	6	3	2	1
		F	—	—	—	—	—	—	2	—	—	2	—	—	1	—	2	5	1	2	1
2(7)	Cholelithiasis, cholecystitis	M	3	2	—	—	3	2	1	—	—	—	—	—	—	1	3	2	—	4	1
		F	5	6	6	3	2	6	2	1	2	3	2	6	5	1	3	4	1	2	4
0(1)	Maternal sepsis (not abortion)	F	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
0(2)	Toxaemias of pregnancy and puerperium	F	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
0(3)	Abortion	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
2(8)	Birth injury	M	2	5	1	4	2	3	5	—	4	4	1	1	7	1	2	8	3	5	5
		F	1	2	2	—	—	2	1	1	—	1	3	1	2	—	1	7	3	2	—
2(9)	Post-natal asphyxia and atelectasis	M	6	7	6	3	1	6	9	1	4	5	1	5	8	4	9	5	1	3	3
		F	3	4	2	2	1	2	4	1	1	3	2	3	3	4	5	4	—	2	3
2(10)	Pneumonia of newborn	M	5	6	6	2	—	2	1	2	—	4	5	5	2	1	—	11	—	1	5
		F	2	6	1	3	—	1	5	—	—	—	2	1	2	1	1	6	1	1	1
2(11)	Ophth., pemphigus, sepsis of newborn	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
2(12)	Hæmolytic disease of newborn	M	1	3	—	—	—	1	—	—	—	1	—	—	2	—	—	2	—	—	—
		F	—	2	—	2	—	1	1	—	1	—	—	1	2	—	—	1	—	2	1
2(13)	Immaturity (without other dis. peculiar to early infancy)	M	7	14	17	7	1	9	9	6	8	11	7	4	8	1	1	13	5	7	11
		F	5	10	21	5	5	3	7	5	7	6	6	5	6	2	1	11	3	8	6
2(14)	Senility without psychosis	M	10	25	3	2	3	6	23	4	20	4	2	31	51	3	6	4	11	4	15
		F	17	33	6	7	5	9	25	1	26	9	2	38	62	6	9	13	4	10	24
2(15)	Ill-defined and unknown cause	M	—	2	—	1	—	1	1	—	2	1	1	—	—	—	—	2	1	—	2
		F	—	1	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—



TABLE 21—continued.—Administrative Counties.

Abridged List of Causes of Death (See first page of Table)			Bedfordshire.	Berkshire.	Buckinghamshire.	Cambridgeshire.	Cheshire.	Cornwall.	Cumberland.	Derbyshire.	Devonshire.	Dorsetshire.	Durham.	Ely, Isle of.	Essex.	Gloucestershire.	Herefordshire.	Hertfordshire.	Huntingdonshire.	Kent.	Lancashire.	Leicestershire.
1	Tuberculosis respiratory	M	29	30	35	25	96	44	29	78	63	42	123	10	162	56	12	52	4	219	287	44
		F	16	13	15	6	28	33	14	32	27	15	84	4	88	18	5	34	2	90	127	26
2	Tuberculosis other	M	6	4	6	5	14	5	2	7	9	3	12	1	17	9	5	4	2	23	34	8
		F	2	1	2	2	8	4	7	5	7	2	13	3	13	5	1	1	1	18	29	6
3	Syphilitic disease	M	9	6	7	3	13	13	4	10	5	6	25	2	44	7	4	6	1	49	40	6
		F	6	3	5	2	9	5	2	7	2	3	6	—	22	3	2	8	2	16	18	3
4	Diphtheria	M	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	2	—
		F	1	—	—	1	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	1
5	Whooping cough	M	1	2	—	—	2	1	—	3	—	—	3	—	1	2	—	2	—	3	2	—
		F	2	—	—	—	1	4	—	1	1	—	4	—	4	1	1	1	2	2	4	3
6	Meningococcal infections	M	—	1	1	—	1	—	2	2	—	—	7	—	7	1	—	1	—	1	11	2
		F	1	2	1	—	2	—	2	2	—	—	3	—	2	1	—	2	—	8	3	—
7	Acute poliomyelitis	M	—	1	—	1	3	1	1	4	3	1	8	1	7	1	3	1	—	7	6	—
		F	1	—	4	—	2	2	—	2	3	—	—	1	3	2	2	3	—	4	2	—
8	Measles	M	1	—	1	—	—	—	—	1	1	—	4	—	4	2	—	1	—	1	1	—
		F	—	—	1	—	1	1	—	—	—	—	7	—	1	1	—	1	—	2	3	—
9	Other infective, etc., diseases	M	3	5	6	4	11	4	1	8	8	6	25	3	16	7	1	9	—	15	27	4
		F	5	1	4	3	16	8	1	10	12	3	17	—	9	5	3	12	2	22	25	8
10	Malignant neoplasm: stomach	M	46	57	51	26	167	55	36	121	93	50	210	22	265	75	14	89	14	252	395	69
		F	42	24	40	30	122	69	43	81	94	38	127	8	223	71	9	82	9	203	342	42
11	lung, bronchus	M	101	66	103	38	179	52	47	141	106	77	177	28	451	88	16	169	13	391	531	62
		F	10	10	21	7	36	18	6	26	26	16	29	5	83	19	1	29	2	85	106	20
12	breast	M	—	—	—	—	1	1	—	1	2	—	2	—	3	1	—	2	—	2	1	—
		F	56	54	76	27	171	64	28	106	107	64	119	12	311	84	23	140	16	320	339	52
13	uterus	M	35	24	29	21	85	51	15	43	63	20	81	17	113	39	16	34	3	140	202	21
14	Other malignant and lymphatic neoplasms	M	171	159	201	101	414	194	106	377	343	169	462	47	818	216	73	318	42	902	1149	167
		F	127	157	188	87	378	185	80	291	329	154	365	47	743	205	65	269	17	765	951	135
15	Leukæmia, aleukæmia	M	7	5	12	4	20	9	4	10	17	11	18	2	47	6	5	14	3	40	53	8
		F	6	5	6	4	12	12	3	11	11	10	17	1	36	9	2	11	2	53	39	7
16	Diabetes	M	11	6	5	5	24	11	5	21	20	7	19	4	31	13	3	6	4	37	52	7
		F	10	14	16	10	39	38	9	52	20	12	50	4	89	20	11	38	2	76	114	19
17	Vascular lesions of nervous system	M	214	187	254	126	628	249	197	448	436	209	745	48	891	287	100	331	52	1018	1556	211
		F	268	260	352	183	855	384	212	579	653	318	781	75	1215	391	118	547	57	1503	2125	326
18	Coronary disease, angina	M	251	238	282	160	789	308	256	543	521	305	841	51	1420	348	86	466	48	1364	2056	238
		F	137	134	204	80	441	185	113	282	314	200	490	36	755	189	50	285	24	848	1056	138
19	Hypertension with heart disease	M	41	35	37	10	64	52	26	79	62	35	100	11	150	49	23	63	6	175	240	51
		F	36	34	48	14	104	56	27	66	66	46	102	5	186	58	20	76	4	170	259	37
20	Other heart disease	M	253	218	266	125	792	416	239	671	616	263	691	84	1173	481	166	410	81	1442	2094	253
		F	295	295	337	186	1068	553	301	757	795	364	805	96	1581	622	172	585	70	1865	2874	348
21	Other circulatory disease	M	60	91	81	37	193	88	55	143	149	69	238	20	351	88	45	163	13	349	491	94
		F	72	86	92	35	243	96	51	156	186	81	174	11	376	92	30	166	11	378	541	105
22	Influenza	M	5	1	3	—	25	6	4	12	16	3	24	—	18	13	2	6	6	25	47	10
		F	2	3	4	1	9	7	5	12	14	3	18	1	19	11	3	7	1	36	45	14
23	Pneumonia	M	59	62	81	23	173	56	39	147	87	45	197	13	408	89	46	144	14	323	426	61
		F	64	67	97	28	118	47	34	104	100	52	168	6	335	74	26	132	12	313	382	37
24	Bronchitis	M	86	80	121	55	279	52	53	228	134	53	286	21	585	110	37	193	11	552	938	90
		F	55	35	58	31	178	47	31	114	74	32	123	16	313	72	15	83	12	291	531	56
25	Other diseases of respiratory system	M	22	15	29	12	59	31	20	54	35	22	58	9	95	44	8	41	2	100	108	23
		F	10	6	13	7	29	21	8	18	20	14	24	3	41	16	2	19	1	43	57	11
26	Ulcer of stomach and duodenum	M	27	25	34	15	75	24	12	49	50	22	78	9	140	43	11	63	5	132	167	26
		F	10	6	18	1	26	8	12	21	15	8	19	2	58	7	2	21	—	51	48	3
27	Gastritis, enteritis and diarrhœa	M	10	7	8	6	19	7	13	10	18	2	26	5	26	12	3	21	3	27	56	3
		F	8	12	12	7	20	15	4	13	22	8	36	1	35	8	3	19	6	35	67	4
28	Nephritis and nephrosis	M	19	16	21	5	69	34	11	59	45	26	62	3	93	33	9	29	3	102	147	28
		F	11	11	19	9	68	30	24	50	37	28	52	4	79	31	2	28	4	115	181	34
29	Hyperplasia of prostate	M	32	33	32	21	59	55	15	54	70	47	91	16	173	33	11	41	17	167	187	28
30	Pregnancy, childbirth, abortion*	F	6	—	4	1	13	7	3	8	7	4	10	—	18	6	2	6	—	12	24	1
31	Congenital malformations	M	14	10	18	6	39	14	14	34	20	16	68	5	95	25	9	22	2	93	115	18
		F	13	9	24	4	46	15	8	29	20	17	56	3	76	20	7	25	2	68	100	27
32	Other defined and ill-defined dis.	M	158	149	188	68	409	225	148	339	282	152	523	53	668	216	68	248	52	717	1055	171
		F	161	185	177	96	489	259	128	348	365	170	474	44	773	230	74	264	51	824	1241	203
33	Motor vehicle accidents	M	30	27	30	11	74	26	33	47	38	19	56	5	96	47	14	49	14	108	151	29
		F	7	11	11	6	17	4	3	11	7	4	15	—	27	13	2	19	—	29	52	12
34	All other accidents	M	26	35	48	42	95	70	26	164	81	29	179	7	142	70	14	74	16	146	249	42
		F	22	29	34	16	68	40	14	54	63	24	71	11	113	38	19	60	4	121	210	31
35	Suicide	M	18	10	15	11	59	21	9	45	38	24	67	6	94	20	7	38	5	92	132	17
		F	16	8	13	5	29	10	6	28	24	11	27	1	40	10	5	18	1	52	74	7
36	Homicide, operations of war	M	2	—	5	—	1	—	2	3	2	1	8	—	6	—	—	2	—	6	10	1
		F	3	2	1	—	—	1	—	2	—	—	1	—	3	—	1	2	—	2	5	—
** "Delayed" maternal deaths (see page 240)			2	1	—	—	1	—	2	1	—	1	1	—	—	—	—	1	—	—	—	—

TABLE 21—continued.—Administrative Counties.

Supplementary Abridged List of Causes of Death (See first page of Table)		Bedfordshire.	Berkshire.	Buckinghamshire.	Cambridgeshire.	Cheshire.	Cornwall.	Cumberland.	Derbyshire.	Devon.	Dorset.	Durham.	Ely, Isle of.	Essex.	Gloucestershire.	Herefordshire.	Hertfordshire.	Huntingdonshire.	Kent.	Lancashire.	Leicestershire.
2(1) Tub. of meninges and nervous system	M F	1 —	1 —	1 —	1 —	6 3	1 1	— 4	1 1	3 2	2 —	9 8	1 —	2 5	5 3	1 —	3 —	— —	9 7	17 13	3 3
9(1) Typhoid fever	M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— 1	1 1	— —
9(2) Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— 1	1 —	— —	— —	— —	— 2	2 1	— —
9(3) Streptococcal sore throat	M F	— —	1 —	1 —	— —	2 —	— 1	— —	— —	— 1	— 1	— —	— —	1 —	— —	— —	— —	— —	— 1	— 2	— —
9(4) Erysipelas, septicæmia, pyæmia	M F	— 1	— —	1 —	1 1	— 2	— 1	— —	1 —	— 1	1 1	1 1	— —	2 2	1 —	— 1	1 2	— —	2 2	1 1	— —
9(5) Acute infectious encephalitis	M F	— —	— —	1 1	— —	1 1	— 2	— 1	1 1	2 —	— —	2 3	— —	1 —	— —	— —	— 2	— —	3 —	3 7	— —
9(6) Smallpox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
9(7) Infectious hepatitis	M F	— —	1 1	— —	— —	3 5	1 1	— —	3 3	3 6	1 1	2 6	1 —	4 3	2 2	— 1	1 3	— 1	— 5	2 4	— 3
14(1) Malig. neoplasm, mouth and pharynx	M F	14 4	9 2	13 4	9 4	31 21	10 1	8 1	21 5	29 10	8 4	36 20	2 5	59 21	18 4	5 2	12 5	1 1	37 29	79 29	7 3
14(2) Malig. neoplasm, œsophagus	M F	14 3	6 3	12 6	3 2	28 14	13 12	4 10	20 9	22 19	6 4	28 12	3 —	58 36	14 5	4 6	14 11	— —	52 32	72 41	8 2
14(3) Malig. neoplasm, intestine and rectum	M F	55 49	44 58	46 79	32 40	123 148	55 72	34 31	140 111	99 138	49 65	166 156	20 27	244 278	60 74	27 24	117 112	21 7	282 308	411 407	62 50
14(4) Malig. neoplasm, larynx	M F	9 —	9 —	9 2	2 1	6 5	3 2	1 1	12 2	7 2	4 1	7 5	2 —	29 —	4 4	3 1	13 4	— —	21 9	39 11	5 —
13(1) Malig. neoplasm, cervix uteri	F	24	18	16	16	48	30	12	30	29	11	56	10	66	26	9	19	2	77	116	11
14(5) Hodgkin's disease	M F	2 4	1 1	3 2	— 1	9 8	3 2	3 1	4 4	6 4	2 4	12 5	— —	11 10	10 2	— —	3 1	— —	19 9	23 16	2 1
14(6) Lymphosarcoma, reticulosarcoma	M F	4 3	4 2	3 5	4 1	4 8	5 2	— 3	4 1	7 4	5 2	9 3	— —	18 8	5 6	1 1	2 4	— —	12 11	18 11	4 —
32(1) Thyrotoxicosis	M F	— 3	1 1	— 4	1 2	— 4	1 10	— —	3 16	2 17	3 —	1 6	— —	2 11	— 2	— 1	1 2	— —	1 12	— 23	1 8
32(2) Otitis media and mastoiditis	M F	3 —	1 —	— —	— —	4 3	— —	2 1	3 3	2 —	— 1	10 3	— —	7 5	— —	— 1	3 4	— —	4 5	9 5	1 3
32(3) Rheumatic fever	M F	— 1	— —	1 2	1 1	2 2	1 —	1 3	2 2	1 3	3 —	8 6	— —	2 4	2 5	— 1	1 —	— 1	8 8	11 10	1 1
20(1) Chronic rheumatic heart disease	M F	23 34	20 28	22 37	7 14	70 94	19 29	20 26	54 58	36 69	17 27	78 126	8 5	127 181	32 47	13 20	38 53	5 7	124 172	181 295	11 33
21(1) Hyperten. without mention of heart	M F	24 35	26 27	30 31	11 9	57 64	29 38	23 16	45 40	57 54	19 24	83 57	6 —	150 146	35 22	15 5	72 77	1 5	142 125	172 191	44 57
32(4) Appendicitis	M F	3 5	4 3	3 2	2 4	11 5	5 6	6 3	13 7	7 8	4 2	11 5	— —	13 20	5 7	3 2	11 5	3 1	31 15	31 23	2 9
32(5) Intestinal obstruc. and hernia	M F	5 10	12 9	17 14	6 3	25 29	11 13	8 11	21 13	24 20	10 10	42 18	2 3	51 54	15 17	4 3	23 17	7 3	51 49	64 66	8 11
32(6) Cirrhosis of liver	M F	3 5	4 4	7 6	1 1	11 9	5 4	7 1	7 7	8 5	9 5	16 11	1 —	28 13	6 2	2 1	6 7	2 1	20 19	23 24	5 3
32(7) Cholelithiasis, cholecystitis	M F	6 4	2 9	5 5	1 7	8 27	2 11	2 8	6 12	9 18	2 3	12 11	— —	15 43	5 8	2 4	1 12	2 2	15 34	21 51	3 11
30(1) Maternal sepsis (not abortion)	F	1	—	1	—	3	—	—	1	2	—	2	—	2	—	1	2	—	1	1	—
30(2) Toxæmias of pregnancy and puerperium	F	—	3	1	—	4	4	2	1	3	1	3	—	3	3	1	1	—	1	12	—
30(3) Abortion	F	1	—	—	—	3	—	1	2	—	1	—	—	3	3	—	1	—	1	5	—
32(8) Birth injury	M F	7 5	14 4	10 9	3 4	17 10	7 5	8 5	16 13	17 5	7 4	28 15	3 1	40 20	18 8	4 2	16 5	1 —	33 15	46 31	9 6
32(9) Post-natal asphyxia and atelectasis	M F	8 8	11 7	11 12	2 2	16 18	5 5	3 4	24 14	18 4	7 2	30 21	4 2	54 37	25 21	5 2	13 10	2 —	65 29	70 57	11 3
32(10) Pneumonia of newborn	M F	2 2	4 3	2 —	2 1	5 6	7 3	6 3	12 17	4 2	2 5	10 9	— —	21 17	8 —	2 1	4 3	1 2	10 9	25 17	3 5
32(11) Ophth., pemphigus, sepsis of newborn	M F	— 1	— —	— —	— —	1 —	1 —	— —	1 —	— 1	— —	2 2	— —	4 —	— —	— —	— —	— —	— —	— —	— 1
32(12) Hæmolytic disease of newborn	M F	1 —	1 3	4 3	— —	5 3	3 2	1 1	6 9	2 2	1 2	2 3	— —	10 8	1 1	— —	4 3	1 1	10 9	16 4	1 3
32(13) Immaturity (without other dis. peculiar to early infancy)	M F	14 7	10 7	22 8	6 2	37 36	26 13	13 6	30 20	28 21	9 15	56 37	8 6	50 40	17 15	10 4	24 12	10 2	57 50	104 72	15 13
32(14) Senility without psychosis	M F	26 41	19 51	16 24	9 24	111 135	45 78	39 43	57 72	32 75	15 31	70 104	9 11	85 120	26 35	10 16	24 56	12 20	85 171	157 283	33 47
32(15) Ill-defined and unknown cause	M F	— —	2 2	1 1	2 1	1 —	1 3	— —	3 1	— 1	1 1	6 4	1 —	4 3	2 —	1 1	2 —	1 —	4 4	10 6	3 1



TABLE 21—continued.—Administrative Counties.

Abridged List of Causes of Death (See first page of Table)			Lincolnshire: (Parts of Holland).	Lincolnshire: (Parts of Kesteven).	Lincolnshire: (Parts of Lindsey).	Middlesex.	Norfolk.	Northamptonshire.	Northumberland.	Nottinghamshire.	Oxfordshire.	Peterborough, Soke of.	Rutlandshire.	Shropshire.	Somersetshire.	Southampton.	Staffordshire.	Suffolk, East.	Suffolk, West.	Surrey.	Sussex, East.	Sussex, West.
1	Tuberculosis respiratory	M	9	15	33	252	16	41	60	61	9	9	1	26	64	57	114	24	11	158	32	37
		F	4	8	16	134	19	14	17	40	—	—	1	11	33	22	74	11	7	69	15	16
2	Tuberculosis other	M	2	2	5	27	8	6	12	7	6	—	—	4	6	6	18	1	1	17	7	6
		F	1	2	4	24	6	3	3	8	2	—	—	5	6	7	14	3	1	9	8	7
3	Syphilitic disease	M	2	2	4	59	3	4	12	12	3	2	—	4	7	17	10	5	—	35	6	9
		F	—	—	4	18	3	4	4	6	1	5	—	2	3	7	3	4	—	25	4	3
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
		F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	1	4	—	1	—	1	—	—	—	2	1	3	3	—	—	3	—	—
		F	—	—	1	1	1	1	—	2	1	—	—	2	2	1	2	—	—	1	—	—
6	Meningococcal infections	M	—	—	—	5	—	1	2	1	—	—	—	1	1	2	6	—	—	1	—	—
		F	—	—	—	6	3	—	3	2	3	—	—	1	3	2	4	—	—	2	—	—
7	Acute poliomyelitis	M	—	—	1	12	1	2	1	3	—	2	—	—	2	2	2	1	—	8	2	2
		F	—	—	1	6	—	—	2	1	—	—	1	—	2	—	—	1	—	13	4	1
8	Measles	M	—	—	1	1	2	—	2	3	—	—	—	1	—	—	2	—	—	2	—	—
		F	—	—	—	1	—	1	—	2	—	—	1	—	—	—	1	—	1	1	—	—
9	Other infective, etc., diseases	M	2	2	4	25	6	2	7	8	2	1	—	11	5	11	14	4	3	21	5	4
		F	2	2	5	25	4	2	6	1	2	2	1	3	5	10	10	3	1	18	4	6
10	Malignant neoplasm: stomach	M	20	26	51	323	68	43	93	80	30	13	2	58	93	95	149	36	22	196	50	50
		F	11	22	39	267	40	26	72	66	16	12	4	33	74	74	124	24	19	131	56	46
11	lung, bronchus	M	13	28	56	757	68	49	108	92	40	15	4	37	97	144	201	44	20	414	107	87
		F	4	8	7	150	10	3	22	15	5	1	2	4	23	35	26	9	—	82	29	27
12	breast	M	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—	3	—	—
		F	14	24	56	462	67	51	70	75	41	11	4	39	115	114	160	50	26	307	94	104
13	uterus	M	5	9	21	195	27	25	46	40	12	4	2	24	44	44	63	18	11	88	28	35
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Other malignant and lymphatic neoplasms	M	54	75	180	1124	196	124	262	276	79	33	9	152	264	346	363	146	81	732	232	246
		F	43	56	140	1062	201	121	170	190	72	33	8	133	236	290	302	112	76	644	245	189
15	Leukæmia, aleukæmia	M	4	3	8	53	8	5	6	11	5	1	—	13	9	22	21	4	3	47	9	10
		F	1	6	3	49	10	3	9	10	7	—	—	5	12	19	14	12	2	31	3	12
16	Diabetes	M	2	4	8	45	19	7	8	8	4	1	1	9	19	17	19	9	3	30	13	13
		F	3	4	14	75	24	16	15	40	7	8	2	12	21	25	45	15	5	53	15	19
17	Vascular lesions of nervous system	M	71	74	222	1090	251	199	361	354	124	46	13	231	375	386	494	178	103	767	274	248
		F	72	116	255	1779	397	246	387	428	154	66	42	272	522	521	669	190	125	1230	426	419
18	Coronary disease, angina	M	82	96	280	2026	295	198	473	387	129	58	11	227	408	557	554	211	121	1178	349	318
		F	41	52	133	1072	178	144	274	219	79	38	6	119	270	313	279	125	64	796	255	228
19	Hypertension with heart disease	M	10	8	30	249	23	24	41	69	21	2	—	25	54	41	84	41	4	142	45	32
		F	3	9	31	373	24	25	65	65	12	6	—	32	69	70	90	43	15	166	61	43
20	Other heart disease	M	92	119	268	1144	396	286	438	421	143	47	15	283	496	541	690	240	114	911	459	349
		F	104	139	310	1878	471	345	509	493	166	59	20	371	683	677	863	289	172	1454	665	540
21	Other circulatory disease	M	33	19	77	521	118	43	76	96	26	16	9	68	115	147	176	55	41	316	79	97
		F	29	29	76	619	94	43	73	106	41	21	5	60	169	140	125	55	35	397	110	99
22	Influenza	M	2	1	9	33	5	5	2	9	4	—	2	10	19	3	11	4	1	37	9	6
		F	—	—	6	44	6	10	4	11	2	1	—	7	17	7	17	1	1	38	9	9
23	Pneumonia	M	24	21	48	544	82	49	64	90	34	9	5	50	81	128	187	35	27	299	84	85
		F	10	24	40	493	69	43	56	85	40	14	1	49	102	102	133	31	44	296	89	91
24	Bronchitis	M	12	32	81	975	71	84	128	220	39	17	6	77	107	143	343	45	25	472	85	86
		F	15	16	58	568	44	46	70	106	24	12	5	44	79	64	145	25	9	280	48	64
25	Other diseases of respiratory system	M	2	9	18	119	16	7	30	28	15	1	1	11	30	27	49	9	12	78	19	19
		F	3	2	13	67	9	8	11	9	4	1	—	6	20	21	18	4	5	41	15	12
26	Ulcer of stomach and duodenum	M	7	10	26	206	26	22	34	39	21	13	2	21	37	64	84	18	10	116	37	37
		F	1	3	4	91	6	4	6	11	10	—	—	5	20	10	15	7	3	41	10	16
27	Gastritis, enteritis and diarrhoea	M	2	3	8	48	7	1	13	6	4	2	—	10	16	20	22	7	4	25	7	6
		F	4	2	19	57	12	4	16	8	5	2	2	8	12	21	28	5	6	32	15	8
28	Nephritis and nephrosis	M	7	13	23	124	21	20	24	33	11	7	4	20	31	43	66	12	11	74	18	15
		F	8	7	19	101	20	13	36	35	6	4	2	15	30	43	55	12	4	61	26	20
29	Hyperplasia of prostate	M	21	15	40	166	68	31	36	39	19	10	1	22	76	67	82	20	17	130	49	35
30	Pregnancy, childbirth, abortion*	F	3	3	4	17	2	1	6	9	1	—	—	6	7	6	13	1	—	13	1	4
31	Congenital malformations	M	8	5	25	95	20	11	23	25	8	1	2	20	29	35	42	6	5	72	17	9
		F	7	5	14	109	7	12	18	21	4	6	1	19	23	19	36	10	9	63	11	7
32	Other defined and ill-defined dis.	M	77	62	184	869	197	129	242	249	79	27	5	142	243	301	480	110	59	557	148	148
		F	80	75	204	946	269	128	197	276	96	21	6	159	285	324	532	124	57	687	239	193
33	Motor vehicle accidents	M	13	18	34	148	32	24	40	43	28	9	4	33	40	60	63	20	15	86	28	18
		F	1	6	4	51	9	4	9	9	4	1	—	2	15	12	18	6	1	40	6	7
34	All other accidents	M	6	20	65	271	79	42	72	93	29	7	2	42	72	104	120	38	19	125	31	36
		F	7	3	32	231	31	25	42	46	17	10	4	19	50	67	92	24	15	122	44	35
35	Suicide	M	8	6	22	109	30	16	28	44	15	4	2	14	29	40	44	18	8	94	25	21
		F	3	4	7	72	10	6	11	17	4	2	1	7	13	25	22	7	5	54	18	14
36	Homicide, operations of war	M	2	1	3	6	1	—	2	4	3	—	—	1	1	5	4	1	3	7	1	1
		F	—	—	—	3	1	—	1	5	1	—	—	1	1	1	1	1	1	1	1	1
** "Delayed" maternal deaths (see page 240)			—	—	1	2	—	—	—	—	—	—	—	2	1	—	2	—	—	1	—	—

TABLE 21—continued.—Administrative Counties.

Supplementary Abridged List of Causes of Death (See first page of Table)		Lincolnshire: (Parts of Holland.)	Lincolnshire: (Parts of Kesteven.)	Lincolnshire: (Parts of Lindsey.)	Middlesex.	Norfolk.	Northamptonshire.	Northumberland.	Nottinghamshire.	Oxfordshire.	Peterborough, Soke of.	Rutland.	Shropshire.	Somerset.	Southampton.	Staffordshire.	Suffolk, East.	Suffolk, West.	Surrey.	Sussex, East.	Sussex, West.
2(1)	Tub. of meninges and nervous system	M	1	1	2	1	2	3	4	2	—	—	2	2	2	8	1	—	7	3	—
9(1)	Typhoid fever	F	1	1	1	7	3	2	4	1	—	—	4	3	2	11	1	—	2	2	1
		F	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
9(2)	Scarlet fever	M	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(3)	Streptococcal sore throat	M	—	—	—	1	—	—	—	—	—	—	1	2	—	1	—	—	2	—	—
		F	—	—	—	1	—	1	—	—	—	—	—	—	1	2	—	1	—	—	—
9(4)	Erysipelas, septicæmia, pyæmia	M	—	—	—	2	—	1	—	—	—	—	3	—	—	3	1	2	1	—	—
		F	—	—	—	3	1	—	—	1	—	—	1	2	2	3	1	—	3	—	—
9(5)	Acute infectious encephalitis	M	1	1	—	2	—	—	3	—	—	—	1	—	1	—	—	1	1	—	—
		F	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	1	1	1	7	2	1	—	—	—	—	2	2	2	3	—	—	8	2	2
		F	1	1	1	5	2	—	—	—	1	—	1	1	2	1	1	—	2	3	3
4(1)	Malig. neoplasm, mouth and pharynx	M	5	3	11	44	12	5	16	8	5	2	10	16	25	22	7	13	32	7	13
		F	1	—	—	34	7	3	6	4	3	—	4	6	7	8	6	3	26	6	4
4(2)	Malig. neoplasm, œsophagus	M	2	6	15	74	10	9	6	15	3	1	8	16	22	22	9	4	39	19	16
		F	1	2	7	37	12	3	5	5	1	1	4	10	6	13	5	4	26	13	12
4(3)	Malig. neoplasm, intestine and rectum	M	20	28	53	332	59	41	98	96	24	12	4	62	61	110	130	47	228	56	70
		F	17	28	57	397	86	46	66	78	26	16	3	39	98	99	139	42	237	92	62
4(4)	Malig. neoplasm, larynx	M	2	6	2	36	5	2	8	7	1	1	—	4	9	14	10	3	23	6	3
		F	1	—	2	6	2	—	1	—	1	—	3	—	3	6	1	—	4	1	2
4(1)	Malig. neoplasm, cervix uteri	F	4	5	13	117	18	12	32	30	7	3	1	14	25	28	33	14	48	22	19
4(5)	Hodgkin's disease	M	1	4	2	25	3	1	10	7	1	—	1	6	7	8	1	3	16	3	4
		F	1	1	—	18	3	1	2	3	1	1	3	3	6	3	—	—	12	2	4
4(6)	Lymphosarcoma, reticulosarcoma	M	—	1	4	29	6	1	8	4	1	2	3	6	5	7	2	—	14	5	5
		F	—	1	4	17	—	1	2	4	3	—	2	1	4	1	3	1	10	3	1
4(1)	Thyrotoxicosis	M	—	—	—	2	—	—	1	1	—	—	1	1	—	2	—	—	1	—	—
		F	—	1	3	12	4	1	3	5	2	1	5	7	7	9	5	—	8	2	5
4(2)	Otitis media and mastoiditis	M	—	—	2	10	2	—	3	6	1	—	1	—	4	7	1	—	5	1	2
		F	—	—	1	3	1	—	—	—	—	—	—	1	3	—	—	—	6	1	—
4(3)	Rheumatic fever	M	—	—	1	7	1	1	2	—	—	—	3	1	1	2	—	—	4	—	—
		F	—	—	1	4	1	—	3	1	—	—	2	2	—	5	—	—	6	—	2
4(1)	Chronic rheumatic heart disease	M	1	7	21	163	25	23	38	43	12	3	2	20	51	32	50	20	89	26	23
		F	5	6	28	275	33	25	45	55	14	4	2	27	75	58	98	21	133	53	41
4(1)	Hyperten. without mention of heart	M	14	5	28	338	32	11	32	35	13	8	3	14	35	53	62	17	121	31	33
		F	6	12	25	267	19	12	31	40	15	5	3	14	39	50	40	19	134	37	40
4(4)	Appendicitis	M	—	2	3	30	4	2	4	7	—	1	2	6	11	12	5	—	22	6	6
		F	2	1	3	28	2	2	1	2	2	1	3	3	5	6	5	1	9	5	5
4(5)	Intestinal obstruc. and hernia	M	9	3	6	92	11	6	14	14	5	3	7	17	26	32	10	3	42	9	16
		F	1	5	13	84	14	10	13	16	4	—	7	17	15	36	10	4	45	25	13
4(6)	Cirrhosis of liver	M	4	2	4	24	7	3	4	5	2	—	2	8	6	7	5	2	15	10	7
		F	—	—	3	14	4	1	5	1	—	—	2	5	8	13	5	1	11	4	1
4(7)	Cholelithiasis, cholecystitis	M	1	—	4	23	1	2	4	6	2	3	2	1	3	2	3	1	9	3	3
		F	1	—	8	40	13	5	5	5	1	1	10	14	11	30	2	1	25	10	6
4(1)	Maternal sepsis (not abortion)	F	—	1	—	—	—	2	4	—	—	—	1	1	—	3	—	—	2	—	—
4(2)	Toxæmias of pregnancy and puerperium	F	—	2	1	5	1	1	3	2	—	—	3	3	2	5	1	—	4	—	2
4(3)	Abortion	F	1	—	—	5	—	—	1	1	—	—	—	—	2	—	—	—	5	—	1
4(8)	Birth injury	M	3	8	6	51	8	6	18	15	4	2	1	10	16	20	24	5	21	2	8
		F	1	6	6	26	8	4	8	10	1	—	2	11	8	18	8	—	7	1	2
4(9)	Post-natal asphyxia and atelectasis	M	3	3	12	67	11	17	7	11	8	—	12	19	15	24	6	2	25	11	8
		F	1	1	6	48	6	9	3	12	6	1	5	12	8	17	3	6	25	3	3
4(10)	Pneumonia of newborn	M	1	3	4	19	6	2	8	8	1	—	3	2	4	10	4	1	8	2	3
		F	1	—	5	13	2	1	5	5	1	1	5	4	5	6	2	—	6	1	2
4(11)	Ophth., pemphigus, sepsis of newborn	M	—	—	—	3	—	—	1	—	—	—	—	—	—	2	1	—	1	—	—
		F	—	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
4(12)	Hæmolytic disease of newborn	M	—	—	1	9	—	—	2	7	3	—	3	1	2	3	1	1	6	1	—
		F	1	1	—	6	1	3	6	4	2	—	2	3	2	3	1	2	4	3	3
4(13)	Immaturity (without other dis. peculiar to early infancy)	M	3	5	25	56	21	13	29	22	13	3	13	14	27	41	9	5	37	9	9
		F	4	10	13	50	24	5	13	31	11	4	10	11	28	37	8	3	35	10	6
4(14)	Senility without psychosis	M	27	2	42	36	48	17	45	28	5	2	26	42	50	144	9	6	61	10	12
		F	49	18	58	86	73	23	45	48	25	4	41	78	77	187	27	7	141	45	33
4(15)	Ill-defined and unknown cause	M	1	1	1	3	2	3	1	1	2	—	—	—	3	4	1	2	4	—	4
		F	1	—	1	4	2	4	—	1	1	—	—	2	2	2	—	—	—	2	1



TABLE 21—continued.—Administrative Counties.

Abridged List of Causes of Death (See first page of Table)		Warwickshire.	Westmorland.	Wight, Isle of.	Wiltshire.	Worcestershire.	Yorkshire, East Riding.	Yorkshire, North Riding.	Yorkshire, West Riding.	Anglesey.	Brecknockshire.	Caernarvonshire.	Cardiganshire.	Cardiganshire.	Denbighshire.	Flintshire.	Glamorganshire.	Merionethshire.	Monmouthshire.	Montgomeryshire.	Pembrokeshire.	Radnorshire.
1	Tuberculosis respiratory	M 46 F 23	5 3	10 4	43 20	53 24	26 11	36 24	167 89	12 2	6 2	36 9	7 5	29 6	15 11	32 13	146 72	10 5	55 23	2 4	17 7	2 2
2	Tuberculosis other	M 7 F 4	1 —	3 —	5 7	7 4	3 4	6 3	30 22	— 3	2 2	— 4	2 1	6 4	4 4	5 1	7 13	1 —	5 5	1 1	— 1	— 1
3	Syphilitic disease	M 6 F 5	2 —	2 —	5 2	14 7	4 3	5 2	30 13	1 1	1 —	2 1	— —	3 2	5 1	8 1	18 2	— —	6 4	— —	2 —	— —
4	Diphtheria	M — F —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	1 —	— —
5	Whooping cough	M — F —	— —	— —	— —	— —	— —	— 1	6 8	1 —	— —	— —	— —	1 —	— —	1 —	2 1	— —	1 2	1 —	— —	1 —
6	Meningococcal infections	M 2 F 5	— —	— —	— —	2 1	— —	3 2	5 1	1 —	— —	— —	— —	— 1	4 —	— 2	2 —	— —	1 1	— —	— —	— —
7	Acute poliomyelitis	M 1 F 1	— —	— —	1 3	2 —	2 —	4 —	7 4	— —	— —	1 —	— 1	1 —	— —	— —	1 —	— —	2 —	— —	— —	— —
8	Measles	M — F 1	— —	— —	— —	— —	— 2	— —	3 4	— —	— —	— —	— —	— —	— —	— —	1 2	— —	1 —	— —	— —	— —
9	Other infective, etc., diseases	M 3 F 8	3 1	1 2	3 5	4 1	1 3	4 4	14 20	1 3	1 1	3 1	— 2	5 5	1 2	— 3	16 14	— 5	10 5	— 1	— 2	— —
10	Malignant neoplasm: stomach	M 66 F 56	18 7	45 13	53 34	35 48	65 33	358 50	16 218	12 12	12 10	65 40	15 17	48 32	33 41	43 39	176 124	18 14	69 45	12 9	19 9	5 3
11	lung, bronchus	M 112 F 15	18 3	32 3	80 19	84 17	41 11	66 12	335 60	7 2	9 —	23 9	12 1	26 3	36 2	30 3	172 28	6 1	59 15	5 2	14 3	3 1
12	breast	M — F 107	— 9	1 25	— 61	— 94	— 39	— 67	— 284	1 7	— 12	— 29	— 14	— 36	— 22	— 26	— 111	— 9	— 47	— 6	— 11	— 6
13	uterus	M 42 F —	9 —	16 —	31 —	34 —	13 —	41 —	157 —	11 —	4 —	16 —	6 —	16 —	12 —	22 —	22 52	6 26	26 —	3 —	4 —	2 —
14	Other malignant and lymphatic neoplasms	M 259 F 225	37 34	65 51	189 171	216 176	140 93	196 188	898 681	31 29	36 25	94 73	39 27	78 92	101 81	93 72	366 281	24 130	177 24	29 23	60 32	13 9
15	Leukæmia, aleukæmia	M 8 F 12	— 1	— —	6 10	7 11	2 2	6 9	30 32	1 3	— —	1 3	2 3	8 1	4 2	3 8	11 9	1 1	8 2	— —	— —	— —
16	Diabetes	M 15 F 21	1 2	3 5	8 24	13 26	8 13	13 16	45 69	2 1	— 4	3 5	1 2	3 10	5 9	1 6	23 56	1 15	8 6	1 9	3 1	1 1
17	Vascular lesions of nervous system	M 299 F 427	57 103	64 126	245 341	307 363	159 219	249 368	1213 1555	62 71	41 60	109 166	48 68	135 204	140 194	127 168	505 634	43 69	203 234	40 54	71 88	9 24
18	Coronary disease, angina	M 414 F 244	66 36	96 64	287 190	291 152	235 129	381 217	1480 890	47 15	55 25	120 75	53 31	154 73	173 84	145 61	662 305	35 14	276 133	36 20	79 45	8 8
19	Hypertension with heart disease	M 46 F 55	8 6	27 27	28 36	32 35	24 24	38 43	198 178	9 2	4 26	21 2	5 2	14 22	19 20	20 17	72 64	3 3	44 34	4 4	12 3	— —
20	Other heart disease	M 372 F 449	58 72	133 183	350 395	367 419	165 206	402 516	1523 1959	48 70	74 73	139 150	92 93	160 183	162 216	116 158	684 753	42 57	336 340	54 63	96 112	29 33
21	Other circulatory disease	M 114 F 106	24 27	19 22	118 112	65 60	66 75	102 75	334 357	8 15	15 17	59 70	12 9	54 57	27 40	27 35	181 162	12 13	80 76	7 10	22 22	3 1
22	Influenza	M 3 F 8	— 2	1 2	9 2	9 11	5 3	2 3	32 32	3 2	1 1	5 2	— 1	2 7	1 3	6 6	13 13	— 1	6 4	— 2	1 5	1 1
23	Pneumonia	M 96 F 94	13 7	24 14	81 87	83 80	31 41	60 52	318 260	7 4	8 5	20 18	7 7	33 24	27 17	35 32	152 98	6 5	66 44	7 5	23 14	8 3
24	Bronchitis	M 121 F 52	12 8	17 15	89 44	129 73	51 30	87 37	682 353	14 11	19 8	53 25	19 16	54 40	56 48	32 15	349 135	7 7	144 64	11 5	19 7	8 2
25	Other diseases of respiratory system	M 34 F 14	2 —	5 4	29 12	23 4	7 10	14 8	99 58	2 1	12 3	10 3	8 —	107 8	10 6	9 5	222 17	10 1	59 8	4 1	7 6	— —
26	Ulcer of stomach and duodenum	M 51 F 13	3 6	8 3	30 7	48 20	12 8	23 7	132 43	3 3	4 1	10 1	— 3	18 4	20 5	10 4	56 11	2 —	35 8	2 1	7 1	4 —
27	Gastritis, enteritis and diarrhoea	M 15 F 12	1 5	3 1	10 8	7 12	10 10	6 13	27 42	5 2	3 2	4 6	3 —	5 5	2 8	4 2	26 25	— 1	11 7	1 2	2 3	— 1
28	Nephritis and nephrosis	M 34 F 16	10 3	4 5	32 27	28 22	22 17	23 29	144 139	9 2	— 8	13 14	13 9	21 18	15 13	14 12	69 57	7 2	36 29	4 5	10 13	— 3
29	Hyperplasia of prostate	M 52 F 3	7 1	33 2	44 9	24 2	27 4	44 20	149 20	10 1	11 —	23 1	16 1	23 3	23 1	17 4	72 9	10 1	37 3	5 1	14 2	3 1
30	Pregnancy, childbirth, abortion*	M 25 F 38	6 2	7 6	21 14	25 15	10 6	11 12	76 76	6 2	3 2	1 1	6 2	7 7	11 6	7 16	48 41	2 4	20 13	2 3	7 2	2 —
31	Congenital malformations	M 208 F 219	37 46	58 67	184 196	245 205	103 136	174 194	769 831	39 37	23 28	76 76	35 39	110 110	122 104	85 75	474 531	26 35	217 206	34 43	75 56	24 9
32	Other defined and ill-defined dis.	M 58 F 7	8 1	3 1	46 8	48 9	17 4	41 9	124 29	4 —	5 2	6 1	1 —	11 9	14 3	11 5	56 18	2 —	22 11	6 2	11 1	4 3
33	Motor vehicle accidents	M 68 F 47	13 6	9 5	44 17	41 36	34 21	74 58	236 155	8 7	7 8	38 19	6 4	31 15	29 22	37 21	141 62	10 7	73 33	6 3	18 4	1 —
34	All other accidents	M 28 F 18	2 2	10 3	19 9	25 12	14 7	20 12	96 63	4 —	6 2	4 3	8 2	9 4	10 4	3 1	25 18	2 —	21 5	5 1	5 3	2 1
35	Suicide	M 3 F —	— —	— —	1 —	1 —	1 —	2 —	7 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
36	Homicide, operations of war	M 1 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

\*“Delayed” maternal deaths  
(see page 240)

TABLE 21—continued.—Administrative Counties.

Supplementary Abridged List of Causes of Death (See first page of Table)			Warwickshire.	Westmorland.	Wight, Isle of.	Wiltshire.	Worcestershire.	Yorkshire, East Riding.	Yorkshire, North Riding.	Yorkshire, West Riding.	Anglesey.	Brecknockshire.	Caernarvonshire.	Cardiganshire.	Carmarthenshire.	Denbighshire.	Flintshire.	Glamorganshire.	Merionethshire.	Monmouthshire.	Montgomeryshire.	Pembrokeshire.	Radnorshire.
2(1)	Tub. of meninges and nervous system	M	4	1	1	1	2	1	4	11	—	1	—	—	3	1	1	4	—	1	1	—	—
9(1)	Typhoid fever	F	2	—	—	2	1	2	—	13	2	2	3	—	2	1	—	4	—	4	—	—	
		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(2)	Scarlet fever	M	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(3)	Streptococcal sore throat	M	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(4)	Erysipelas, septicæmia, pyæmia	M	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
9(5)	Acute infectious encephalitis	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—	—	
		F	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1	—	2	—	—	
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9(7)	Infectious hepatitis	M	—	—	—	—	1	—	—	3	—	—	—	—	—	1	—	2	—	2	—	—	
		F	1	—	—	2	—	1	—	6	2	—	—	1	2	—	—	1	—	2	—	2	
14(1)	Malig. neoplasm, mouth and pharynx	M	17	3	5	4	15	6	11	56	3	2	8	—	4	5	6	20	1	8	—	5	—
		F	4	1	1	4	8	3	6	28	2	1	3	1	7	2	4	17	1	3	1	3	1
14(2)	Malig. neoplasm, œsophagus	M	15	2	2	14	11	5	13	43	—	3	10	5	4	10	7	28	3	17	—	2	1
		F	2	3	3	10	6	2	12	26	2	3	7	4	10	7	2	25	2	8	3	5	1
14(3)	Malig. neoplasm, intestine and rectum	M	85	10	18	59	82	51	74	295	17	11	31	13	29	39	27	126	7	57	14	29	6
		F	95	7	24	77	74	33	76	283	16	8	37	15	36	29	24	108	12	49	10	11	4
14(4)	Malig. neoplasm, larynx	M	4	2	1	8	8	3	5	25	1	2	1	—	2	2	2	12	—	5	—	—	—
		F	1	2	1	—	1	1	1	10	1	—	—	—	1	2	—	2	1	2	—	—	—
13(1)	Malig. neoplasm, cervix uteri	F	21	5	7	20	16	5	23	119	8	2	8	2	7	9	10	33	3	12	3	2	2
14(5)	Hodgkin's disease	M	3	—	—	2	4	2	3	17	1	2	2	1	3	2	1	18	—	6	1	—	—
		F	1	—	1	1	2	3	3	11	—	—	—	—	2	2	1	3	—	4	—	—	—
14(6)	Lymphosarcoma, reticulosarcoma	M	7	1	—	4	7	3	2	12	—	—	1	2	1	1	2	6	—	5	—	—	—
		F	4	1	1	3	4	—	3	7	—	—	1	1	—	1	1	2	—	1	—	—	—
32(1)	Thyrotoxicosis	M	—	—	1	1	1	—	—	1	1	—	1	—	—	—	—	2	1	—	—	—	—
		F	2	—	2	5	4	3	10	11	1	1	4	—	4	5	—	10	1	5	1	—	—
32(2)	Otitis media and mastoiditis	M	4	—	1	—	1	1	1	6	1	—	1	—	—	—	—	2	1	—	—	—	—
		F	—	—	1	—	2	—	—	3	—	—	1	—	—	1	—	5	—	—	—	—	—
32(3)	Rheumatic fever	M	—	—	1	—	1	—	3	3	—	—	1	—	1	1	—	4	—	4	—	—	—
		F	1	—	—	1	1	2	—	5	—	—	—	1	2	1	—	4	—	5	—	—	—
20(1)	Chronic rheumatic heart disease	M	45	6	8	25	28	8	27	136	2	7	10	6	20	12	13	74	3	23	9	4	2
		F	55	9	8	33	27	25	40	205	2	5	15	3	35	23	17	128	7	36	12	6	1
21(1)	Hyperten. without mention of heart	M	38	5	4	46	19	19	34	102	7	8	33	2	16	8	13	66	2	25	3	4	1
		F	32	4	12	46	21	18	21	103	5	7	32	4	14	12	12	45	4	26	5	8	1
32(4)	Appendicitis	M	9	1	2	6	8	1	6	16	—	1	2	—	4	3	4	12	1	5	—	2	1
		F	5	1	2	2	7	7	3	12	1	2	—	—	—	1	3	3	2	3	—	—	—
32(5)	Intestinal obstruc. and hernia	M	19	1	4	15	15	5	15	57	3	2	3	1	6	14	7	26	2	10	2	4	3
		F	14	1	2	9	7	13	13	56	2	3	3	2	6	4	2	27	—	13	2	1	—
32(6)	Cirrhosis of liver	M	9	1	3	5	11	3	4	15	1	3	8	1	3	1	2	9	3	6	—	6	—
		F	11	—	—	4	6	1	4	15	—	1	2	—	1	1	—	4	1	4	—	—	—
32(7)	Cholelithiasis, cholecystitis	M	5	1	1	4	2	2	2	23	—	1	1	3	3	2	2	5	—	3	1	1	1
		F	8	1	5	4	1	8	9	35	—	1	4	—	2	5	7	20	3	17	4	—	—
30(1)	Maternal sepsis (not abortion)	F	—	1	—	1	—	1	—	—	—	—	—	1	—	—	1	2	—	—	1	1	—
30(2)	Toxæmias of pregnancy and puerperium	F	2	—	1	4	2	1	—	8	—	—	1	—	1	1	1	1	1	—	—	—	—
30(3)	Abortion	F	—	—	—	—	—	1	1	3	—	—	—	—	1	—	1	1	—	1	—	1	—
32(8)	Birth injury	M	20	1	2	16	11	4	10	50	2	2	5	1	8	2	3	22	2	11	1	3	2
		F	9	—	—	5	5	3	7	29	4	1	1	1	3	3	—	5	1	6	—	1	1
32(9)	Post-natal asphyxia and atelectasis	M	13	1	1	7	15	2	17	59	9	1	4	—	4	8	9	14	1	15	2	4	—
		F	10	—	1	9	3	4	6	42	1	—	6	3	5	2	7	19	3	7	3	2	—
32(10)	Pneumonia of newborn	M	5	1	—	3	5	1	5	14	1	1	1	1	2	4	1	6	—	4	1	2	1
		F	6	—	—	3	4	—	3	13	—	—	—	—	—	—	1	9	1	1	—	1	—
32(11)	Ophth., pemphigus, sepsis of newborn	M	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	3	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	1	—	—	—
32(12)	Hæmolytic disease of newborn	M	3	—	—	2	—	4	1	9	1	—	1	—	1	4	1	9	—	3	—	—	—
		F	4	—	—	1	2	—	3	7	—	—	—	—	1	—	2	2	—	1	1	—	—
32(13)	Immaturity (without other dis. peculiar to early infancy)	M	25	4	4	21	23	12	21	95	1	2	4	3	10	14	8	57	—	23	3	7	1
		F	18	4	2	11	11	7	21	60	2	1	4	2	5	3	1	30	—	16	—	2	—
32(14)	Senility without psychosis	M	17	12	10	20	70	21	9	108	5	2	12	5	35	15	12	112	3	35	18	14	5
		F	41	16	20	43	67	28	21	143	8	5	18	9	31	23	10	163	7	52	17	20	4
32(15)	Ill-defined and unknown cause	M	1	—	—	—	2	—	3	2	—	—	1	—	1	2	1	4	1	2	—	5	1
		F	1	—	—	—	1	1	1	4	—	—	—	—	1	2	—	6	—	1	1	1	—



TABLE 22.—Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1951 and 1952.

England and Wales, Metropolitan Boroughs,  
County Boroughs, Administrative Counties.

See Explanatory notes on page v.

Administrative Area	Mortality per Million Population at All Ages																		Mortality per 1,000 Total (live and still) births						
																			Infant Mortality per 1,000 related Live Births						
																			Maternal Mortality not due to abortion						
																			Sepsis of pregnancy, childbirth and the puerperium (640, 641, 681, 682, 684)				Others (642-649, 660-680, 683, 685-689)		
Tuberculosis (all forms) (001-019)	Tuberculosis of the respiratory system (001-008)		Typhoid fever (040)		Scarlet fever (050)		Diphtheria (055)		Whooping cough (056)		Menin- gococcal infections (057)		Acute poliomyelitis (080)		Measles (085)		1951	1952	1951	1952	1951	1952	1951	1952	
England and Wales	315	241	275	212	0	0	1	1	1	10	4	7	7	4	6	7	3	30	28	0.10	0.09	0.56	0.50		
London Admin. County.	381	303	344	277	1	—	1	1	1	6	3	7	9	1	7	2	25	23	0.06	0.15	0.39	0.51			
City of London	577	958	577	958	—	—	—	—	—	—	—	—	—	—	—	—	76	53	—	—	—	—			
The Temples	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Battersea	427	318	393	292	—	—	—	9	9	17	—	26	9	—	—	9	28	17	0.55	—	—	0.55			
Bermondsey	431	368	381	368	—	—	—	—	17	—	—	17	17	—	—	17	25	19	0.99	—	—	0.99			
Bethnal Green	155	368	138	333	—	—	17	—	—	—	—	17	18	—	—	—	22	30	—	—	1.97	—			
Camberwell	362	287	312	265	—	—	—	—	6	6	17	17	6	—	—	6	26	24	0.33	0.34	0.67	0.34			
Chelsea	286	288	286	230	—	—	—	—	—	—	—	38	—	—	19	19	23	20	—	—	—	—			
Deptford	671	382	618	356	—	—	—	—	13	13	—	—	—	—	—	13	22	32	—	—	1.53	—			
Finsbury	590	616	533	532	—	—	28	—	28	28	—	—	28	—	—	—	22	16	—	—	—	—			
Fulham	400	277	359	269	—	—	—	—	16	—	—	—	—	—	—	8	27	25	—	—	—	0.57			
Greenwich	392	352	347	319	—	—	—	—	11	—	—	—	11	—	11	—	21	15	0.73	—	1.45	2.27			
Hackney	404	275	328	251	6	—	—	—	6	6	—	—	—	—	6	12	29	20	—	—	0.77	—			
Hammersmith	372	362	347	328	—	—	—	—	8	—	—	25	25	—	8	—	22	21	—	—	—	0.56			
Hampstead	297	194	256	154	—	—	10	—	10	—	—	—	—	—	10	10	27	24	—	—	—	—			
Holborn	693	292	652	251	—	—	—	—	—	—	—	—	—	—	—	—	34	35	—	—	—	—			
Islington	322	323	293	302	4	—	—	4	—	8	4	8	4	—	—	13	28	23	—	—	—	0.25			
Kensington	210	185	175	168	—	—	—	—	6	—	18	17	17	—	12	6	25	27	0.35	0.37	0.37	0.70			
Lambeth	450	282	419	261	—	—	—	—	13	—	4	4	4	—	13	4	25	25	0.27	0.26	0.26	1.08			
Lewisham	299	185	264	154	—	—	—	—	4	—	—	—	—	—	—	9	25	22	—	0.29	—	0.31			
Paddington	463	264	439	256	—	—	—	—	16	—	—	24	—	—	8	—	28	27	—	—	—	0.47			
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	

Poplar ...	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
St. Marylebone	437	275	369	234	—	—	—	—	—	—	—	—	14	14	14	—	14	—	31	24	0.77	—	—	0.79
St. Pancras	394	229	394	188	—	—	—	—	—	—	—	—	—	13	13	27	39	—	19	25	—	1.05	—	—
Shoreditch	525	330	482	308	—	—	—	—	—	—	7	7	7	7	—	7	7	—	26	26	—	0.45	0.93	0.45
Southwark	355	306	355	284	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	28	—	—	—	—
	398	500	327	459	—	—	—	—	—	—	—	—	10	10	—	—	—	—	19	28	—	—	1.67	0.56
Stepney	496	505	465	495	—	—	—	—	—	—	—	—	10	20	—	10	—	21	19	—	0.52	—	—	1.55
Stoke Newington	303	257	303	237	20	—	—	—	—	20	—	—	—	20	—	—	—	30	14	—	—	—	—	—
Wandsworth	322	271	286	238	—	—	—	3	—	—	6	3	—	3	—	15	12	6	23	21	—	—	0.22	0.68
Westminster	370	476	350	456	10	—	—	—	—	—	10	—	30	—	—	10	—	10	34	25	—	—	—	0.78
Woolwich	381	257	340	244	—	—	7	—	—	—	7	7	—	26	—	13	7	—	28	21	—	—	0.43	—
County Boroughs	392	296	345	265	0	0	1	1	1	1	10	5	9	8	4	5	7	4	33	30	0.11	0.07	0.61	0.42
Barnsley	280	348	240	308	—	—	—	—	—	—	27	27	—	27	13	—	—	—	32	39	—	—	0.74	0.71
Barrow-in-Furness	421	275	361	199	—	—	—	—	—	15	—	—	—	15	15	—	15	15	36	40	—	—	1.93	—
Bath	191	189	179	189	—	—	13	—	—	—	—	—	—	13	—	13	13	—	21	28	—	—	—	0.88
Birkenhead	508	274	451	232	—	—	—	—	7	7	7	7	42	21	—	—	—	7	41	35	—	—	1.12	0.74
Birmingham	384	273	338	247	—	—	1	1	1	2	9	12	6	8	3	4	9	2	29	27	0.05	0.11	0.53	0.48
Blackburn	400	301	355	246	—	—	—	—	—	9	18	—	9	9	9	9	—	—	31	32	—	—	1.96	1.28
Blackpool	335	299	308	258	—	—	—	—	—	—	—	—	14	—	7	14	—	—	35	28	—	—	1.19	0.61
Bolton	306	282	270	252	—	—	—	—	—	—	—	6	—	—	—	12	18	6	41	28	—	—	1.18	—
Bootle	555	531	500	424	—	—	—	—	—	—	54	—	41	40	—	13	14	13	40	43	—	—	0.63	—
Bournemouth	281	274	266	238	—	—	—	—	—	—	—	—	—	—	—	7	14	—	25	25	—	—	0.64	—
Bradford	362	271	297	233	—	—	—	3	3	—	10	—	—	3	3	3	17	3	44	34	0.21	0.21	0.41	0.21
Brighton	212	192	186	179	—	—	—	6	6	—	—	—	—	—	6	6	13	—	34	29	—	—	1.45	—
Bristol	371	230	340	205	—	—	5	2	—	—	5	2	—	2	9	2	7	—	20	21	—	—	0.86	0.72
Burnley	415	298	356	274	—	—	—	—	—	—	12	—	12	—	12	—	12	12	33	31	—	—	—	—
Burton upon Trent	286	205	266	184	—	—	—	—	—	—	—	—	41	20	—	41	—	—	32	29	—	—	1.25	—
Bury	171	309	137	257	—	—	17	—	—	—	17	—	—	—	—	—	—	34	37	30	1.19	—	—	1.13
Canterbury	270	204	236	170	—	—	—	—	—	—	34	—	—	—	—	—	—	—	19	31	2.07	—	—	4.29
Carlisle	388	250	343	206	—	—	—	—	—	—	15	—	—	—	—	29	15	—	25	27	—	—	—	—
Chester	399	146	357	104	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41	22	—	—	—	—
Coventry	329	253	291	195	—	—	4	—	—	—	—	4	12	—	—	—	4	8	35	32	—	—	0.68	0.24
Croydon	256	240	208	224	—	—	4	4	—	—	12	—	—	8	8	8	8	—	19	20	0.54	—	0.27	0.56
Darlington	425	131	330	119	—	—	—	—	—	—	—	—	24	—	—	—	—	12	28	26	0.75	—	1.50	—
Derby	371	195	350	166	—	—	—	—	—	—	—	—	7	7	—	—	—	14	31	29	—	—	—	—
Dewsbury	321	246	321	227	—	—	—	—	—	—	57	19	38	19	—	19	—	—	36	33	—	—	—	—



TABLE 22—continued.

Administrative Area	Mortality per Million Population at All Ages																Infant Mortality per 1,000 related Live Births		Mortality per 1,000 Total (live and still) births																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																	Measles (085)	Acute poliomyelitis (080)	Menin- gococcal infections (057)	Whooping cough (056)	Diphtheria (055)	Scarlet fever (050)	Typhoid fever (040)		Tuberculosis of the respiratory system (001-008)		Tuberculosis (all forms) (001-019)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																							1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	Maternal Mortality not due to abortion		Sepsis of pregnancy, childbirth and the puerperium (640, 641, 681, 682, 684)		Others (642-649, 660-680, 683, 685-689)		1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Doncaster	...	...	...	320	268	283	244	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Oxford	273	140	226	103	—	—	—	—	—	—	—	—	9	19	—	—	—	—	19	24	—	—	—	0.63
Plymouth	456	256	411	233	—	—	—	—	—	5	14	9	9	9	9	9	9	9	34	29	—	—	0.55	0.56
Portsmouth	270	256	245	210	—	—	—	—	4	—	4	4	4	12	4	4	8	—	30	23	0.27	—	0.54	0.26
Preston	390	235	347	227	—	—	—	—	—	—	—	8	8	17	—	—	8	—	35	32	—	—	1.00	—
Reading	295	207	295	173	—	—	—	—	—	—	—	9	—	—	—	17	9	—	29	23	0.55	—	—	—
Rochdale	309	345	263	299	—	—	—	—	—	—	—	—	—	12	—	—	34	—	54	40	—	—	0.77	0.74
Rotherham	318	232	294	208	—	12	—	—	—	12	—	12	—	—	24	—	—	—	28	32	—	—	0.68	—
St. Helens	375	367	302	339	—	—	—	—	—	—	—	9	9	9	—	9	9	—	39	37	—	—	1.59	0.49
Salford	509	351	464	346	—	—	—	—	—	—	11	—	—	11	—	—	11	—	34	35	0.31	—	0.94	0.32
Sheffield	345	249	300	229	—	—	—	2	—	—	6	2	2	4	6	6	8	2	30	24	—	—	0.41	0.70
Smethwick	524	288	485	275	—	—	—	—	—	—	13	—	13	26	26	—	—	13	26	36	—	—	—	—
Southampton	406	422	361	387	—	—	—	—	—	—	11	6	6	6	—	6	—	11	25	29	—	—	0.98	0.33
Southend-on-Sea	284	132	257	119	—	7	—	—	7	—	7	7	—	—	—	40	—	7	25	19	—	0.47	—	0.47
Southport	324	217	264	145	—	—	—	—	—	—	—	12	—	—	—	—	12	—	40	31	—	—	—	2.03
South Shields	394	607	347	588	—	9	—	—	—	—	—	9	19	19	9	—	19	28	40	38	—	0.48	1.02	1.45
Stockport	355	305	284	248	—	—	—	—	—	—	—	—	7	14	—	—	14	—	41	29	—	0.92	0.95	0.46
Stoke on Trent	499	408	448	382	—	4	—	—	—	4	18	—	7	7	11	—	4	7	33	28	—	0.22	0.68	0.44
Sunderland	540	371	473	338	—	—	—	—	—	—	17	—	34	22	—	6	6	17	38	36	—	—	0.56	0.54
Tynemouth	422	389	332	344	—	—	—	—	—	—	15	—	45	—	—	—	—	—	44	43	—	—	0.79	0.80
Wakefield	287	169	270	152	—	—	—	—	—	—	17	17	—	—	—	—	—	—	33	30	—	—	—	—
Wallasey	366	206	326	177	—	10	—	—	—	—	—	—	40	10	—	—	—	10	32	34	0.57	—	0.57	0.59
Walsall	580	385	545	359	—	—	—	—	—	—	9	—	—	9	—	9	18	—	37	37	0.48	0.47	—	0.95
Warrington	399	225	274	175	—	—	—	—	—	—	—	—	25	25	—	—	—	12	38	35	—	—	0.70	—
West Bromwich	516	354	447	308	—	—	—	—	—	—	—	11	—	11	—	11	—	—	29	36	—	—	0.64	—
West Ham	341	258	294	229	—	—	—	—	—	—	24	—	12	18	12	—	—	—	25	25	—	—	0.67	—
West Hartlepool	360	347	332	305	—	—	—	—	—	—	—	—	28	—	—	—	28	14	35	40	0.70	—	—	—
Wigan	428	167	416	120	—	12	—	—	—	—	36	—	—	12	—	—	—	—	43	41	0.73	—	—	—
Wolverhampton	506	253	481	216	—	—	—	—	—	—	19	—	6	12	—	—	19	—	40	33	—	—	0.35	0.37
Worcester	316	307	283	290	—	—	—	—	—	—	17	—	17	—	—	—	—	—	28	28	—	—	2.19	—
York	190	170	181	142	—	—	—	—	—	—	19	9	—	—	—	9	10	—	26	21	—	—	0.63	0.62
Cardiff	481	343	431	327	—	—	—	—	—	—	25	4	4	8	—	8	8	4	32	28	—	—	1.58	0.22
Merthyr Tydfil	480	448	364	381	—	—	—	—	—	—	17	—	—	—	—	—	—	—	42	46	—	—	0.97	1.00
Newport (Mon.)	420	257	382	219	—	—	—	—	10	—	10	—	10	19	—	10	19	—	32	35	—	—	0.54	—
Swansea	456	343	369	318	—	—	—	6	—	—	19	—	—	6	—	—	19	—	31	36	—	0.40	0.40	—



TABLE 22—continued.

Administrative Area	Mortality per Million Population at All Ages														Mortality per 1,000 Total (live and still) births			
															Maternal Mortality not due to abortion			
															Sepsis of pregnancy, childbirth and the puerperium (640, 641, 681, 682, 684)			
															Others (642-649, 660-680, 683, 685-689)			
Infant Mortality per 1,000 related Live Births																		
															Measles (085)			
Acute poliomyelitis (080)																		
Menin- gococcal infections (057)																		
Whooping cough (056)																		
Diphtheria (055)																		
Scarlet fever (050)																		
Typhoid fever (040)																		
Tuberculosis of the respiratory system (001-008)																		
Tuberculosis (all forms) (001-019)																		
Admin. Counties	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952	1951	1952
	281	216	243	189	0	0	1	1	11	4	6	6	7	3	28	26	0·10	0·54
Bedfordshire	213	166	179	141	—	—	—	—	19	9	—	3	—	3	27	24	—	0·83
Berkshire	232	159	198	142	—	—	—	—	17	7	—	10	—	—	27	22	—	1·18
Buckinghamshire	184	147	143	127	—	—	—	—	8	—	—	5	—	5	24	25	0·16	0·49
Cambridgeshire	189	216	154	176	—	—	—	—	—	—	6	—	6	—	21	16	—	0·38
Cheshire	220	177	181	150	—	—	1	—	7	4	11	4	7	1	31	28	0·08	0·58
Cornwall	296	251	249	225	—	—	—	—	12	15	9	—	—	3	33	30	0·40	1·39
Cumberland	423	244	372	202	—	—	—	—	—	—	28	19	—	—	34	32	—	0·52
Derbyshire	207	178	173	161	—	1	—	—	6	6	6	6	—	1	29	30	0·28	0·47
Devon	291	210	257	178	2	—	4	—	24	2	2	—	12	2	28	26	0·14	0·72
Dorset	192	209	159	192	—	—	—	3	10	—	7	—	7	—	27	24	—	0·69
Durham	390	258	326	230	—	1	—	—	10	8	12	11	—	12	42	33	0·19	0·50
Ely, Isle of	113	205	91	159	—	—	—	—	23	—	11	—	—	—	28	27	—	—
Essex	245	173	210	154	1	—	1	—	7	3	8	6	6	3	22	24	0·04	0·54
Gloucestershire	279	201	226	169	—	2	2	—	—	7	2	5	7	7	26	28	0·44	0·43
Herefordshire...	292	182	229	134	—	—	—	—	32	8	—	—	39	—	33	29	—	0·46
Hertfordshire	184	144	170	136	—	—	—	—	5	5	2	5	—	3	24	19	0·11	0·31
Huntingdonshire	244	131	244	87	—	—	—	—	14	29	14	—	—	—	26	29	0·84	—
Kent	301	225	262	199	—	1	1	—	11	3	3	6	7	2	26	25	0·17	0·43
Lancashire	301	233	259	203	0	1	1	—	8	3	6	7	4	2	29	30	0·07	0·60
Leicestershire	273	241	247	201	—	—	—	—	9	9	3	6	—	—	26	27	0·18	0·18
Lincolnshire, Holland	297	159	237	129	—	—	—	—	20	—	—	—	—	—	29	28	—	1·17
" Kesteven	234	201	173	171	—	—	—	—	8	—	—	—	—	—	28	35	—	0·93
" Lindsey	181	187	148	158	—	—	—	—	3	6	3	—	6	3	32	33	—	0·76
London	381	303	344	277	1	—	1	—	6	3	7	9	1	2	25	23	0·06	0·51
Middlesex	256	193	232	170	—	0	—	—	7	2	3	5	1	1	23	21	0·03	0·39
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
																	(21)	(22)
																	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Norfolk ...	174	131	150	94	—	—	—	—	—	—	19	3	5	8	13	3	—	5	29	28	—	—	0·88	0·35
Northamptonshire ...	257	248	222	213	—	—	—	—	—	—	8	8	4	4	8	8	8	4	25	25	—	—	0·49	0·24
Northumberland ...	281	210	240	176	—	—	2	—	—	—	11	—	16	11	2	7	5	5	32	29	0·14	0·28	0·68	0·42
Nottinghamshire ...	269	217	231	189	—	—	—	—	—	—	15	6	7	6	2	7	19	9	29	29	0·11	0·46	0·57	0·46
Oxfordshire ...	160	113	138	70	—	—	—	—	—	—	11	5	11	16	6	—	11	—	18	27	—	—	—	0·32
Peterborough, Soke of	234	141	218	141	—	—	—	—	—	—	—	—	—	—	—	31	—	—	24	20	—	—	0·99	—
Rutland ...	92	88	92	88	—	—	—	—	—	—	92	—	—	—	—	44	—	44	29	18	—	—	—	—
Shropshire ...	215	156	181	125	—	—	—	—	—	—	14	14	14	7	10	—	7	3	30	25	0·21	0·21	—	1·04
Somerset ...	229	228	210	203	—	—	—	—	—	—	4	6	8	8	8	8	10	—	25	25	—	0·14	0·97	0·85
Southampton	206	139	178	119	—	—	—	—	—	—	12	6	6	6	5	3	5	—	25	20	0·18	—	0·73	0·37
Staffordshire	359	256	308	219	—	1	1	—	9	2	26	6	7	12	6	2	11	3	35	31	0·07	0·22	0·36	0·73
Suffolk, East	238	179	211	160	—	—	—	—	—	—	23	—	9	—	5	9	5	—	28	26	—	—	0·30	0·31
West	217	155	185	140	—	—	8	—	—	—	24	—	—	—	8	—	—	8	28	28	—	—	1·05	—
Surrey ...	219	185	192	166	1	—	—	—	—	—	2	3	3	2	4	15	13	2	22	21	—	0·11	0·33	0·33
Sussex, East ...	173	183	149	138	—	—	—	—	—	—	12	—	6	—	—	18	3	—	25	20	0·24	—	0·24	0·24
West ...	245	207	208	166	—	—	—	—	—	—	19	—	3	—	6	9	6	—	24	18	—	—	0·48	0·70
Warwickshire	257	162	210	140	—	—	—	—	6	—	16	—	4	14	—	4	6	2	28	28	0·38	—	—	0·38
Westmorland	165	135	120	120	—	—	—	—	—	—	—	—	—	—	—	—	—	—	35	25	—	1·03	1·08	—
Wight, Isle of...	212	183	202	151	—	—	—	—	—	—	—	—	—	—	21	—	—	—	25	22	—	—	2·33	1·61
Wiltshire ...	199	193	173	162	3	—	3	—	—	—	15	—	—	—	3	10	8	—	23	22	0·16	0·17	0·81	1·33
Worcestershire	260	217	216	190	—	—	—	2	7	2	10	—	7	7	5	5	2	—	29	24	0·16	—	0·62	0·31
Yorkshire, East Riding	207	207	183	174	5	—	—	—	—	—	5	—	5	—	—	9	9	9	28	24	0·32	0·31	0·63	0·62
North	227	183	185	159	—	—	—	3	—	—	16	3	8	13	13	11	16	—	33	27	—	—	1·76	0·49
West	276	194	235	161	—	—	1	—	—	—	13	9	8	4	6	7	11	4	32	30	0·12	—	0·59	0·68
Anglesey ...	333	334	275	275	—	—	—	—	—	—	20	20	—	20	—	—	—	—	55	48	—	—	—	1·13
Brecknockshire	467	214	323	142	—	—	18	—	—	—	—	—	—	—	—	—	18	—	37	28	—	—	1·12	—
Caernarvonshire	552	400	503	367	—	—	—	—	—	—	24	—	16	—	16	8	8	—	43	29	—	—	1·67	0·58
Cardiganshire	424	282	332	225	—	—	—	19	—	—	37	—	—	—	12	19	—	—	38	38	—	1·42	2·64	—
Carmarthenshire	440	264	346	205	—	—	—	6	—	—	—	6	—	6	12	6	12	6	25	33	—	—	0·41	0·82
Denbighshire	241	199	211	152	—	—	6	—	—	—	23	—	6	23	12	—	6	—	35	34	—	—	1·52	0·36
Flintshire ...	453	350	405	309	—	—	—	—	—	—	7	7	—	14	—	7	14	—	32	33	—	0·42	0·41	0·85
Glamorganshire	448	325	382	298	—	—	—	1	—	—	20	4	4	3	3	1	12	4	37	34	0·08	0·16	0·82	0·49
Merionethshire	486	390	437	365	—	—	—	—	—	—	24	—	—	—	—	—	—	—	40	28	—	—	—	1·83
Monmouthshire	315	277	267	245	—	3	—	—	—	6	16	9	6	6	—	6	22	3	43	34	0·19	—	0·93	0·54
Montgomeryshire	395	178	351	133	—	—	22	—	—	—	88	22	22	—	22	—	—	—	30	29	—	1·30	1·30	—
Pembrokeshire	386	275	287	264	—	—	—	—	—	11	22	—	22	—	11	—	22	—	32	25	—	0·62	0·63	—
Radnorshire ...	300	254	250	203	—	—	—	—	—	—	50	51	—	—	—	—	50	—	48	32	—	—	—	3·46



**TABLE 23.—Causes of Death by Month of Occurrence, } { England and Wales.**  
**Jan. – Dec., 1952.**

*Note.*—Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.

*See Explanatory notes on page vi.*

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	<b>ALL CAUSES</b> .. .. {M 26496 25955 23556 21853 19338 17862 16992 16730 17324 20186 21190 30199 F 24179 24483 22205 20811 18045 16990 15780 15629 15960 18893 19317 27565												
<b>001-138</b>	<b>I.—Infective and Parasitic Diseases</b> .. .. {M 1018 955 905 886 715 633 588 573 591 644 736 1054 F 535 543 449 473 392 370 304 341 311 382 385 535												
001-008	Tuberculosis of respiratory system .. .. {M 742 705 678 628 509 417 353 352 366 427 493 746 F 333 323 292 273 229 199 162 183 179 210 217 317												
010	Tuberculosis of meninges & central nervous system .. {M 26 32 21 25 18 26 26 14 19 20 20 19 F 33 24 21 28 16 27 24 11 17 15 14 16												
011	Tuberculosis of intestines, peritoneum, and mesenteric glands {M 4 6 8 5 4 6 8 6 5 4 3 7 F 5 11 4 7 5 4 4 2 3 5 12 3												
012, 013	Tuberculosis of bones and joints .. .. {M 10 7 12 6 5 13 10 9 12 11 8 12 F 8 8 11 5 9 3 6 2 4 3 4 7												
014-019	Tuberculosis, all other forms .. .. {M 24 24 18 16 21 22 23 13 19 16 29 21 F 18 12 14 17 12 21 14 10 5 13 14 23												
020-029	Syphilis and its sequelæ .. {M 105 111 84 110 82 77 77 92 71 82 90 120 F 48 60 32 52 53 41 28 37 41 38 37 53												
030-039	Gonococcal infection and other venereal diseases .. {M 1 — 4 2 2 1 1 — — — 1 1 F — — — — — — — 1 — — — —												
040	Typhoid fever .. .. {M 2 — — — 1 1 — — — — — 1 F — 1 — — 1 — — — 1 1 — —												
041	Paratyphoid fever .. .. {M — — — 1 — 2 — — 2 — — — F 1 — 1 — — 1 — — 2 2 — —												
042	Other Salmonella infections {M 5 — 1 — 2 3 6 4 2 1 2 1 F — — — 2 — — 2 5 1 3 1 1												
044	Brucellosis (undulant fever) {M — — — 1 — — 1 — — — — — F — — — — — — — — — — —												
045	Bacillary dysentery .. {M 1 — 2 3 3 — 2 — — — — — F 2 1 — 1 1 2 1 1 — 1 — —												
048	Unspecified forms of dysentery .. .. {M — — — — — — — 2 — — — — F 2 — — — — — — — — — — —												
049	Food poisoning (infection and intoxication) .. {M — — — — — — — — — — — — F — — — — — 1 2 — 1 — — —												
050	Scarlet fever .. .. {M 1 — — 2 2 1 — — — — 1 2 F 2 2 1 2 1 1 — — — 1 2 1												
051	Streptococcal sore throat .. {M 5 2 1 1 1 3 — 2 — 3 2 1 F — 2 — 1 3 3 3 — 2 3 — 3												
052	Erysipelas .. .. {M — — 2 — 1 — — — — — 1 — 2 F 2 4 1 1 1 — — — 1 — — —												
053, 054	Septicæmia, pyæmia, and bacterial toxæmia .. {M 8 7 5 3 3 1 2 2 5 2 6 3 F 5 12 2 4 2 4 4 7 1 9 6 8												
055	Diphtheria .. .. {M 1 — 1 2 — — 3 1 — 1 1 5 F 3 2 2 — 1 — 2 2 1 3 2 —												
056	Whooping cough .. .. {M 9 6 10 6 10 5 5 2 7 7 5 13 F 10 11 8 12 13 8 5 4 4 3 8 14												
057	Meningococcal infections {M 19 18 14 18 11 4 6 6 11 12 15 21 F 12 15 12 14 7 9 7 8 3 12 11 20												
061	Tetanus .. .. {M 1 — 3 2 3 7 7 8 2 4 3 2 F 2 1 1 1 1 1 1 3 2 2 3 —												
070	Vincent's infection .. {M — — 1 — — — 1 — — — — — F — — — — — — — — — — —												
072	Leptospirosis icterohæmorrhagica (Weil's disease) {M 7 5 1 4 1 1 2 — — 1 4 2 F — 1 — — — — — — — — —												
080	Acute poliomyelitis .. {M 11 1 7 6 5 6 22 31 34 16 13 16 F 8 5 4 4 4 1 10 23 14 17 8 11												
081	Late effects of acute poliomyelitis .. {M 1 1 — 1 1 — 2 — 1 — — 2 F 1 1 3 — 1 — 1 1 — 2 — —												

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
082	Acute infectious encephalitis .. .. { M F	3 6	5 3	3 7	5 4	1 4	2 6	5 4	3 2	7 5	6 4	4 5	9 3
083	Late effects of acute infectious encephalitis .. { M F	10 12	5 10	6 9	8 10	9 7	6 8	5 5	5 6	6 4	6 9	8 8	5 9
084	Smallpox .. .. { M F	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —
085	Measles .. .. { M F	5 5	5 10	7 3	7 8	4 3	5 6	5 2	3 5	3 2	2 4	7 4	21 19
086	Rubella (German measles) { M F	— —	— —	— —	— —	2 1	— —	— —	— —	— —	— —	— —	— —
087	Chickenpox .. .. { M F	— —	1 —	3 2	— 1	— 1	— —	— —	1 —	— —	— —	2 1	1 —
088	Herpes zoster .. .. { M F	1 5	1 2	4 4	— 4	2 5	1 2	2 4	1 4	2 1	1 2	1 4	2 5
089	Mumps .. .. { M F	— 1	— —	— 1	1 —	— —	— —	1 —	1 —	— —	— 2	1 1	— 1
092	Infectious hepatitis .. { M F	9 9	8 13	8 9	11 15	9 9	13 12	6 9	10 12	11 10	9 15	10 20	6 15
093	Glandular fever (infectious mononucleosis) .. { M F	— —	— —	— —	— —	1 —	— 1	1 —	— —	— —	1 —	1 —	— —
096	Other diseases attributable to viruses .. .. { M F	1 —	1 —	— —	— —	— —	— 2	— —	— 2	— 1	1 —	— 1	1 —
100-108	Typhus and other rickettsial diseases .. .. { M F	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
110-117	Malaria .. .. { M F	— —	1 —	1 —	2 1	— —	1 —	1 —	— —	— —	1 —	1 —	— —
Remainder of 001-138	All other diseases classified as infective and parasitic { M F	6 2	3 9	— 5	10 4	2 3	9 6	5 4	5 7	6 5	9 6	5 2	12 4
140-239	II.—Neoplasms .. .. { M F	3980 3748	3764 3476	3775 3570	3636 3576	3830 3521	3711 3526	3694 3441	3802 3648	3844 3535	4054 3788	3873 3553	4239 3741
140-148	Malignant neoplasm of buccal cavity and pharynx { M F	154 52	110 51	137 55	120 56	129 60	120 45	124 48	122 66	105 51	110 56	120 51	117 56
150	Malignant neoplasm of cesophagus .. .. { M F	114 72	122 63	110 63	111 74	123 65	121 75	112 72	120 73	129 63	147 68	120 83	136 79
151	Malignant neoplasm of stomach .. .. { M F	710 564	653 539	686 550	650 561	708 483	600 536	664 527	670 549	666 493	690 540	632 500	740 500
152-154	Malignant neoplasm of intestine, incl. rectum .. { M F	699 668	692 664	643 661	609 711	632 683	631 669	615 664	582 686	620 688	667 698	659 654	640 694
155, 156	Malignant neoplasm of biliary passages & of liver { M F	71 126	87 104	102 107	97 107	106 112	101 115	91 94	82 94	81 114	94 103	95 93	85 95
157-159	Malignant neoplasm of pancreas, peritoneum, & unspecifd. digestive organs { M F	159 138	149 136	156 169	167 127	149 166	164 142	159 141	160 151	140 159	152 171	154 150	151 151
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses { M F	7 7	9 6	13 5	6 8	15 7	11 7	12 7	12 6	10 5	7 8	4 13	12 8
161	Malignant neoplasm of larynx .. .. { M F	64 22	65 16	61 18	50 16	61 16	64 12	67 9	51 15	83 14	55 19	67 15	67 16
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (sec'd'ry) { M F	1044 195	985 188	929 182	927 167	959 207	993 178	891 194	1009 201	1043 174	1100 214	1015 187	1199 224
170	Malignant neoplasm of breast .. .. { M F	5 788	7 668	6 669	9 650	7 633	3 668	4 644	2 667	2 659	5 768	3 708	6 754
171-174	Malignant neoplasm of uterus. F	342	319	343	366	329	316	307	342	325	343	350	337
175, 176	Malignant neoplasm of other and unspecified female genital organs F	248	242	234	242	284	239	237	269	252	247	243	235
177	Malignant neoplasm of prostate M	255	246	241	242	251	217	222	245	241	284	269	297
178, 179	Malignant neoplasm of other and unspecified male genital organs M	21	26	32	27	19	27	35	40	27	37	29	25



TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
180	Malignant neoplasm of kidney .. .. . { M F	54 52	47 29	57 35	37 35	53 37	55 43	37 30	54 47	68 31	57 48	61 37	59 47
181	Malignant neoplasm of bladder and other urinary organs { M F	166 68	133 49	164 63	161 64	142 53	140 64	180 53	162 45	140 74	144 67	174 71	182 76
190, 191	Malignant neoplasm of skin { M F	39 39	45 40	36 41	41 31	30 37	30 42	41 42	51 39	44 41	43 43	40 36	45 45
193	Malignant neoplasm of brain and other parts of nervous system { M F	70 36	71 36	62 48	59 36	78 38	69 45	70 41	67 43	72 53	69 48	69 47	77 53
196	Malignant neoplasm of bone (including jaw bone) { M F	33 15	29 28	40 28	34 28	31 31	31 33	29 21	35 38	34 19	37 28	32 24	29 32
201	Hodgkin's disease .. { M F	34 27	35 24	31 16	36 22	44 22	42 18	48 24	38 21	42 31	45 22	43 24	43 27
204	Leukæmia and aleukæmia { M F	95 72	77 84	78 72	90 71	91 77	101 93	99 82	101 88	91 86	84 64	90 66	107 91
Remainder of 140-205	Malignant neoplasm of all other & unspecified sites, incl. other neoplasms of lymphatic and hæmatopoietic tissues { M F	122 129	110 117	130 116	103 114	136 119	115 121	134 129	134 132	144 137	142 149	137 131	158 146
210	Benign neoplasm of buccal cavity and pharynx .. { M F	— —	— —	— —	— —	— —	1 —	1 —	— 1	1 1	— —	— —	— —
211	Benign neoplasm of other parts of digestive system { M F	4 1	— 2	1 2	5 3	4 2	2 1	2 1	3 1	1 —	6 1	1 3	4 1
212	Benign neoplasm of respiratory system .. { M F	— 1	2 —	4 3	— —	3 —	1 —	1 1	— 2	1 1	1 —	— 1	2 —
213	Benign neoplasm of breast { M F	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —
214-217	Benign neoplasm of female genital organs F	24	22	21	27	17	21	25	22	24	28	16	17
218	Benign neoplasm of male genital organs M	—	—	1	—	—	—	—	—	1	—	—	—
219	Benign neoplasm of kidney and other urinary organs { M F	17 7	10 4	9 1	6 3	5 —	12 2	2 —	4 2	6 1	9 6	9 2	10 3
220-222	Benign neoplasm of skin.. { M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
223	Benign neoplasm of brain & other parts of nervous system { M F	7 13	10 11	2 23	8 19	13 16	10 13	10 6	9 12	13 14	13 12	9 12	8 11
224-229	Benign neoplasm of all other and unspecified organs and tissues { M F	6 12	6 6	6 10	5 6	6 5	6 7	11 9	9 5	8 5	6 12	2 9	8 7
230-239	Neoplasm of unspecified nature .. .. . { M F	30 30	38 28	38 35	35 32	35 22	44 21	33 33	40 31	31 19	50 25	39 26	32 36
240-289	III.—Allergic, Endocrine System, Metabolic, and Nutritional Diseases { M F	356 458	339 469	265 386	228 402	212 351	191 327	173 302	177 322	199 315	221 353	219 347	363 557
241	Asthma .. .. . { M F	211 118	183 138	116 91	100 113	85 79	73 79	72 99	81 91	77 73	96 85	106 86	214 189
Remainder of 240-245	Other Allergic disorders .. { M F	— 1	— 1	2 —	— 1	— —	— —	1 —	— —	1 1	— —	— —	— —
250	Simple goitre .. .. { M F	1 1	— 2	1 1	— 3	1 —	1 1	— 3	— 3	1 1	— 1	3 1	— 1
251	Nontoxic nodular goitre .. { M F	1 1	— 5	1 6	— 2	— 2	— 3	1 4	— 1	— 2	— 3	1 4	— 5
252	Thyrototoxicosis with or without goitre .. .. { M F	3 37	1 36	7 41	1 31	11 48	7 23	6 33	2 28	9 24	3 24	— 34	9 38
253, 254	Other diseases of thyroid gland .. .. . { M F	3 37	7 38	3 18	2 11	— 11	2 11	3 8	2 7	2 11	1 12	3 17	2 44
260	Diabetes mellitus .. .. { M F	103 229	124 205	102 190	97 205	88 184	76 166	66 131	64 161	81 170	99 197	87 173	107 235
270-277	Diseases of other endocrine glands .. .. . { M F	13 17	11 25	8 18	9 24	14 15	12 17	12 13	13 17	13 19	9 9	10 20	14 17

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
280-286	Avitaminoses, and other deficiency states.. {M F	11 10	6 4	8 6	10 2	5 4	8 10	5 5	5 4	4 3	5 10	2 1	5 13
287	Obesity, not specified as of endocrine origin {M F	3 5	1 9	5 7	2 7	4 6	6 6	3 5	3 4	— 5	2 5	1 7	4 10
288	Gout .. .. {M F	2 —	— 1	2 1	2 —	1 —	3 —	1 —	1 —	2 1	3 —	3 1	1 1
289	Other metabolic diseases .. {M F	5 2	6 5	10 7	5 3	3 2	3 11	3 1	6 6	9 5	3 7	3 3	7 4
290-299	IV.—Diseases of the Blood and Blood-forming Organs {M F	85 115	68 99	70 130	64 104	71 114	58 101	56 83	78 113	58 106	69 147	69 128	73 131
290	Pernicious and other hyperchromic anæmias {M F	38 52	30 49	35 70	22 56	25 53	16 56	18 44	28 50	21 46	28 77	29 46	32 66
291	Iron deficiency anæmias (hypochromic anæmias) {M F	3 13	7 10	3 12	6 5	2 11	5 9	3 5	6 13	5 12	7 17	4 22	10 18
292, 293	Other anæmias .. .. {M F	17 35	10 27	21 25	23 26	23 29	22 23	16 19	25 30	12 26	22 33	19 39	11 28
294-299	Other diseases of blood and blood-forming organs .. {M F	27 15	21 13	11 23	13 17	21 21	15 13	19 15	19 20	20 22	12 20	17 21	20 19
300-326	V.—Mental, Psychoneurotic, and Personality Disorders {M F	64 62	40 72	43 76	47 54	31 55	27 42	40 54	26 48	36 52	36 46	40 47	48 75
300-309	Psychoses .. .. {M F	49 45	28 60	26 63	39 43	21 41	18 31	28 42	19 40	25 40	31 36	24 35	35 57
310-326	Psychoneuroses, and disorders of personality, including mental deficiency {M F	15 17	12 12	17 13	8 11	10 14	9 11	12 12	7 8	11 12	5 10	16 12	13 18
330-398	VI.—Diseases of the Nervous System and Sense Organs {M F	3208 4143	3135 4298	2880 3961	2799 3859	2471 3398	2434 3253	2191 2899	2092 2830	2247 2933	2500 3423	2666 3570	3363 4527
330-334	Vascular lesions affecting central nervous system {M F	2946 3902	2873 3989	2626 3699	2552 3598	2277 3131	2222 3041	2001 2687	1897 2655	2038 2730	2269 3206	2430 3363	3056 4255
340	Meningitis, except meningococcal and tuberculous												
340.0	H. influenzae .. {M F	3 —	1 2	1 2	— 3	— —	2 2	1 —	— 1	2 2	5 1	2 1	7 1
340.1	Pneumococcus .. {M F	11 5	10 15	10 9	10 8	8 7	10 —	4 2	5 1	5 6	3 3	6 1	10 9
340.2	Due to other specified organism.. {M F	— 1	4 1	3 1	4 3	— —	2 3	3 1	2 1	1 3	1 1	2 —	2 1
340.3	Unspecified cause .. {M F	4 6	1 2	12 4	6 7	4 4	9 3	5 2	5 7	5 2	3 4	1 3	5 6
341-344	Other inflammatory diseases of central nervous system {M F	20 2	11 13	11 13	11 10	15 15	15 11	7 10	15 9	12 9	13 13	13 7	16 13
345	Multiple sclerosis .. .. {M F	30 36	24 67	29 46	33 47	23 27	28 33	18 36	19 25	27 32	22 38	27 32	31 51
350	Paralysis agitans .. .. {M F	64 68	62 83	52 82	48 82	44 81	47 71	54 67	50 56	53 65	56 69	68 62	72 78
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis {M F	24 27	31 32	26 23	28 25	24 31	25 21	14 30	17 15	11 18	30 25	27 21	33 25
353	Epilepsy .. .. {M F	37 33	45 43	48 36	35 32	28 48	30 34	31 28	34 27	34 27	41 25	39 32	50 42
354-357	Other diseases of central nervous system .. .. {M F	40 39	42 36	36 24	36 23	24 35	26 23	26 16	32 24	32 27	36 24	38 32	58 28
365	Erythrœdema polyneuritica {M F	2 —	2 1	1 2	— 1	2 3	— 2	2 2	1 1	2 1	— —	1 —	2 1
360-364, 366-369	Other diseases of nerves and peripheral ganglia .. {M F	4 3	6 3	1 5	8 1	3 5	1 3	3 4	2 2	6 3	3 2	2 3	— 1
370-379	Inflammatory diseases of eye .. .. {M F	1 1	1 —	1 —	— —	— —	1 1	1 1	— —	1 1	1 —	— —	1 1
380-389	Other diseases and conditions of eye .. .. {M F	— 4	2 —	1 3	1 5	— —	1 1	1 3	1 2	— 1	2 3	— 3	1 5
390-398	Diseases of ear and mastoid process .. .. {M F	22 16	20 11	22 12	27 14	19 11	15 4	20 10	12 4	18 6	15 9	10 10	20 10



TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>400-468</b>	<b>VII.—Diseases of the Circulatory System .. ..</b>	<b>{ M 9642</b>	<b>{ M 9802</b>	<b>{ M 8741</b>	<b>{ M 8035</b>	<b>{ M 6947</b>	<b>{ M 6210</b>	<b>{ M 5854</b>	<b>{ M 5598</b>	<b>{ M 6017</b>	<b>{ M 7236</b>	<b>{ M 7751</b>	<b>{ M 10672</b>
		<b>{ F 9356</b>	<b>{ F 9606</b>	<b>{ F 8576</b>	<b>{ F 7893</b>	<b>{ F 6667</b>	<b>{ F 6209</b>	<b>{ F 5673</b>	<b>{ F 5528</b>	<b>{ F 5782</b>	<b>{ F 6959</b>	<b>{ F 7364</b>	<b>{ F 10832</b>
400-402	Rheumatic fever .. ..	{ M 15	{ M 25	{ M 12	{ M 19	{ M 13	{ M 7	{ M 9	{ M 5	{ M 7	{ M 10	{ M 7	{ M 14
		{ F 16	{ F 25	{ F 22	{ F 15	{ F 17	{ F 14	{ F 8	{ F 10	{ F 10	{ F 7	{ F 16	{ F 24
410-416	Chronic rheumatic heart disease .. ..	{ M 334	{ M 374	{ M 318	{ M 312	{ M 242	{ M 247	{ M 234	{ M 208	{ M 270	{ M 260	{ M 287	{ M 385
		{ F 621	{ F 528	{ F 551	{ F 464	{ F 421	{ F 392	{ F 332	{ F 358	{ F 389	{ F 443	{ F 490	{ F 666
420	Arteriosclerotic heart disease, including coronary disease	{ M 3871	{ M 3695	{ M 3567	{ M 3195	{ M 3069	{ M 2705	{ M 2619	{ M 2550	{ M 2700	{ M 3187	{ M 3393	{ M 4389
		{ F 2125	{ F 2193	{ F 2016	{ F 1829	{ F 1690	{ F 1552	{ F 1510	{ F 1435	{ F 1574	{ F 1884	{ F 2040	{ F 2573
421	Chronic endocarditis not specified as rheumatic ..	{ M 134	{ M 163	{ M 137	{ M 117	{ M 145	{ M 117	{ M 96	{ M 82	{ M 101	{ M 120	{ M 125	{ M 164
		{ F 119	{ F 144	{ F 126	{ F 108	{ F 109	{ F 102	{ F 105	{ F 101	{ F 87	{ F 93	{ F 121	{ F 170
422	Other myocardial degeneration .. ..	{ M 3324	{ M 3527	{ M 2921	{ M 2665	{ M 2078	{ M 1768	{ M 1710	{ M 1554	{ M 1757	{ M 2187	{ M 2329	{ M 3459
		{ F 4310	{ F 4540	{ F 3868	{ F 3564	{ F 2862	{ F 2641	{ F 2313	{ F 2320	{ F 2393	{ F 2979	{ F 3055	{ F 4778
430	Acute and sub-acute endocarditis .. ..	{ M 15	{ M 18	{ M 9	{ M 12	{ M 13	{ M 21	{ M 15	{ M 18	{ M 14	{ M 11	{ M 18	{ M 19
		{ F 13	{ F 7	{ F 14	{ F 15	{ F 6	{ F 10	{ F 18	{ F 13	{ F 6	{ F 4	{ F 13	{ F 13
431	Acute myocarditis not specified as rheumatic ..	{ M 10	{ M 6	{ M 7	{ M 5	{ M 3	{ M 6	{ M 3	{ M 3	{ M 5	{ M 7	{ M 12	{ M 11
		{ F 10	{ F 11	{ F 6	{ F 10	{ F 3	{ F 3	{ F 2	{ F 3	{ F 5	{ F 5	{ F 4	{ F 16
432	Acute pericarditis specified as non-rheumatic ..	{ M —	{ M 4	{ M 1	{ M —	{ M —	{ M 1	{ M —	{ M —	{ M 1	{ M 1	{ M 1	{ M 2
		{ F 1	{ F 2	{ F 3	{ F —	{ F 1	{ F —	{ F 3	{ F —	{ F 1	{ F 1	{ F 3	{ F 3
433	Functional disease of heart	{ M 133	{ M 153	{ M 102	{ M 107	{ M 80	{ M 86	{ M 60	{ M 68	{ M 60	{ M 75	{ M 91	{ M 121
		{ F 195	{ F 178	{ F 173	{ F 160	{ F 134	{ F 117	{ F 104	{ F 122	{ F 104	{ F 116	{ F 140	{ F 217
434	Other and unspecified diseases of heart ..	{ M 185	{ M 177	{ M 183	{ M 179	{ M 118	{ M 130	{ M 104	{ M 131	{ M 105	{ M 164	{ M 144	{ M 251
		{ F 172	{ F 144	{ F 165	{ F 141	{ F 115	{ F 112	{ F 98	{ F 99	{ F 100	{ F 116	{ F 156	{ F 279
440-447	Hypertensive disease .. ..	{ M 949	{ M 958	{ M 807	{ M 793	{ M 692	{ M 628	{ M 587	{ M 547	{ M 561	{ M 668	{ M 786	{ M 1052
		{ F 1040	{ F 1061	{ F 926	{ F 889	{ F 730	{ F 754	{ F 675	{ F 590	{ F 592	{ F 751	{ F 761	{ F 1195
450	General arteriosclerosis .. ..	{ M 540	{ M 559	{ M 540	{ M 500	{ M 389	{ M 384	{ M 318	{ M 316	{ M 308	{ M 413	{ M 417	{ M 642
		{ F 568	{ F 610	{ F 550	{ F 535	{ F 445	{ F 379	{ F 375	{ F 353	{ F 382	{ F 400	{ F 420	{ F 695
451-456	Other diseases of arteries .. ..	{ M 65	{ M 83	{ M 62	{ M 71	{ M 58	{ M 58	{ M 40	{ M 52	{ M 67	{ M 67	{ M 75	{ M 83
		{ F 54	{ F 67	{ F 60	{ F 58	{ F 43	{ F 45	{ F 43	{ F 34	{ F 45	{ F 54	{ F 52	{ F 84
460-466	Diseases of veins .. ..	{ M 63	{ M 55	{ M 74	{ M 58	{ M 45	{ M 51	{ M 59	{ M 61	{ M 59	{ M 63	{ M 63	{ M 78
		{ F 112	{ F 95	{ F 93	{ F 102	{ F 86	{ F 85	{ F 83	{ F 88	{ F 92	{ F 104	{ F 92	{ F 112
467	Other diseases of circulatory system .. ..	{ M 3	{ M 4	{ M 1	{ M —	{ M 2	{ M —	{ M —	{ M 3	{ M 1	{ M 2	{ M 3	{ M 2
		{ F —	{ F 1	{ F 3	{ F 2	{ F 2	{ F 3	{ F 4	{ F 1	{ F 2	{ F 1	{ F 1	{ F 7
468	Certain diseases of lymph nodes & lymph channels	{ M 1	{ M 1	{ M —	{ M 2	{ M —	{ M 1	{ M —	{ M —	{ M 1	{ M 1	{ M —	{ M —
		{ F —	{ F —	{ F —	{ F 1	{ F 3	{ F —	{ F —	{ F 1	{ F —	{ F 1	{ F —	{ F —
<b>470-527</b>	<b>VIII.—Diseases of the Respiratory System .. ..</b>	<b>{ M 4124</b>	<b>{ M 4188</b>	<b>{ M 3235</b>	<b>{ M 2663</b>	<b>{ M 1781</b>	<b>{ M 1294</b>	<b>{ M 1126</b>	<b>{ M 1143</b>	<b>{ M 1245</b>	<b>{ M 2023</b>	<b>{ M 2437</b>	<b>{ M 6391</b>
		<b>{ F 2744</b>	<b>{ F 2931</b>	<b>{ F 2311</b>	<b>{ F 1816</b>	<b>{ F 1144</b>	<b>{ F 845</b>	<b>{ F 712</b>	<b>{ F 662</b>	<b>{ F 724</b>	<b>{ F 1294</b>	<b>{ F 1395</b>	<b>{ F 4161</b>
470-475	Acute upper respiratory infections .. ..	{ M 3	{ M 6	{ M 4	{ M 7	{ M 7	{ M 7	{ M 3	{ M 5	{ M 8	{ M 11	{ M 9	{ M 11
		{ F 11	{ F 6	{ F 8	{ F 6	{ F 6	{ F 4	{ F 3	{ F 4	{ F 7	{ F 10	{ F 4	{ F 11
480-483	Influenza .. ..	{ M 159	{ M 155	{ M 105	{ M 94	{ M 35	{ M 19	{ M 14	{ M 13	{ M 16	{ M 42	{ M 53	{ M 182
		{ F 124	{ F 158	{ F 156	{ F 123	{ F 39	{ F 13	{ F 8	{ F 13	{ F 12	{ F 38	{ F 37	{ F 155
490	Lobar pneumonia .. ..	{ M 305	{ M 273	{ M 223	{ M 203	{ M 135	{ M 93	{ M 118	{ M 87	{ M 94	{ M 171	{ M 150	{ M 336
		{ F 203	{ F 215	{ F 141	{ F 131	{ F 87	{ F 70	{ F 58	{ F 39	{ F 78	{ F 103	{ F 105	{ F 225
491	Bronchopneumonia .. ..	{ M 883	{ M 872	{ M 727	{ M 576	{ M 410	{ M 298	{ M 283	{ M 295	{ M 301	{ M 459	{ M 540	{ M 1260
		{ F 849	{ F 922	{ F 753	{ F 603	{ F 427	{ F 314	{ F 285	{ F 236	{ F 257	{ F 453	{ F 470	{ F 1171
492	Primary atypical pneumonia .. ..	{ M 9	{ M 12	{ M 6	{ M 3	{ M 3	{ M 7	{ M 1	{ M 6	{ M 6	{ M 4	{ M 9	{ M 11
		{ F 4	{ F 2	{ F 5	{ F 5	{ F 3	{ F 2	{ F 2	{ F 1	{ F 3	{ F 6	{ F 6	{ F 8
493	Pneumonia, other and unspecified .. ..	{ M 68	{ M 72	{ M 68	{ M 63	{ M 50	{ M 43	{ M 28	{ M 39	{ M 34	{ M 57	{ M 36	{ M 84
		{ F 65	{ F 61	{ F 78	{ F 54	{ F 42	{ F 44	{ F 26	{ F 34	{ F 36	{ F 53	{ F 31	{ F 93
500	Acute bronchitis .. ..	{ M 298	{ M 321	{ M 196	{ M 122	{ M 73	{ M 44	{ M 37	{ M 28	{ M 31	{ M 102	{ M 144	{ M 506
		{ F 354	{ F 335	{ F 215	{ F 146	{ F 67	{ F 43	{ F 30	{ F 31	{ F 47	{ F 109	{ F 143	{ F 531
501	Bronchitis unqualified .. ..	{ M 156	{ M 177	{ M 126	{ M 85	{ M 53	{ M 47	{ M 38	{ M 38	{ M 30	{ M 56	{ M 79	{ M 231
		{ F 155	{ F 180	{ F 134	{ F 97	{ F 48	{ F 35	{ F 23	{ F 20	{ F 18	{ F 63	{ F 65	{ F 259
502	Chronic bronchitis .. ..	{ M 1896	{ M 1942	{ M 1491	{ M 1230	{ M 800	{ M 558	{ M 471	{ M 477	{ M 563	{ M 878	{ M 1157	{ M 3283
		{ F 853	{ F 901	{ F 700	{ F 549	{ F 306	{ F 233	{ F 215	{ F 203	{ F 204	{ F 356	{ F 433	{ F 1500
510	Hypertrophy of tonsils and adenoids .. ..	{ M 3	{ M 3	{ M 1	{ M 2	{ M 3	{ M —	{ M 2	{ M 1	{ M 6	{ M —	{ M 3	{ M 4
		{ F 2	{ F 2	{ F 1	{ F 1	{ F 3	{ F 6	{ F —	{ F 1	{ F —	{ F 2	{ F 1	{ F —
511-517	Other diseases of upper respiratory tract .. ..	{ M 9	{ M 7	{ M 4	{ M 4	{ M 3	{ M 6	{ M 9	{ M 5	{ M 4	{ M 6	{ M 7	{ M 10
		{ F 4	{ F 8	{ F 2	{ F 4	{ F 1	{ F 8	{ F 1	{ F 3	{ F 3	{ F 9	{ F 3	{ F 3
518-522	Empyema, pleurisy, and pneumothorax .. ..	{ M 56	{ M 40	{ M 49	{ M 45	{ M 28	{ M 28	{ M 14	{ M 23	{ M 22	{ M 27	{ M 28	{ M 48
		{ F 53	{ F 46	{ F 39	{ F 32	{ F 49	{ F 28	{ F 26	{ F 30	{ F 24	{ F 32	{ F 33	{ F 76

TABLE 23—continued.

International List No.	Causes of Death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
523, 524	Silicosis and occupational pulmonary fibrosis ..	{ M F	60 —	55 —	54 1	45 —	35 —	34 —	24 —	26 —	37 —	60 1	53 —	83 1
525	Other chronic interstitial pneumonia ..	{ M F	20 7	30 8	15 11	10 10	14 5	11 4	8 4	9 6	14 1	10 10	9 6	30 14
526	Bronchiectasis ..	{ M F	119 43	135 66	102 48	105 42	75 41	61 32	48 19	47 28	50 24	82 39	97 41	166 65
527	Other diseases of lung and pleural cavity ..	{ M F	80 17	88 21	64 19	69 13	57 20	38 9	28 12	44 13	29 10	58 10	63 17	146 49
530-587	IX.—Diseases of the Digestive System ..	{ M F	925 651	872 629	782 576	698 560	691 586	738 569	694 550	710 515	661 543	713 538	803 573	931 729
530-539	Diseases of buccal cavity and œsophagus ..	{ M F	13 11	11 13	6 7	8 12	9 11	6 13	10 11	12 6	8 6	8 11	10 15	10 15
540	Ulcer of stomach ..	{ M F	214 95	190 89	142 90	148 56	144 68	146 57	135 63	151 73	145 61	160 69	164 66	228 119
541	Ulcer of duodenum ..	{ M F	213 37	206 43	185 34	152 31	133 32	150 38	140 21	144 30	159 27	156 38	209 32	241 56
542	Gastrojejunal ulcer ..	{ M F	5 2	5 —	3 —	1 —	3 1	3 1	8 1	3 —	3 1	1 —	4 —	7 2
543	Gastritis and duodenitis ..	{ M F	5 9	10 12	7 6	6 4	3 13	5 5	4 9	5 7	4 8	4 5	7 8	3 13
544	Disorders of function of stomach ..	{ M F	— 2	— —	— 1	— 2	— 3	— —	1 1	1 2	— 1	1 1	3 —	— —
545	Other diseases of stomach and duodenum ..	{ M F	6 3	5 1	6 1	5 —	8 1	7 1	11 3	6 1	3 2	7 1	4 4	9 —
550-553	Appendicitis ..	{ M F	53 49	53 42	48 41	48 38	42 34	62 45	48 33	58 25	52 37	55 33	41 42	36 27
560, 561	Hernia of abdominal cavity ..	{ M F	88 76	74 70	79 66	59 64	73 69	63 57	63 82	63 67	54 58	62 80	64 65	74 89
570	Intestinal obstruction, without mention of hernia ..	{ M F	69 55	75 65	70 51	53 77	61 65	69 54	53 61	68 45	48 58	57 54	65 54	74 73
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	{ M F	80 80	73 62	55 44	45 45	39 50	45 41	46 43	35 34	35 40	39 25	44 43	56 58
572-578	Other diseases of intestines and peritoneum ..	{ M F	49 91	52 72	54 83	59 69	47 74	62 79	49 72	58 81	46 75	57 66	57 79	57 82
580-583	Diseases of liver ..	{ M F	63 30	55 59	60 46	66 48	66 46	64 53	68 42	51 48	45 53	61 50	71 60	74 60
584-586	Diseases of gall bladder and biliary ducts ..	{ M F	39 89	37 78	41 79	33 94	45 97	28 102	38 91	38 83	45 89	31 86	41 83	41 100
587	Diseases of pancreas ..	{ M F	28 22	26 23	26 27	15 20	18 22	28 23	20 17	17 13	14 27	14 19	19 22	21 35
590-637	X.—Diseases of the Genito-Urinary System ..	{ M F	831 410	787 403	786 374	731 386	679 344	648 315	638 300	659 266	679 279	720 362	714 357	792 378
590	Acute nephritis ..	{ M F	19 14	15 13	15 5	8 4	12 10	4 2	5 6	7 3	8 6	10 9	15 9	11 14
591-594	Chronic, other and unspecified nephritis ..	{ M F	279 276	261 279	250 269	249 275	230 226	206 214	202 195	222 173	231 170	227 237	232 231	274 240
600-609	Other diseases of urinary system ..	{ M F	110 104	97 93	113 81	96 79	73 87	82 77	90 74	80 73	100 85	113 89	109 95	100 85
610	Hyperplasia of prostate ..	M	408	399	394	363	346	348	328	338	331	361	342	397
611-617	Other diseases of male genital organs	M	15	15	14	15	18	8	13	12	9	9	16	10
620, 621	Diseases of breast ..	F	—	1	1	2	—	—	—	1	—	—	—	—
622-626	Diseases of ovary, Fallopian tube, and parametrium	F	4	4	3	8	6	3	6	4	1	7	3	5
630-637	Diseases of uterus and other female genital organs	F	12	13	15	18	15	19	19	12	17	20	19	34



TABLE 23—continued.

International List No.	Causes of Death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>640-689</b>	<b>XI.—Deliveries and Complications of Pregnancy, Childbirth and the Puerperium</b>	<b>F</b>	<b>41</b>	<b>46</b>	<b>35</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>47</b>	<b>45</b>	<b>31</b>	<b>40</b>	<b>34</b>	<b>38</b>
640	Pyelitis and pyelonephritis of pregnancy	F	—	—	1	1	—	—	—	1	—	—	—	—
641	Other infections of genito-urinary tract during pregnancy	F	—	—	1	—	—	—	1	—	—	—	—	1
642	Toxæmias of pregnancy ..	F	9	15	10	13	8	14	15	8	11	9	10	10
643-649	Other complications of pregnancy	F	3	6	3	2	5	7	1	5	1	3	4	3
650-652	Abortion .. ..	F	6	8	7	9	13	8	7	8	4	7	3	7
660-678	Delivery .. ..	F	15	11	10	13	16	6	16	9	7	11	12	10
680	Puerperal urinary infection without other sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	—	—	—	1	—	—	—	1	—	1	—	2
682	Puerperal phlebitis and thrombosis	F	1	2	2	2	2	2	1	4	3	2	5	2
684	Puerperal pulmonary embolism	F	2	1	1	2	1	3	4	5	3	2	—	1
685, 686	Puerperal toxæmia ..	F	2	3	—	2	1	2	1	2	1	2	—	1
687	Cerebral hæmorrhage in the puerperium	F	3	—	—	2	—	2	—	2	—	2	—	—
688, 689	Other complications of puerperium	F	—	—	—	—	1	2	1	—	1	1	—	1
<b>690-716</b>	<b>XII.—Diseases of the Skin and Cellular Tissue ..</b>	<b>{M</b>	<b>12</b>	<b>29</b>	<b>28</b>	<b>17</b>	<b>15</b>	<b>30</b>	<b>24</b>	<b>14</b>	<b>18</b>	<b>17</b>	<b>22</b>	<b>21</b>
		<b>{F</b>	<b>36</b>	<b>37</b>	<b>42</b>	<b>23</b>	<b>18</b>	<b>34</b>	<b>23</b>	<b>32</b>	<b>24</b>	<b>31</b>	<b>23</b>	<b>34</b>
690-698	Infections of skin and subcutaneous tissue ..	{M	6	14	10	6	6	8	11	6	7	7	5	7
		{F	12	13	14	11	7	13	8	10	5	4	3	12
700-716	Other diseases of skin and subcutaneous tissue ..	{M	6	15	18	11	9	22	13	8	11	10	17	14
		{F	24	24	28	12	11	21	15	22	19	27	20	22
<b>720-749</b>	<b>XIII.—Diseases of the Bones and Organs of Movement</b>	<b>{M</b>	<b>61</b>	<b>41</b>	<b>57</b>	<b>46</b>	<b>38</b>	<b>37</b>	<b>31</b>	<b>34</b>	<b>45</b>	<b>45</b>	<b>42</b>	<b>60</b>
		<b>{F</b>	<b>93</b>	<b>104</b>	<b>80</b>	<b>81</b>	<b>87</b>	<b>72</b>	<b>89</b>	<b>47</b>	<b>81</b>	<b>78</b>	<b>63</b>	<b>85</b>
720, 721	Acute arthritis .. ..	{M	—	1	1	—	1	1	2	—	1	2	2	1
		{F	1	3	—	1	—	1	1	1	1	—	—	2
722	Rheumatoid arthritis and allied conditions ..	{M	19	10	7	18	12	10	11	10	11	14	12	20
		{F	59	61	50	42	49	46	55	21	47	37	38	43
723	Osteo-arthritis (arthrosis) & allied conditions ..	{M	7	6	10	4	4	7	3	5	6	9	5	4
		{F	12	16	10	16	17	11	14	9	14	18	9	13
724, 725	Other and unspecified forms of arthritis .. ..	{M	2	—	1	—	1	—	1	—	1	—	—	1
		{F	2	5	1	—	1	—	—	2	3	—	2	1
726, 727	Muscular rheumatism, and rheumatism unspecified	{M	—	—	—	—	—	—	—	1	—	1	1	—
		{F	1	—	1	—	—	1	1	—	—	—	1	—
730	Osteomyelitis & periostitis	{M	7	5	10	3	6	3	1	6	5	3	3	1
		{F	3	2	3	2	3	—	3	3	3	2	2	4
731-749	Other diseases of musculo-skeletal system .. ..	{M	26	19	28	21	14	16	13	12	21	16	19	33
		{F	15	17	15	20	17	13	15	11	13	21	11	22
<b>750-759</b>	<b>XIV.—Congenital Malformations .. ..</b>	<b>{M</b>	<b>215</b>	<b>203</b>	<b>193</b>	<b>211</b>	<b>176</b>	<b>219</b>	<b>183</b>	<b>154</b>	<b>172</b>	<b>188</b>	<b>199</b>	<b>203</b>
		<b>{F</b>	<b>205</b>	<b>199</b>	<b>181</b>	<b>171</b>	<b>164</b>	<b>189</b>	<b>181</b>	<b>161</b>	<b>151</b>	<b>186</b>	<b>169</b>	<b>172</b>
750	Monstrosity .. ..	{M	4	6	5	6	2	6	2	3	5	3	7	5
		{F	6	7	5	6	8	4	4	5	3	4	8	8

TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
751	Spina bifida and meningocele .. .. { M F	29 62	45 52	27 48	36 39	33 54	31 46	34 47	19 40	22 38	29 41	26 42	44 32
752	Congenital hydrocephalus { M F	14 8	9 7	11 8	10 2	7 6	12 11	8 11	11 9	5 7	8 8	14 8	8 17
753	Other congenital malformation of nervous system and sense organs. { M F	6 4	4 3	4 4	1 4	5 2	11 6	2 4	4 4	5 2	9 1	5 2	4 4
754	Congenital malformations of circulatory system .. { M F	89 67	72 75	71 68	86 73	70 59	82 64	70 64	60 70	73 61	70 78	71 57	71 67
755	Cleft palate and harelip .. { M F	2 1	— —	1 1	2 —	1 —	5 —	1 —	4 —	4 1	3 —	— 1	1 3
756	Congenital malformations of digestive system .. { M F	31 21	27 16	30 15	28 16	19 11	32 19	35 21	23 14	24 10	23 19	38 20	32 16
757	Congenital malformations of genito-urinary system { M F	26 17	25 18	28 17	15 14	25 15	20 17	19 18	15 10	16 16	31 20	22 19	23 10
758	Congenital malformations of bone and joint .. { M F	3 6	3 4	1 —	6 5	2 3	1 4	3 4	3 1	4 —	4 1	1 1	— 2
759	Other and unspecified congenital malformations, not elsewhere classified. { M F	11 13	12 17	15 15	21 12	12 6	19 18	9 8	12 8	14 13	8 14	15 11	15 13
760-776	XV.—Certain Diseases of Early Infancy .. { M F	553 405	534 388	518 395	555 350	476 341	455 264	442 325	502 295	431 294	499 322	463 365	534 379
760	Intracranial and spinal injury at birth .. { M F	71 49	95 45	80 53	94 45	88 49	59 35	83 44	92 44	77 40	86 49	76 29	78 49
761	Other birth injury .. { M F	11 15	21 10	23 14	15 6	18 18	22 12	18 13	16 12	10 14	20 12	11 13	17 11
762	Postnatal asphyxia and atelectasis .. { M F	133 83	128 94	162 105	148 76	120 80	86 66	107 87	126 73	106 67	112 78	118 103	122 74
763	Pneumonia of newborn .. { M F	58 42	55 53	53 37	50 28	26 32	51 9	31 21	43 24	35 25	38 33	29 27	67 48
764	Diarrhœa of newborn .. { M F	3 5	2 3	4 2	— 1	4 1	4 1	3 2	1 1	3 2	4 2	2 4	10 2
765-769	Other infections of newborn { M F	13 13	17 17	9 8	12 13	9 5	11 9	5 8	11 10	14 5	5 7	9 8	16 6
770	Hæmolytic disease of newborn .. { M F	24 15	25 15	13 21	25 18	19 19	20 10	19 19	18 11	13 17	22 16	23 26	16 15
771	Hæmorrhagic disease of newborn .. { M F	8 11	8 11	9 5	9 14	5 5	10 4	9 3	9 5	3 6	9 2	12 5	11 7
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy. { M F	23 21	14 14	19 9	17 13	14 5	14 12	11 7	16 4	10 11	21 8	12 7	18 13
774-776	Immaturity unqualified .. { M F	209 151	169 126	146 141	185 136	173 127	178 106	156 121	170 111	160 107	182 115	171 143	179 154
780-795	XVI.—Symptoms, Senility and Ill-Defined Conditions { M F	373 527	294 527	303 476	277 406	212 350	205 323	177 299	183 299	163 307	217 342	241 374	341 513
780-789	Symptoms referable to systems or organs .. { M F	6 10	10 11	6 10	7 6	8 2	8 9	7 5	11 4	6 4	9 2	6 6	10 7
792	Uræmia unqualified .. { M F	— 1	5 3	1 1	1 —	1 —	1 2	1 1	5 1	— —	— —	1 1	2 3
794	Senility without mention of psychosis .. { M F	358 514	278 511	295 460	265 399	201 347	191 311	162 290	164 290	154 296	203 337	230 365	327 502
790, 791, 793, 795.	Ill-defined and unknown causes of mortality .. { M F	9 2	1 2	1 5	4 1	2 1	5 1	7 3	3 4	3 7	5 3	4 2	2 1



TABLE 23—continued.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E800-E999	XVII.—Accidents, Poisonings & Violence (External Cause). {M F	1049 650	904 656	975 587	960 610	993 466	972 505	1081 498	985 477	918 492	1004 602	915 570	1114 678
E800-E802	Railway accidents .. .. {M F	30 7	19 1	27 3	21 1	28 6	28 3	25 3	19 7	18 —	117 22	23 3	39 4
E810-E825	Motor vehicle traffic accidents .. .. {M F	267 82	195 59	203 70	230 79	222 61	235 70	288 86	289 71	270 66	259 92	230 108	310 100
E830-E835	Motor vehicle non-traffic accidents .. .. {M F	12 —	12 1	19 —	12 1	10 3	17 —	13 2	10 4	10 —	9 1	5 —	6 —
E840-E845	Other road vehicle accidents {M F	18 3	16 8	21 11	18 4	21 6	17 4	26 3	21 14	14 8	15 5	19 6	11 3
E850-E858	Water transport accidents {M F	12 —	9 —	6 —	11 —	20 1	21 2	15 1	9 2	14 —	7 —	7 1	10 —
E860-E866	Aircraft accidents .. .. {M F	41 8	8 —	14 1	18 1	24 1	16 —	24 1	33 —	41 8	17 —	22 —	27 —
E870-E895	Accidental poisoning .. {M F	50 61	42 57	26 40	35 37	20 27	22 19	28 19	14 26	34 29	38 25	46 44	52 56
E900-E904	Accidental falls .. .. {M F	171 221	151 246	149 213	101 211	136 177	143 176	115 163	125 161	132 175	129 222	155 197	160 254
E910-E936	Other accidents .. .. {M F	199 126	189 146	221 112	220 96	242 61	219 69	262 70	229 81	165 81	165 92	192 78	225 127
E940-E959	Complications due to medical & surgical procedures {M F	— 1	1 —	1 —	1 —	— —	1 1	— 4	— 3	— 2	1 —	2 1	— —
E960-E965	Late effects of injury and poisoning .. .. {M F	16 3	30 3	17 1	14 3	18 4	12 —	12 1	10 2	11 4	17 1	9 2	24 3
E970-E973	Suicide by poisoning .. {M F	127 97	133 99	145 98	142 123	125 82	114 105	124 92	115 71	108 89	113 97	111 93	118 90
E974	Suicide and self-inflicted injury by hanging and strangulation. {M F	30 6	28 8	50 15	58 8	52 9	58 15	54 13	43 8	37 6	40 8	37 12	42 10
E975	Suicide and self-inflicted injury by submersion (drowning). {M F	21 20	27 15	23 12	22 20	30 14	17 17	31 15	15 13	17 15	25 19	17 10	25 16
E976-E979	Suicide by other and unspecified means .. .. {M F	46 4	38 9	45 6	45 9	40 8	49 15	50 12	46 7	37 6	43 9	35 10	52 8
E980-E985	Homicide and injury purposely inflicted by other persons (not in war). {M F	9 11	6 4	8 5	12 17	5 6	3 9	14 13	7 7	10 3	9 9	5 5	13 7
E990-E999	Injury resulting from operations of war .. .. {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 24.—Stillbirths by Sex and Legitimacy (with Ratio per 1,000 Total Births), 1952.

England and Wales, Standard Regions; Conurbations ; London and Metropolitan Boroughs, and County Boroughs ; Aggregates of other Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page v.

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 Total Births
	M.	F.	M.	F.		
SUMMARY.						
ENGLAND AND WALES ... ..	7826	6814	542	454	15636	23
NORTHERN ... ..	688	610	49	28	1375	25
Tyneside conurbation ... ..	193	191	13	8	405	28
Remainder of Northern... ..	495	419	36	20	970	24
EAST AND WEST RIDINGS ... ..	794	654	51	53	1552	24
West Yorkshire conurbation ... ..	334	254	26	22	636	25
Remainder of East and West Ridings ... ..	460	400	25	31	916	24
NORTH WESTERN ... ..	1282	1182	85	80	2629	25
South East Lancashire conurbation ... ..	477	452	29	34	992	26
Merseyside conurbation ... ..	309	309	28	19	665	25
Remainder of North Western ... ..	496	421	28	27	972	25
NORTH MIDLAND ... ..	598	566	37	34	1235	22
MIDLAND ... ..	827	724	62	43	1656	23
West Midland conurbation ... ..	388	358	26	27	799	22
Remainder of Midland ... ..	439	366	36	16	857	24
EASTERN ... ..	522	444	36	29	1031	21
LONDON AND SOUTH EASTERN ... ..	1592	1329	116	113	3150	20
Greater London ... ..	1196	998	93	85	2372	20
Remainder of South Eastern ... ..	396	331	23	28	778	21
SOUTHERN ... ..	439	353	31	28	851	20
SOUTH WESTERN ... ..	491	421	35	18	965	21
WALES ... ..	593	531	40	28	1192	28
Wales I ... ..	428	408	30	20	886	29
Wales II ... ..	165	123	10	8	306	26
Density Aggregates Summary :						
Conurbations ... ..	2897	2562	215	195	5869	22
Areas outside the conurbations... ..	4929	4252	327	259	9767	23
Urban areas with populations of 100,000 and over ... ..	1081	934	85	55	2155	23
Urban areas with populations of 50,000 and under 100,000 ... ..	605	537	59	44	1245	24
Urban areas with populations of under 50,000 ... ..	1727	1509	98	79	3413	23
Rural areas ... ..	1516	1272	85	81	2954	22



TABLE 24—continued.

Area.	Legitimate.		Illegitimate.		Total	Still-births per 1000 Total Births	Area.	Legitimate.		Illegitimate.		Total	Still-births per 1000 Total Births
	M.	F.	M.	F.				M.	F.	M.	F.		
LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
London ... ..	494	409	52	45	1000	19							
City of London } Inner and Middle } Temples ... }	—	—	—	—	—	—	County Boroughs —contd.						
							Dudley ... ..	17	8	2	—	27	26
							Eastbourne ... ..	6	7	4	1	18	28
							East Ham ... ..	19	10	1	2	32	20
							Exeter ... ..	16	9	1	—	26	23
							Gateshead ... ..	27	30	—	3	60	29
Metropolitan Boroughs:							Gloucester ... ..	14	4	1	—	19	17
Battersea ... ..	18	23	1	—	42	23	Great Yarmouth ... ..	9	7	—	2	18	24
Bermondsey ... ..	10	12	2	1	25	25	Grimsby ... ..	18	24	—	—	42	24
Bethnal Green ... ..	9	7	—	—	16	16	Halifax ... ..	18	13	2	1	34	24
Camberwell ... ..	30	25	1	1	57	19	Hastings ... ..	10	9	—	1	20	25
Chelsea ... ..	9	5	—	—	14	17							
Deptford ... ..	11	8	—	—	19	14	Huddersfield ... ..	17	18	4	1	40	21
Finsbury ... ..	9	4	1	1	15	22	Ipswich ... ..	19	14	2	1	36	20
Fulham... ..	16	17	3	1	37	21	Kingston upon Hull ... ..	71	53	3	7	134	23
Greenwich ... ..	10	12	—	1	23	17	Leeds ... ..	108	58	9	9	184	23
Hackney ... ..	33	21	3	1	58	23	Leicester ... ..	38	46	2	3	89	19
Hammersmith ... ..	13	14	1	6	34	19							
Hampstead ... ..	16	11	1	1	29	20	Lincoln ... ..	11	18	1	1	31	29
Holborn ... ..	2	1	—	—	3	10	Liverpool ... ..	198	171	13	15	397	24
Islington ... ..	38	22	7	2	69	18	Manchester ... ..	166	160	9	14	349	27
Kensington ... ..	17	21	5	6	49	17	Middlesbrough ... ..	33	34	1	2	70	22
Lambeth ... ..	35	25	4	1	65	18	Newcastle upon Tyne ... ..	58	65	4	2	129	26
Lewisham ... ..	27	30	—	—	57	18							
Paddington ... ..	16	22	3	5	46	22	Northampton... ..	15	22	—	2	39	26
Poplar ... ..	16	10	—	2	28	22	Norwich ... ..	14	17	—	1	32	17
St. Marylebone ... ..	11	6	3	1	21	22	Nottingham ... ..	51	58	5	5	119	22
St. Pancras ... ..	20	13	5	1	39	18	Oldham ... ..	27	21	4	1	53	28
Shoreditch ... ..	8	4	2	1	15	18	Oxford ... ..	11	4	1	1	17	11
Southwark ... ..	14	23	—	1	38	21							
Stepney... ..	24	18	4	4	50	26	Plymouth ... ..	37	34	5	3	79	22
Stoke Newington ... ..	10	3	—	—	13	16	Portsmouth ... ..	41	50	2	—	93	24
							Preston ... ..	20	20	3	—	43	21
Wandsworth ... ..	42	25	2	6	75	17	Reading ... ..	27	16	3	1	47	27
Westminster ... ..	11	13	1	1	26	20	Rochdale ... ..	16	11	—	1	28	21
Woolwich ... ..	19	14	3	1	37	17							
County Boroughs	2651	2374	219	170	5414	24	Rotherham ... ..	19	15	2	—	36	26
Barnsley ... ..	14	12	2	2	30	21	St. Helens ... ..	28	28	1	2	59	29
Barrow-in-Furness ... ..	10	12	1	—	23	22	Salford ... ..	29	27	3	3	62	20
Bath ... ..	17	9	2	1	29	25	Sheffield ... ..	68	68	7	1	144	20
Birkenhead ... ..	28	47	7	2	84	31	Smethwick ... ..	10	5	2	1	18	16
Birmingham ... ..	175	168	16	17	376	20							
Blackburn ... ..	25	23	1	1	50	32	Southampton ... ..	54	41	4	2	101	33
Blackpool ... ..	32	12	1	1	46	28	Southend-on-Sea ... ..	18	18	2	3	41	19
Bolton ... ..	30	32	1	2	65	27	Southport ... ..	17	12	3	1	33	34
Bootle ... ..	15	18	2	—	35	22	South Shields ... ..	22	24	2	2	50	24
Bournemouth ... ..	15	6	1	—	22	14	Stockport ... ..	21	21	3	—	45	21
Bradford ... ..	70	60	5	8	143	30							
Brighton ... ..	18	13	2	1	34	16	Stoke on Trent ... ..	61	57	8	3	129	28
Bristol ... ..	77	60	4	2	143	21	Sunderland ... ..	34	32	3	1	70	19
Burnley ... ..	11	14	4	3	32	26	Tynemouth ... ..	19	15	—	—	34	27
Burton upon Trent ... ..	5	9	3	1	18	21	Wakefield ... ..	17	8	2	—	27	29
							Wallasey ... ..	17	21	4	1	43	25
Bury ... ..	15	13	—	—	28	32							
Canterbury ... ..	3	6	—	—	9	19	Walsall ... ..	23	35	—	3	61	29
Carlisle ... ..	7	6	4	1	18	15	Warrington ... ..	18	11	3	—	32	23
Chester ... ..	6	12	—	1	19	22	West Bromwich ... ..	25	23	2	1	51	33
Coventry ... ..	43	32	4	1	80	19	West Ham ... ..	37	21	1	2	61	21
							West Hartlepool ... ..	15	17	—	2	34	23
Croydon ... ..	40	39	2	1	82	23							
Darlington ... ..	22	15	4	—	41	33	Wigan ... ..	20	21	1	2	44	32
Derby ... ..	33	24	2	—	59	28	Wolverhampton ... ..	37	23	—	1	61	23
Dewsbury ... ..	9	17	1	—	27	30	Worcester ... ..	15	13	3	2	33	32
Doncaster ... ..	13	15	1	3	32	25	York ... ..	28	16	1	1	46	29
							Cardiff ... ..	56	46	6	3	111	25
							Merthyr Tydfil ... ..	22	23	—	—	45	45
							Newport, Mon. ... ..	26	21	3	2	52	29
							Swansea ... ..	30	27	1	3	61	24

TABLE 24—continued.

Area.	Legitimate.		Illegitimate.		Total	Still-births per 1000 Total Births	Area.	Legitimate.		Illegitimate.		Total	Still-births per 1000 Total Births		
	M.	F.	M.	F.				M.	F.	M.	F.				
ADMINISTRATIVE COUNTIES.															
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.															
Bedfordshire ...	U.D.	38	29	3	3	73	22	Shropshire ...	U.D.	30	28	4	1	63	27
	R.D.	20	15	1	1	37	24		R.D.	25	20	—	2	47	19
Berkshire ...	U.D.	14	13	—	1	28	17	Somerset ...	U.D.	33	32	2	1	68	21
	R.D.	33	29	2	2	66	20		R.D.	49	35	—	4	88	23
Buckinghamshire	U.D.	32	21	3	2	58	19	Southampton ...	U.D.	62	43	4	7	116	20
	R.D.	25	21	1	2	49	16		R.D.	45	39	3	5	92	19
Cambridgeshire ...	U.D.	14	15	—	—	29	22	Staffordshire ...	U.D.	129	112	4	5	250	24
	R.D.	15	10	2	—	27	21		R.D.	52	38	1	1	92	27
Cheshire ...	U.D.	101	105	4	6	216	24	Suffolk, East ...	U.D.	24	14	1	—	39	27
	R.D.	32	31	2	2	67	22		R.D.	18	21	1	1	41	23
Cornwall ...	U.D.	38	38	1	—	77	28	Suffolk, West ...	U.D.	6	10	—	1	17	26
	R.D.	21	16	3	—	40	18		R.D.	10	15	—	1	26	21
Cumberland ...	U.D.	21	20	—	—	41	27	Surrey ...	U.D.	153	127	5	8	293	19
	R.D.	31	22	2	—	55	24		R.D.	28	16	2	—	46	21
Derbyshire ...	U.D.	58	66	3	4	131	24	Sussex East ...	U.D.	21	28	1	2	52	25
	R.D.	58	51	2	1	112	22		R.D.	29	21	1	—	51	25
Devon ...	U.D.	39	26	4	1	70	20	Sussex, West ...	U.D.	15	26	—	—	41	20
	R.D.	37	32	2	1	72	21		R.D.	23	16	2	2	43	20
Dorset ...	U.D.	21	24	2	2	49	19	Warwickshire ...	U.D.	52	38	3	—	93	19
	R.D.	19	15	4	1	39	22		R.D.	32	15	6	1	54	19
Durham ...	U.D.	156	126	10	7	299	27	Westmorland ...	U.D.	7	3	1	—	11	26
	R.D.	61	51	1	1	114	24		R.D.	3	8	1	—	12	22
Ely, Isle of ...	U.D.	9	8	2	—	19	21	Wight, Isle of ...	U.D.	7	6	1	—	14	14
	R.D.	9	3	—	—	12	20		R.D.	2	2	—	—	4	17
Essex ...	U.D.	231	188	12	9	440	21	Wiltshire ...	U.D.	19	23	1	1	44	16
	R.D.	46	29	5	—	80	22		R.D.	23	38	2	—	63	19
Gloucestershire ...	U.D.	17	27	4	2	50	22	Worcestershire ...	U.D.	38	54	3	1	96	21
	R.D.	54	38	3	2	97	20		R.D.	24	24	1	—	49	25
Herefordshire ...	U.D.	17	10	—	1	28	33	Yorkshire, E.R.	U.D.	11	15	1	2	29	19
	R.D.	17	12	—	1	30	22		R.D.	23	11	—	2	36	22
Hertfordshire ...	U.D.	67	52	7	2	128	20	Yorkshire, N.R.	U.D.	41	43	4	2	90	26
	R.D.	26	27	—	3	56	19		R.D.	34	26	3	3	66	25
Huntingdonshire	U.D.	7	8	—	—	15	31	Yorkshire, W.R.	U.D.	222	207	10	9	448	25
	R.D.	5	8	—	—	13	20		R.D.	86	68	1	7	162	23
Kent ...	U.D.	195	160	8	9	372	21	Anglesey ...	U.D.	2	5	—	—	7	19
	R.D.	55	51	2	10	118	23		R.D.	5	7	2	1	15	28
Lancashire ...	U.D.	349	283	13	18	663	26	Brecknockshire ...	U.D.	3	4	—	—	7	29
	R.D.	39	46	2	4	91	21		R.D.	18	10	—	—	28	45
Leicestershire ...	U.D.	31	18	—	3	52	20	Caernarvonshire	U.D.	8	13	—	—	21	21
	R.D.	36	31	1	1	69	23		R.D.	7	13	1	1	22	29
Lincs., Holland ...	U.D.	7	1	1	—	9	14	Cardiganshire ...	U.D.	4	1	—	—	5	23
	R.D.	14	11	3	1	29	27		R.D.	8	5	1	—	14	29
Lincs., Kesteven	U.D.	10	6	1	1	18	25	Carmarthenshire	U.D.	16	13	1	1	31	33
	R.D.	17	16	—	1	34	24		R.D.	15	19	2	1	37	25
Lincs., Lindsey ...	U.D.	28	19	2	2	51	20	Denbighshire ...	U.D.	12	11	1	2	26	22
	R.D.	37	22	5	—	64	24		R.D.	32	17	2	—	51	33
Middlesex ...	U.D.	309	259	26	23	617	20	Flintshire ...	U.D.	18	9	—	1	28	24
Norfolk ...	U.D.	10	9	3	—	22	18		R.D.	17	18	—	—	35	29
	R.D.	44	38	2	7	91	20	Glamorganshire...	U.D.	121	128	12	5	266	29
Northamptonshire	U.D.	35	14	1	2	52	24		R.D.	38	52	2	4	96	30
	R.D.	9	21	1	1	32	17	Merionethshire	U.D.	3	1	1	—	5	21
Northumberland	U.D.	79	63	7	2	151	26		R.D.	2	1	—	—	3	10
	R.D.	18	10	2	—	30	20	Monmouthshire...	U.D.	76	58	2	1	137	28
Nottinghamshire	U.D.	61	67	5	6	139	23		R.D.	7	7	1	—	15	21
	R.D.	32	30	2	—	64	24	Montgomeryshire	U.D.	2	3	1	1	7	22
Oxfordshire ...	U.D.	9	7	—	1	17	22		R.D.	7	2	—	—	9	20
	R.D.	22	16	—	1	39	17	Pembrokeshire ...	U.D.	20	10	1	—	31	40
Peterborough, Soke of	U.D.	4	8	—	—	12	15		R.D.	13	7	—	2	22	27
Rutland ...	U.D.	5	1	—	—	6	31	Radnorshire ...	U.D.	1	—	—	—	1	10
	R.D.	—	—	—	—	—	—		R.D.	4	—	—	—	4	21
	R.D.	2	2	—	—	4	12								



TABLE 25.—Deaths at Various Periods in the First Year of Life by Legitimacy.  
Death rates per 1,000 related Live Births, 1952.

{England and Wales, Standard Regions, Conurbations, London and Metropolitan Boroughs, County Boroughs and aggregates of other Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page v.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.									
	Deaths.										Deaths.										Deaths.									
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.
ENGLAND AND WALES ..	5089	5109	2133	2474	1932	1110	658	18555	18	28	4682	4824	2007	2331	1874	1064	635	17417	18	27	407	285	126	143	108	46	23	1138	25	35
Regional Summary:																														
Northern ..	406	443	235	237	217	121	64	1723	20	32	385	424	226	222	208	120	60	1645	20	32	21	19	9	15	9	1	4	78	23	37
Tyneside Conurbation ..	110	125	68	61	64	34	12	474	21	33	102	120	65	58	60	34	11	450	21	33	8	5	3	3	4	—	1	24	27	41
Remainder of Northern ..	296	318	167	176	153	87	52	1249	20	32	283	304	161	164	148	86	49	1195	20	32	13	14	6	12	5	1	3	54	22	35
East and West Ridings ..	522	478	195	279	229	109	77	1889	19	30	481	449	182	262	213	105	70	1762	18	29	41	29	13	17	16	4	7	127	27	42
West Yorkshire Conurbation ..	231	176	57	108	89	46	34	741	18	29	209	165	56	99	83	44	30	686	18	29	22	11	1	9	6	2	4	55	24	39
Remainder of East and West Ridings ..	291	302	138	171	140	63	43	1148	19	30	272	284	126	163	130	61	40	1076	19	30	19	18	12	8	10	2	3	72	30	44
North Western ..	869	869	408	467	365	198	108	3284	21	32	789	825	389	434	349	188	108	3082	21	32	80	44	19	33	16	10	—	202	29	41
South East Lancs. Conurbation ..	335	315	120	186	145	68	37	1206	21	32	302	292	114	169	136	63	37	1113	20	31	33	23	6	17	9	5	—	93	31	46
Merseyside Conurbation ..	238	230	113	128	103	52	33	897	22	35	222	219	107	120	102	50	33	853	22	35	16	11	6	8	1	2	—	44	26	34
Remainder of North Western ..	296	324	175	153	117	78	38	1181	21	31	265	314	168	145	111	75	38	1116	20	31	31	10	7	8	6	3	—	65	30	41
North Midland ..	403	404	207	185	176	87	66	1528	19	29	365	384	196	171	168	82	64	1430	19	28	38	20	11	14	8	5	2	98	27	38
Midland ..	569	531	225	287	220	143	75	2050	19	29	531	506	216	275	204	140	73	1945	18	29	38	25	9	12	16	3	2	105	23	33
West Midlands Conurbation ..	294	264	116	145	121	66	41	1047	19	29	275	249	109	137	115	66	41	992	18	29	19	15	7	8	6	—	—	55	26	35
Remainder of Midland ..	275	267	109	142	99	77	34	1003	18	28	256	257	107	138	89	74	32	953	18	28	19	10	2	4	10	3	2	50	20	31
Eastern ..	312	343	119	127	107	65	37	1110	16	23	283	325	108	123	104	61	36	1040	16	23	29	18	11	4	3	4	1	70	24	29
London and South Eastern ..	1051	1012	350	431	327	192	109	3472	16	23	956	930	321	403	303	182	105	3200	15	22	95	82	29	28	24	10	4	272	25	33
Greater London ..	796	742	266	330	258	143	72	2607	15	22	713	685	249	309	238	137	70	2401	15	22	83	57	17	21	20	6	2	206	24	32
Remainder of South Eastern ..	255	270	84	101	69	49	37	865	17	24	243	245	72	94	65	45	35	799	16	23	12	25	12	7	4	2	—	66	27	36
Southern ..	279	286	113	124	92	45	32	971	16	23	258	264	106	117	86	45	32	908	16	23	21	22	7	7	6	—	—	63	22	27
South Western ..	343	370	131	99	105	65	38	1151	19	26	320	357	122	93	100	59	37	1088	19	25	23	13	9	6	5	6	1	63	21	29
Wales ..	335	373	150	238	144	85	52	1377	21	33	314	360	141	231	139	82	50	1317	21	33	21	13	9	7	5	3	2	60	27	37
Wales I ..	249	260	109	183	109	65	36	1011	21	34	238	250	102	179	105	64	36	974	20	34	11	10	7	4	4	1	—	37	26	34
Wales II ..	86	113	41	55	35	20	16	366	21	32	76	110	39	52	34	18	14	343	21	32	10	3	2	3	1	2	—	23	28	43
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)

Density Aggregate Summary:

Conurbations... Areas outside the Conurbations Urban areas, with populations of 100,000 and over Urban areas, with populations of 50,000 and under 100,000 Urban areas, with populations under 50,000 Rural areas	2004	1852	740	958	780	409	229	6972	18	27	1823	1730	700	892	734	394	222	6495	17	27	181	122	40	66	46	15	7	477	26	36		
	3085	3257	1393	1516	1202	701	429	11583	19	28	2859	3094	1307	1439	1140	670	413	10922	18	28	226	163	86	77	62	31	16	661	25	34		
	646	731	312	395	287	135	93	2599	18	28	576	700	284	377	273	130	91	2431	18	28	70	31	28	18	14	5	2	168	27	35		
	400	391	187	186	175	100	37	1476	19	29	368	365	177	175	167	97	36	1385	19	29	32	26	10	11	8	3	1	91	25	34		
	1065	1146	487	513	436	272	163	4082	19	28	1012	1088	467	484	415	263	159	3888	19	28	53	58	20	29	21	9	4	194	21	31		
	974	989	407	422	304	194	136	3426	18	26	903	941	379	403	285	180	127	3218	18	26	71	48	28	19	19	14	9	208	26	37		
	403	308	106	153	121	64	34	11189	16	23	349	278	100	139	113	60	32	1071	15	22	54	30	6	14	8	4	2	118	25	33		
	2	—	—	—	—	—	—	—	2	53	53	1	—	—	—	—	—	—	1	29	29	1	—	—	—	—	—	—	1	333	333	
	8	8	1	6	3	2	3	31	10	17	6	7	1	6	2	2	3	—	27	8	16	2	1	—	—	1	—	—	4	32	42	
	8	8	2	3	3	4	1	29	18	30	8	8	2	3	3	4	1	29	19	31	—	—	—	—	—	—	—	—	—	—	—	
LONDON	34	10	5	9	7	3	1	69	17	24	33	10	5	9	7	3	1	68	17	25	1	—	—	—	—	—	—	—	1	8	8	
	10	2	—	1	3	—	—	16	15	20	6	2	—	1	3	—	—	12	11	17	4	—	—	—	—	—	—	4	53	53		
	11	17	3	3	4	3	1	42	24	32	11	17	2	3	3	3	1	40	24	32	—	1	—	—	1	—	—	2	16	32		
	1	3	2	2	2	—	1	11	9	16	1	3	2	2	2	—	1	11	9	17	—	—	—	—	—	—	—	3	25	25		
	16	14	4	3	3	3	1	44	20	25	14	13	4	3	3	3	1	41	19	26	2	1	—	—	—	—	—	—	—	—		
	4	4	2	3	4	1	1	19	8	15	4	4	2	3	4	1	1	19	8	15	—	—	—	—	—	—	—	—	—	—		
	17	11	6	4	8	3	1	50	14	20	14	9	6	4	8	3	1	45	12	19	3	2	—	—	—	—	5	43	43			
	14	5	4	6	4	4	1	37	13	21	13	4	4	5	4	2	1	32	13	20	1	1	—	1	—	1	5	14	35			
	19	8	1	4	—	2	1	35	19	24	14	7	1	1	2	2	—	27	17	20	5	1	—	2	—	—	8	52	69			
	4	2	—	1	2	1	—	10	21	35	3	—	—	—	2	1	—	7	12	28	1	2	—	—	—	—	3	88	88			
Islington Kensington Lambeth Lewisham Paddington	32	26	7	6	12	4	1	88	17	23	26	22	6	6	10	4	1	75	15	21	6	4	1	—	2	—	13	39	46	46		
	23	16	6	17	10	2	1	75	16	27	20	16	6	14	9	1	1	67	17	27	3	2	—	3	1	1	8	10	26	26		
	35	20	10	9	7	7	4	92	18	25	31	18	10	8	7	7	4	85	17	25	4	2	—	1	—	—	7	22	26	26		
	32	15	5	7	8	4	—	71	16	22	18	14	5	7	8	4	—	66	16	22	4	1	—	—	—	—	5	35	35	35		
	12	13	13	10	2	3	3	56	18	27	10	13	11	9	2	2	3	50	19	28	2	—	2	1	—	1	6	15	22	22		
	8	6	4	3	6	2	—	29	15	24	7	6	4	3	6	2	—	28	15	24	1	—	—	—	—	—	1	16	16	16		
	8	10	1	1	—	1	2	23	20	25	6	8	1	1	1	1	1	18	18	22	2	2	—	—	—	—	5	42	52	52		
	21	17	5	8	3	—	2	56	20	26	20	15	4	7	2	—	2	50	20	26	1	2	1	1	1	—	6	18	27	27		
	5	5	3	5	1	3	1	23	16	28	5	4	3	4	1	3	1	21	16	27	—	1	—	1	—	—	2	19	37	37		
	12	14	3	7	7	2	4	49	17	28	10	14	3	7	7	1	4	46	17	28	2	—	—	—	—	1	3	17	26	26		
Stepney Stoke Newington Wandsworth Westminster Woolwich	5	14	4	4	3	4	1	35	12	19	5	12	4	3	3	4	1	32	12	19	—	2	—	1	—	—	3	12	17	17	17	
	3	4	—	2	1	—	1	11	9	14	3	4	—	2	1	—	1	11	9	15	—	—	—	—	—	—	—	—	—	—	—	
	29	22	7	13	13	4	1	89	13	21	25	21	6	12	11	4	1	80	13	20	4	1	1	2	—	—	9	25	38	38		
	9	13	1	5	2	—	1	31	18	25	6	9	1	4	2	—	1	23	14	21	3	4	—	1	—	—	8	50	57	57		
	13	17	7	5	3	2	—	47	17	21	11	14	7	4	3	2	—	41	15	20	2	3	—	1	—	—	6	51	61	61		
	COUNTY BOROUGHS																															
	ENGLAND (excluding Mon.)																															
	Barnsley Barrow-in-Furness Bath Birkenhead Birmingham	11	16	5	7	11	2	1	53	23	39	11	16	4	7	11	2	1	52	23	39	—	1	—	—	—	—	—	1	19	19	19
		11	10	7	5	3	4	1	41	27	40	8	9	6	5	3	3	1	35	23	36	3	1	—	—	—	1	6	114	136	136	
		10	7	6	5	2	1	—	31	21	28	10	7	6	5	2	1	—	31	22	29	—	—	—	—	—	—	—	—	—	—	—
25		20	13	14	11	5	3	91	22	35	22	20	13	12	11	5	3	86	22	35	3	10	3	2	—	—	5	22	36	36		
150		121	56	70	50	31	17	495	18	27	139	111	53	67	45	31	17	463	17	27	11	10	3	3	5	—	32	24	32	32		



TABLE 25—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.									
	Deaths.								Deaths. per 1,000 related Live Births.		Deaths.								Deaths. per 1,000 related Live Births.		Deaths.									
	Deaths.								Deaths. per 1,000 related Live Births.		Deaths.								Deaths. per 1,000 related Live Births.		Deaths.									
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.
County Boroughs—continued																														
Blackburn	16	15	7	4	2	3	1	48	25	32	15	13	7	4	2	3	1	47	26	33	1	—	—	—	—	—	—	1	15	15
Blackpool	13	13	5	8	2	1	3	45	20	28	11	13	4	7	2	4	3	41	19	28	2	—	—	—	—	—	—	4	30	40
Bolton	13	22	4	9	10	5	4	67	16	28	12	22	4	7	9	4	4	62	17	27	1	—	—	—	—	—	—	5	9	44
Bootle...	16	16	10	9	8	5	2	66	27	43	16	16	10	9	8	5	2	66	28	44	—	—	—	—	—	—	—	—	—	—
Bournemouth	9	13	3	7	2	4	—	38	16	25	9	11	3	7	2	4	—	36	16	25	—	2	—	—	—	—	—	2	18	18
Bradford	47	31	15	30	12	12	8	155	20	34	42	29	14	28	11	11	6	141	20	33	5	2	2	1	1	2	14	26	46	
Brighton	24	18	6	6	3	1	2	60	23	29	22	17	5	6	3	1	1	55	23	28	2	1	1	—	—	1	5	24	30	
Bristol	45	41	16	13	15	11	4	145	15	21	40	40	15	12	15	9	4	135	15	21	5	1	1	—	2	10	23	32	32	
Burnley	9	11	2	6	—	3	—	37	19	31	5	9	2	5	6	3	—	30	15	27	4	2	1	—	—	—	7	73	85	
Burnton upon Trent	5	5	4	5	—	5	—	24	17	29	5	5	3	5	—	5	—	23	16	29	—	—	—	—	—	—	1	26	26	
Bury	6	7	4	4	4	1	—	26	20	30	3	5	4	4	4	1	—	21	15	26	3	2	—	—	—	—	5	109	109	
Canterbury	4	3	2	—	3	—	—	14	20	31	4	3	2	—	3	—	—	14	21	32	—	—	—	—	—	—	—	—	—	—
Carlisle	11	8	2	5	3	—	—	31	18	27	11	8	1	5	3	—	—	30	18	28	—	—	—	—	—	—	1	16	16	
Chester	7	4	3	3	1	—	1	19	16	22	6	4	3	3	1	—	—	18	17	23	1	—	—	—	—	—	8	14	14	
Coventry	45	33	7	21	12	11	3	132	20	32	41	31	7	19	12	11	3	124	20	32	4	2	—	—	—	—	—	25	33	33
Croydon	14	28	6	8	8	4	—	68	14	20	14	27	6	8	8	4	—	67	14	20	—	1	—	—	—	—	—	1	5	5
Darlington	5	7	4	4	5	4	2	31	13	26	5	7	4	4	5	4	2	31	14	28	—	—	—	—	—	—	—	—	—	—
Derby	14	21	11	5	6	3	—	60	22	29	13	20	9	5	6	3	—	56	22	29	1	1	2	—	—	—	4	33	33	
Dewsbury	11	7	1	2	4	2	2	29	22	33	10	6	1	2	4	2	—	27	20	32	1	1	—	—	—	—	2	45	45	
Doncaster	14	9	6	6	1	1	—	37	24	30	13	7	6	9	—	1	—	33	22	28	1	2	—	—	—	—	4	43	58	
Dudley	6	8	3	10	5	—	1	33	17	33	6	7	3	9	5	—	1	31	16	32	—	1	—	—	—	—	2	32	64	
Eastbourne	1	3	1	1	2	1	1	10	8	16	—	2	—	—	—	—	—	6	3	10	1	1	—	—	—	—	4	65	87	
East Ham	12	11	5	3	4	2	—	37	18	23	11	11	5	3	2	2	—	36	18	23	1	—	—	—	—	—	1	20	20	
Exeter	8	9	1	3	3	—	—	24	16	22	8	9	1	3	2	—	—	23	17	22	—	—	—	—	—	—	1	—	—	—
Gateshead	14	28	14	5	13	3	5	82	28	41	14	26	13	5	13	3	5	79	28	41	—	2	—	—	—	—	3	36	36	
Gloucester	6	7	7	5	1	—	—	26	18	24	5	7	6	4	1	—	—	23	18	22	1	—	—	—	—	—	3	33	49	
Great Yarmouth	3	6	2	—	—	1	—	12	15	16	3	6	2	—	—	—	—	12	16	17	—	—	—	—	—	—	—	—	—	—
Grimsby	7	21	6	4	10	6	4	58	20	34	7	21	6	4	10	6	4	58	21	37	—	—	—	—	—	—	—	—	—	—
Halifax	9	11	2	7	4	4	1	38	16	27	9	11	2	5	4	4	1	36	17	28	—	—	—	—	—	—	2	—	—	—
Hastings	6	10	2	1	3	2	1	25	23	32	6	10	2	1	2	2	2	24	25	33	—	—	—	—	—	—	1	—	—	—
Huddersfield	8	14	6	9	6	—	2	45	15	24	8	13	6	8	5	—	—	41	15	23	—	1	—	—	—	—	4	11	46	
Ipswich	17	12	4	8	6	1	—	48	19	27	15	11	3	7	6	—	—	43	17	26	2	3	1	—	—	—	5	37	46	
Kingston upon Hull	30	59	31	47	30	15	9	221	21	40	27	56	25	46	29	15	—	207	21	39	3	3	6	1	—	—	14	37	43	
Leeds	69	56	18	28	37	11	11	230	18	30	59	50	18	25	34	10	10	206	18	29	10	6	3	3	1	—	24	30	45	
Leicester	24	24	14	14	15	6	13	110	14	24	17	23	12	11	14	12	12	94	12	22	7	1	2	3	1	1	16	38	61	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
Lincoln	...	11	6	4	3	6	2	32	20	31	10	5	4	3	6	2	—	30	20	31	1	1	—	—	—	—	—	2	28	28
Liverpool	...	152	138	63	82	67	33	558	22	35	141	131	59	77	66	32	23	529	22	35	11	7	4	5	1	1	—	29	25	33
Manchester	...	129	97	42	74	55	18	424	22	34	122	90	39	69	53	16	9	398	22	34	7	7	3	5	2	2	—	26	21	—
Middlesbrough	...	20	21	25	19	—	—	102	17	33	20	21	11	24	18	—	6	100	18	34	—	—	—	—	—	—	—	2	2	13
Newcastle upon Tyne	...	32	38	18	22	14	13	140	18	29	29	37	17	21	13	13	2	132	18	29	3	1	1	1	1	1	8	23	36	
Northampton	...	8	11	5	4	2	1	32	16	22	5	10	4	4	2	—	1	26	14	19	3	1	1	—	—	1	6	64	77	
Norwich	...	11	6	4	5	4	2	32	11	17	10	5	3	4	3	2	—	27	10	16	1	1	1	1	1	—	5	24	40	
Nottingham	...	41	34	18	18	23	8	146	18	28	32	31	16	17	23	8	4	131	16	27	9	3	2	1	—	—	15	37	40	
Oldham	...	21	21	7	8	14	3	77	27	42	18	20	7	8	14	3	3	73	26	42	3	1	—	—	—	—	4	38	38	
Oxford	...	9	7	7	6	4	4	37	15	24	9	5	5	5	4	4	—	32	13	22	—	2	2	1	—	—	5	34	42	
Plymouth	...	33	25	15	11	13	5	103	21	29	32	24	12	9	13	5	1	96	21	29	1	1	3	2	—	—	7	22	30	
Portsmouth	...	17	24	16	10	13	3	87	15	23	13	22	15	9	12	3	4	78	14	22	4	2	1	1	1	—	9	30	38	
Preston	...	15	23	12	4	3	4	63	25	32	14	23	11	4	3	4	2	61	26	33	1	—	1	—	—	—	2	21	21	
Reading	...	9	6	7	7	5	2	40	13	23	7	5	7	7	4	5	2	36	12	22	2	1	—	—	1	—	4	27	36	
Rochdale	...	13	16	4	4	8	5	52	25	40	11	15	4	4	7	5	2	48	24	39	2	1	—	—	1	—	4	33	44	
Rotherham	...	13	8	4	12	5	1	43	19	32	13	7	4	10	4	1	—	39	19	30	—	1	—	2	—	—	4	19	74	
St. Helens	...	11	23	13	8	10	5	73	24	37	11	23	12	7	10	5	3	71	24	37	—	—	1	1	—	—	2	16	32	
Salford	...	27	25	8	25	10	10	107	19	35	22	19	7	22	9	8	2	89	17	31	5	6	1	3	1	—	18	55	82	
Sheffield	...	50	42	14	24	18	10	166	15	24	47	40	14	24	17	10	8	160	15	24	3	2	—	—	1	—	6	22	26	
Smethwick	...	13	9	6	3	6	—	41	25	36	11	9	5	3	6	—	4	38	23	35	2	2	1	—	—	—	3	58	58	
Southampton...	...	21	31	10	8	8	3	86	21	29	19	29	9	8	7	3	5	80	21	29	2	2	—	—	1	—	6	26	31	
Southeast-on-Sea	...	13	11	1	9	5	1	40	12	19	11	11	1	9	5	1	—	38	12	20	2	—	—	—	—	—	2	15	15	
Southport	...	3	12	7	1	4	2	29	23	31	3	12	7	1	3	3	—	28	24	31	—	—	—	—	1	—	1	—	20	20
South Shields	...	21	19	7	9	14	5	77	23	38	20	19	7	9	12	5	2	74	24	39	1	—	—	—	2	—	3	11	33	
Stockport	...	12	16	10	14	6	2	61	18	29	12	15	9	12	4	2	1	55	18	27	—	1	1	2	2	—	6	19	58	
Stoke on Trent	...	28	41	15	21	17	3	125	19	28	26	41	14	21	15	3	—	120	19	28	2	—	1	—	2	—	5	20	34	
Sunderland	...	25	36	20	25	16	7	130	22	36	22	34	19	25	15	7	1	123	21	35	3	2	1	—	1	—	7	48	56	
Tynemouth	...	11	14	8	8	7	3	52	27	43	11	14	8	6	7	3	1	50	29	44	—	—	—	2	—	—	2	—	30	
Wakefield	...	9	2	1	5	8	2	27	13	30	9	2	1	5	8	2	—	27	14	32	—	—	—	—	—	—	—	—	—	
Wallasey	...	13	18	12	4	4	5	56	26	34	13	17	11	4	4	5	—	54	26	34	—	1	1	—	—	—	2	27	27	
Walsall	...	20	26	7	7	11	2	75	26	37	19	26	6	7	10	2	2	72	26	37	1	—	—	—	—	—	3	27	41	
Warrington	...	11	12	4	8	7	3	47	20	35	9	10	4	8	7	3	2	43	18	34	2	2	—	—	—	—	4	56	56	
West Bromwich	...	15	12	4	9	7	5	54	21	36	15	12	4	9	7	5	2	54	21	37	—	—	—	—	—	—	—	—	—	
West Ham	...	18	17	8	10	8	7	69	15	25	18	15	8	10	8	7	1	67	15	25	—	2	—	—	—	—	2	14	14	
West Hartlepool	...	15	10	9	12	6	4	57	24	40	15	9	9	10	6	4	1	54	24	40	—	1	—	2	—	—	3	14	43	
Wigan...	...	12	16	8	6	7	5	55	27	41	12	16	8	6	7	4	1	54	28	41	—	—	—	—	—	—	1	—	28	
Wolverhampton	...	17	29	8	8	12	8	85	21	33	17	27	8	6	12	8	3	81	21	32	—	2	—	2	—	—	4	18	37	
Worcester	...	6	7	4	2	4	5	28	17	28	5	6	4	2	4	5	—	26	16	28	1	1	—	1	—	—	2	37	37	
York ...	...	6	14	2	5	3	3	33	14	21	6	14	2	4	2	3	—	31	15	21	—	—	—	—	1	—	2	—	25	
WALES AND MONMOUTH																														
Cardiff	...	36	34	9	23	10	5	124	18	28	34	32	9	23	10	5	7	120	18	29	2	2	—	—	—	—	4	19	19	
Merthyr Tydfil	...	9	9	3	8	9	5	44	22	46	9	9	3	8	9	5	1	44	23	48	—	—	—	—	—	—	—	—	36	
Newport	...	16	19	6	12	3	4	61	23	35	13	19	6	12	3	4	1	58	23	35	3	—	—	—	—	—	3	36	—	
Swansea	...	19	23	11	18	9	6	89	22	36	19	21	11	17	7	6	3	84	22	36	—	2	—	1	2	—	5	20	51	



TABLE 25—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.															
	Deaths.										Deaths.										Deaths.															
	Deaths per 1,000 related Live Births.										Deaths per 1,000 related Live Births.										Deaths per 1,000 related Live Births.															
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.						
ADMINISTRATIVE COUNTIES (Urban and Rural Aggregates):																																				
ENGLAND (excluding Monmouth)																																				
Bedfordshire ...	19	24	7	7	6	5	6	74	16	23	14	24	6	7	6	4	9	67	15	22	5	—	1	—	—	—	1	—	—	7	31	36				
Berkshire ...	12	12	2	4	4	3	4	39	16	27	9	12	4	4	4	3	4	38	16	27	1	—	—	—	—	—	—	—	—	1	15	15				
Berkshire ...	26	21	7	10	6	1	1	72	16	22	23	21	7	10	6	1	1	69	16	22	3	—	—	—	—	—	—	—	—	3	16	16				
Buckinghamshire ...	29	16	10	10	11	3	1	80	19	27	27	15	9	10	11	3	1	76	18	26	2	1	1	—	—	—	—	—	4	28	28					
Cambridgeshire ...	7	5	3	3	3	1	2	24	12	18	6	4	3	3	3	1	2	22	11	18	1	1	—	—	—	—	—	3	16	24	24					
Cambridgeshire ...	4	5	3	1	3	1	—	17	9	13	4	5	3	3	1	1	—	17	10	14	—	—	—	—	—	—	—	—	—	—	—	—				
Cheshire ...	61	70	34	27	28	11	14	245	19	28	55	68	32	26	27	11	14	233	18	27	6	2	2	1	1	—	—	12	30	36	36					
Cornwall ...	21	17	11	18	8	6	1	82	17	28	19	16	11	16	7	6	1	76	16	27	2	1	—	—	—	—	—	6	30	39	59					
Cornwall ...	24	25	6	7	6	3	6	77	20	29	20	22	6	7	6	3	6	70	19	27	4	3	—	—	—	—	—	7	55	55	55					
Cornwall ...	18	25	9	8	4	5	3	72	24	33	18	25	9	8	4	5	2	71	25	34	—	—	—	—	—	—	—	1	1	11	11	11				
Cumberland ...	7	13	7	8	3	3	3	44	18	29	7	13	7	8	3	3	3	44	19	30	—	—	—	—	—	—	—	—	—	—	—	—				
Derbyshire ...	15	20	8	14	6	7	5	75	19	34	14	18	6	14	5	7	4	68	18	32	1	2	2	—	—	—	—	7	63	89	89					
Derbyshire ...	36	43	17	13	27	14	5	155	18	29	34	42	17	12	27	13	5	150	18	29	2	1	1	1	1	—	—	5	15	25	25					
Derbyshire ...	48	36	17	20	18	10	5	154	20	30	46	34	16	18	18	9	5	146	20	30	2	2	1	2	—	—	8	26	42	42	42					
Devon ...	29	25	7	7	15	3	1	87	18	25	26	24	7	7	15	2	1	82	18	25	3	1	1	—	—	—	—	5	21	26	26					
Dorset ...	32	33	9	5	6	4	1	90	22	27	28	32	8	5	4	4	2	82	21	26	4	1	1	—	—	—	—	8	41	55	55					
Dorset ...	20	17	3	12	—	3	2	57	16	22	19	14	3	12	—	3	2	53	15	22	1	3	—	—	—	—	—	4	31	31	31					
Dorset ...	13	15	5	6	2	2	—	43	19	25	12	15	5	5	2	2	—	41	20	25	1	—	—	—	—	—	—	2	13	27	27					
Durham ...	90	81	50	36	41	37	10	345	20	32	83	77	50	33	40	37	9	329	20	31	7	4	—	—	—	—	1	16	31	45	45					
Ely, Isle of ...	39	46	20	19	22	11	9	166	22	35	37	44	20	16	22	11	8	158	22	35	2	2	—	—	—	—	—	8	32	64	64					
Ely, Isle of ...	7	8	3	3	1	3	1	26	20	29	6	7	2	3	1	3	1	23	18	27	1	1	—	—	—	—	—	3	63	62	62					
Ely, Isle of ...	3	8	1	—	1	1	—	14	21	24	2	8	1	—	1	1	—	13	20	24	1	—	—	—	—	—	—	1	26	26	26					
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(30)					

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
Essex	U.D.	124	152	57	62	44	25	18	482	17	24	115	146	54	60	41	24	18	458	16	24	9	6	3	2	3	1	—	24	24	32
	...	R.D.	20	29	9	11	4	4	81	17	23	19	28	8	11	4	3	3	76	16	23	1	1	1	—	—	—	5	18	30	
	...	U.D.	22	27	4	7	5	7	79	24	35	22	26	4	7	5	5	7	76	25	36	—	—	—	2	—	—	3	7	22	
Gloucestershire	...	R.D.	34	41	12	13	6	3	115	19	25	33	40	11	12	6	5	3	110	19	25	1	1	1	—	—	—	5	15	24	
	...	U.D.	3	10	4	4	1	2	28	21	35	3	10	4	4	4	1	2	28	22	36	—	—	—	—	—	—	—	—	—	
	...	R.D.	10	11	2	5	3	3	34	18	26	9	11	2	4	3	—	3	32	18	26	1	—	—	—	—	—	2	10	21	
Hertfordshire...	...	U.D.	43	38	10	20	12	—	135	14	21	41	36	9	20	12	12	—	130	14	21	2	2	1	—	—	—	5	17	17	
	...	R.D.	11	11	2	4	8	2	42	8	14	11	10	1	4	8	2	4	40	8	14	—	1	—	—	—	—	2	15	15	
	...	U.D.	2	6	3	—	1	1	14	24	30	2	5	3	—	1	1	1	13	23	30	—	1	—	—	—	—	1	34	34	
Huntingdonshire	...	R.D.	5	8	1	2	1	1	18	22	28	4	8	1	2	1	—	—	17	22	28	1	—	—	—	—	—	1	24	24	
	...	U.D.	120	131	36	65	36	428	16	24	112	115	32	58	34	21	21	18	390	15	23	8	16	4	7	2	1	38	33	45	
	...	R.D.	34	43	10	24	7	135	17	27	32	41	9	24	7	11	11	6	130	17	27	2	2	1	—	—	5	21	21		
Kent	...	U.D.	210	209	94	108	77	53	776	20	31	191	201	94	100	73	51	25	735	20	30	19	8	—	8	4	2	41	28	42	
	...	R.D.	32	32	21	13	6	3	111	20	26	28	30	18	13	5	3	4	101	19	25	4	2	3	—	1	—	10	61	68	
	...	U.D.	20	27	10	8	6	4	77	22	30	18	26	10	8	5	4	2	73	22	29	2	1	—	—	—	4	28	38		
Leicestershire...	...	R.D.	17	25	12	7	4	2	68	19	24	15	24	11	7	4	2	1	64	18	23	2	1	—	—	—	4	39	39		
	...	U.D.	4	4	—	—	3	1	13	13	21	4	4	—	—	2	1	1	12	14	21	—	—	—	—	—	—	1	—	29	
	...	R.D.	8	6	7	4	1	5	33	20	31	8	6	6	4	—	2	5	31	20	31	—	—	—	—	—	2	19	37		
Lincolnshire, Holland	...	U.D.	13	14	—	9	5	3	47	19	33	13	13	—	8	3	3	3	43	19	32	—	1	—	1	2	—	4	16	62	
	...	U.D.	22	19	16	18	10	5	90	23	36	19	17	16	15	10	5	—	82	22	34	3	2	—	3	—	8	42	67		
	...	R.D.	18	16	17	12	3	7	77	19	29	17	15	17	12	3	6	4	74	20	30	1	1	—	—	1	—	3	17	25	
Lincolnshire, Lindsey	...	U.D.	186	210	77	63	53	30	635	16	21	172	193	70	60	48	28	16	587	15	20	14	17	7	3	5	2	48	27	34	
	...	U.D.	12	6	3	3	4	—	32	18	27	12	6	3	2	4	4	—	31	19	28	—	—	—	—	—	1	—	14	14	
	...	R.D.	32	39	14	12	19	7	126	19	28	28	36	13	11	18	6	3	115	18	27	4	3	1	1	1	11	36	49		
Northamptonshire	...	U.D.	21	13	8	1	4	3	50	20	24	21	13	8	1	4	3	—	50	21	25	—	—	—	—	—	—	—	—	—	
	...	R.D.	20	13	3	6	5	—	50	19	26	19	10	3	5	5	—	3	45	18	25	1	3	—	—	—	5	47	58		
	...	U.D.	39	38	27	22	24	14	169	19	30	38	36	24	22	23	13	5	161	18	30	1	2	3	1	1	8	35	46		
Northumberland	...	R.D.	9	11	8	3	5	1	38	19	26	9	11	8	2	5	1	1	37	20	26	—	—	—	—	—	—	1	—	16	
	...	U.D.	47	50	22	23	23	9	186	20	31	45	49	22	22	22	9	12	181	20	32	2	1	—	1	—	5	12	19		
	...	R.D.	19	12	14	11	6	1	64	17	25	17	12	13	10	6	1	—	59	17	24	2	—	—	—	1	5	31	51		
Oxfordshire	...	U.D.	4	6	1	3	—	14	15	19	4	6	1	1	3	—	—	—	14	16	20	—	—	—	—	—	—	—	—	—	
	...	R.D.	19	24	7	4	8	3	67	22	29	17	22	7	4	8	3	2	63	21	29	2	2	—	—	—	4	29	29		
	...	U.D.	5	6	2	1	1	2	18	16	23	5	6	2	1	1	2	1	18	17	24	—	—	—	—	—	—	—	—	—	
Peterborough, Soke of	...	R.D.	1	—	—	—	—	2	2	5	11	1	—	—	1	—	—	—	2	6	11	—	—	—	—	—	—	—	—	—	
	...	U.D.	1	—	—	—	—	2	29	29	—	2	—	—	—	—	—	—	2	29	29	—	—	—	—	—	—	—	—	—	
	...	R.D.	1	—	1	1	1	5	6	15	1	—	—	1	1	—	—	1	4	6	13	—	—	—	1	—	—	1	—	91	
Rutland	...	U.D.	14	18	10	9	3	6	64	19	29	14	18	10	9	3	6	4	64	20	30	—	—	—	—	—	—	—	—	—	
	...	R.D.	13	13	5	5	11	1	51	13	21	13	13	5	5	11	1	2	50	13	21	—	—	—	—	—	1	—	—	—	
	...	U.D.	16	31	17	5	10	5	89	20	28	16	28	16	5	10	5	5	85	19	27	—	—	—	—	—	—	4	33	33	
Somerset	...	R.D.	34	23	6	4	5	3	84	17	23	32	23	5	4	9	5	3	81	17	23	2	—	—	—	—	—	3	22	22	
	...	U.D.	28	40	15	13	12	7	121	14	21	26	38	14	13	12	7	6	116	14	21	2	2	1	—	—	5	19	19		
	...	R.D.	34	28	8	11	7	3	95	15	20	32	26	7	10	5	3	4	87	14	19	2	2	1	2	—	8	19	31		
Staffordshire	...	U.D.	85	65	45	51	38	329	20	33	82	63	44	48	37	31	14	319	20	33	3	2	1	3	1	—	10	21	34		
	...	R.D.	22	21	9	9	7	13	84	16	25	20	20	9	9	7	11	3	79	15	25	2	1	—	2	—	5	27	45		



TABLE 25—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.										
	Deaths.								Deaths per 1,000 related Live Births.		Deaths.								Deaths per 1,000 related Live Births.		Deaths.								Deaths per 1,000 related Live Births.		
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	
ADMINISTRATIVE COUNTIES—continued.																															
Suffolk, East	U.D. 11	11	4	4	2	1	2	35	18	25	11	11	4	4	35	19	26	26	19	26	1	—	—	—	—	—	—	—	2	20	20
Suffolk, West	R.D. 20	10	5	5	2	4	—	46	20	27	19	10	5	4	17	24	28	27	20	27	1	—	—	—	—	—	—	—	1	23	23
	U.D. 10	3	4	4	1	—	—	19	26	29	9	3	3	7	32	20	27	27	20	27	1	—	—	—	—	—	—	—	1	23	23
	R.D. 10	7	7	4	3	2	—	33	20	27	9	7	4	7	32	20	27	27	20	27	1	—	—	—	—	—	—	—	1	23	23
Surrev...	U.D. 89	99	38	39	35	17	9	326	15	21	82	93	35	38	30	15	9	302	14	20	7	6	3	1	5	2	24	40	40	40	
Sussex East	R.D. 12	17	2	4	2	3	3	43	14	20	11	12	1	4	2	3	3	36	11	17	1	5	1	—	—	—	—	7	90	90	
	U.D. 10	9	8	1	1	5	4	38	13	19	10	9	8	1	1	5	4	38	14	20	—	—	—	—	—	—	—	3	19	29	
	R.D. 12	12	4	4	7	2	1	42	14	21	12	11	3	4	7	1	1	39	14	21	—	—	—	—	—	—	—	3	19	29	
Sussex, West	U.D. 9	12	3	3	3	4	1	35	12	17	9	12	2	3	3	4	1	34	12	17	—	—	—	—	—	—	—	1	11	11	
	R.D. 15	7	6	5	4	1	1	39	13	18	15	7	5	5	3	1	1	37	13	18	—	—	—	—	—	—	—	2	10	20	
Warwickshire	U.D. 49	36	12	14	6	9	6	132	20	27	45	34	12	14	6	9	6	126	20	27	4	2	—	—	—	—	—	6	28	28	
	R.D. 28	17	12	10	7	4	4	82	20	29	24	16	12	10	5	3	4	74	20	28	4	1	—	—	—	—	—	8	33	53	
Westmorland...	U.D. 4	5	—	1	—	—	—	11	22	27	3	4	—	1	—	—	—	9	19	24	1	1	—	—	—	—	—	2	63	62	
Wight, Isle of...	R.D. 5	5	7	1	1	—	1	13	19	24	4	4	—	1	1	—	—	11	16	22	1	1	—	—	—	—	—	2	67	67	
	U.D. 5	4	7	5	1	2	1	25	16	25	5	3	7	5	1	2	1	24	16	26	—	—	—	—	—	—	—	1	14	14	
	R.D. 1	—	—	—	1	—	—	2	4	9	1	—	—	—	1	—	—	2	5	9	—	—	—	—	—	—	—	—	—	—	
Wiltshire	U.D. 16	22	8	3	5	7	2	63	17	23	16	22	8	2	5	7	2	62	18	24	—	—	—	—	—	—	—	1	7	7	
	R.D. 16	29	8	3	3	5	2	66	16	21	14	28	8	3	3	3	2	61	16	20	2	1	—	—	—	—	—	5	33	33	
Worcestershire	U.D. 29	36	9	17	12	8	2	113	17	26	26	33	8	17	9	8	2	103	16	24	3	3	—	—	—	—	—	10	40	57	
	R.D. 11	13	3	7	5	—	2	41	14	21	11	13	3	7	3	—	1	38	15	21	—	—	—	—	—	—	—	3	42	42	
Yorkshire, E.R.	U.D. 8	16	6	2	5	2	3	42	20	27	7	16	5	2	4	2	3	39	19	27	1	—	—	—	—	—	—	3	32	48	
	R.D. 8	10	4	6	2	2	2	34	15	21	8	10	6	4	1	2	2	33	15	21	—	—	—	—	—	—	—	1	13	13	
Yorkshire, N.R.	U.D. 21	17	14	8	4	4	3	81	16	24	20	16	14	7	13	4	3	77	16	24	1	—	—	—	—	—	—	4	25	25	
	R.D. 23	26	8	10	4	4	4	79	22	30	23	26	8	9	4	4	4	78	23	31	—	—	—	—	—	—	—	1	10	10	
Yorkshire, W.R.	U.D. 166	135	46	67	65	28	25	532	20	30	156	128	44	63	62	27	23	503	19	30	10	7	2	4	3	1	2	29	42	42	
	R.D. 63	48	32	24	18	14	5	204	21	30	56	44	30	23	17	13	4	187	20	28	7	4	2	1	1	1	1	17	48	63	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)

ADMINISTRATIVE COUNTIES—continued.																														
WALES AND MONMOUTH																														
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
Anglesey	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Brecknockshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Caernarvonshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Cardiganshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Carmarthenshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Denbighshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Flintshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Glamorganshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Merionethshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Monmouthshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Montgomeryshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembrokeshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Radnorshire	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...



TABLE 26.—Deaths at Various Periods in the First Year of Life, }  
1952, and the Four Quarters thereof.

Area				Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week
								1	2	3	4	5	6	
England & Wales	All Infants ..	{ M F P	10663	365	2503	2868	968	834	609	287	221	166	3085	
			7892	314	1907	2221	685	541	292	220	163	123	2024	
			18555	679	4410	5089	1653	1375	901	507	384	289	5109	
	Legitimate ..	{ M F P	10029	295	2355	2650	912	783	582	276	216	156	2925	
			7388	256	1776	2032	640	508	277	208	156	110	1899	
			17417	551	4131	4682	1552	1291	859	484	372	266	4824	
	Illegitimate ..	{ M F P	634	70	148	218	56	51	27	11	5	10	160	
			504	58	131	189	45	33	15	12	7	13	125	
			1138	128	279	407	101	84	42	23	12	23	285	
Regional Summary and Conurbations:														
Northern .. ..			1723	46	360	406	136	123	81	47	32	24	443	
Tyneside conurbation ..			474	12	98	110	43	39	19	14	4	6	125	
Remainder of Northern ..			1249	34	262	296	93	84	62	33	28	18	318	
East & West Ridings .. ..			1889	60	462	522	149	142	84	46	32	25	478	
West Yorkshire conurbation ..			741	29	202	231	55	52	27	21	8	13	176	
Remainder of East & West Ridings .. ..			1148	31	260	291	94	90	57	25	24	12	302	
North Western .. ..			3284	135	734	869	275	242	156	79	62	55	869	
S.E. Lancashire conurbation ..			1206	49	286	335	102	84	55	33	20	21	315	
Merseyside conurbation ..			897	37	201	238	84	62	41	16	17	10	230	
Remainder of North Western ..			1181	49	247	296	89	96	60	30	25	24	324	
North Midland .. ..			1528	53	350	403	129	95	70	46	33	31	404	
Midland .. ..			2050	90	479	569	174	134	102	62	34	25	531	
West Midlands conurbation ..			1047	50	244	294	87	69	49	31	14	14	264	
Remainder of Midland ..			1003	40	235	275	87	65	53	31	20	11	267	
Eastern .. ..			1110	33	279	312	113	89	51	41	31	18	343	
London & South Eastern ..			3472	135	916	1051	348	251	182	90	89	52	1012	
Greater London .. ..			2607	108	688	796	261	178	132	66	68	37	742	
Remainder of South Eastern ..			865	27	228	255	87	73	50	24	21	15	270	
Southern .. ..			971	28	251	279	101	75	49	25	17	19	286	
South Western .. ..			1151	50	293	343	122	114	53	39	20	22	370	
Wales .. ..			1377	49	286	335	106	110	73	32	34	18	373	
Wales I .. ..			1011	36	213	249	69	78	53	26	22	12	260	
Wales II .. ..			366	13	73	86	37	32	20	6	12	6	113	
Density Aggregates Summary :														
Conurbations .. ..			6972	285	1719	2004	632	484	323	181	131	101	1852	
Areas outside the conurbations ..			11583	394	2691	3085	1021	891	578	326	253	188	3257	
Urban areas with popula- tions of 100,000 and over ..			2599	93	553	646	228	205	118	78	54	48	731	
Urban areas with popula- tions of 50,000 and under 100,000 .. ..			1476	52	348	400	124	97	73	43	33	21	391	
Urban areas with popula- tions under 50,000 ..			4082	130	935	1065	371	316	204	113	82	60	1146	
Rural areas .. ..			3426	119	855	974	298	273	183	92	84	59	989	
England & Wales	{	March Quarter ..	5629	195	1127	1322	439	358	238	154	121	71	1381	
		June Quarter ..	4332	159	1074	1233	439	343	247	128	84	74	1315	
		September Quarter ..	3863	151	1077	1228	391	331	202	115	68	78	1185	
		December Quarter ..	4731	174	1132	1306	384	343	214	110	111	66	1228	

England and Wales, Standard Regions, Conurbations, Aggregates of Urban and Rural areas outside the Conurbations.

Weeks				Months											
0	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
5953 4245 10198	606 510 1116	308 251 559	269 189 458	7136 5195 12331	779 542 1321	661 492 1153	509 356 865	359 266 625	266 226 492	234 194 428	211 159 370	172 140 312	131 123 254	110 99 209	95 100 195
5575 3931 9506	571 481 1052	292 231 523	256 176 432	6694 4819 11513	739 505 1244	625 462 1087	477 340 817	339 249 588	248 221 469	219 189 408	205 156 361	162 133 295	126 120 246	103 95 198	92 99 191
378 314 692	35 29 64	16 20 36	13 13 26	442 376 818	40 37 77	36 30 66	32 16 48	20 17 37	18 5 23	15 5 20	6 3 9	10 7 17	5 3 8	7 4 11	3 1 4
849 235 614	122 28 94	62 22 40	51 18 33	1084 303 781	116 28 88	121 33 88	82 28 54	69 17 52	66 19 47	51 13 38	39 9 30	31 12 19	26 6 20	22 5 17	16 1 15
1000 407	105 31	56 17	34 9	1195 464	144 54	135 54	90 41	72 26	67 22	42 16	37 21	30 9	29 11	24 9	24 14
593	74	39	25	731	90	81	49	46	45	26	16	21	18	15	10
1738 650 468 620	216 62 52 102	100 35 31 34	92 23 30 39	2146 770 581 795	247 101 56 90	220 85 72 63	170 67 50 53	111 42 33 36	84 36 20 28	79 27 20 32	61 24 18 19	58 17 14 27	46 14 19 13	37 13 8 16	25 10 6 9
807	110	55	42	1014	102	83	76	52	48	28	30	29	24	19	23
1100 558 542	120 57 63	58 34 24	47 25 22	1325 674 651	140 60 80	147 85 62	96 57 39	82 44 38	42 20 22	52 24 28	57 26 31	34 16 18	27 16 11	27 16 11	21 9 12
655	59	35	25	774	79	48	55	27	25	27	21	17	17	7	13
2063 1538 525	191 141 50	72 56 16	87 69 18	2413 1804 609	240 188 52	191 142 49	148 121 27	99 73 26	80 64 16	74 55 19	59 45 14	59 43 16	39 26 13	39 23 16	31 23 8
565	59	38	16	678	67	57	37	37	18	15	16	14	10	9	13
713	78	37	16	844	52	47	48	33	24	26	20	19	14	10	14
708 509 199	56 45 11	46 34 12	48 30 18	858 618 240	134 108 26	104 75 29	63 48 15	43 30 13	38 31 7	34 27 7	30 22 8	21 16 5	22 14 8	15 10 5	15 12 3
3856 6342	371 745	195 364	174 284	4596 7735	487 834	471 682	364 501	235 390	181 311	155 273	143 227	111 201	92 162	74 135	63 132
1377	175	76	61	1689	222	173	129	86	72	47	49	39	36	30	27
791	86	56	45	978	102	84	68	64	43	43	29	28	14	13	10
2211	261	123	103	2698	288	225	172	143	121	101	91	80	60	53	50
1963	223	109	75	2370	222	200	132	97	75	82	58	54	52	39	45
2703	355	180	148	3386	459	398	347	220	180	160	131	114	91	73	70
2548	250	120	110	3028	291	260	169	128	97	77	82	65	44	48	43
2413	253	116	75	2857	231	189	130	102	76	56	65	51	44	33	29
2534	258	143	125	3060	340	306	219	175	139	135	92	82	75	55	53



TABLE 27.—Causes of Death of Children under One Year at Different Age Periods, 1952.

See Explanatory notes on page v.

England and Wales.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 mths.	3-5	6-8
	ALL CAUSES	10663 7892	365 314	2503 1907	968 685	834 541	609 292	287 220	221 163	166 123	606 510	308 251	269 189	7136 5195	1440 1034	1134 848	617 493	336 322
001-008	Tuberculosis of res- piratory system ..	9 7	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	3 3	4 —	1 4
010	Tuberculosis of men- inges and central	18 20	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	4 6	7 8	5 6
011	nervous system	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tuberculosis of intes- tines, peritoneum &	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	mesenteric glands	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tuberculosis of bones and joints ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
014-018	Tuberculosis, all other organs ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
019	Disseminated tuber- culosis ..	8 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	2 1	2 1	2 —
020-029	Syphilis & its sequelæ ..	13 8	— 1	— 1	— —	— —	— —	— —	— —	— —	1 —	— —	— 1	1 3	7 3	3 2	— —	2 —
030-039	Gonococcal infection and other venereal diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040-049	Infectious diseases commonly arising	4 4	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— 2	2 2	— —	1 —
	in intestinal tract	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	Dysentery, all .. forms	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 2	— —	— —
050-064	Other bacterial diseases ..	134 119	— —	— —	1 —	— —	— —	— —	— —	1 —	1 —	2 1	2 —	5 4	33 21	48 28	34 32	14 34
050	Scarlet fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	Diphtheria ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056-0	Whooping cough, without mention of pneumonia	23 18	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 7	— 11	— 2	3 5





TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months				
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 mths	3-5	6-8	9-11
280-289	Avitaminoses, and other metabolic diseases	7 5	—	—	—	—	—	—	—	—	—	—	—	—	—	3 3	—	2	2
283	Active rickets	2 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
286·0	Steatorrhoea and sprue	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	Anæmias	3 2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1
294-299	Other diseases of blood and blood- forming organs	4 7	—	—	—	—	1	1	—	—	1	2	—	—	—	1	1	—	—
300-326	Mental, psychoneu- rotic, & personality disorders	28 22	1	3	—	1	1	1	—	2	10	2	4	—	1	16	3	4	3
325	Mental deficiency	28 22	1	3	—	1	1	1	—	2	10	2	4	—	—	16	2	4	3
330-334	Vascular lesions affecting central nervous system	14 6	—	—	—	—	—	—	—	—	1	—	—	—	—	4	5	1	4
340	Meningitis, except meningococcal and tuberculous	62 54	—	—	—	1	1	2	—	1	2	5	3	—	—	13	13	11	18
351	Cerebral spastic infan- tile paralysis	4 2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	2
353	Epilepsy	5 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
390-398	Diseases of ear and mastoid process	46 22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3
Rem. of 330-398	Diseases of the ner- vous system and sense organs, others	39 21	—	—	—	1	1	1	—	—	1	—	—	—	—	4	12	10	13
400-402	Rheumatic fever	— 2	—	—	—	—	—	—	—	—	3	—	1	—	—	5	8	6	16
410-434	Diseases of the heart	8 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
440-468	Other diseases of the circulatory system	7 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—





TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months					
					1	2	3	4	5	6		1	2	3	Total under 4 weeks	4 weeks to 2 mths	3-5	6-8	9-11	
590-594	Nephritis & nephrosis.. { M F	10 9	—	—	—	—	—	—	—	—	—	—	—	1	2	3	4	4	4	9-11
600-609	Other diseases of { urinary system .. { M F	26 16	—	1	—	—	—	—	—	—	1	1	—	2	1	—	5	4	8	3
610-617	Diseases of male geni- tal organs .. M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	3
615	Redundant prepuce & phimosis .. M	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3
620-637	Diseases of female genital organs .. F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-698	Infections of skin and subcutaneous tissue.. { M F	14 17	—	—	—	—	—	—	—	—	—	—	2	1	1	—	4	7	1	1
700-716	Other diseases of skin and subcutaneous tissue { M F	8 7	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	2	2	2
720-749	Diseases of the bones & organs of move- ment { M F	19 12	—	—	—	—	—	—	1	—	1	—	1	2	1	—	4	6	3	1
730	Osteomyelitis and periostitis .. { M F	6 3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	3	1	—
750	Monstrosity .. { M F	54 66	7 16	31 32	12 10	3 6	2	—	1	—	54 66	—	—	—	—	—	54	—	—	—
751	Spina bifida and men- ingocele .. { M F	338 517	5 20	24 47	11 19	18 14	9 17	6 17	9 17	10 11	92 162	70 100	40 56	23 31	60 89	33 40	225 349	13 24	7 15	7
752	Congenital hydro- cephalus .. { M F	81 71	10 4	14 13	5 3	1 4	4	2 3	2 3	2	40 30	5 3	1	2	6 7	12 13	48 36	11 9	4 6	4
753-0	Congenital cataract .. { M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
753-1	Other congenital mal- formations of nerv. system & sense organs { M F	34 18	—	2 4	1 4	1	—	—	—	—	4 9	5 1	1 1	1 1	13	3	11 12	5 3	2 1	2
754-0	Tetralogy of Fallot .. { M F	12 10	—	1	—	—	—	1	—	—	1 1	3 2	—	—	4 3	2 2	4 3	1 1	1 1	1
754-1	Patent ductus arter- iosus (Botalli) .. { M F	51 28	—	8 1	4	15 2	1 3	3	—	1	31 7	4 3	1 1	3 2	7 5	4 5	39 13	— 4	1 1	1

754.2	Interventricular septal defect .. {M}{F}	43 42	1	2	1	1	1	1	1	16	5	4	4	1	26	9	6	2	—
754.3	Interauricular septal defect .. {M}{F}	30 30	1	3	3	2	1	1	1	17	2	2	2	—	19	6	1	3	1
754.4	Other and unspecified malformations of heart {M}{F}	419 344	2	41	39	24	16	30	11	176	37	38	21	16	250	82	39	39	9
754.5	Coarctation of aorta .. {M}{F}	25 17	—	2	1	1	2	1	2	11	2	2	1	1	15	4	2	4	—
754.6	Other circulatory malformations .. {M}{F}	24 20	1	4	3	—	2	2	1	9	4	2	2	2	17	5	—	1	1
755	Cleft palate and hare-lip .. {M}{F}	19 7	1	3	—	1	—	—	—	9	2	—	1	2	14	1	3	1	—
756.0	Congenital hypertrophic pyloric stenosis {M}{F}	67 12	—	—	—	—	—	—	—	—	1	—	3	6	10	53	4	—	—
756.1	Imperforate anus .. {M}{F}	28 9	—	2	1	—	—	3	2	12	8	—	3	2	25	1	1	1	1
756.2	Other congenital malformations of digestive system {M}{F}	172 133	1	6	2	6	6	22	6	77	28	21	11	5	121	26	14	3	8
757.0	Undescended testicle .. M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
757.1	Polycystic disease of kidney .. {M}{F}	15 7	—	5	1	—	—	—	—	6	1	—	1	1	9	5	—	1	—
757.2	Congenital malformations of external genital organs {M}{F}	3	—	1	—	—	—	—	—	2	—	—	—	—	2	1	—	—	—
757.3	Other congenital malformations of genitourinary system {M}{F}	62 17	—	14	2	—	1	1	2	20	4	1	2	4	30	18	10	2	2
758.0	Congenital dislocation of hip .. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758.1	Chondrodystrophy .. {M}{F}	3 6	1	—	3	—	—	—	—	2	—	—	—	1	2	—	1	—	—
758.2	Congenital malformations of skull .. {M}{F}	4 11	1	—	3	1	2	—	—	3	—	—	1	—	3	1	—	—	—
758.3	Brittle bones .. {M}{F}	3 1	—	—	—	—	—	—	—	—	1	—	—	1	2	—	1	—	—
758.4	Cervical rib .. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758.5	Congenital abnormalities of lumbosacral region {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758.6	Other congenital malformations of bone & joint {M}{F}	7 2	—	1	2	1	1	—	—	2	1	—	—	—	3	2	1	1	—



TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					1	2	3	4	5	6		1	2	3	4 weeks to 2 mths	3-5	6-8	9-11
759·0	Congenital malform- ations of respiratory system {M F}	24 25	— 2	4 7	2 —	— —	— 1	— —	1 1	— —	7 11	— —	1 —	— —	6 4	6 2	3 5	1 2
759·1	Congenital malform- ations of skin {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
759·2	Congenital malform- ations of muscle {M F}	6 7	1 1	3 5	— —	— —	1 —	— —	— —	— —	5 6	— —	— —	— —	— —	1 —	— —	1 —
759·3	Congenital malform- ations, other and unspecified {M F}	73 69	10 8	29 28	6 4	4 6	5 1	— 1	— 2	— 1	54 51	— —	6 7	3 2	4 6	3 1	1 1	1 1
760·0	Intracranial & spinal injury at birth, with- out mention of im- maturity {M F}	698 356	62 32	213 131	111 56	103 51	84 27	24 17	19 7	13 6	629 327	7 4	33 18	4 1	16 5	3 —	4 1	2 —
760·5	Intracranial & spinal injury at birth, with immaturity {M F}	285 177	6 1	99 60	54 34	58 28	28 18	11 6	10 6	2 5	268 158	— —	13 14	2 4	1 1	— —	— —	— —
761·0	Other birth injury, without mention of immaturity {M F}	87 73	20 27	37 29	14 8	8 1	3 3	2 2	— —	— 1	84 71	— —	— 1	— —	3 1	— —	— —	— —
761·5	Other birth injury, with immaturity {M F}	117 76	7 6	68 49	22 13	6 3	5 3	2 —	3 —	2 —	115 74	— —	1 2	1 —	— —	— —	— —	— —
762·0	Postnatal asphyxia & atelectasis, without mention of im- maturity {M F}	636 430	50 48	245 189	94 66	85 43	55 23	17 7	9 4	9 6	564 386	— —	25 14	10 6	18 9	7 10	3 2	1 1
762·5	Postnatal asphyxia & atelectasis, with im- maturity {M F}	833 553	12 16	400 246	176 112	102 75	59 23	25 19	14 13	10 7	798 511	— —	23 29	5 7	6 4	— —	— —	— —
763·0	Pneumonia of new- born, without men- tion of immaturity {M F}	362 262	1 —	11 14	26 17	34 23	40 11	19 16	13 16	15 9	159 106	— —	77 62	61 41	— —	— —	— —	— —
763·5	Pneumonia of new- born, with im- maturity {M F}	172 117	— —	5 7	16 7	13 12	19 14	6 11	18 9	10 8	87 68	— —	48 20	25 15	— —	— —	— —	— —
764·0	Diarrhoea of new- born, without men- tion of immaturity {M F}	37 20	1 —	— —	— —	— —	— 1	— —	— —	1 —	2 1	— —	7 2	11 7	— —	— —	— —	— —
764·5	Diarrhoea of new- born, with im- maturity {M F}	3 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 2	— 2	— —	— —	— —	— —
765·0	Ophthalmia neona- torum, without mention of im- maturity {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —





TABLE 27—continued.

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Total under 4 weeks	Months			
					1	2	3	4	5	6		1	2	3		4 weeks to 2 mths	3-5	6-8	9-11
769·8	Neonatal disorders attributed to toxo- plasmosis, with im- maturity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769·9	Neonatal disorders attributed to other or unspecified maternal toxæmia, with immaturity	19 11	—	4 6	2 2	5 —	5 2	—	1 1	1 —	18 11	—	1 —	—	—	—	—	—	—
770·0	Erythroblastosis, without mention of nervous affection or immaturity	157 129	5 14	52 69	20 8	14 9	18 8	13 6	7 3	7 2	136 119	11 4	2 3	—	1	6 1	—	2 —	—
770·1	Kernicterus, without mention of im- maturity	43 26	—	—	2 1	7 2	13 8	6 5	3 3	4 1	35 20	3 1	—	1 —	2 1	—	2 —	4 —	—
770·2	Erythroblastosis, with disorder of liver other than icterus gravis, without mention of im- maturity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
770·5	Erythroblastosis, without mention of nervous affection but with im- maturity	23 29	1 3	6 7	3 5	3 8	4 2	1 1	3 1	1 1	22 28	1 —	—	—	—	—	—	—	—
770·6	Kernicterus with im- maturity	13 15	—	—	—	—	1 1	—	4 3	1 1	6 5	6 9	1 —	—	—	—	1 —	—	—
770·7	Erythroblastosis with disorder of liver other than icterus gravis, with im- maturity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
771·0	Hæmorrhagic disease of newborn, with- out mention of im- maturity	75 48	—	4 5	8 12	16 10	19 4	9 5	6 1	4 2	66 39	5 7	1 —	—	2	3 —	—	—	—
771·5	Hæmorrhagic disease of newborn, with immaturity	28 30	—	3 5	2 2	6 4	7 5	3 3	1 3	2 1	24 23	4 3	2 —	—	—	—	—	—	—
772·0	Nutritional malad- justment, without mention of im- maturity	11 5	—	—	—	—	—	—	—	—	—	1 —	—	1 —	5 2	—	4 1	1 —	1 —
772·5	Nutritional malad- justment, with im- maturity	3	—	—	—	—	1 —	—	—	—	1 —	1 —	—	—	—	1 —	—	—	—
773·0	Ill-defined diseases peculiar to early in- fancy, without men- tion of immaturity	33 22	1 —	4 3	2 —	1 2	3 2	3 1	1 —	1 —	16 8	3 2	—	2 2	9 7	—	1 —	2 1	2 —





**TABLE 28.—Infant Mortality from Certain Causes**  
**1952. Deaths under 1 year and various sub-divisions**  
**of the first year, and deaths of illegitimate infants.**

**{ England and Wales, Standard Regions,**  
**Conurbations, and Aggregates of Urban**  
**and Rural areas outside the Conurbations.**

See explanatory notes on page vi.

Area	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	All Causes							Tuberculosis (001-019)						
<b>England and Wales</b>	<b>18555</b>	<b>12331</b>	<b>2474</b>	<b>1982</b>	<b>1110</b>	<b>658</b>	<b>1138</b>	<b>68</b>	<b>1</b>	<b>5</b>	<b>20</b>	<b>24</b>	<b>18</b>	<b>2</b>
<b>Regional Summary &amp; Conurbations</b>														
Northern .. .. .	1723	1084	237	217	121	64	78	3	—	—	1	1	1	1
Tyneside conurbation ..	474	303	61	64	34	12	24	1	—	—	1	—	—	—
Remainder of Northern ..	1249	781	176	153	87	52	54	2	—	—	—	1	1	1
East and West Ridings ..	1889	1195	279	229	109	77	127	3	—	—	—	1	2	—
West Yorkshire conurbation ..	741	464	108	89	46	34	55	1	—	—	—	—	1	—
Remainder of E. & W. Ridings ..	1148	731	171	140	63	43	72	2	—	—	—	1	1	—
North Western .. .. .	3284	2146	467	365	198	108	202	22	—	1	6	9	6	1
South East Lancs. conurbation ..	1206	770	186	145	68	37	93	9	—	1	2	4	2	—
Merseyside conurbation ..	897	581	128	103	52	33	44	5	—	—	1	3	1	—
Remainder of North Western ..	1181	795	153	117	78	38	65	8	—	—	3	2	3	1
North Midland .. .. .	1528	1014	185	176	87	66	98	7	1	1	3	2	—	—
Midland .. .. .	2050	1325	287	220	143	75	105	7	—	2	2	1	2	—
West Midland conurbation ..	1047	674	145	121	66	41	55	3	—	1	1	1	—	—
Remainder of Midland ..	1003	651	142	99	77	34	50	4	—	1	1	—	2	—
Eastern .. .. .	1110	774	127	107	65	37	70	3	—	—	1	2	—	—
London and South Eastern ..	3472	2413	431	327	192	109	272	9	—	—	2	4	3	—
Greater London .. .. .	2607	1804	330	258	143	72	206	4	—	—	—	2	2	—
Remainder of South Eastern ..	865	609	101	69	49	37	66	5	—	—	2	2	1	—
Southern .. .. .	971	678	124	92	45	32	63	1	—	—	1	—	—	—
South Western .. .. .	1151	844	99	105	65	38	63	5	—	1	—	2	2	—
Wales .. .. .	1377	858	238	144	85	52	60	8	—	—	4	2	2	—
Wales I .. .. .	1011	618	183	109	65	36	37	6	—	—	3	1	2	—
Wales II .. .. .	366	240	55	35	20	16	23	2	—	—	1	1	—	—
<b>Density Aggregates Summary</b>														
Conurbations .. .. .	6972	4596	958	780	409	229	477	23	—	2	5	10	6	—
Areas outside the conurbations	11583	7735	1516	1202	701	429	661	45	1	3	15	14	12	2
Urban areas with populations of 100,000 and over .. .. .	2599	1689	395	287	135	93	168	5	1	—	2	1	1	—
Urban areas with populations of 50,000 and under 100,000 ..	1476	978	186	175	100	37	91	5	—	—	1	4	—	1
Urban areas with populations under 50,000 .. .. .	4082	2698	513	436	272	163	194	22	—	2	9	5	6	—
Rural areas .. .. .	3426	2370	422	304	194	136	208	13	—	1	3	4	5	1
Whooping cough (056)								Pneumonia (490-493, 763)						
<b>England and Wales</b>	<b>111</b>	<b>—</b>	<b>28</b>	<b>41</b>	<b>23</b>	<b>19</b>	<b>1</b>	<b>3009</b>	<b>913</b>	<b>834</b>	<b>703</b>	<b>365</b>	<b>194</b>	<b>175</b>
<b>Regional Summary &amp; Conurbations</b>														
Northern .. .. .	5	—	1	2	—	2	—	367	99	114	96	38	20	15
Tyneside conurbation ..	3	—	1	2	—	—	—	102	29	31	28	9	5	7
Remainder of Northern ..	2	—	—	—	—	2	—	265	70	83	68	29	15	8
East and West Ridings ..	13	—	4	4	4	1	—	318	65	104	87	38	24	21
West Yorkshire conurbation ..	6	—	1	2	3	—	—	125	29	34	34	17	11	11
Remainder of E. & W. Ridings ..	7	—	3	2	1	1	—	193	36	70	53	21	13	10
North Western .. .. .	16	—	5	7	4	—	—	584	170	173	135	68	38	31
South East Lancs. conurbation ..	7	—	2	4	1	—	—	188	52	56	47	22	11	11
Merseyside conurbation ..	4	—	1	1	2	—	—	174	53	54	39	16	12	8
Remainder of North Western ..	5	—	2	2	1	—	—	222	65	63	49	30	15	12
North Midland .. .. .	13	—	—	8	3	2	—	259	83	65	58	36	17	11
Midland .. .. .	17	—	5	2	4	6	—	337	108	81	79	47	22	17
West Midland conurbation ..	13	—	5	2	1	5	—	162	52	38	37	20	15	8
Remainder of Midland ..	4	—	—	—	3	1	—	175	56	43	42	27	7	9
Eastern .. .. .	5	—	3	1	—	1	—	155	58	35	31	22	9	9
London and South Eastern ..	16	—	6	5	1	4	1	451	158	112	108	52	21	41
Greater London .. .. .	11	—	4	4	—	3	1	350	124	87	89	38	12	28
Remainder of South Eastern ..	5	—	2	1	1	1	—	101	34	25	19	14	9	13
Southern .. .. .	7	—	1	4	1	1	—	132	47	35	27	14	9	9
South Western .. .. .	12	—	1	6	4	1	—	180	61	41	39	25	14	12
Wales .. .. .	7	—	2	2	2	1	—	226	64	74	43	25	20	9
Wales I .. .. .	5	—	2	1	1	1	—	172	49	57	33	19	14	4
Wales II .. .. .	2	—	—	1	1	—	—	54	15	17	10	6	6	5
<b>Density Aggregates Summary</b>														
Conurbations .. .. .	44	—	14	15	7	8	1	1101	339	300	274	122	66	73
Areas outside the conurbations	67	—	14	26	16	11	—	1908	574	534	429	243	128	102
Urban areas with populations of 100,000 and over .. .. .	15	—	2	6	4	3	—	510	151	170	108	55	26	27
Urban areas with populations of 50,000 and under 100,000 ..	3	—	—	1	1	1	—	244	72	60	64	37	11	8
Urban areas with populations under 50,000 .. .. .	26	—	7	12	5	2	—	645	176	169	158	89	53	39
Rural areas .. .. .	23	—	5	7	6	5	—	509	175	135	99	62	38	28

TABLE 28—continued.

Area	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Bronchitis (500-502)							Gastro-enteritis (571, 764)						
England and Wales	375	29	115	137	60	34	18	676	66	229	211	107	63	46
Regional Summary & Conurbations														
Northern .. .. .	50	4	11	23	9	3	2	65	13	18	12	13	9	4
Tyneside conurbation .. .. .	15	1	4	6	4	—	—	16	1	7	4	3	1	2
Remainder of Northern .. .. .	35	3	7	17	5	3	2	49	12	11	8	10	8	2
East and West Ridings .. .. .	53	4	18	19	9	3	5	75	8	30	23	7	7	4
West Yorkshire conurbation .. .. .	16	—	5	5	5	1	—	24	1	14	5	2	2	3
Remainder of E. & W. Ridings .. .. .	37	4	13	14	4	2	5	51	7	16	18	5	5	1
North Western .. .. .	64	8	21	19	10	6	3	130	8	41	50	20	11	10
South East Lancs. conurbation .. .. .	15	1	5	4	2	3	2	53	1	21	19	8	4	7
Merseyside conurbation .. .. .	32	5	12	9	4	2	1	40	4	8	20	4	4	1
Remainder of North Western .. .. .	17	2	4	6	4	1	—	37	3	12	11	8	3	2
North Midland .. .. .	46	5	11	18	7	5	1	40	6	6	14	6	8	5
Midland .. .. .	37	1	12	14	7	3	—	99	12	34	33	16	4	6
West Midland conurbation .. .. .	14	—	3	8	3	—	—	65	8	18	23	12	4	4
Remainder of Midland .. .. .	23	1	9	6	4	3	—	34	4	16	10	4	—	2
Eastern .. .. .	12	—	2	4	4	2	—	44	3	15	11	9	6	1
London and South Eastern .. .. .	75	7	28	27	7	6	6	90	6	35	23	16	10	7
Greater London .. .. .	65	6	23	27	5	4	6	75	5	31	19	12	8	5
Remainder of South Eastern .. .. .	10	1	5	—	2	2	—	15	1	4	4	4	2	2
Southern .. .. .	5	—	3	—	1	1	—	32	1	13	14	2	2	3
South Western .. .. .	7	—	1	3	1	2	—	32	1	9	12	7	3	3
Wales .. .. .	26	—	8	10	5	3	1	69	8	28	19	11	3	3
Wales I .. .. .	21	—	7	9	3	2	1	57	6	23	17	10	1	1
Wales II .. .. .	5	—	1	1	2	1	—	12	2	5	2	1	2	2
Density Aggregates Summary														
Conurbations .. .. .	157	13	52	59	23	10	9	273	20	99	90	41	23	22
Areas outside the conurbations	218	16	63	78	37	24	9	403	46	130	121	66	40	24
Urban areas with populations of 100,000 and over .. .. .	44	3	12	18	9	2	2	119	14	44	37	14	10	7
Urban areas with populations of 50,000 and under 100,000 .. .. .	27	1	4	13	7	2	2	55	8	19	16	9	3	3
Urban areas with populations under 50,000 .. .. .	77	8	21	28	11	9	4	124	13	31	41	25	14	6
Rural areas .. .. .	70	4	26	19	10	11	1	105	11	36	27	18	13	8
Congenital malformations (750-759)								Injury at birth (760, 761)						
England and Wales	3066	1948	553	292	177	96	140	1869	1832	27	3	5	2	102
Regional Summary & Conurbations														
Northern .. .. .	241	155	43	21	15	7	8	142	141	—	1	—	—	4
Tyneside conurbation .. .. .	60	42	7	6	4	1	4	36	35	—	1	—	—	2
Remainder of Northern .. .. .	181	113	36	15	11	6	4	106	106	—	—	—	—	2
East and West Ridings .. .. .	292	187	43	32	17	13	21	200	199	—	—	—	1	11
West Yorkshire conurbation .. .. .	117	76	13	15	7	6	7	70	70	—	—	—	—	6
Remainder of E. & W. Ridings .. .. .	175	111	30	17	10	7	14	130	129	—	—	—	1	5
North Western .. .. .	544	350	100	51	27	16	23	305	299	5	—	1	—	18
South East Lancs. conurbation .. .. .	200	117	44	24	8	7	13	116	113	2	—	1	—	10
Merseyside conurbation .. .. .	134	92	22	10	5	5	5	103	102	1	—	—	—	5
Remainder of North Western .. .. .	210	141	34	17	14	4	5	86	84	2	—	—	—	3
North Midland .. .. .	237	154	43	22	8	10	18	154	152	1	1	—	—	12
Midland .. .. .	357	224	71	30	21	11	14	207	202	5	—	—	—	9
West Midland conurbation .. .. .	178	113	41	11	9	4	9	124	121	3	—	—	—	7
Remainder of Midland .. .. .	179	111	30	19	12	7	5	83	81	2	—	—	—	2
Eastern .. .. .	182	107	33	25	11	6	9	129	123	5	—	1	—	9
London and South Eastern .. .. .	647	392	133	63	41	18	28	362	354	4	—	3	1	24
Greater London .. .. .	502	299	104	51	34	14	23	281	273	4	—	3	1	22
Remainder of South Eastern .. .. .	145	93	29	12	7	4	5	81	81	—	—	—	—	2
Southern .. .. .	177	108	32	16	14	7	8	102	99	3	—	—	—	2
South Western .. .. .	188	139	18	15	12	4	6	144	142	2	—	—	—	7
Wales .. .. .	201	132	37	17	11	4	5	124	121	2	1	—	—	6
Wales I .. .. .	141	96	25	10	7	3	3	91	88	2	1	—	—	4
Wales II .. .. .	60	36	12	7	4	1	2	33	33	—	—	—	—	2
Density Aggregates Summary														
Conurbations .. .. .	1191	739	231	117	67	37	61	730	714	10	1	4	1	52
Areas outside the conurbations	1875	1209	322	175	110	59	79	1139	1118	17	2	1	1	50
Urban areas with populations of 100,000 and over .. .. .	435	282	68	43	21	21	28	249	243	4	1	—	1	13
Urban areas with populations of 50,000 and under 100,000 .. .. .	249	170	40	21	16	2	11	139	135	3	—	1	—	4
Urban areas with populations under 50,000 .. .. .	646	403	116	59	45	23	19	399	396	3	—	—	—	12
Rural areas .. .. .	545	354	98	52	28	13	21	352	344	7	1	—	—	21



TABLE 28—continued.

Area	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks— 2 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Post-natal asphyxia, atelectasis (762)							Hæmolytic disease of newborn (770)						
<b>England and Wales</b>	<b>2452</b>	<b>2391</b>	<b>37</b>	<b>17</b>	<b>5</b>	<b>2</b>	<b>154</b>	<b>435</b>	<b>414</b>	<b>11</b>	<b>4</b>	<b>6</b>	—	<b>18</b>
<b>Regional Summary &amp; Conurbations</b>														
Northern .. .. .	150	149	1	—	—	—	4	24	24	—	—	—	—	2
Tyneside conurbation .. ..	42	42	—	—	—	—	1	10	10	—	—	—	—	2
Remainder of Northern .. ..	108	107	1	—	—	—	3	14	14	—	—	—	—	—
East and West Ridings .. ..	232	225	5	2	—	—	15	39	36	2	1	—	—	3
West Yorkshire conurbation ..	89	85	4	—	—	—	5	17	15	1	1	—	—	2
Remainder of E. & W. Ridings ..	143	140	1	2	—	—	10	22	21	1	—	—	—	1
North Western .. .. .	455	437	9	7	2	—	28	62	56	4	—	2	—	2
South East Lancs. conurbation ..	179	170	5	4	—	—	12	17	16	—	—	1	—	2
Merseyside conurbation .. ..	150	148	—	2	—	—	10	15	14	1	—	—	—	—
Remainder of North Western .. ..	126	119	4	1	2	—	6	30	26	3	—	1	—	—
North Midland .. .. .	192	188	3	—	1	—	7	42	41	1	—	—	—	1
Midland .. .. .	262	254	5	1	1	1	12	46	45	—	—	1	—	2
West Midland conurbation .. ..	142	139	2	1	—	—	9	21	21	—	—	—	—	—
Remainder of Midland .. .. .	120	115	3	—	1	1	3	25	24	—	—	1	—	2
Eastern .. .. .	144	143	1	—	—	—	12	31	28	1	—	2	—	1
London and South Eastern .. ..	550	540	5	4	1	—	43	103	101	1	1	—	—	3
Greater London .. .. .	424	418	4	2	—	—	33	73	71	1	1	—	—	2
Remainder of South Eastern .. ..	126	122	1	2	1	—	10	30	30	—	—	—	—	1
Southern .. .. .	132	130	1	—	—	1	11	31	29	1	1	—	—	3
South Western .. .. .	185	184	1	—	—	—	11	24	24	—	—	—	—	—
Wales .. .. .	150	141	6	3	—	—	11	33	30	1	1	1	—	1
Wales I .. .. .	86	81	4	1	—	—	6	23	21	1	—	1	—	1
Wales II .. .. .	64	60	2	2	—	—	5	10	9	—	1	—	—	—
<b>Density Aggregates Summary</b>														
Conurbations .. .. .	1026	1002	15	9	—	—	70	153	147	3	2	1	—	8
Areas outside the conurbations ..	1426	1389	22	8	5	2	84	282	267	8	2	5	—	10
Urban areas with populations of 100,000 and over .. .. .	299	289	6	3	—	1	20	55	55	—	—	—	—	3
Urban areas with populations of 50,000 and under 100,000 .. ..	187	183	1	1	1	1	14	32	26	3	1	2	—	1
Urban areas with populations under 50,000 .. .. .	506	493	9	1	3	—	26	105	99	3	—	3	—	3
Rural areas .. .. .	434	424	6	3	1	—	24	90	87	2	1	—	—	3
<b>Immaturity associated with diseases of early infancy (760-773)*</b>														
	<b>2891</b>	<b>2863</b>	<b>27</b>	<b>1</b>	—	—	<b>182</b>	<b>3602</b>	<b>3518</b>	<b>79</b>	<b>5</b>	—	—	<b>260</b>
<b>England and Wales</b>														
<b>Regional Summary &amp; Conurbations</b>														
Northern .. .. .	213	211	2	—	—	—	8	372	360	11	1	—	—	19
Tyneside conurbation .. ..	69	68	1	—	—	—	3	108	105	3	—	—	—	2
Remainder of Northern .. ..	144	143	1	—	—	—	5	264	255	8	1	—	—	17
East and West Ridings .. ..	242	239	3	—	—	—	16	397	387	10	—	—	—	29
West Yorkshire conurbation ..	85	83	2	—	—	—	5	167	161	6	—	—	—	15
Remainder of E. & W. Ridings ..	157	156	1	—	—	—	11	230	226	4	—	—	—	14
North Western .. .. .	516	509	7	—	—	—	29	630	616	12	2	—	—	48
South East Lancs. conurbation ..	180	177	3	—	—	—	15	233	231	2	—	—	—	20
Merseyside conurbation .. ..	165	162	3	—	—	—	7	127	120	6	1	—	—	7
Remainder of North Western .. ..	171	170	1	—	—	—	7	270	265	4	1	—	—	21
North Midland .. .. .	240	238	2	—	—	—	14	276	269	7	—	—	—	19
Midland .. .. .	325	324	1	—	—	—	18	362	354	7	1	—	—	20
West Midland conurbation .. ..	194	193	1	—	—	—	14	150	147	2	1	—	—	5
Remainder of Midland .. .. .	131	131	—	—	—	—	4	212	207	5	—	—	—	15
Eastern .. .. .	176	175	1	—	—	—	13	228	223	5	—	—	—	21
London and South Eastern .. ..	623	618	4	1	—	—	50	641	627	13	1	—	—	64
Greater London .. .. .	484	480	3	1	—	—	40	450	438	11	1	—	—	45
Remainder of South Eastern .. ..	139	138	1	—	—	—	10	191	189	2	—	—	—	19
Southern .. .. .	138	137	1	—	—	—	11	204	201	3	—	—	—	17
South Western .. .. .	209	207	2	—	—	—	10	229	226	3	—	—	—	10
Wales .. .. .	209	205	4	—	—	—	13	263	255	8	—	—	—	13
Wales I .. .. .	139	137	2	—	—	—	10	208	202	6	—	—	—	9
Wales II .. .. .	70	68	2	—	—	—	3	55	53	2	—	—	—	4
<b>Density Aggregates Summary</b>														
Conurbations .. .. .	1177	1163	13	1	—	—	84	1235	1202	30	3	—	—	94
Areas outside the conurbations ..	1714	1700	14	—	—	—	98	2367	2316	49	2	—	—	166
Urban areas with populations of 100,000 and over .. .. .	372	370	2	—	—	—	25	501	492	9	—	—	—	40
Urban areas with populations of 50,000 and under 100,000 .. ..	200	199	1	—	—	—	13	303	290	12	1	—	—	28
Urban areas with populations under 50,000 .. .. .	613	608	5	—	—	—	27	836	819	16	1	—	—	48
Rural areas .. .. .	529	523	6	—	—	—	33	727	715	12	—	—	—	50

\*Including some deaths shown elsewhere in this table.

TABLE 29.—Notifications of Certain Infectious Diseases. Case Rates per 100,000 Population, 1942 - 1952 (For the years 1942-1949, the Rates in this Table relate to Civilians only). } England and Wales and Certain Aggregates.

See Explanatory notes on page vii.

Disease.	Year.	England and Wales (including Port Health Districts).	England.	Wales (including Mon-mouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Typhoid fever	1942	1	1	1	2	1	1	1	1	1	1	1	1
	1943	1	1	1	1	1	1	1	1	1	1	1	1
	1944†	1	1	1	1	1	1	1	1	1	1	1	1
	1945†	1	1	1	1	1	1	1	1	0	1	1	1
	1946†	1	1	7	1	1	9	1	2	1	9	1	8
	1947†	1	1	1	1	1	1	1	1	1	0	1	1
	1948†	1	1	1	0	1	1	0	1	1	1	2	1
	1949†	1	1	0	1	1	0	1	1	1	0	1	1
	1950†	1	0	0	1	0	0	0	0	1	0	0	0
	1951†	0	0	0	1	1	0	0	0	1	0	1	1
Paratyphoid fevers ...	1952†	0	0	0	0	0	0	0	0	0	1	0	0
	1942	1	1	1	1	1	1	1	1	1	1	1	1
	1943	1	1	1	1	1	1	0	0	1	1	1	1
	1944†	1	1	1	1	1	1	1	1	1	1	1	1
	1945†	1	1	1	0	1	1	1	1	1	1	1	1
	1946†	2	2	3	1	1	3	3	2	1	4	1	1
	1947†	1	1	0	1	1	0	1	1	1	0	1	1
	1948†	1	1	0	1	1	1	1	—	1	1	1	1
	1949†	1	1	0	1	1	0	2	0	1	1	1	1
	1950†	1	1	0	1	1	0	0	0	1	0	1	1
Meningococcal infections ...	1951†	2	2	3	1	2	4	3	1	2	3	2	0
	1952†	2	1	23	1	1	24	1	17	1	29	1	17
	1942	14	13	20	15	11	20	18	21	11	20	10	19
	1943	8	8	9	9	6	9	10	9	7	9	6	9
	1944†	5	5	6	6	5	6	6	8	5	7	5	4
	1945†	5	5	6	6	4	5	5	7	4	7	4	4
	1946†	5	5	5	6	4	5	6	8	4	7	4	4
	1947†	5	5	6	5	4	5	7	8	5	7	4	4
	1948†	3	3	4	3	2	3	4	5	2	4	2	2
	1949†	2	2	2	2	2	2	3	2	2	2	1	2
	1950†	3	3	3	3	2	3	4	2	2	3	2	2
	1951†	3	3	4	3	3	4	4	5	3	4	2	3
	1952†	3	3	3	2	3	3	4	4	3	5	2	2
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	

† See note at end of table.



TABLE 29—continued.

Disease.	Year.	England and Wales (including Port Health Districts).	England.	Wales (including Mon-mouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Scarlet fever	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
	1942	219	224	154	186	204	160	271	131	224	184	160	122
	1943	301	308	201	380	297	191	315	240	333	213	217	156
	1944†	240	241	228	157	235	222	270	252	243	243	215	188
	1945†	189	189	187	157	175	171	223	171	183	216	156	153
	1946†	138	137	153	142	127	155	254	147	132	181	115	113
	1947†	137	111	141	133	123	126	164	198	131	140	103	102
	1948†	173	170	219	137	154	193	209	310	165	210	128	164
	1949†	163	163	160	146	156	140	180	229	167	160	131	109
	1950†	150	150	155	123	147	143	163	195	152	170	136	101
	1951†	111	111	108	110	107	103	120	126	113	126	93	67
	1952†	153	156	107	156	148	100	171	133	164	116	111	74
Diphtheria	1942	105	101	152	76	70	141	169	198	75	159	57	112
	1943	88	86	121	74	60	110	137	165	68	111	45	108
	1944†	59	56	90	31	44	86	85	106	50	92	31	77
	1945†	46	45	58	31	37	61	64	48	41	67	28	51
	1946†	29	28	42	24	23	42	37	40	25	44	18	38
	1947†	13	13	18	14	10	19	18	13	11	20	9	17
	1948†	8	8	7	10	7	8	11	6	7	8	5	8
	1949†	4	4	4	6	3	4	6	3	3	4	3	5
	1950†	2	2	2	2	1	2	3	2	1	3	2	2
	1951†	2	1	2	1	1	1	2	4	2	2	1	1
	1952†	1	1	2	1	1	1	1	2	1	2	0	1
Whooping cough	1942	173	177	114	272	163	106	184	147	165	113	159	94
	1943	254	262	137	268	236	131	312	160	243	151	212	101
	1944†	249	253	185	290	257	191	237	164	252	185	270	199
	1945†	164	169	97	125	167	99	181	91	159	103	187	192
	1946†	229	235	126	222	215	115	272	164	215	121	218	106
	1947†	222	228	127	286	215	118	237	160	220	136	203	88
	1948†	342	349	237	313	347	227	363	274	342	241	358	203
	1949†	239	242	183	170	242	161	280	260	232	167	231	150
	1950†	360	372	173	321	347	138	431	296	351	148	338	123
	1951†	387	387	376	311	407	362	370	425	401	375	419	342
	1952†	261	267	166	166	249	153	328	210	250	160	246	142
Erysipelas	1942	30	30	23	43	25	22	37	24	26	26	23	16
	1943	31	31	22	42	28	22	36	24	29	27	24	14
	1944†	29	29	22	37	27	21	32	28	28	26	24	13
	1945†	25	26	19	31	23	19	29	17	24	25	22	11
	1946†	22	23	16	27	20	16	25	16	22	19	18	11
	1947†	19	19	14	23	17	13	21	16	18	15	15	10
	1948†	21	22	17	22	20	17	25	20	21	15	15	14
	1949†	19	19	18	17	18	15	22	25	18	18	17	12
	1950†	17	18	15	17	17	13	20	22	17	15	15	9
	1951†	14	14	10	15	13	9	15	15	13	10	12	8
	1952†	14	14	11	14	13	10	16	15	13	12	12	7

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
Dysentery ...	1942	18	17	25	31	17	21	15	38	14	15	24	30
	1943	19	19	9	45	17	8	15	19	15	11	20	3
	1944†	30	29	43	59	29	23	23	120	26	26	36	19
	1945†	39	39	26	72	36	14	38	73	33	12	42	16
	1946†	19	19	12	24	21	8	16	26	19	7	24	10
	1947†	9	9	4	10	11	1	6	12	8	1	17	2
	1948†	12	12	9	21	10	4	14	24	9	7	12	1
Measles ...	1949†	11	10	12	13	8	10	13	17	9	15	8	2
	1950†	39	40	33	28	28	22	64	72	32	29	19	11
	1951†	65	67	31	121	55	23	77	60	60	28	44	15
	1952†	33	34	17	51	28	8	42	47	29	7	26	10
	1942	746	775	339	862	655	324	993	399	762	350	423	283
	1943	988	986	1028	917	1032	1053	930	930	995	1313	1113	637
	1944†	416	429	223	298	391	236	531	176	412	263	343	192
Acute poliomyelitis and polioencephalitis ...	1945†	1167	1170	1123	903	1226	1043	1127	1421	1191	1198	1306	792
	1946†	394	405	189	735	352	195	418	167	385	196	276	779
	1947†	941	936	1024	539	934	1030	1040	1003	951	1183	893	779
	1948†	934	955	595	917	917	634	1049	456	908	678	914	564
	1949†	895	916	560	854	917	485	930	826	908	588	938	318
	1950†	839	845	733	657	806	660	968	993	829	724	751	557
	1951†	1407	1415	1271	1464	1419	1320	1396	1097	1451	1397	1347	1199
Ac. poliomyelitis (Paralytic)	1952†	886	899	689	923	800	613	1080	958	856	733	674	423
	1942	2	2	1	1	2	2	1	1	2	2	2	2
	1943	1	1	1	2	1	1	1	1	1	1	1	1
	1944†	1	1	1	1	2	1	1	0	1	2	2	1
	1945†	2	2	2	2	2	2	2	3	2	1	3	3
	1946†	2	2	1	1	2	1	2	1	2	2	2	1
	1947†	18	19	15	22	20	15	16	14	19	14	22	17
Ac. poliomyelitis (Non-para.)	1948†	4	4	5	4	5	4	4	7	4	4	5	4
	1949†	14	14	8	20	15	7	12	9	14	9	15	4
	1950†	13	13	11	8	12	12	15	7	11	10	15	15
	1951†	3	4	2	2	4	2	4	2	3	3	4	1
	1952†	6	6	5	6	7	5	6	5	6	5	7	4
	1950†	5	5	5	5	5	5	5	5	5	4	6	7
	1951†	2	2	3	2	3	3	3	5	2	3	2	3
*Puerperal fever and puerperal pyrexia ...	1952†	3	3	2	3	3	1	3	4	3	2	3	1
	1942	22	23	17	26	18	15	30	26	20	19	14	8
	1943	22	23	15	25	19	11	30	29	21	14	14	7
	1944†	21	21	14	22	17	10	30	31	19	12	13	6
	1945†	18	19	13	26	14	9	25	28	16	11	11	6
	1946†	18	18	13	21	14	9	25	27	16	10	9	6
	1947†	16	16	9	16	12	6	23	21	14	7	7	4
Food poisoning ...	1948†	13	13	6	15	9	4	20	14	11	5	6	3
	1949†	11	11	6	13	8	4	17	14	9	6	5	1
	1950†	9	10	5	11	7	3	15	12	8	4	5	1
	1951†	17	17	9	27	12	6	25	20	15	8	7	3
	1952†	28	29	13	55	19	8	42	29	22	10	11	6
	1950†	17	17	15	25	18	15	14	15	14	21	3	5
	1951†	13	13	10	23	12	10	15	7	10	14	16	6
	1952†	13	14	6	18	13	6	14	6	12	8	14	4

\*The London figures include the following notification rates for Puerperal fever alone:— 1942—0·04, 1943—0·05, 1944—0·06, 1945—0·06, 1946—0·04, 1947—0·03, 1948—0·01, 1949—Nil, 1950—Nil, 1951—Nil. The Puerperal Pyrexia Regulations 1951, which came into operation on the 1st August, 1951, and which apply throughout England and Wales, including London, contain a revised definition of Puerperal Pyrexia. From the 1st August, 1951, Puerperal Fever was no longer separately notifiable in London.

†The rates in these years are based upon notifications finally corrected after amendment of diagnosis (except in Port Health Districts).



**TABLE 30.—Seasonal Incidence of Certain Infectious Diseases, 1952 (including Non-Civilians).** } England and Wales.

*Note.*—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week : where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

*See explanatory notes on page vii.*

Week ended				Typhoid fever	Paratyphoid fevers	Meningococcal Infection	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute Poliomyelitis		Food poisoning
											Paralytic	Non-paralytic	
Jan.	5	1952	...	67	29	111	85	98	161	46	31	26	255
"	12		...	100	14	142	81	109	118	38	57	11	112
"	19		...	133	29	97	93	107	79	37	43	37	102
"	26		...	67	48	103	99	118	96	38	31	33	74
Feb.	2		...	167	29	86	101	121	86	45	29	30	78
"	9		...	67	29	136	109	123	121	59	19	22	74
"	16		...	100	14	142	114	116	172	66	22	26	94
"	23		...	100	29	125	124	121	132	76	16	19	70
Mar.	1		...	67	57	97	115	127	118	82	26	15	61
"	8		...	—	29	158	121	133	136	91	22	22	78
"	15		...	133	33	128	119	141	189	94	22	33	97
"	22		...	33	29	133	114	143	118	91	21	30	105
"	29		...	33	57	106	108	142	104	92	17	7	54
Apr.	5		...	33	33	167	104	137	79	90	26	15	153
"	12		...	33	62	122	87	105	86	72	24	11	43
"	19		...	67	43	133	80	128	114	90	26	30	53
"	26		...	—	38	128	61	134	125	81	38	26	102
May	3		...	167	48	108	67	142	75	63	26	33	79
"	10		...	100	24	111	79	137	57	59	26	22	75
"	17		...	33	105	119	83	133	96	76	43	44	111
"	24		...	33	252	117	74	127	89	83	31	70	105
"	31		...	100	214	86	70	118	86	88	45	67	113
June	7		...	167	62	64	65	95	104	84	72	70	169
"	14		...	133	152	111	65	115	68	97	48	74	96
"	21		...	200	181	92	82	117	82	83	84	70	86
"	28		...	133	90	83	93	112	118	90	100	119	119
July	5		...	67	100	64	79	107	107	89	105	93	139
"	12		...	100	119	67	80	102	118	100	134	152	119
"	19		...	67	186	72	80	101	89	95	181	219	149
"	26		...	167	357	94	90	93	75	97	271	356	191
Aug.	2		...	167	619	56	77	93	68	97	240	337	136
"	9		...	133	300	50	55	81	68	93	288	307	124
"	16		...	133	190	97	49	85	61	81	293	326	121
"	23		...	433	276	81	43	82	82	69	262	256	157
"	30		...	133	210	78	43	85	79	48	259	241	115
Sept.	6		...	233	195	78	43	84	82	39	198	270	165
"	13		...	300	305	72	54	68	93	32	200	252	87
"	20		...	167	157	83	65	62	75	34	219	230	132
"	27		...	100	148	58	89	57	54	43	181	211	113
Oct.	4		...	133	110	81	98	51	89	62	174	200	97
"	11		...	67	119	111	124	49	86	76	159	63	134
"	18		...	200	71	83	135	49	104	103	148	122	94
"	25		...	267	38	58	153	55	100	121	129	96	53
Nov.	1		...	267	33	94	161	66	104	148	112	78	70
"	8		...	133	10	83	151	66	96	149	140	133	91
"	15		...	100	24	81	158	81	157	159	141	81	125
"	22		...	100	38	78	171	85	146	160	107	78	64
"	29		...	33	19	81	184	98	71	196	97	78	48
Dec.	6		...	100	19	92	173	94	104	214	83	37	45
"	13		...	33	19	108	171	85	82	235	71	63	61
"	20		...	167	5	106	145	71	82	259	62	44	48
"	27		...	67	14	86	105	51	93	188	52	11	35
Jan.	3	1953	...	33	—	153	131	99	89	403	47	37	39
Average weekly number of cases notified (original notifications)				3	21	36	1305	2192	28	7567	58	27	121

**TABLE 31.—Cases of Certain Infectious Diseases Notified, 1942-1952.** } England and Wales.

See Explanatory notes on page vii.

(a) Total (excluding cases in Port Health Districts). { Civilians only, 1942-1949, including non-civilians for 1950 onwards.

Diseases	1942	1943	1944†	1945†	1946†	1947†	1948†	1949†	1950†	1951†	1952†
Typhoid fever .. .. .	433	364	259	261	459	264	346	278	211	202	130
Paratyphoid fevers .. .. .	354	313	225	213	720	396	370	576	291	1094	1038
Plague .. .. .	—	—	—	—	—	—	—	—	—	—	—
Cholera .. .. .	—	—	—	—	—	—	1	—	—	—	—
Meningococcal infections .. .. .	5281	2974	2018	1829	1880	2196	1198	934	1149	1390	1326
Scarlet fever .. .. .	83830	113917	90581	72174	56099	57246	73940	70186	65878	48735	67251
Whooping cough .. .. .	65986	96105	93944	62663	92892	92657	146372	102801	157752	169347	114863
Diphtheria .. .. .	40042	33277	22085	17580	11601	5492	3531	1874	959	658	372
Erysipelas .. .. .	11380	11547	10894	9701	9023	7812	9094	8259	7642	5935	5997
Ophthalmia neonatorum .. .. .	4516	4502	3659	3314	3416	3245	2729	2229	1935	1762	1788
Dysentery .. .. .	6788	7031	11476	14728	7688	3711	5071	4513	17271	28564	14520
Malaria (contracted in England and Wales) .. .. .	2	4	9	7	6	5	3	4	—	1	—
Relapsing fever .. .. .	1	1	6	5	3	1	2	—	—	2	—
Smallpox .. .. .	6	—	15	3	43	77	—	17	7	27	135
Measles .. .. .	285446	373738	157125	445412	159553	393116	399185	385753	367598	616093	389448
Ac. Poliomyelitis (Paralytic) .. .. .	636	444	495	821	655	7646	1829	5918	5557	1527	2740
Ac. Poliomyelitis (Non-paralytic) .. .. .	—	—	—	—	—	—	—	—	2195	1082	1162
Ac. Encephalitis (Infective) .. .. .	143	106	73	74	76	67	29	49	186	202	112
Ac. Encephalitis (Post-infectious) .. .. .	—	—	—	—	—	—	—	—	67	110	91
Typhus fever .. .. .	—	—	—	5	—	1	—	—	1	*3	*1
Pneumonia (acute primary and acute influenzal) .. .. .	40926	50683	36795	33349	36134	33006	31207	34386	30634	43229	31710
Puerperal fever and pyrexia † .. .. .	8528	8350	7929	7006	7167	6528	5501	4724	4132	7417	12351
Continued fever (London only) .. .. .	4	4	1	1	—	—	1	—	—	—	1
Food poisoning .. .. .	?	?	?	?	?	?	?	?	7506	5797	5872

(b) Port Health Districts. { Civilians only 1942-1949, including non-civilians for 1950 onwards.

Typhoid fever .. .. .	5	3	8	10	11	12	15	31	25	4	5
Paratyphoid fevers .. .. .	2	—	—	1	5	4	—	3	2	1	1
Plague .. .. .	—	—	—	—	—	—	—	—	—	—	—
Cholera .. .. .	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections .. .. .	5	2	1	3	2	4	—	1	1	—	1
Scarlet fever .. .. .	17	14	35	13	25	18	7	21	11	9	10
Whooping cough .. .. .	3	1	54	4	24	20	26	7	29	94	6
Diphtheria .. .. .	72	34	20	15	16	17	15	9	3	6	4
Erysipelas .. .. .	10	6	5	4	2	—	5	3	8	1	2
Ophthalmia neonatorum .. .. .	1	—	1	—	—	—	—	—	—	—	—
Dysentery .. .. .	4	6	7	16	43	28	16	14	15	26	15
Relapsing fever .. .. .	—	—	—	—	—	—	—	—	—	—	—
Smallpox .. .. .	—	—	—	—	1	—	—	2	1	—	—
Measles .. .. .	31	39	73	34	530	48	266	64	127	99	54
Ac. Poliomyelitis (Paralytic) .. .. .	—	—	3	3	6	9	7	14	8	2	7
Ac. Poliomyelitis (Non-paralytic) .. .. .	—	—	—	—	—	—	—	—	—	3	1
Ac. Encephalitis (Infective) .. .. .	—	—	—	—	—	—	—	—	—	—	1
Ac. Encephalitis (Post-infectious) .. .. .	—	—	—	—	—	—	—	—	—	—	—
Typhus fever .. .. .	—	—	—	1	—	—	—	7	—	—	—
Pneumonia (acute primary and acute influenzal) .. .. .	32	16	28	28	37	40	29	22	29	30	26
Puerperal fever and pyrexia † .. .. .	10	2	5	—	—	1	—	—	—	1	—
Continued fever (London only) .. .. .	—	—	—	—	—	—	—	—	—	—	—
Food poisoning .. .. .	?	?	?	?	?	?	?	?	2	2	—

(c) Non-Civilians (including cases in Port Health Districts).

Typhoid fever .. .. .	30	18	17	30	23	14	8	2	—	—	—
Paratyphoid fevers .. .. .	34	15	33	20	11	16	3	3	—	—	—
Plague .. .. .	—	—	—	—	—	—	—	—	—	—	—
Cholera .. .. .	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections .. .. .	743	327	290	231	130	86	18	8	—	—	—
Scarlet fever .. .. .	1237	2103	2055	1500	606	782	884	460	—	—	—
Whooping cough .. .. .	27	30	46	24	20	5	12	8	—	—	—
Diphtheria .. .. .	1290	1351	1094	1001	369	100	29	7	—	—	—
Erysipelas .. .. .	208	280	249	148	44	33	21	8	—	—	—
Dysentery .. .. .	504	868	1542	1534	210	63	17	11	—	—	—
Malaria (contracted in England and Wales) .. .. .	—	—	—	—	1	—	—	—	—	—	—
Relapsing fever .. .. .	—	1	—	—	—	—	—	—	—	—	—
Smallpox .. .. .	1	—	1	1	12	1	—	—	—	—	—
Measles .. .. .	864	2277	1281	1350	319	623	155	118	—	—	—
Ac. Poliomyelitis (Paralytic) .. .. .	38	12	34	34	19	121	19	50	—	—	—
Ac. Poliomyelitis (Non-paralytic) .. .. .	—	—	—	—	—	—	—	—	—	—	—
Ac. Encephalitis (Infective) .. .. .	5	3	6	2	2	1	1	—	—	—	—
Ac. Encephalitis (Post-infectious) .. .. .	—	—	—	—	—	—	—	—	—	—	—
Typhus fever .. .. .	*1	—	—	22	1	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal) .. .. .	1740	1708	1808	994	442	183	122	153	—	—	—
Puerperal fever and pyrexia † .. .. .	4	2	10	7	12	6	3	—	—	—	—
Continued fever (London only) .. .. .	—	—	—	—	—	—	—	—	—	—	—

\*Not louse-borne. †Finally corrected notifications (except in Port Health Districts).

‡See the first footnote below Table 29.



TABLE 32.—Cases of Certain Infectious Diseases Notified, by Sex and Age, 1952. { England and Wales, Standard Regions, Conurbations (including non-civilians). (excluding Port Health Districts).

Final numbers after correction.

Area.	All Ages.		0-		1-		3-		5-		10-		15-		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Scarlet fever.																		
England and Wales	33691	33560	105	87	2361	1919	7353	6661	19789	19734	2599	3586	1034	902	408	597	42	74
Regional Summary and Conurbations :																		
Northern	2602	2810	12	9	204	170	608	504	1397	1551	244	405	99	109	34	52	4	10
Tyneside conurbation	713	704	2	—	33	38	155	121	421	412	70	103	28	16	3	13	1	1
Remainder of Northern	1889	2106	10	9	171	132	453	383	976	1139	174	302	71	93	31	39	3	9
East and West Ridings	3040	3047	14	13	245	221	774	681	1687	1741	203	264	76	80	38	43	3	4
West Yorkshire conurbation	1362	1329	10	6	100	93	364	317	764	763	76	93	34	37	13	20	1	—
Remainder of East & West Ridings	1678	1718	4	7	145	128	410	364	923	978	127	171	42	43	25	23	2	4
North Western	5796	5780	19	10	420	344	1397	1229	3179	3223	492	705	208	155	77	109	4	5
South East Lancashire conurbation	2123	2107	5	5	147	113	496	436	1164	1150	214	290	67	65	29	48	1	—
Merseyside conurbation	1230	1194	8	1	100	78	283	224	664	698	86	140	77	30	12	23	—	—
Remainder of North Western	2443	2479	6	4	173	153	618	569	1351	1375	192	275	64	60	36	38	3	5
North Midland	2314	2199	12	4	158	121	510	458	1337	1280	200	232	59	61	32	42	6	1
Midland	3286	3500	11	10	251	213	653	666	1859	1970	308	446	155	108	47	83	2	4
West Midland conurbation	1695	1872	1	1	114	113	323	338	1013	1102	168	219	49	50	26	49	1	—
Remainder of Midland	1591	1628	10	9	137	100	330	328	846	868	140	227	106	58	21	34	1	4
Eastern	2498	2318	6	3	153	106	461	409	1593	1466	179	219	63	63	40	48	3	4
London and South Eastern	9807	9521	16	23	612	496	1971	1772	6272	5989	652	889	196	202	85	135	3	15
Greater London	7851	7680	14	14	497	404	1612	1401	4974	4864	516	726	172	158	64	102	2	11
Remainder of South Eastern	1956	1841	2	9	115	92	359	371	1298	1125	136	163	24	44	21	33	1	4
Southern	1195	1199	4	3	69	55	229	208	723	744	95	117	54	47	20	23	1	2
South Western	1828	1738	5	4	122	90	359	352	1082	1021	138	164	81	46	27	39	14	22
Wales	1325	1448	6	8	127	103	391	382	660	749	88	145	43	31	8	23	2	7
Wales I	1053	1172	6	5	103	83	315	322	518	600	67	116	37	27	6	17	1	2
Wales II	272	276	—	3	24	20	76	60	142	149	21	29	6	4	2	6	1	5
Density Aggregates Summary :																		
Conurbations	14974	14886	40	27	991	839	3233	2837	9000	8989	1130	1571	427	356	147	255	6	12
Areas outside the conurbations	18717	18674	65	60	1370	1080	4120	3824	10789	10745	1469	2015	607	546	261	342	36	62
Urban areas with populations of 100,000 and over	4996	5169	17	15	369	313	1194	1127	2926	3051	323	459	117	132	48	67	2	5
Urban areas with populations of 50,000 and under 100,000	2733	2696	8	5	195	138	609	536	1642	1656	182	259	49	56	47	40	1	6
Urban areas with populations under 50,000	6314	6349	23	23	508	392	1418	1360	3624	3525	505	721	141	207	81	103	14	18
Rural areas	4674	4460	17	17	298	237	899	801	2597	2513	459	576	300	151	85	132	19	33

TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Whooping cough.																		
England and Wales	54802	60061	5041	5167	13958	14634	16021	17820	18517	20355	721	838	139	264	268	843	137	140
Regional Summary and Conurbations :																		
Northern	4668	5076	432	465	1358	1403	1426	1619	1375	1466	38	48	9	12	15	47	15	16
Tyneside conurbation	1557	1655	147	182	441	441	466	536	480	467	8	11	4	5	4	9	7	4
Remainder of Northern	3111	3421	285	283	917	962	960	1083	895	999	30	37	5	7	11	38	8	12
East and West Ridings	6617	7356	635	668	1735	1895	2184	2318	1940	2253	70	83	22	32	27	100	4	7
West Yorkshire conurbation	2630	2877	257	250	652	733	891	914	775	893	27	25	10	15	15	45	3	2
Remainder of East & West Ridings	3987	4479	378	418	1083	1162	1293	1404	1165	1360	43	58	12	17	12	55	1	5
North Western	8616	9506	889	870	2306	2482	2640	3021	2644	2923	77	84	14	30	29	77	17	19
South East Lancashire conurbation	3321	3699	367	348	862	923	1020	1189	1016	1150	32	29	8	15	12	31	4	14
Merseyside conurbation	2095	2360	218	272	659	707	622	703	573	646	12	12	3	6	4	13	4	1
Remainder of North Western	3200	3447	304	250	785	852	998	1129	1055	1127	33	43	3	9	13	33	9	4
North Midland	5261	5866	466	454	1328	1421	1576	1803	1765	1985	85	85	9	27	17	73	15	18
Midland	7381	8163	682	718	1977	2084	2177	2392	2409	2773	84	103	17	26	27	66	8	1
West Midland conurbation	5170	5662	480	519	1477	1523	1565	1660	1581	1848	42	55	5	15	18	41	2	1
Remainder of Midland	2211	2501	202	199	500	561	612	732	828	925	42	48	12	11	9	25	6	—
Eastern	4059	4444	298	310	925	989	1114	1175	1593	1754	73	98	13	24	33	77	10	17
London and South Eastern	9833	10645	872	859	2385	2335	2562	2827	3769	4173	135	166	21	63	57	197	32	25
Greater London	7635	8211	701	684	1887	1855	1942	2163	2926	3185	103	99	15	51	35	154	26	20
Remainder of South Eastern	2198	2434	171	175	498	480	620	664	843	988	32	67	6	12	22	43	6	5
Southern	2557	2750	240	237	559	576	664	776	1010	1016	43	56	13	14	19	69	9	6
South Western	3744	4030	305	364	917	945	1038	1140	1343	1360	79	71	16	25	32	104	14	21
Wales	2066	2225	222	222	468	504	640	749	669	652	37	44	5	11	12	33	13	10
Wales I	1410	1532	162	162	324	368	476	540	416	407	16	27	4	7	8	18	4	3
Wales II	656	693	60	60	144	136	164	209	253	245	21	17	1	4	4	15	9	7
Density Aggregates Summary :																		
Conurbations	22408	24464	2170	2255	5978	6182	6506	7165	7351	8189	224	231	45	107	88	293	46	42
Areas outside the conurbations	32394	35597	2871	2912	7980	8452	9515	10655	11166	12166	497	607	94	157	180	550	91	98
Urban areas with populations of 100,000 and over	8279	9078	843	835	2188	2442	2579	2821	2544	2741	78	106	19	31	22	96	6	6
Urban areas with populations of 50,000 and under 100,000	3628	4016	353	356	951	963	1118	1268	1147	1300	36	54	6	12	14	60	3	3
Urban areas with populations under 50,000	10900	12017	963	970	2719	2797	3202	3689	3759	4125	131	159	31	55	63	183	32	39
Rural areas	9587	10486	712	751	2122	2250	2616	2877	3716	4000	252	288	38	59	81	211	50	50



TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Diphtheria.																		
England and Wales	163	209	2	1	13	13	24	21	62	73	20	26	15	37	27	38	—	—
Regional Summary and Conurbations :																		
Northern	18	20	1	1	—	—	2	4	11	9	—	3	4	2	—	1	—	—
Tyneside conurbation	3	3	—	—	—	—	—	2	2	1	—	—	1	—	—	—	—	—
Remainder of Northern	15	17	1	1	—	—	2	2	9	8	—	3	3	2	—	1	—	—
East and West Ridings	6	9	—	—	1	1	—	1	1	4	2	2	—	—	2	1	—	—
West Yorkshire conurbation	4	3	—	—	—	—	—	1	1	—	1	—	—	—	2	1	—	—
Remainder of East & West Ridings	2	6	—	—	1	—	—	—	—	4	1	2	—	—	—	—	—	—
North Western	40	55	—	—	3	2	6	5	20	33	3	3	2	9	6	3	—	—
South East Lancashire conurbation	6	5	—	—	—	—	1	—	2	3	—	—	—	2	3	—	—	—
Merseyside conurbation	9	10	—	—	1	1	1	—	5	3	—	2	2	4	—	—	—	—
Remainder of North Western	25	40	—	—	2	1	4	5	13	27	3	1	—	3	3	3	—	—
North Midland	8	5	1	—	—	—	1	2	2	1	1	1	1	1	2	—	—	—
Midland	36	53	—	—	6	5	5	4	12	14	8	11	1	7	4	12	—	—
West Midland conurbation	24	38	—	—	5	2	3	3	6	11	6	7	1	6	3	9	—	—
Remainder of Midland	12	15	—	—	1	3	2	1	6	3	2	4	—	1	1	3	—	—
Eastern	10	6	—	—	—	—	1	1	—	—	1	—	2	—	6	5	—	—
London and South Eastern	16	17	—	—	—	2	3	1	9	6	1	1	1	4	2	3	—	—
Greater London	11	13	—	—	—	2	3	1	6	5	1	1	—	3	1	1	—	—
Remainder of South Eastern	5	4	—	—	—	—	—	—	3	1	—	—	1	1	1	2	—	—
Southern	—	5	—	—	—	—	—	—	—	1	—	1	—	—	—	3	—	—
South Western	13	16	—	—	1	1	3	2	5	2	—	2	2	5	2	4	—	—
Wales	16	23	—	—	2	2	3	1	2	3	4	2	2	9	3	6	—	—
Wales I	15	19	—	—	1	2	3	1	2	3	4	2	2	6	3	5	—	—
Wales II	1	4	—	—	1	—	—	—	—	—	—	—	—	3	—	1	—	—
Density Aggregates Summary :																		
Conurbations	57	72	—	—	6	6	8	7	22	23	8	10	4	15	9	11	—	—
Areas outside the conurbations	106	137	2	1	7	7	16	14	40	50	12	16	11	22	18	27	—	—
Urban areas with populations of 100,000 and over	8	18	—	—	1	1	3	1	—	3	—	3	2	5	2	5	—	—
Urban areas with populations of 50,000 and under	17	18	1	—	2	1	2	3	4	5	3	3	1	3	4	3	—	—
Urban areas with populations under 50,000	58	82	1	1	4	3	6	9	29	37	7	9	5	11	6	12	—	—
Rural areas	23	19	—	—	—	2	5	1	7	5	2	1	3	3	6	7	—	—

TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Measles.																		
England and Wales	197022	192426	6048	6203	40603	38560	55460	53496	88525	85974	3686	4274	1405	1929	824	1569	471	421
Regional Summary and Conurbations :																		
Northern	18322	18100	732	791	4426	4296	5519	5221	7155	7125	278	361	87	160	49	79	76	67
Tyneside conurbation	5784	5486	229	253	1492	1361	1848	1731	2119	1981	57	87	21	46	8	17	10	10
Remainder of Northern	12538	12614	503	538	2934	2935	3671	3490	5036	5144	221	274	66	114	41	62	66	57
East and West Ridings	22666	22223	809	773	5291	4808	7044	6960	8919	8827	361	461	132	209	69	142	41	43
West Yorkshire conurbation	8879	8730	303	281	2232	2028	2783	2902	3428	3323	69	96	34	41	14	34	16	25
Remainder of East & West Ridings	13787	13493	506	492	3059	2780	4261	4058	5491	5504	292	365	98	168	55	108	25	18
North Western	33909	33226	1312	1301	8407	7874	10916	10467	12563	12552	391	508	151	251	89	202	80	71
South East Lancashire conurbation	13802	13623	484	498	3473	3252	4640	4429	4953	5078	125	161	65	80	32	87	30	38
Merseyside conurbation	7963	7644	428	436	2341	2093	2441	2404	2624	2511	86	115	26	57	9	26	8	2
Remainder of North Western	12144	11959	400	367	2593	2529	3835	3634	4986	4963	180	232	60	114	48	89	42	31
North Midland	17512	17365	431	496	3309	3187	4766	4747	8364	8184	414	451	126	143	72	111	30	46
Midland	18052	17533	670	653	3840	3557	5108	4945	7808	7695	347	369	182	148	75	143	22	23
West Midland conurbation	8138	8067	297	306	1808	1596	2178	2160	3667	3704	108	158	44	69	34	66	2	8
Remainder of Midland	9914	9466	373	347	2032	1961	2930	2785	4141	3991	239	211	138	79	41	77	20	15
Eastern	16383	15390	364	317	2686	2669	4100	3740	8429	7766	435	500	169	160	118	182	82	56
London and South Eastern	47134	46010	1161	1181	8660	8207	11704	11207	24201	23403	801	940	322	545	209	461	76	66
Greater London	39337	38156	996	1005	7484	7058	9929	9421	19893	19239	571	642	244	410	154	329	66	52
Remainder of South Eastern	7797	7854	165	176	1176	1149	1775	1786	4308	4164	230	298	78	135	55	132	10	14
Southern	7359	7072	137	186	1173	1169	1742	1758	3939	3617	229	152	73	98	54	80	12	12
South Western	6605	6756	161	184	1148	1199	1700	1734	3273	3237	186	232	69	83	37	70	31	17
Wales	9080	8751	271	321	1663	1594	2861	2717	3874	3568	244	300	94	132	52	99	21	20
Wales I	7436	7201	231	280	1401	1355	2385	2314	3197	2910	138	168	42	96	30	64	12	14
Wales II	1644	1550	40	41	262	239	476	403	677	658	106	132	52	36	22	35	9	6
Density Aggregates Summary :																		
Conurbations	83903	81706	2737	2779	18830	17388	23819	23047	36684	35836	1016	1259	434	703	251	559	132	135
Areas outside the conurbations	113119	110720	3311	3424	21773	21172	31641	30449	51841	50138	2670	3015	971	1226	573	1010	339	286
Urban areas with populations of 100,000 and over	33267	32570	1109	1144	7330	6889	10197	9862	13861	13620	445	562	181	275	104	180	40	38
Urban areas with populations of 50,000 and under 100,000	13736	13690	431	466	2741	2776	4093	3899	6128	6066	188	254	74	116	53	87	28	26
Urban areas with populations under 50,000	38085	37204	1063	1125	7125	7087	10834	10200	17865	17224	702	833	254	357	141	299	101	79
Rural areas	28031	27256	708	689	4577	4420	6517	6488	13987	13228	1335	1366	462	478	275	444	170	143



TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute poliomyelitis (paralytic).																		
England and Wales .. .. .	1527	1213	54	54	296	194	225	172	365	254	117	103	177	164	291	271	2	1
Regional Summary and Conurbations :																		
Northern .. .. .	164	120	6	11	56	30	33	26	36	16	6	6	17	8	10	23	—	—
Tyneside conurbation .. .. .	53	48	3	8	22	9	12	10	8	10	4	—	3	3	3	8	—	—
Remainder of Northern .. .. .	111	72	3	3	34	21	21	16	28	6	2	6	14	5	9	15	—	—
East and West Ridings .. .. .	150	149	8	6	43	29	18	24	34	25	8	15	16	17	23	33	—	—
West Yorkshire conurbation .. .. .	71	61	3	2	16	11	9	14	17	10	6	5	9	6	11	13	—	—
Remainder of East & West Ridings .. .. .	79	88	5	4	27	18	9	10	17	15	2	10	7	11	12	20	—	—
North Western .. .. .	110	96	6	8	18	22	21	13	23	16	12	6	15	17	14	14	1	—
South East Lancashire conurbation .. .. .	35	42	—	2	6	10	6	9	11	6	1	—	6	8	5	7	—	—
Merseyside conurbation .. .. .	26	20	4	4	5	6	4	2	5	4	1	1	2	1	4	2	1	—
Remainder of North Western .. .. .	49	34	2	2	7	6	11	2	7	6	10	5	7	8	5	5	—	—
North Midland .. .. .	60	41	2	3	14	8	7	4	12	7	3	5	9	7	13	7	—	—
Midland .. .. .	115	73	3	3	24	10	12	11	35	19	6	10	10	11	25	9	—	—
West Midland conurbation .. .. .	48	35	1	3	11	4	8	7	14	8	2	5	3	5	9	3	—	—
Remainder of Midland .. .. .	67	38	2	—	13	6	4	4	21	11	4	5	7	6	16	6	—	—
Eastern .. .. .	130	118	1	4	17	16	14	17	44	28	6	8	12	13	36	32	—	—
London and South Eastern .. .. .	496	377	18	10	71	47	74	44	118	91	45	29	58	57	112	99	—	—
Greater London .. .. .	331	238	12	7	52	34	50	30	79	55	24	14	40	40	74	58	—	—
Remainder of South Eastern .. .. .	165	139	6	3	19	13	24	14	39	36	21	15	18	17	38	41	—	—
Southern .. .. .	130	99	3	5	22	13	21	10	30	19	12	7	19	19	23	26	—	—
South Western .. .. .	103	86	2	2	19	11	11	12	22	20	9	14	16	7	23	19	1	1
Wales .. .. .	69	54	5	2	12	8	14	11	11	13	10	3	5	8	12	9	—	—
Wales I .. .. .	43	37	3	1	9	8	9	10	10	9	5	1	2	4	5	4	—	—
Wales II .. .. .	26	17	2	1	3	—	5	1	1	4	5	2	3	4	7	5	—	—
Density Aggregates Summary :																		
Conurbations .. .. .	564	444	23	26	112	74	89	72	133	94	39	23	63	64	104	91	1	—
Areas outside the conurbations .. .. .	963	769	31	28	184	120	136	100	232	160	78	80	114	100	187	180	1	1
Urban areas with populations of 100,000 and over .. .. .	162	137	8	4	41	22	27	20	36	32	7	9	19	21	24	29	—	—
Urban areas with populations of 50,000 and under 100,000 .. .. .	122	97	4	4	24	18	16	18	33	13	8	10	11	11	26	23	—	—
Urban areas with populations under 50,000 .. .. .	312	301	12	14	58	53	43	28	75	76	30	31	32	31	62	68	—	—
Rural areas .. .. .	367	234	7	6	61	27	50	34	88	39	33	30	52	37	75	60	1	1

TABLE 32—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		15—		25 and over		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Acute poliomyelitis (non-paralytic).																	
England and Wales	689	473	18	9	53	41	103	70	231	126	83	76	100	69	98	82	3	—
Regional Summary and Conurbations :																		
Northern	91	80	9	2	16	18	25	27	25	15	3	7	7	4	6	7	—	—
Tyneside conurbation	58	54	6	2	9	11	19	20	14	11	1	4	4	1	5	5	—	—
Remainder of Northern	33	26	3	—	7	7	6	7	11	4	2	3	3	3	1	2	—	—
East and West Ridings	47	27	3	—	3	4	8	4	14	5	6	3	9	5	4	6	—	—
West Yorkshire conurbation	8	4	2	—	1	1	—	—	3	—	1	—	1	2	—	1	—	—
Remainder of East & West Ridings	39	23	1	—	2	3	—	4	11	5	5	3	8	3	4	5	—	—
North Western	30	10	—	—	2	—	4	1	10	4	4	2	7	1	3	2	—	—
South East Lancashire conurbation	10	3	—	—	—	—	1	1	3	1	2	1	2	—	2	—	—	—
Merseyside conurbation	2	2	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—
Remainder of North Western	18	5	—	—	1	—	3	—	6	1	2	1	5	1	1	2	—	—
North Midland	26	17	1	1	1	1	2	3	11	4	3	2	3	4	5	2	—	—
Midland	57	37	—	—	3	2	7	5	15	10	12	10	10	3	9	7	1	—
West Midland conurbation	12	12	—	—	—	1	1	3	7	3	1	3	3	—	—	2	—	—
Remainder of Midland	45	25	—	—	3	1	6	2	8	7	11	7	7	3	9	5	1	—
Eastern	111	60	—	2	10	2	16	5	44	24	13	9	7	6	21	12	—	—
London and South Eastern	181	136	3	2	8	9	31	20	68	36	16	22	29	27	26	20	—	—
Greater London	132	104	2	2	7	9	17	15	49	27	12	18	25	17	20	16	—	—
Remainder of South Eastern	49	32	1	—	1	—	14	5	19	9	4	4	4	10	6	4	—	—
Southern	47	41	—	—	5	2	1	1	18	10	7	10	9	8	7	10	—	—
South Western	64	49	1	1	2	3	6	2	16	16	13	9	17	7	8	11	1	—
Wales	35	16	1	1	3	—	3	2	10	2	6	2	2	4	9	5	1	—
Wales I	33	14	1	1	3	—	3	2	9	1	6	2	2	4	8	4	1	—
Wales II	2	2	—	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—
Density Aggregates Summary :																		
Conurbations	222	179	10	4	18	22	38	39	77	44	17	26	35	20	27	24	—	—
Areas outside the conurbations	467	294	8	5	35	19	65	31	154	82	66	50	65	49	71	58	3	—
Urban areas with populations of 100,000 and over	114	62	3	1	9	4	12	8	48	17	17	15	10	9	15	8	—	—
Urban areas with populations of 50,000 and under 100,000	65	53	1	—	6	3	8	5	15	16	11	6	9	14	15	9	—	—
Urban areas with populations under 50,000	131	98	—	2	10	8	21	11	45	25	20	16	24	16	11	20	—	—
Rural areas	157	81	4	2	10	4	24	7	46	24	18	13	22	10	30	21	3	—



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Enteric or typhoid fever.														
England and Wales .. .. .	62	68	4	5	10	7	33	30	12	12	2	14	1	—
Regional Summary and Conurbations :														
Northern .. .. .	5	7	1	1	—	—	1	—	3	5	—	1	—	—
Tyneside conurbation .. .. .	3	4	—	—	—	—	1	—	1	2	—	—	—	—
Remainder of Northern .. .. .	2	3	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings .. .. .	4	1	—	—	—	—	3	1	1	—	—	—	—	—
West Yorkshire conurbation .. .. .	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Remainder of East & West Ridings .. .. .	3	—	—	—	—	—	2	—	—	—	—	—	—	—
North Western .. .. .	7	19	—	1	2	2	3	5	2	4	—	7	—	—
South East Lancashire conurbation .. .. .	2	7	—	—	1	—	—	—	1	1	—	6	—	—
Merseyside conurbation .. .. .	1	4	—	—	1	1	—	—	—	1	—	1	—	—
Remainder of North Western .. .. .	4	8	—	1	—	1	3	4	—	2	—	—	—	—
North Midland .. .. .	6	3	—	1	2	1	3	—	1	1	—	—	—	—
Midland .. .. .	5	4	—	—	1	—	3	4	1	—	—	—	—	—
West Midland conurbation .. .. .	3	4	—	—	1	—	2	4	—	—	—	—	—	—
Remainder of Midland .. .. .	2	—	—	—	—	—	1	—	1	—	—	—	—	—
Eastern .. .. .	6	4	—	—	2	—	3	3	—	—	—	1	1	—
London and South Eastern .. .. .	17	16	1	1	2	2	12	9	1	1	2	3	—	—
Greater London .. .. .	13	15	—	1	2	1	10	9	—	—	1	3	—	—
Remainder of South Eastern .. .. .	4	1	—	—	—	—	2	—	—	—	—	—	—	—
Southern .. .. .	2	4	—	—	—	1	2	2	—	1	—	—	—	—
South Western .. .. .	6	3	2	1	1	—	1	2	2	—	—	—	—	—
Wales .. .. .	4	7	—	—	—	1	2	4	2	—	—	2	—	—
Wales I .. .. .	4	7	—	—	—	—	2	4	2	—	—	2	—	—
Wales II .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations .. .. .	23	35	1	2	5	2	14	15	2	5	1	11	—	—
Areas outside the conurbations .. .. .	39	33	3	3	5	5	19	15	10	7	1	3	1	—
Urban areas with populations of 100,000 and over .. .. .	5	6	1	2	1	1	1	1	1	2	1	—	—	—
Urban areas with populations of 50,000 and under 100,000 .. .. .	5	3	—	—	—	—	3	3	2	—	—	—	—	—
Urban areas with populations under 50,000 .. .. .	17	15	1	1	2	3	10	6	4	3	—	2	—	—
Rural areas .. .. .	12	9	1	—	2	1	5	5	3	2	—	1	1	—

TABLE 32—continued.

Area.	All Ages		0—		5—		15—		45—		65 and over.		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	421	617	84	112	142	175	152	230	32	61	6	35	5	4
Regional Summary and Conurbations :														
Northern :														
Tyneside conurbation	31	38	11	12	12	8	5	13	2	3	—	1	1	1
Remainder of Northern	9	29	3	2	2	2	2	4	2	1	—	—	—	—
East and West Ridings :														
West Yorkshire conurbation	12	4	1	—	6	1	3	1	2	1	—	1	—	—
Remainder of East & West Ridings	6	3	1	—	3	—	2	1	—	1	—	1	—	—
North Western	21	42	4	9	8	16	8	15	1	—	—	2	—	—
South East Lancashire conurbation	14	22	3	2	7	13	3	7	1	—	—	—	—	—
Merseyside conurbation	4	4	1	1	1	—	2	3	—	—	—	—	—	—
Remainder of North Western	3	16	—	6	—	3	3	5	—	—	—	2	—	—
North Midland	26	40	6	7	9	14	6	13	5	4	—	1	—	1
Midland :														
West Midland conurbation	9	27	4	11	2	3	1	8	—	3	2	2	—	—
Remainder of Midland	5	17	3	6	1	1	—	5	—	3	1	2	—	—
Eastern	4	10	1	5	1	2	1	3	—	—	1	—	—	—
London and South Eastern	18	29	7	6	7	11	3	8	—	2	—	2	1	—
Greater London	43	55	9	10	16	13	16	23	2	4	—	5	—	—
Remainder of South Eastern	36	45	9	10	14	9	12	17	1	4	—	5	—	—
Southern	7	10	—	—	2	4	4	6	1	—	—	—	—	—
South Western	9	14	—	3	7	3	1	5	—	1	—	1	1	1
Wales	12	15	1	7	3	3	6	4	1	—	—	1	1	—
Wales I	240	353	41	47	72	103	103	140	19	43	4	19	1	1
Wales II	233	329	40	46	70	97	100	131	18	39	4	16	1	—
Density Aggregates Summary :														
Conurbations	74	100	20	21	28	25	21	37	4	9	1	8	—	4
Areas outside the conurbations	347	517	64	91	114	150	131	193	28	52	5	27	5	—
Urban areas with populations of 100,000 and over	79	93	16	27	33	33	25	26	4	3	1	4	—	—
Urban areas with populations of 50,000 and under 100,000	15	26	5	7	6	7	3	11	1	—	—	1	—	—
Urban areas with populations under 50,000	169	261	32	48	40	73	77	96	15	27	2	15	3	2
Rural areas	84	137	11	9	35	37	26	60	8	22	2	7	2	2



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	2627	3370	39	34	90	76	711	923	1206	1501	553	808	28	28
Regional Summary and Conurbations :							Erysipelas.							
Northern	190	232	5	2	5	9	48	64	86	106	45	48	1	3
Tyneside conurbation	37	58	1	—	1	—	14	21	12	22	9	15	—	—
Remainder of Northern	153	174	4	2	4	9	34	43	74	84	36	33	1	3
East and West Ridings	336	419	6	11	11	8	83	108	168	208	68	82	—	2
West Yorkshire conurbation	153	203	4	8	8	8	41	62	70	93	30	32	—	—
Remainder of East & West Ridings	183	216	2	3	3	—	42	46	98	115	38	50	—	2
North Western	376	447	5	3	14	8	96	120	187	200	73	114	1	2
South East Lancashire conurbation	138	175	—	2	4	2	33	44	75	79	26	46	—	2
Merseyside conurbation	87	113	2	1	5	2	27	37	38	41	15	32	—	—
Remainder of North Western	151	159	3	—	5	4	36	39	74	80	32	36	1	—
North Midland	228	261	3	3	5	7	65	60	101	105	49	80	5	6
Midland	269	291	3	4	10	6	88	86	123	134	43	60	2	1
West Midland conurbation	166	175	3	2	6	4	55	50	77	82	24	37	1	—
Remainder of Midland	103	116	—	2	4	2	33	36	46	52	19	23	1	1
Eastern	151	251	1	—	10	6	31	57	71	105	32	81	6	2
London and South Eastern	670	900	6	5	25	22	206	262	288	392	139	213	6	6
Greater London	549	722	6	4	18	20	177	213	233	320	111	163	4	2
Remainder of South Eastern	121	178	—	1	7	2	29	49	55	72	28	50	2	4
Southern	114	179	2	2	3	3	24	56	52	82	31	35	2	1
South Western	168	223	3	3	3	5	45	66	74	91	41	54	2	4
Wales	125	167	5	1	4	2	25	44	56	78	32	41	3	1
Wales I	99	120	4	1	4	1	19	35	45	47	25	35	2	1
Wales II	26	47	1	—	—	1	6	9	11	31	7	6	1	—
Density Aggregates Summary :														
Conurbations	1130	1446	16	17	42	36	347	427	505	637	215	325	5	4
Areas outside the conurbations	1497	1924	23	17	48	40	364	496	701	864	338	483	23	24
Urban areas with populations of 100,000 and over	380	537	6	5	9	14	91	153	186	242	86	122	2	1
Urban areas with populations of 50,000 and under 100,000	177	267	2	2	9	5	43	75	78	115	44	69	1	1
Urban areas with populations under 50,000	522	583	8	2	16	3	124	153	246	276	120	141	8	8
Rural areas	418	537	7	8	14	18	106	115	191	231	88	151	12	14



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	7306	7214	2963	2304	2482	2115	1133	1910	401	509	245	272	82	104
Regional Summary and Conurbations :														
Northern	479	507	174	140	152	150	100	160	32	41	12	8	9	8
Tyneside conurbation	141	141	56	45	43	35	30	43	11	13	1	2	—	3
Remainder of Northern	338	366	118	95	109	115	70	117	21	28	11	6	9	5
East and West Ridings	522	557	252	225	188	146	49	127	22	34	8	11	3	14
West Yorkshire conurbation	385	411	189	173	155	110	21	91	14	23	5	4	1	10
Remainder of East & West Ridings	137	146	63	52	33	36	28	36	8	11	3	7	2	4
North Western	1845	1681	827	611	617	523	242	384	108	103	28	35	23	25
South East Lancashire conurbation	976	952	579	424	257	240	110	230	21	40	8	13	1	5
Merseyside conurbation	178	151	118	90	39	30	10	21	5	2	6	8	—	—
Remainder of North Western	691	578	130	97	321	253	122	133	82	61	14	14	22	20
North Midland	431	413	183	143	131	105	78	131	24	19	15	10	—	5
Midland	325	335	121	101	92	78	78	106	22	28	11	22	1	—
West Midland conurbation	107	112	46	47	29	22	20	36	9	5	2	2	1	—
Remainder of Midland	218	223	75	54	63	56	58	70	13	23	9	20	—	—
Eastern	571	632	174	142	252	204	105	198	22	46	15	30	3	12
London and South Eastern	2094	2002	852	612	673	596	315	506	112	163	115	103	27	22
Greater London	1876	1828	801	564	555	536	285	474	101	150	112	82	22	22
Remainder of South Eastern	218	174	51	48	118	60	30	32	11	13	3	21	5	—
Southern	445	464	151	117	178	162	71	127	25	34	12	13	8	11
South Western	379	404	118	103	133	99	75	127	24	34	23	36	6	5
Wales	215	219	111	110	66	52	20	44	10	7	6	4	2	2
Wales I	180	183	100	94	54	40	15	37	7	6	3	4	1	2
Wales II	35	36	11	16	12	12	5	7	3	1	3	—	1	—
Density Aggregates Summary :														
Conurbations	3663	3595	1789	1343	1078	973	476	895	161	233	134	111	25	40
Areas outside the conurbations	3643	3619	1174	961	1404	1142	657	1015	240	276	111	161	57	64
Urban areas with populations of 100,000 and over	1340	1342	527	403	540	465	190	369	44	67	32	30	7	8
Urban areas with populations of 50,000 and under 100,000	447	413	178	126	163	104	75	127	16	44	11	5	4	7
Urban areas with populations under 50,000	825	847	249	224	332	270	148	224	52	60	20	50	24	19
Rural areas	1031	1017	220	208	369	303	244	295	128	105	48	76	22	30

TABLE 32--continued.

Area.	All Ages.		0-		5-		15-		45-		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Smallpox.													
England and Wales .. .. .	62	73	4	5	19	16	31	42	5	8	3	2	—	—
Regional Summary and Conurbations :														
Northern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tyneside conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Northern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Yorkshire conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of East & West Ridings .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Western .. .. .	61	73	4	5	19	16	30	42	5	8	3	2	—	—
South East Lancashire conurbation .. .. .	61	72	4	5	19	16	30	41	5	8	3	2	—	—
Merseyside conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western .. .. .	—	1	—	—	—	—	—	1	—	—	—	—	—	—
North Midland .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Midland conurbation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Midland .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
London and South Eastern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Greater London .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of South Eastern .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southern .. .. .	1	—	—	—	—	—	1	—	—	—	—	—	—	—
South Western .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales I .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations .. .. .	61	72	4	5	19	16	30	41	5	8	3	2	—	—
Areas outside the conurbations .. .. .	1	1	—	—	—	—	1	1	—	—	—	—	—	—
Urban areas with populations of 100,000 and over .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000 .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban areas with populations under 50,000 .. .. .	1	1	—	—	—	—	1	1	—	—	—	—	—	—
Rural areas .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute encephalitis (infective).														
England and Wales	58	54	17	13	24	17	16	21	1	2	—	—	—	—
Regional Summary and Conurbations :														
Northern	4	8	1	—	3	3	—	5	—	—	—	—	—	—
Tyneside conurbation	2	3	1	—	1	1	—	2	—	—	—	—	—	—
Remainder of Northern	2	5	—	—	2	2	—	3	—	—	—	—	—	—
East and West Ridings	4	9	2	2	—	4	1	3	1	—	—	—	—	—
West Yorkshire conurbation	2	2	1	1	—	1	1	—	—	—	—	—	—	—
Remainder of East & West Ridings	2	7	1	1	—	3	—	—	1	—	—	—	—	—
North Western	10	8	4	3	6	2	—	3	—	—	—	—	—	—
South East Lancashire conurbation	3	5	1	—	2	2	—	3	—	—	—	—	—	—
Merseyside conurbation	1	2	—	2	1	—	—	—	—	—	—	—	—	—
Remainder of North Western	6	1	3	1	3	—	—	—	—	—	—	—	—	—
North Midland	2	2	1	1	1	1	—	—	—	—	—	—	—	—
Midland	6	5	1	2	2	—	3	1	—	2	—	—	—	—
West Midland conurbation	5	4	1	2	2	—	2	1	—	1	—	—	—	—
Remainder of Midland	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	4	2	1	1	1	—	2	—	—	—	—	—	—	—
London and South Eastern	15	15	3	3	5	4	7	8	—	—	—	—	—	—
Greater London	9	12	3	2	3	4	3	6	—	—	—	—	—	—
Remainder of South Eastern	6	3	—	1	2	—	4	2	—	—	—	—	—	—
Southern	4	—	1	—	3	—	—	—	—	—	—	—	—	—
South Western	4	4	1	1	2	2	1	—	—	—	—	1	—	—
Wales	5	1	2	—	1	1	2	—	—	—	—	—	—	—
Wales I	4	1	1	—	1	—	—	—	—	—	—	—	—	—
Wales II	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Density Aggregates Summary :														
Conurbations	22	28	7	7	9	8	6	12	—	1	—	—	—	—
Areas outside the conurbations	36	26	10	6	15	9	10	9	1	1	—	—	—	—
Urban areas with populations of 100,000 and over	10	6	4	1	3	2	2	3	1	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000	3	3	—	1	1	2	2	—	—	—	—	—	—	—
Urban areas with populations under 50,000	11	7	4	3	4	2	3	—	—	—	—	—	—	—
Rural areas	12	10	2	1	7	3	3	4	1	1	—	—	—	—

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.



TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
England and Wales	17888	13822	3222	2684	2339	1855	4457	3253	4957	3017	2777	2909	136	104
	1682	1254	443	413	205	168	432	269	420	211	172	187	10	6
	625	457	157	138	78	68	171	110	160	80	57	61	2	—
	1057	797	286	275	127	100	261	159	260	131	115	126	8	6
	2933	2160	583	471	346	269	716	484	840	458	440	473	8	5
	816	631	142	122	110	85	215	152	221	133	127	136	1	3
	2117	1529	441	349	236	184	501	332	619	325	313	337	7	2
	2540	2048	524	466	290	267	651	457	686	438	361	404	28	16
	960	738	152	149	102	101	262	169	277	159	151	153	16	7
	685	645	225	187	93	87	151	131	147	116	69	123	—	1
	895	665	147	130	95	79	238	157	262	163	141	128	12	8
	1430	1014	198	168	196	156	399	241	402	244	224	199	11	6
	2076	1396	338	261	237	178	553	354	624	319	311	279	13	5
	1256	854	238	179	127	98	313	226	387	185	187	165	4	1
	820	542	100	82	110	80	240	128	237	134	124	114	9	4
	975	680	147	98	172	109	229	181	244	142	161	136	22	14
	3535	3177	498	437	509	437	847	793	992	749	674	742	15	19
	2758	2492	386	322	380	332	648	649	818	607	516	574	10	8
	777	685	112	115	129	105	199	144	174	142	158	168	5	11
	715	605	93	89	109	109	83	189	133	197	137	119	157	8
897	743	139	91	112	112	80	230	194	243	173	165	192	8	13
1105	745	259	190	163	163	108	211	147	309	146	150	140	13	14
836	567	202	160	116	116	87	149	109	255	107	104	97	10	7
269	178	57	30	47	47	21	62	38	54	39	46	43	3	7
Density Aggregates Summary :														
Conurbations	7100	5817	1300	1097	890	771	1760	1437	2010	1280	1107	1212	33	20
Areas outside the conurbations	10788	8005	1922	1587	1449	1084	2697	1816	2947	1737	1670	1697	103	84
Urban areas with populations of 100,000 and over	3347	2530	722	586	396	302	776	545	948	540	500	548	5	9
Urban areas with populations of 50,000 and under 100,000	1059	778	221	157	146	107	227	190	291	149	167	172	7	3
Urban areas with populations under 50,000	3348	2547	527	484	480	365	825	604	964	527	512	536	40	31
Rural areas	3034	2150	452	360	427	310	869	477	744	521	491	441	51	41

TABLE 32—continued.

Area.	All Ages.		0—		5—		15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Food poisoning.													
England and Wales	2767	3105	489	375	640	489	894	1308	506	551	127	234	111	148
Regional Summary and Conurbations :														
Northern	168	201	32	25	23	31	65	93	37	39	9	9	2	4
Tyneside conurbation	54	54	15	11	8	4	12	20	16	16	3	3	—	—
Remainder of Northern	114	147	17	14	15	27	53	73	21	23	6	6	2	4
East and West Ridings	240	280	39	29	78	73	60	127	46	39	17	9	—	3
West Yorkshire conurbation	97	106	25	17	19	14	30	55	23	16	—	2	—	2
Remainder of East & West Ridings	143	174	14	12	59	59	30	72	23	23	17	7	—	1
North Western	250	276	64	51	37	37	70	112	62	48	11	26	6	2
South East Lancashire conurbation	127	146	32	26	20	17	33	62	37	20	4	20	1	1
Merseyside conurbation	41	44	21	7	6	8	7	21	5	7	2	1	—	—
Remainder of North Western	82	86	11	18	11	12	30	29	20	21	5	5	5	1
North Midland	195	183	41	24	30	34	70	68	38	33	9	19	7	5
Midland	204	248	45	36	39	44	68	113	39	41	6	10	7	4
West Midland conurbation	61	68	16	20	10	16	20	20	10	7	1	3	4	2
Remainder of Midland	143	180	29	16	29	28	48	93	29	34	5	7	3	2
Eastern	505	573	61	51	166	73	132	192	58	112	26	52	62	93
London and South Eastern	782	900	127	109	183	141	304	419	145	151	20	64	3	16
Greater London	640	705	107	94	109	87	272	346	134	122	17	50	1	6
Remainder of South Eastern	142	195	20	15	74	54	32	73	11	29	3	14	2	10
Southern	161	216	28	10	39	31	40	95	26	37	19	27	9	16
South Western	182	150	33	28	31	14	61	55	37	38	6	11	14	4
Wales	80	78	19	12	14	11	24	34	18	13	4	7	1	1
Wales I	75	67	17	10	14	9	22	31	18	11	4	6	—	—
Wales II	5	11	2	2	—	2	2	3	—	2	—	1	1	1
Density Aggregates Summary :														
Conurbations	1020	1123	216	175	172	146	374	524	225	188	27	79	6	11
Areas outside the conurbations	1747	1982	273	200	468	343	520	784	281	363	100	155	105	137
Urban areas with populations of 100,000 and over	520	597	125	86	131	140	149	223	77	96	22	33	16	19
Urban areas with populations of 50,000 and under 100,000	216	379	36	32	28	31	46	148	38	70	17	39	51	59
Urban areas with populations under 50,000	438	468	63	40	105	56	138	209	82	99	43	44	7	20
Rural areas	573	538	49	42	204	116	187	204	84	98	18	39	31	39



TABLE 33.—Cases of Certain Infectious Diseases Notified, 1952. { England and Wales ; Standard Regions ; Conurbations ; Counties ; County Boroughs ; Other Urban Districts ; Rural Districts.

See explanatory notes on page vii.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
(a) Numbers Originally Notified																	
*ENGLAND AND WALES (including Port Health Districts) :																	
Total .. .. .	193	1148	1826	68490	115228	1431	6066	1807	15513	390004	3069	1417	142	98	32046	12406	6320
Total (excluding Port Health Districts)	188	1147	1825	68480	115222	1427	6064	1807	15498	389950	3062	1416	141	98	32020	12406	6320
Port Health Districts .. .. .	5	1	1	10	6	4	2	—	15	54	7	1	1	—	26	—	—
Regional Summary and Conurbations:																	
Northern .. .. .	15	76	209	5499	9751	114	421	69	1050	36358	283	203	11	4	2996	894	448
Tyneside conurbation .. .. .	8	20	83	1441	3211	21	94	15	302	11273	95	126	3	3	1125	264	177
Remainder of Northern .. .. .	7	56	126	4058	6540	93	327	54	748	25085	188	77	8	1	1871	630	271
East and West Ridings .. .. .	9	24	177	6303	14048	106	770	77	1110	44958	346	106	15	6	5203	919	471
West Yorkshire conurbation .. .. .	3	10	47	2725	5513	42	361	25	813	17634	167	14	4	1	1438	237	135
Remainder of East and West Ridings .. .. .	6	14	130	3578	8535	64	409	52	297	27324	179	92	11	5	1765	682	336
*North Western .. .. .	40	88	274	11776	18245	398	851	251	3678	67254	275	59	21	13	4603	2163	726
South East Lancashire conurbation .. .. .	12	50	74	4328	7082	85	332	80	2001	27455	107	23	10	1	1705	800	297
Merseyside conurbation .. .. .	13	17	124	2487	4475	214	207	136	402	15653	80	8	4	5	1336	853	242
Remainder of North Western .. .. .	15	21	76	4961	6688	99	312	35	1275	24146	88	28	7	7	1562	510	187
North Midland .. .. .	13	70	136	4554	11142	38	490	59	931	34894	103	75	6	6	2456	574	385
Midland .. .. .	14	48	322	6879	15573	373	572	771	706	35612	289	109	12	9	3505	1013	471
West Midlands conurbation .. .. .	11	32	228	3623	10854	322	352	673	262	16227	178	34	9	5	2139	630	132
Remainder of Midland .. .. .	3	16	94	3256	4719	51	220	98	444	19385	111	75	3	4	1366	383	339
Eastern .. .. .	13	49	63	4837	8516	24	402	72	1238	31794	246	200	7	5	1647	749	1137
*London and South Eastern .. .. .	43	108	365	19778	20555	209	1589	371	4587	93369	953	387	38	33	6779	4234	1774
Greater London .. .. .	37	90	318	15940	15918	195	1291	347	4184	77718	642	298	27	19	5313	3655	1432
Remainder of South Eastern .. .. .	6	18	47	3838	4637	14	298	24	403	15651	311	89	11	14	1466	579	342
*Southern .. .. .	8	25	65	2413	5300	8	292	66	946	14472	231	102	6	8	1328	752	396
South Western .. .. .	11	27	91	3602	7792	81	391	28	805	13454	211	121	11	7	1655	797	341
Wales .. .. .	22	632	123	2839	4300	76	286	43	447	17785	125	54	14	7	1848	311	171
Wales I .. .. .	22	599	101	2283	2951	65	214	29	374	14596	82	47	11	6	1401	285	154
Wales II .. .. .	—	33	22	556	1349	11	72	14	73	3189	43	7	3	1	447	26	17
Density Aggregates Summary:																	
Conurbations .. .. .	84	219	874	30544	47053	879	2637	1276	7964	165960	1269	503	57	34	13056	6439	2415
Areas outside the conurbations .. .. .	104	928	951	37936	68169	548	3427	531	7534	223990	1793	913	84	64	18964	5967	3905
Urban areas with populations of 100,000 and over .. .. .	24	181	256	10418	17446	104	930	212	2806	65907	307	216	19	15	5927	2462	1000
Urban areas with populations of 50,000 and under 100,000 .. .. .	18	50	164	5505	7664	95	446	94	914	27372	230	137	10	7	1932	990	792
Urban areas with populations under 50,000 .. .. .	35	459	304	12802	22969	237	1103	138	1742	75391	632	269	30	27	5926	1595	968
Rural areas .. .. .	27	238	227	9211	20090	112	948	87	2072	55320	624	291	25	15	5179	920	1145

\* Smallpox cases notified :—Original : England and Wales, 140 ; North Western, 138 ; (South East Lancashire Conurbation), 137 ; (Remainder of North Western), 1 ; London and South Eastern, (Remainder of South Eastern), 1 ; Southern, 1.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.		
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.					
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
(b) Final Number after Correction																			
*ENGLAND AND WALES (excluding Port Health Districts):																			
Total .. .. .	130	1038	1326	67251	114863	372	5997	1788	14520	389448	2740	1162	112	91	31710	12351	5872		
Regional Summary and Conurbations:																			
Northern .. .. .	12	69	142	5412	9744	38	422	69	986	36422	284	171	12	3	2936	890	369		
Tyneside conurbation .. .. .	7	18	51	1417	3212	6	95	15	282	11270	101	112	5	2	1082	269	108		
Remainder of Northern .. .. .	5	51	91	3995	6532	32	327	54	704	25152	183	59	7	1	1854	621	261		
East and West Ridings .. .. .	5	16	124	6087	13973	15	755	77	1079	44889	299	74	13	5	5093	910	520		
West Yorkshire conurbation .. .. .	2	9	33	2691	5507	7	356	25	796	17609	132	12	4	1	1447	235	203		
Remainder of East and West Ridings .. .. .	3	7	91	3396	8466	8	399	52	283	27280	167	62	9	4	3646	675	317		
*North Western .. .. .	26	63	207	11576	18122	95	823	242	3526	67135	206	40	18	12	4588	2146	526		
South East Lancashire conurbation .. .. .	9	36	62	4230	7020	11	313	77	1928	27425	77	13	8	1	1698	796	273		
Merseyside conurbation .. .. .	5	8	84	2424	4455	19	200	136	329	15607	46	4	3	2	1330	850	85		
Remainder of North Western .. .. .	12	19	61	4922	6647	65	310	29	1269	24103	83	23	7	9	1560	500	168		
North Midland .. .. .	9	66	99	4513	11127	13	489	58	844	34877	101	43	4	11	2444	573	378		
Midland .. .. .	9	36	212	6786	15544	89	560	770	660	35585	188	94	11	6	3472	1009	452		
West Midland conurbation .. .. .	7	22	126	3567	10832	62	341	673	219	16205	83	24	9	2	2110	627	129		
Remainder of Midland .. .. .	2	14	86	3219	4712	27	219	97	441	19380	105	70	2	4	1362	382	323		
Eastern .. .. .	10	47	60	4816	8503	16	402	72	1203	31773	248	171	6	7	1655	745	1078		
*London and South Eastern .. .. .	33	98	255	19328	20478	33	1570	370	4096	93144	873	317	30	28	6712	4210	1682		
Greater London .. .. .	28	81	218	15531	15846	24	1271	346	3704	77493	569	236	21	15	5250	3641	1345		
Remainder of South Eastern .. .. .	5	17	37	3797	4632	9	299	24	392	15651	304	81	9	13	1462	569	337		
*Southern .. .. .	6	23	61	2394	5307	5	293	64	909	14431	229	88	4	6	1320	751	377		
South Western .. .. .	9	27	76	3566	7774	29	391	27	783	13361	189	113	8	6	1640	792	332		
Wales .. .. .	11	593	90	2773	4291	39	292	39	434	17831	123	51	6	7	1850	325	158		
Wales I .. .. .	11	562	69	2225	2942	34	219	26	363	14637	80	47	5	6	1403	300	142		
Wales II .. .. .	—	31	21	548	1349	5	73	13	71	3194	43	4	1	1	447	25	16		
Density Aggregates Summary:																			
Conurbations .. .. .	58	174	574	29860	46872	129	2576	1272	7258	165609	1008	401	50	23	12917	6418	2143		
Areas outside the conurbations .. .. .	72	864	752	37391	67991	243	3421	516	7262	223839	1732	761	62	68	18793	5933	3729		
Urban areas with populations of 100,000 and over .. .. .	11	172	188	10165	17357	26	917	207	2682	65837	299	176	16	18	5877	2458	1117		
Urban areas with populations of 50,000 and under 100,000 .. .. .	8	41	116	5429	7644	35	444	93	860	27426	219	118	6	8	1837	976	595		
Urban areas with populations under 50,000 .. .. .	32	430	263	12663	22917	140	1105	136	1672	75289	613	229	18	27	5895	1593	906		
Rural areas .. .. .	21	221	185	9134	20073	42	955	80	2048	55287	601	238	22	15	5184	906	1111		
* Smallpox cases notified :—Final: England and Wales, 135; North Western, 134; (South East Lancashire Conurbation,) 133; (Remainder of North Western), 1; Southern, 1.																			



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>ENGLAND (excluding Monmouth)</b>																	
<b>BEDFORDSHIRE :</b>																	
Admin. County ...	1	17	8	286	842	—	26	25	50	2130	12	7	—	—	144	123	29
Urban Districts ...	1	12	6	239	678	—	19	20	32	1597	12	6	—	—	102	120	15
Ampthill ...	—	—	—	3	2	—	—	—	—	6	1	1	—	—	—	—	—
Bedford M.B. ...	—	—	2	85	68	—	5	1	3	84	3	4	—	—	50	40	2
Biggleswade ...	—	—	—	3	35	—	1	—	—	134	—	—	—	—	2	—	—
Dunstable M.B. ...	—	1	1	7	50	—	—	—	5	114	1	—	—	—	6	—	2
Kempston ...	—	—	—	1	5	—	3	—	—	6	1	—	—	—	4	—	—
Leighton Buzzard ...	—	—	—	12	49	—	2	—	9	41	2	1	—	—	14	—	1
Luton M.B. ...	1	11	3	127	454	—	8	19	14	1038	4	—	—	—	22	80	10
Sandy ...	—	—	—	1	15	—	—	—	1	174	—	—	—	—	4	—	—
Rural Districts ...	—	5	2	47	164	—	7	5	18	533	—	1	—	—	42	3	14
Ampthill ...	—	—	—	14	82	—	—	1	2	166	—	—	—	—	4	1	4
Bedford ...	—	—	—	21	32	—	5	4	3	122	—	—	—	—	27	2	8
Biggleswade ...	—	—	2	6	22	—	2	—	12	62	—	1	—	—	9	—	—
Luton ...	—	5	—	6	28	—	—	—	1	183	—	—	—	—	2	—	2
<b>BERKSHIRE</b>																	
County Borough :	1	4	16	500	997	—	38	7	265	1985	45	16	2	—	329	79	54
Reading ...	—	1	3	154	255	—	16	—	9	403	12	1	1	—	101	61	3
Admin. County ...	1	3	13	346	742	—	22	7	256	1582	33	15	1	—	228	18	51
Urban Districts ...	1	3	5	109	256	—	9	5	134	644	14	9	1	—	44	5	34
Abingdon M.B. ...	1	1	—	31	100	—	2	2	8	6	—	—	—	—	3	—	—
Maidenhead M.B. ...	—	1	4	34	43	—	3	—	116	210	7	6	1	—	26	—	34
Newbury M.B. ...	—	—	1	8	58	—	—	—	2	168	—	—	—	—	7	—	—
New Windsor M.B. ...	—	—	—	13	7	—	4	1	5	205	5	3	—	—	5	1	—
Wallingford M.B. ...	—	—	—	—	29	—	—	—	—	30	1	—	—	—	—	—	—
Wantage ...	—	1	—	11	19	—	—	—	3	12	1	—	—	—	2	—	—
Wokingham M.B. ...	—	—	—	12	—	—	—	2	—	13	—	—	—	—	1	4	—
Rural Districts ...	—	—	8	237	486	—	13	2	122	938	19	6	—	—	184	13	17
Abingdon ...	—	—	4	54	77	—	5	—	25	22	1	1	—	—	17	3	—
Bradfield ...	—	—	—	27	33	—	—	—	51	79	1	—	—	—	86	—	2
Cookham ...	—	—	—	29	13	—	4	—	16	89	5	5	—	—	5	1	1
Easthampstead ...	—	—	1	44	90	—	1	1	9	330	3	—	—	—	17	—	1
Faringdon ...	—	—	—	8	11	—	—	—	—	5	1	—	—	—	—	—	—
Hungerford ...	—	—	—	6	19	—	—	—	3	4	—	—	—	—	—	2	—
Newbury ...	—	—	—	4	35	—	—	—	2	127	1	—	—	—	2	1	—
Wallingford ...	—	—	—	10	48	—	1	—	—	6	2	—	—	—	3	—	8
Wantage ...	—	—	—	16	76	—	—	—	—	53	1	—	—	—	11	—	—
Windsor ...	—	—	1	13	31	—	1	—	1	109	1	—	—	—	6	5	—
Wokingham ...	—	—	2	26	53	—	1	1	15	114	3	—	—	—	37	1	5
<b>BUCKINGHAMSHIRE:</b>																	
Admin. County ...	—	1	6	480	331	1	39	5	44	2842	69	37	—	1	144	155	42
Urban Districts ...	—	1	2	251	241	—	27	1	23	1625	34	21	—	1	82	75	35
Aylesbury M.B. ...	—	1	—	29	2	—	1	—	18	66	14	3	—	—	4	38	1
Beaconsfield ...	—	—	1	10	15	—	1	—	—	28	—	—	—	—	—	—	—
Bletchley ...	—	—	—	5	3	—	—	—	1	126	1	2	—	—	12	—	23
Buckingham M.B. ...	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—
Chesham ...	—	—	—	3	—	—	—	—	—	42	1	—	—	—	—	—	—
Eton ...	—	—	—	8	13	—	1	—	—	103	1	3	—	—	—	1	—
High Wycombe M.B. ...	—	—	—	33	6	—	6	1	1	34	5	1	—	—	12	—	—
Linslade ...	—	—	—	4	3	—	1	—	—	45	1	2	—	—	11	—	—
Marlow ...	—	—	1	2	16	—	—	—	—	11	—	1	—	—	2	1	2
Newport Pagnell ...	—	—	—	—	4	—	2	—	—	8	—	—	—	—	—	8	—
Slough M.B. ...	—	—	—	117	100	—	14	—	3	778	11	9	—	1	33	26	3
Wolverton ...	—	—	—	40	79	—	1	—	—	382	—	—	—	—	8	—	6
Rural Districts ...	—	—	4	229	90	1	12	4	21	1217	35	16	—	—	62	80	7
Amersham ...	—	—	—	31	45	—	3	—	3	169	11	3	—	—	8	14	3
Aylesbury ...	—	—	—	32	1	—	—	1	12	108	10	—	—	—	9	3	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>BUCKS—contd.</b>																	
<b>Rural Districts</b>																	
—contd.																	
Buckingham ...	—	—	—	4	3	—	—	—	6	31	—	—	—	—	4	—	—
Eton ...	—	—	2	80	21	—	1	1	—	424	10	3	—	—	16	62	—
Newport Pagnell ...	—	—	—	13	3	—	1	—	—	79	—	1	—	—	—	—	—
Wing ...	—	—	—	16	5	—	1	—	—	58	1	—	—	—	6	—	2
Winslow ...	—	—	—	6	1	—	—	—	—	55	—	—	—	—	2	—	—
Wycombe ...	—	—	2	47	11	1	6	2	—	293	3	9	—	—	17	1	2
<b>CAMBRIDGESHIRE :</b>																	
Admin. County ...	—	2	2	160	474	5	29	2	35	703	13	6	—	2	59	66	347
<b>Urban District:</b>																	
Cambridge M.B. ...	—	—	2	94	174	—	19	—	12	434	7	5	—	—	18	62	335
<b>Rural Districts</b>																	
Chesterton ...	—	2	—	66	300	5	10	2	23	269	6	1	—	2	41	4	12
Chesterton ...	—	1	—	34	131	5	3	—	20	59	3	1	—	2	18	3	10
Newmarket ...	—	1	—	8	64	—	1	1	—	94	2	—	—	—	3	1	—
South Cambridge-shire ...	—	—	—	24	105	—	6	1	3	116	1	—	—	—	20	—	2
<b>CHESHIRE</b>																	
County Boroughs ...	4	8	44	2199	3889	7	143	7	119	13603	46	9	5	5	819	239	79
Birkenhead ...	—	4	29	975	1469	5	65	1	16	4009	9	4	1	2	318	204	40
Birkenhead ...	—	—	10	183	627	2	27	1	4	1458	3	—	1	2	221	48	2
Chester ...	—	2	4	28	128	—	6	—	1	124	1	1	—	—	28	63	10
Stockport ...	—	1	13	479	390	—	16	—	10	1259	4	2	—	—	37	81	28
Wallasey ...	—	1	2	285	324	3	16	—	1	1168	1	1	—	—	32	12	—
Admin. County ...	4	4	15	1224	2420	2	78	6	103	9594	37	5	4	3	501	35	39
<b>Urban Districts</b>																	
Alderley Edge ...	4	3	13	983	1872	1	61	5	70	7713	28	2	4	3	367	21	34
Alsager ...	—	—	—	2	3	—	—	—	—	53	—	—	—	—	—	—	—
Alsager ...	—	—	—	1	3	—	—	—	—	78	1	—	—	—	5	—	1
Altrincham M.B. ...	—	—	1	19	196	—	9	—	1	480	2	1	1	—	29	2	—
Bebington M.B. ...	—	—	3	46	129	—	9	2	3	793	3	—	2	—	30	4	3
Bollington ...	—	—	—	3	49	—	—	—	—	63	—	—	—	—	4	—	—
Bowdon ...	—	—	—	2	—	—	—	—	—	17	—	—	—	—	—	—	—
Bredbury and Romiley ...	—	—	1	29	38	—	1	—	34	124	—	—	—	—	4	1	1
Cheadle and Gatley ...	—	—	—	47	72	—	1	—	3	323	2	—	—	—	9	—	14
Congleton M.B. ...	—	—	—	57	28	—	5	—	—	495	—	—	—	3	32	1	—
Crewe M.B. ...	—	—	—	157	153	—	2	1	4	411	—	—	—	—	4	2	1
Dukinfield M.B. ...	—	—	—	25	53	—	—	—	—	36	1	—	—	—	27	—	—
Ellesmere Port ...	—	—	—	24	262	—	8	1	—	491	—	1	—	—	3	1	—
Hale ...	—	—	—	4	15	—	1	—	—	159	—	—	—	—	4	—	—
<b>Hazel Grove and</b>																	
Bramhall ...	—	—	—	47	13	—	1	1	—	93	—	—	—	—	1	1	—
Hoole ...	—	—	—	8	20	—	1	—	—	39	1	—	—	—	5	—	5
Hoyle ...	—	1	5	78	96	—	3	—	1	632	—	—	—	—	14	—	—
Hyde M.B. ...	—	—	—	38	9	—	1	—	2	46	—	—	—	—	19	—	—
Knutsford ...	—	—	—	9	5	—	—	—	—	152	3	—	—	—	—	1	—
Longendale ...	—	—	—	6	8	—	—	—	—	8	—	—	—	—	7	—	—
Lymm ...	—	—	—	6	—	—	—	—	—	3	—	—	—	—	2	—	—
Macclesfield M.B. ...	3	—	—	50	241	—	4	—	1	1195	—	—	—	—	36	5	4
Marple ...	—	—	—	24	75	—	2	—	9	61	—	—	—	—	3	1	3
Middlewich ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nantwich ...	—	—	—	32	86	—	—	—	1	107	—	—	—	—	—	—	—
Neston ...	—	—	—	7	3	—	—	—	3	170	1	—	—	—	33	—	—
Northwich ...	—	—	1	31	44	1	1	—	—	237	3	—	—	—	9	—	—
Runcorn ...	—	—	—	20	19	—	3	—	—	271	1	—	—	—	6	—	—
Sale M.B. ...	—	2	1	69	90	—	4	—	7	527	4	—	1	—	14	2	—
Sandbach ...	—	—	—	—	6	—	—	—	—	129	1	—	—	—	—	—	2
Stalybridge M.B. ...	—	—	1	38	82	—	4	—	—	70	1	—	—	—	20	—	—
Wilmslow ...	—	—	—	15	17	—	1	—	—	150	—	—	—	—	24	—	—
Winsford ...	—	—	—	21	3	—	—	—	—	13	3	—	—	—	3	—	—
Wirral ...	1	—	—	68	54	—	—	—	1	287	1	—	—	—	20	—	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CHESHIRE—contd.																	
Rural Districts ..	—	1	2	241	548	1	17	1	33	1881	9	3	—	—	134	14	5
Bucklow ..	—	—	—	10	3	—	2	—	—	39	—	—	—	—	1	—	—
Chester ..	—	—	—	10	54	—	3	—	1	74	2	—	—	—	8	—	1
Congleton ..	—	—	—	20	10	—	2	1	—	71	1	—	—	—	12	—	—
Disley ..	—	—	—	3	11	—	1	—	—	4	—	—	—	—	—	—	1
Macclesfield ..	—	—	—	32	64	—	1	—	—	241	1	—	—	—	20	10	1
Nantwich ..	—	1	—	35	95	1	—	—	31	364	—	2	—	—	28	1	—
Northwich ..	—	—	—	82	132	—	2	—	1	619	5	1	—	—	27	3	—
Runcorn ..	—	—	1	41	125	—	5	—	—	345	—	—	—	—	8	—	2
Tarvin ..	—	—	1	7	54	—	1	—	—	123	—	—	—	—	30	—	—
Tintwistle ..	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
CORNWALL:																	
Admin. County ..	—	4	7	286	422	11	28	2	19	1041	19	1	5	—	163	124	68
Urban Districts ..	—	3	4	191	221	8	18	1	15	633	12	1	3	—	85	116	28
Bodmin M.B. ..	—	—	—	5	70	—	1	—	9	7	—	—	—	—	1	—	2
Bude-Stratton ..	—	1	—	—	5	—	—	—	—	—	—	—	—	—	1	1	1
Camborne-Redruth ..	—	—	—	82	7	—	5	—	1	117	—	—	—	—	35	100	3
Falmouth M.B. ..	—	—	—	5	13	—	—	—	1	10	1	—	—	—	4	2	—
Fowey M.B. ..	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Helston M.B. ..	—	—	1	27	6	—	—	—	—	—	—	—	—	—	3	1	—
Launceston M.B. ..	—	—	—	1	—	—	—	—	—	1	—	—	—	—	4	—	—
Liskeard M.B. ..	—	—	—	2	—	—	—	—	—	—	—	—	—	—	3	2	—
Looe ..	—	—	—	—	2	—	1	—	—	2	—	—	—	—	9	—	1
Lostwithiel M.B. ..	—	—	—	6	1	—	—	—	—	—	—	—	—	—	5	—	—
Newquay ..	—	1	—	2	14	—	—	—	2	21	1	—	—	—	2	4	1
Padstow ..	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	—
Penryn M.B. ..	—	—	—	3	6	—	—	—	—	1	—	—	—	—	—	—	—
Penzance M.B. ..	—	—	1	22	74	6	—	—	—	27	2	1	3	—	—	2	3
St. Austell ..	—	1	1	22	4	—	—	—	—	25	1	—	—	—	1	2	—
St. Ives M.B. ..	—	—	—	8	—	1	1	—	—	4	1	—	—	—	—	—	2
St. Just ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Saltash M.B. ..	—	—	1	—	14	1	3	—	—	7	—	—	—	—	11	1	4
Torpoint ..	—	—	—	—	5	—	3	1	—	54	—	—	—	—	6	—	—
Truro M.B. ..	—	—	—	5	—	—	4	—	2	357	2	—	—	—	—	—	11
Rural Districts ..	—	1	3	95	201	3	10	1	4	408	7	—	2	—	78	8	40
Camelford ..	—	—	—	1	45	—	—	—	2	8	—	—	—	—	7	1	5
Kerrier ..	—	—	—	22	18	—	2	—	—	8	—	—	—	—	3	—	8
Launceston ..	—	—	1	1	1	—	1	—	—	1	—	—	—	—	—	—	—
Liskeard ..	—	—	—	—	3	—	—	1	—	22	—	—	—	—	5	1	1
St. Austell ..	—	—	1	9	9	—	—	—	—	4	1	—	1	—	2	—	—
St. Germans ..	—	—	1	2	20	—	5	—	1	20	—	—	1	—	15	—	1
Scilly, Isles of ..	—	—	—	3	—	—	1	—	—	—	—	—	—	—	6	—	—
Stratton ..	—	—	—	1	14	—	—	—	—	1	2	—	—	—	1	—	—
Truro ..	—	—	—	19	2	1	—	—	—	321	2	—	—	—	33	1	1
Wadebridge ..	—	1	—	6	57	—	1	—	1	13	1	—	—	—	3	4	6
West Penwith ..	—	—	—	31	32	2	—	—	—	10	1	—	—	—	3	1	18
CUMBERLAND																	
County Borough:	—	1	15	370	629	—	54	12	54	1481	18	1	—	—	106	156	27
Carlisle ..	—	1	4	92	239	—	15	9	8	794	6	—	—	—	20	106	20
Admin. County ..	—	—	11	278	390	—	39	3	46	687	12	1	—	—	86	50	7
Urban Districts ..	—	—	3	146	171	—	19	2	—	172	2	—	—	—	40	33	1
Cockermouth ..	—	—	1	3	—	—	—	—	—	1	1	—	—	—	—	1	—
Keswick ..	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—	—	—
Maryport ..	—	—	1	19	21	—	1	—	—	19	—	—	—	—	4	1	—
Penrith ..	—	—	—	16	68	—	3	—	—	74	—	—	—	—	5	4	1
Whitehaven M.B. ..	—	—	—	53	2	—	5	—	—	14	—	—	—	—	15	17	—
Workington M.B. ..	—	—	1	51	80	—	10	2	—	63	1	—	—	—	16	10	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>CUMBERLAND</b>																	
—contd.																	
<b>Rural Districts</b> ...	—	—	8	132	219	—	20	1	46	515	10	1	—	—	46	17	6
Alston with Garrigill	—	—	1	—	3	—	1	—	—	156	—	—	—	—	—	—	—
Border ...	—	—	1	20	33	—	—	—	4	85	4	1	—	—	9	4	5
Cockermouth ...	—	—	—	30	8	—	3	—	—	18	3	—	—	—	3	2	1
Ennerdale ...	—	—	2	28	2	—	1	1	41	9	2	—	—	—	4	6	—
Millom ...	—	—	—	11	32	—	9	—	1	145	—	—	—	—	13	—	—
Penrith ...	—	—	4	21	52	—	1	—	—	18	1	—	—	—	9	1	—
Wigton ...	—	—	—	22	89	—	5	—	—	84	—	—	—	—	8	4	—
<b>DERBYSHIRE</b> ...	1	4	32	1180	3086	—	136	17	55	7498	27	13	—	—	715	118	23
<b>County Borough :</b>																	
Derby ...	—	—	9	248	570	—	25	13	9	1838	4	1	—	—	99	77	3
<b>Admin. County</b> ...	1	4	23	932	2516	—	111	4	46	5660	23	12	—	—	616	41	20
<b>Urban Districts</b> ...	—	1	10	592	1218	—	59	1	8	3221	11	6	—	—	346	25	7
Alfreton ...	—	—	—	2	54	—	—	—	1	212	—	—	—	—	3	—	1
Ashbourne ...	—	—	—	4	39	—	3	—	—	24	—	—	—	—	3	—	—
Bakewell ...	—	—	—	1	6	—	1	—	—	217	—	1	—	—	—	1	—
Belper ...	—	—	—	61	75	—	3	—	5	37	—	—	—	—	20	6	—
Bolsover ...	—	—	1	33	36	—	4	—	—	21	1	—	—	—	1	1	—
 Buxton M.B.	—	—	—	12	63	—	1	—	—	365	2	—	—	—	11	1	—
Chesterfield M.B.	—	—	2	132	362	—	25	—	1	820	4	2	—	—	86	5	—
Clay Cross ...	—	—	—	15	21	—	—	—	—	225	—	—	—	—	21	—	—
Dronfield ...	—	—	—	15	10	—	—	—	—	9	—	—	—	—	7	—	—
Glossop M.B.	—	—	2	40	34	—	—	—	—	77	—	—	—	—	4	2	2
 Heanor ...	—	—	1	76	55	—	6	1	1	114	—	—	—	—	35	4	3
Ilkeston M.B.	—	—	—	50	16	—	2	—	—	262	—	—	—	—	11	1	—
Long Eaton ...	—	—	—	27	211	—	2	—	—	208	—	—	—	—	28	1	—
Matlock ...	—	1	1	29	50	—	—	—	—	188	1	—	—	—	7	1	—
New Mills ...	—	—	—	20	51	—	—	—	—	20	—	—	—	—	9	—	—
 Ripley ...	—	—	—	39	37	—	9	—	—	84	—	—	—	—	74	1	1
Staveley ...	—	—	—	26	73	—	1	—	—	253	3	—	—	—	9	—	—
Swadlincote ...	—	—	2	3	3	—	1	—	—	34	—	3	—	—	9	—	—
Whaley Bridge ...	—	—	—	4	13	—	1	—	—	40	—	—	—	—	—	1	—
Wirksworth ...	—	—	1	3	9	—	—	—	—	11	—	—	—	—	8	—	—
<b>Rural Districts</b> ...	1	3	13	340	1298	—	52	3	38	2439	12	6	—	—	270	16	13
Ashbourne...	—	—	1	14	42	—	1	—	—	37	—	—	—	—	6	—	1
Bakewell ...	1	—	3	12	109	—	7	—	2	325	1	1	—	—	20	—	—
Belper ...	—	—	—	18	85	—	2	—	—	159	1	—	—	—	18	3	1
Blackwell ...	—	—	—	60	178	—	4	—	—	278	—	2	—	—	16	2	2
Chapel en le Frith	—	—	4	11	41	—	—	2	—	52	3	—	—	—	20	—	—
 Chesterfield	—	—	3	99	326	—	16	1	3	838	4	—	—	—	106	5	1
Clowne ...	—	1	1	19	53	—	4	—	—	92	1	1	—	—	12	2	3
Repton .....	—	2	1	16	93	—	2	—	31	178	1	1	—	—	6	2	—
Shardlow ...	—	—	—	91	371	—	16	—	2	480	1	1	—	—	66	2	5
<b>DEVON</b> ...	2	7	16	814	1380	14	118	13	380	2952	58	17	1	3	452	145	77
<b>County Boroughs</b> ...	2	2	9	458	557	13	62	9	165	1189	15	4	—	2	224	117	28
Exeter ...	1	2	—	238	247	—	27	5	137	32	7	3	—	—	71	80	11
Plymouth ...	1	—	9	22	310	13	35	4	28	1157	8	1	—	2	153	37	17
<b>Admin. County</b> ...	—	5	7	356	823	1	56	4	215	1763	43	13	1	1	228	28	49
<b>Urban Districts</b> ...	—	4	5	210	322	—	26	1	122	1073	21	10	—	1	101	19	23
Ashburton ...	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—
Axminster ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Barnstaple M.B.	—	—	—	1	23	—	—	—	29	770	2	1	—	1	25	1	4
Bideford M.B.	—	1	—	12	4	—	—	—	—	11	5	—	—	—	1	—	—
Brixham ...	—	—	—	9	4	—	2	—	—	8	—	—	—	—	4	—	—
 Buckfastleigh	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Budleigh Salterton	—	—	—	1	1	—	—	—	1	13	—	—	—	—	—	—	1
Crediton ...	—	—	—	1	9	—	—	—	—	2	—	—	—	—	3	—	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>DEVON—contd.</b>																	
<b>U.D.'s—contd.</b>																	
Dartmouth M.B.	—	—	—	4	23	—	1	—	13	3	—	—	—	—	13	3	10
Dawlish	—	1	1	3	6	—	—	—	—	—	—	—	—	—	3	1	—
Exmouth ..	—	1	—	51	28	—	1	—	49	13	1	—	—	—	—	2	—
Gt. Torrington M.B.	—	—	—	2	3	—	1	1	2	1	—	—	—	—	6	—	—
Holsworthy ..	—	—	—	4	3	—	—	—	—	—	—	—	—	—	2	—	—
Honiton M.B. ..	—	—	—	1	2	—	1	—	—	6	—	—	—	—	1	—	2
Ilfracombe ..	—	—	1	5	11	—	—	—	—	40	—	1	—	—	1	—	1
Kingsbridge ..	—	—	—	5	2	—	—	—	—	—	—	—	—	—	—	—	—
Lynton ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newton Abbot ..	—	—	—	6	59	—	2	—	4	1	7	4	—	—	2	3	—
Northam ..	—	—	—	1	5	—	—	—	—	6	1	—	—	—	2	—	—
Okehampton M.B.	—	—	—	—	—	—	3	—	—	—	—	—	—	—	1	1	—
Ottery St. Mary ..	—	1	—	—	11	—	2	—	3	4	—	—	—	—	—	—	—
Paignton ..	—	—	2	7	1	—	2	—	—	10	—	—	—	—	4	2	—
Salcombe ..	—	—	1	14	2	—	1	—	—	5	1	1	—	—	—	—	—
Seaton ..	—	—	—	2	5	—	—	—	—	2	—	—	—	—	6	1	—
Sidmouth ..	—	—	—	1	6	—	—	—	5	74	3	3	—	—	—	1	5
South Molton M.B.	—	—	—	—	—	—	—	—	—	41	—	—	—	—	1	—	—
Tavistock ..	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	1	—
Teignmouth ..	—	—	—	12	52	—	2	—	3	7	—	—	—	—	11	—	—
Tiverton M.B. ..	—	—	—	7	48	—	—	—	1	6	—	—	—	—	1	—	—
Torquay M.B. ..	—	—	—	53	12	—	8	—	12	19	1	—	—	—	13	1	—
Totnes M.B. ..	—	—	—	4	—	—	—	—	—	30	—	—	—	—	1	2	—
<b>Rural Districts</b>	—	1	2	146	501	1	30	3	93	690	22	3	1	—	127	9	26
Axminster ..	—	—	—	4	59	—	—	—	—	2	2	—	—	—	5	—	7
Barnstaple ..	—	1	—	10	79	—	—	—	5	375	10	—	—	—	12	—	—
Bideford ..	—	—	—	2	—	—	—	—	—	6	—	—	—	—	—	—	—
Broadwood Widge	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—
Crediton ..	—	—	—	—	5	—	—	—	—	—	—	—	—	—	3	—	—
Holsworthy ..	—	—	—	13	7	—	—	—	—	—	—	—	—	—	1	—	—
Honiton ..	—	—	—	4	27	—	—	—	—	3	2	—	—	—	5	—	3
Kingsbridge ..	—	—	—	6	29	—	2	—	2	7	1	—	—	—	3	2	3
Newton Abbot ..	—	—	—	13	58	—	1	—	1	2	2	—	—	—	7	—	—
Okehampton ..	—	—	—	7	15	—	3	—	17	6	1	—	—	—	5	—	5
Plympton St. Mary	—	—	1	19	31	—	12	1	15	214	2	1	—	—	34	1	2
St. Thomas ..	—	—	—	29	48	—	7	—	44	25	1	—	—	—	30	4	1
South Molton ..	—	—	—	4	13	—	—	—	—	15	—	—	—	—	2	—	4
Tavistock ..	—	—	1	5	24	—	—	—	—	9	—	—	—	—	—	—	—
Tiverton ..	—	—	—	17	95	1	2	1	1	8	—	—	1	—	19	2	—
Torrington ..	—	—	—	5	5	—	3	1	3	1	—	—	—	—	1	—	—
Totnes ..	—	—	—	8	1	—	—	—	5	17	1	2	—	—	—	—	1
<b>DORSET :</b>																	
<b>Admin. County</b>	—	3	5	124	864	1	43	1	115	950	14	10	—	—	191	80	18
<b>Urban Districts</b>																	
Blandford Forum M.B.	—	—	4	76	457	1	21	—	83	599	6	8	—	—	101	75	14
Bridport M.B. ..	—	—	—	1	64	—	3	—	—	2	—	—	—	—	—	—	—
Dorchester M.B. ..	—	—	—	—	5	—	2	—	75	—	—	—	—	—	5	2	—
Lyme Regis M.B. ..	—	—	—	1	47	—	—	—	—	28	—	1	—	—	5	6	3
Poole M.B. ..	—	—	1	40	136	—	9	—	2	360	4	2	—	—	3	32	6
Portland ..	—	—	1	6	40	—	1	—	—	65	—	—	—	—	8	1	—
Shaftesbury M.B. ..	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Sherborne ..	—	—	—	1	53	—	—	—	—	—	—	—	—	—	2	1	—
Swanage ..	—	—	—	—	11	—	—	—	5	2	—	—	—	—	7	—	—
Wareham M.B. ..	—	—	—	4	1	1	1	—	1	1	—	—	—	—	4	1	1
Weymouth and Melcombe Regis M.B.	—	—	2	18	90	—	4	—	—	135	2	4	—	—	36	32	4
Wimborne Minster	—	—	—	—	10	—	—	—	—	3	—	—	—	—	4	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>DORSET—contd.</b>																	
Rural Districts ...	—	3	1	48	407	—	22	1	32	351	8	2	—	—	90	5	4
Beaminster ...	—	—	—	2	21	—	3	—	1	8	3	—	—	—	7	—	—
Blandford ...	—	—	1	14	16	—	3	—	9	133	1	1	—	—	11	—	2
Bridport ...	—	1	—	2	31	—	2	—	1	18	2	—	—	—	7	—	—
Dorchester ...	—	—	—	4	77	—	3	—	10	31	—	—	—	—	11	—	—
Shaftesbury ...	—	—	—	7	7	—	—	—	—	36	—	—	—	—	4	2	—
Sherborne ...	—	1	—	—	47	—	5	—	—	7	—	—	—	—	4	—	—
Sturminster ...	—	—	—	12	38	—	1	—	—	56	—	1	—	—	—	—	—
Wareham and Purbeck ...	—	1	—	5	51	—	1	1	4	16	2	—	—	—	20	1	2
Wimborne and Cranborne ...	—	—	—	2	119	—	4	—	7	46	—	—	—	—	26	2	—
<b>DURHAM ...</b>	<b>7</b>	<b>25</b>	<b>75</b>	<b>2721</b>	<b>4816</b>	<b>24</b>	<b>201</b>	<b>41</b>	<b>302</b>	<b>18467</b>	<b>161</b>	<b>108</b>	<b>5</b>	<b>—</b>	<b>1912</b>	<b>377</b>	<b>181</b>
County Boroughs ...	5	7	33	976	1484	3	88	25	113	6696	75	54	4	—	984	270	99
Darlington ...	—	—	2	122	178	1	8	3	9	377	5	2	—	—	30	8	9
Gateshead ...	—	6	13	148	246	—	15	4	47	1339	41	44	3	—	304	8	35
South Shields ...	5	—	10	318	561	—	17	5	36	1676	6	—	1	—	106	58	45
Sunderland ...	—	1	4	310	461	2	44	13	19	2586	11	5	—	—	515	186	8
West Hartlepool ...	—	—	4	78	38	—	4	—	2	718	12	3	—	—	29	10	2
Admin. County ...	2	18	42	1745	3332	21	113	16	189	11771	86	54	1	—	928	107	82
Urban Districts ...	1	9	33	1117	2587	15	77	13	154	7791	57	42	—	—	663	66	55
Barnard Castle ...	—	—	—	4	9	—	—	—	1	—	1	—	—	—	5	—	—
Billingham ...	—	—	—	58	102	—	3	—	—	362	1	1	—	—	40	—	—
Bishop Auckland ...	—	1	2	158	184	—	6	3	1	228	1	—	—	—	53	7	2
Blaydon ...	—	1	2	62	161	—	1	—	66	117	—	3	—	—	14	1	26
Boldon ...	—	—	—	18	58	—	—	—	3	87	1	—	—	—	5	—	1
Brandon and Byshottles ...	1	—	1	23	28	—	2	—	—	236	1	—	—	—	1	1	—
Chester le Street ...	—	2	—	44	34	—	3	2	—	183	—	—	—	—	17	1	—
Consett ...	—	—	—	61	143	1	4	—	21	281	2	—	—	—	7	1	1
Crook and Willington ...	—	—	—	43	54	4	9	—	—	482	—	—	—	—	19	1	1
Durham M.B. ...	—	2	4	19	57	1	—	—	—	236	3	2	—	—	1	7	—
Felling ...	—	—	3	32	116	—	3	—	—	254	13	15	—	—	35	2	6
Hartlepool M.B. ...	—	—	4	4	160	—	—	—	4	261	2	1	—	—	3	29	—
Hebburn ...	—	—	—	60	96	1	2	—	—	601	—	—	—	—	48	—	—
Hetton ...	—	—	2	23	52	1	1	—	—	82	—	—	—	—	60	1	—
Houghton le Spring ...	—	—	1	42	131	—	6	2	2	486	3	—	—	—	13	—	—
Jarrow M.B. ...	—	—	1	28	281	—	3	—	—	626	—	—	—	—	79	1	—
Ryton ...	—	—	—	24	43	—	—	—	1	150	4	—	—	—	1	—	—
Seaham ...	—	—	—	26	126	2	4	2	—	154	2	1	—	—	29	1	—
Sildon ...	—	—	—	56	86	2	4	—	—	224	4	—	—	—	32	—	—
Spennymoor ...	—	—	—	49	48	—	1	—	—	592	1	—	—	—	26	—	—
Stanley ...	—	—	6	140	179	—	11	—	20	849	5	2	—	—	94	1	13
Stockton on Tees M.B. ...	—	1	4	94	216	2	10	2	19	736	8	2	—	—	49	11	2
Tow Law ...	—	—	—	6	2	—	2	—	—	47	1	—	—	—	3	—	—
Washington ...	—	—	—	13	34	1	—	1	—	186	1	—	—	—	10	—	—
Whickham ...	—	2	3	30	187	—	2	1	16	331	3	15	—	—	19	1	3
Rural Districts ...	1	9	9	628	745	6	36	3	35	3980	29	12	1	—	265	41	27
Barnard Castle ...	—	—	—	37	24	—	3	—	—	218	3	—	—	—	15	1	5
Chester le Street ...	1	1	1	140	126	1	1	—	1	742	4	4	—	—	70	2	2
Darlington ...	—	—	—	9	11	—	—	—	15	76	1	—	—	—	3	—	—
Durham ...	—	—	—	31	78	3	4	1	1	406	—	3	—	—	13	3	—
Easington ...	—	7	5	172	340	—	9	—	14	1067	13	2	—	—	72	17	18
Lanchester ...	—	—	—	44	75	—	1	—	2	134	3	1	—	—	10	1	—
Sedgefield ...	—	1	1	107	41	2	6	—	2	436	3	1	—	—	14	13	2
Stockton ...	—	—	—	17	10	—	1	1	—	85	—	—	—	—	10	1	—
Sunderland ...	—	—	2	62	26	—	5	1	—	523	—	1	—	—	55	2	—
Weardale ...	—	—	—	9	14	—	6	—	—	293	—	—	1	—	3	1	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>ELY, ISLE OF :</b>																	
Admin. County ...	—	1	3	67	232	—	15	1	1	605	12	9	—	—	72	2	6
<b>Urban Districts</b> ...	—	—	1	45	199	—	10	1	—	366	4	6	—	—	49	—	2
Chatteris ...	—	—	—	18	—	—	—	—	—	5	—	—	—	—	—	—	—
Ely ...	—	—	—	1	4	—	2	—	—	—	2	6	—	—	10	—	2
March ...	—	—	—	—	2	—	—	—	—	211	—	—	—	—	—	—	—
Whittlesey ...	—	—	1	12	107	—	2	—	—	110	—	—	—	—	34	—	—
Wisbech M.B. ...	—	—	—	14	86	—	6	1	—	40	2	—	—	—	5	—	—
<b>Rural Districts</b> ...	—	1	2	22	83	—	5	—	1	239	8	3	—	—	23	2	4
Ely ...	—	1	—	6	46	—	2	—	1	12	4	2	—	—	11	1	4
North Witchford ...	—	—	2	8	—	—	1	—	—	102	3	—	—	—	9	—	—
Thorney ...	—	—	—	3	4	—	—	—	—	35	—	—	—	—	2	—	—
Wisbech ...	—	—	—	5	33	—	2	—	—	90	1	1	—	—	1	1	—
<b>ESSEX ...</b>	11	21	39	5415	5854	4	366	44	414	23089	196	109	3	4	1551	621	590
<b>County Boroughs</b> ...	4	4	13	1416	1343	1	80	11	54	4385	64	64	1	—	388	61	219
East Ham ...	1	1	4	343	361	1	16	1	3	1883	9	1	—	—	61	7	8
Southend-on-Sea ...	—	1	5	474	688	—	32	6	7	998	42	56	1	—	192	9	197
West Ham ...	3	2	4	599	294	—	32	4	44	1504	13	7	—	—	135	45	14
Admin. County ...	7	17	26	3999	4511	3	286	33	360	18704	132	45	2	4	1163	560	371
<b>Urban Districts</b> ...	7	10	24	3546	3975	3	257	31	318	17234	109	41	1	4	1081	431	250
Barking ...	—	1	1	104	100	—	11	2	17	1350	8	1	—	—	48	18	5
Benfleet ...	—	—	—	53	35	—	5	—	—	67	2	1	—	—	5	2	2
Billerica ...	—	—	—	72	163	—	2	1	20	101	7	4	—	—	24	3	5
Braintree and Bocking ...	—	—	—	10	1	—	1	—	3	129	2	—	—	—	—	—	—
Brentwood ...	—	—	—	19	71	—	—	—	—	390	2	—	—	—	19	1	20
Brightlingsea ...	—	—	—	19	3	—	—	—	—	19	2	—	—	—	1	1	—
Burnham on Crouch ...	—	—	—	4	32	—	—	—	1	—	—	—	—	—	3	—	—
Canvey Island ...	—	—	—	36	19	—	—	—	—	32	1	—	—	—	—	—	1
Chelmsford M.B. ...	1	1	—	51	39	—	4	3	3	120	5	—	—	—	—	2	2
Chigwell ...	—	—	2	213	213	1	5	—	17	620	5	1	—	—	26	2	13
Chingford M.B. ...	—	1	1	181	66	—	6	—	10	894	4	—	—	—	24	1	4
Clacton ...	1	—	—	23	26	1	—	—	—	153	—	1	—	—	—	—	1
Colchester M.B. ...	3	—	2	60	110	—	7	—	38	76	7	1	—	—	27	72	7
Dagenham M.B. ...	—	—	3	290	302	—	19	9	3	1847	6	3	—	—	39	18	25
Epping ...	—	—	—	36	95	—	2	—	1	15	1	—	—	—	3	17	1
Frinton and Walton	—	—	—	15	8	—	—	—	—	95	1	2	—	—	7	—	2
Halstead ...	—	—	1	—	12	—	1	—	—	249	—	—	—	—	1	—	—
Harwich M.B. ...	1	—	—	73	—	—	3	—	1	239	—	—	—	—	—	1	—
Hornchurch ...	—	—	1	245	510	—	15	—	2	1186	2	3	—	—	35	5	2
Ilford M.B. ...	—	2	1	409	756	—	34	—	99	3166	11	4	—	1	181	64	38
Leyton M.B. ...	—	—	1	332	244	—	67	1	14	1630	6	6	—	1	410	39	20
Maldon M.B. ...	—	1	—	6	3	—	1	—	1	78	1	—	—	—	11	—	—
Rayleigh ...	—	—	—	21	25	—	9	—	—	7	2	—	—	—	—	—	8
Romford M.B. ...	—	—	7	388	379	—	17	2	10	1364	11	9	1	2	40	9	42
Saffron Walden M.B.	—	—	—	12	17	—	1	—	—	5	1	—	—	—	—	—	—
Thurrock ...	—	2	—	300	342	1	6	9	41	693	6	2	—	—	32	22	2
Waltham Holy Cross ...	—	—	—	17	2	—	2	—	3	115	—	—	—	—	9	2	17
Walthamstow M.B. ...	1	2	2	418	190	—	32	2	9	1593	7	3	—	—	100	73	22
Wanstead and Woodford M.B.	—	—	2	111	177	—	6	2	25	697	8	—	—	—	29	78	10
West Mersea M.B. ...	—	—	—	3	21	—	—	—	—	6	1	—	—	—	1	—	—
Witham ...	—	—	—	7	8	—	—	—	—	251	—	—	—	—	4	—	1
Wivenhoe ...	—	—	—	18	6	—	1	—	—	47	—	—	—	—	2	1	—
<b>Rural Districts</b> ...	—	7	2	453	536	—	29	2	42	1470	23	4	1	—	82	129	121
Braintree ...	—	4	—	16	15	—	—	—	1	97	—	—	—	—	—	2	—
Chelmsford ...	—	—	—	36	26	—	9	1	2	98	3	1	—	—	3	—	2
Dunmow ...	—	—	—	14	22	—	—	—	20	292	2	2	—	—	13	1	2
Epping ...	—	—	1	47	86	—	4	—	4	184	—	—	—	—	4	—	21
Halstead ...	—	—	—	20	42	—	4	—	1	191	—	1	—	—	2	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>ESSEX—contd.</b>																	
<b>R.D's.—contd.</b>																	
Lexden and Winstree	—	1	—	59	121	—	10	—	1	30	5	—	—	—	36	2	—
Maldon ...	—	—	—	102	35	—	—	—	—	34	3	—	—	—	7	—	2
Ongar ...	—	—	—	8	3	—	—	—	1	76	—	—	—	—	—	—	1
Rochford ...	—	—	1	56	72	—	2	—	8	13	8	—	—	—	2	121	21
Saffron Walden ...	—	2	—	26	92	—	—	—	4	80	1	—	1	—	8	3	4
Tendring ...	—	—	—	69	22	—	—	1	—	375	1	—	—	—	7	—	68
<b>GLOUCESTERSHIRE</b>	<b>4</b>	<b>14</b>	<b>28</b>	<b>1377</b>	<b>3342</b>	<b>2</b>	<b>145</b>	<b>7</b>	<b>168</b>	<b>6918</b>	<b>44</b>	<b>17</b>	<b>1</b>	<b>1</b>	<b>734</b>	<b>368</b>	<b>110</b>
County Boroughs ...	2	11	14	910	1961	1	103	5	124	2646	24	10	—	—	471	318	80
Bristol ...	2	10	12	864	1826	—	91	3	117	2061	20	6	—	—	423	297	76
Gloucester ...	—	1	2	46	135	1	12	2	7	585	4	4	—	—	48	21	4
Admin. County ...	<b>2</b>	<b>3</b>	<b>14</b>	<b>467</b>	<b>1381</b>	<b>1</b>	<b>42</b>	<b>2</b>	<b>44</b>	<b>4272</b>	<b>20</b>	<b>7</b>	<b>1</b>	<b>1</b>	<b>263</b>	<b>50</b>	<b>30</b>
Urban Districts ...	—	1	4	154	667	1	16	—	9	1935	2	3	—	—	96	24	6
Charlton Kings ...	—	—	1	3	20	—	1	—	—	53	—	—	—	—	6	3	—
Cheltenham M.B.	—	—	2	25	149	1	6	—	5	1063	2	3	—	—	49	15	3
Cirencester ...	—	—	—	6	53	—	—	—	2	135	—	—	—	—	10	2	—
Kingswood ...	—	—	—	30	20	—	—	—	—	58	—	—	—	—	4	—	—
Mangotsfield ...	—	1	—	65	79	—	3	—	—	244	—	—	—	—	9	—	3
Nailsworth ...	—	—	—	3	97	—	3	—	2	148	—	—	—	—	13	—	—
Stroud ...	—	—	1	17	226	—	3	—	—	118	—	—	—	—	4	3	—
Tewkesbury M.B.	—	—	—	5	23	—	—	—	—	116	—	—	—	—	1	1	—
Rural Districts ...	2	2	10	313	714	—	26	2	35	2337	18	4	1	1	167	26	24
Cheltenham ...	—	—	1	20	19	—	3	—	3	355	2	2	—	—	6	—	—
Cirencester ...	—	1	—	10	30	—	1	—	8	225	1	—	—	—	13	1	11
Dursley ...	—	—	—	37	34	—	1	—	—	172	1	—	—	—	7	3	—
East Dean ...	—	—	1	9	21	—	—	—	—	300	2	—	1	—	3	3	—
Gloucester ...	—	—	—	21	126	—	2	—	10	373	4	—	—	—	29	—	3
Lydney ...	—	—	1	5	2	—	—	—	6	95	—	—	—	—	1	6	—
Newent ...	—	—	—	6	13	—	—	—	—	35	—	—	—	—	3	1	—
North Cotswold ...	—	—	—	13	20	—	11	—	1	66	—	1	—	—	16	3	2
Northleach ...	—	—	—	2	14	—	2	—	—	117	1	—	—	—	10	—	—
Sodbury ...	—	—	3	64	100	—	4	—	—	188	—	—	—	1	30	2	8
Stroud ...	2	—	3	31	256	—	—	—	1	268	1	—	—	—	5	—	—
Tetbury ...	—	—	—	8	—	—	—	—	—	15	1	—	—	—	1	—	—
Thornbury ...	—	—	1	50	60	—	1	2	6	36	1	—	—	—	35	6	—
Warmley ...	—	—	—	15	12	—	—	—	—	12	—	—	—	—	4	—	—
West Dean ...	—	1	—	22	7	—	1	—	—	80	4	1	—	—	4	1	—
<b>HEREFORDSHIRE :</b>																	
Admin. County ...	—	—	1	118	170	—	11	1	23	661	12	13	1	—	65	9	19
Urban Districts ...	—	—	—	56	27	—	3	—	11	392	3	3	—	—	12	4	13
Bromyard ...	—	—	—	1	6	—	—	—	—	4	—	1	—	—	1	—	3
Hereford M.B.	—	—	—	46	5	—	3	—	3	72	2	—	—	—	7	3	7
Kington ...	—	—	—	6	5	—	—	—	1	69	—	—	—	—	—	—	—
Ledbury ...	—	—	—	—	6	—	—	—	—	5	—	1	—	—	—	—	—
Leominster M.B.	—	—	—	2	3	—	—	—	7	239	1	1	—	—	2	—	1
Ross on Wye ...	—	—	—	1	2	—	—	—	—	3	—	—	—	—	2	1	2
Rural Districts ...	—	—	1	62	143	—	8	1	12	269	9	10	1	—	53	5	6
Bromyard ...	—	—	—	8	27	—	3	—	1	12	1	1	—	—	4	—	—
Dore and Bredwardine ...	—	—	—	3	4	—	—	—	—	11	—	—	—	—	14	—	1
Hereford ...	—	—	1	17	3	—	1	—	4	30	2	1	—	—	8	2	4
Kington ...	—	—	—	1	27	—	—	—	6	79	—	—	—	—	—	—	—
Ledbury ...	—	—	—	6	8	—	—	1	—	39	3	4	1	—	—	1	—
Leominster and Wigmore ...	—	—	—	14	63	—	3	—	—	53	2	3	—	—	8	—	—
Ross and Whitchurch ...	—	—	—	10	9	—	—	—	1	22	—	1	—	—	7	2	1
Weobley ...	—	—	—	3	2	—	1	—	—	23	1	—	—	—	12	—	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>HERTFORDSHIRE :</b>																	
Admin. County ...	2	11	21	930	1355	—	55	43	51	3969	50	24	2	1	214	152	55
<b>Urban Districts</b> ...	2	11	18	673	925	—	41	43	34	2958	29	12	1	—	143	149	44
Baldock ...	—	—	—	2	2	—	—	—	1	161	—	—	—	—	10	—	—
Barnet ...	1	1	4	45	91	—	2	1	3	40	3	2	1	—	7	30	7
Berkhamsted ...	—	—	—	27	22	—	1	—	—	86	1	—	—	—	2	—	—
Bishop's Stortford ...	—	—	—	4	53	—	—	—	9	49	1	1	—	—	3	39	1
Bushey ...	—	—	3	43	10	—	1	40	1	85	—	—	—	—	3	48	—
Cheshunt ...	—	—	—	74	88	—	5	1	—	199	2	—	—	—	26	—	1
Chorley Wood ...	—	—	—	2	7	—	—	—	—	4	1	—	—	—	—	—	—
East Barnet ...	—	—	—	100	66	—	—	—	2	235	1	—	—	—	21	1	1
Harpenden ...	1	—	—	41	37	—	2	—	1	36	1	1	—	—	1	—	—
Hemel Hempstead M.B. ...	—	—	3	7	7	—	1	—	7	536	1	1	—	—	—	25	1
Hertford M.B. ...	—	—	—	5	4	—	—	—	—	122	—	—	—	—	3	1	1
Hitchin ...	—	—	—	18	54	—	1	1	1	23	1	—	—	—	6	2	1
Hoddesdon ...	—	—	—	13	21	—	6	—	—	49	2	1	—	—	4	—	2
Letchworth ...	—	—	—	4	110	—	2	—	9	291	—	—	—	—	10	—	6
Rickmansworth ...	—	—	—	29	10	—	1	—	—	109	—	2	—	—	—	1	—
Royston ...	—	—	—	—	4	—	—	—	—	4	—	—	—	—	—	—	—
St. Alban M.B. ...	—	—	2	89	189	—	12	—	—	244	—	1	—	—	19	—	5
Sawbridgeworth ...	—	—	—	—	28	—	—	—	—	19	2	—	—	—	3	—	—
Stevenage ...	—	—	—	16	5	—	—	—	—	291	1	1	—	—	4	—	—
Tring ...	—	—	—	32	2	—	—	—	—	3	—	—	—	—	—	—	—
Ware ...	—	—	—	—	13	—	—	—	—	30	3	—	—	—	—	—	—
Watford M.B. ...	—	10	6	106	38	—	6	—	—	239	6	2	—	—	15	2	17
Welwyn Garden City ...	—	—	—	16	64	—	1	—	—	103	3	—	—	—	6	—	1
<b>Rural Districts</b> ...	—	—	3	257	430	—	14	—	17	1011	21	12	1	1	71	3	11
Berkhamsted ...	—	—	—	6	9	—	—	—	—	19	—	—	—	—	—	—	—
Braughing ...	—	—	—	4	46	—	—	—	—	53	1	—	—	—	10	—	—
Elstree ...	—	—	—	10	33	—	—	—	7	81	5	2	—	—	—	—	1
Hatfield ...	—	—	1	14	69	—	—	—	—	52	3	1	—	—	7	—	—
Hemel Hempstead ...	—	—	—	5	5	—	1	—	1	136	—	—	1	—	3	1	3
Hertford ...	—	—	—	12	—	—	1	—	—	98	1	—	—	1	5	—	—
Hitchin ...	—	—	—	17	20	—	1	—	1	220	4	1	—	—	9	—	—
St. Albans ...	—	—	1	49	29	—	4	—	8	71	1	3	—	—	11	2	3
Ware ...	—	—	—	6	35	—	2	—	—	27	2	—	—	—	9	—	1
Watford ...	—	—	1	128	184	—	5	—	—	198	3	3	—	—	16	—	1
Welwyn ...	—	—	—	6	—	—	—	—	—	56	1	2	—	—	1	—	2
<b>HUNTINGDONSHIRE:</b>																	
Admin. County ...	—	—	—	39	216	—	10	—	—	666	2	—	—	—	39	7	3
<b>Urban Districts</b> ...	—	—	—	21	115	—	7	—	—	483	—	—	—	—	26	1	2
Godmanchester M.B. ...	—	—	—	—	2	—	4	—	—	10	—	—	—	—	4	—	—
Huntingdon M.B. ...	—	—	—	6	1	—	2	—	—	4	—	—	—	—	5	—	1
Old Fletton ...	—	—	—	10	47	—	1	—	—	285	—	—	—	—	—	—	—
Ramsey ...	—	—	—	—	11	—	—	—	—	176	—	—	—	—	12	—	—
St. Ives M.B. ...	—	—	—	—	27	—	—	—	—	2	—	—	—	—	—	—	1
St. Neots ...	—	—	—	5	27	—	—	—	—	6	—	—	—	—	5	1	—
<b>Rural Districts</b> ...	—	—	—	18	101	—	3	—	—	183	2	—	—	—	13	6	1
Huntingdon ...	—	—	—	2	44	—	—	—	—	72	1	—	—	—	2	1	—
Norman Cross ...	—	—	—	4	15	—	—	—	—	93	1	—	—	—	4	—	—
St. Ives ...	—	—	—	—	23	—	3	—	—	10	—	—	—	—	5	—	—
St. Neots ...	—	—	—	12	19	—	—	—	—	8	—	—	—	—	2	5	1
<b>KENT</b> ...	4	8	38	2630	3952	5	204	18	435	14304	143	41	5	8	1123	349	153
County Borough: Canterbury ...	—	—	—	143	10	—	—	2	—	312	6	—	—	1	5	29	—
Admin. County ...	4	8	38	2487	3942	5	204	16	435	13992	137	41	5	7	1118	320	153

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>KENT—contd.</b>																	
<b>Urban Districts</b> ...	4	7	35	2109	3407	5	173	12	385	11479	109	28	3	6	809	280	117
Ashford ...	—	—	—	26	13	—	3	—	—	364	1	—	—	—	11	1	6
Beckenham M.B. ...	1	—	6	134	125	—	3	1	66	179	9	4	—	1	20	35	18
Bexley M.B. ...	—	—	3	94	188	—	20	1	1	1584	7	1	—	—	42	18	10
Broadstairs and St. Peters ...	—	—	1	60	94	4	3	—	—	474	1	1	—	—	8	—	—
Bromley M.B. ...	—	—	1	123	160	—	7	—	5	385	2	4	—	—	36	54	5
Chatham M.B. ...	2	—	2	100	253	—	11	2	1	325	3	1	—	1	43	68	6
Chislehurst and Sidcup ...	—	1	2	152	530	1	12	2	15	1315	7	3	—	—	66	11	13
Crayford ...	—	1	1	99	92	—	7	—	2	357	2	—	—	—	17	5	—
Dartford M.B. ...	—	—	—	33	37	—	4	—	1	541	3	—	2	—	37	5	—
Deal M.B. ...	—	—	—	3	36	—	—	—	3	481	—	—	—	—	2	—	—
Dover M.B. ...	—	1	1	22	87	—	5	1	6	116	1	1	—	1	20	11	2
Erith M.B. ...	—	—	2	160	211	—	7	1	5	330	4	—	—	—	35	2	5
Faversham M.B. ...	—	—	—	5	9	—	1	—	—	372	1	—	—	—	15	—	—
Folkestone M.B. ...	—	—	—	66	26	—	7	—	8	37	3	—	—	—	60	16	7
Gillingham M.B. ...	—	2	1	164	209	—	5	1	1	112	16	3	—	—	37	4	6
Gravesend M.B. ...	—	1	—	29	120	—	12	—	—	123	1	—	—	—	24	4	1
Herne Bay ...	—	—	—	35	17	—	—	—	—	125	2	1	—	—	—	—	—
Hythe M.B. ...	—	—	—	19	17	—	—	—	8	38	—	—	—	—	6	—	1
Lydd M.B. ...	—	—	—	1	1	—	—	—	4	29	1	—	—	—	14	—	—
Maidstone M.B. ...	—	—	2	56	17	—	1	—	1	367	2	—	—	—	7	13	2
Margate M.B. ...	1	—	1	130	43	—	4	—	25	663	3	4	—	1	3	1	16
New Romney M.B. ...	—	—	1	—	3	—	—	—	4	5	—	—	—	—	9	—	1
Northfleet ...	—	—	—	24	61	—	1	—	—	75	1	—	—	—	14	—	—
Orpington ...	—	—	3	168	386	—	14	1	22	786	3	1	—	—	122	7	3
Penge ...	—	—	4	34	127	—	8	—	169	71	—	—	—	—	12	—	—
Queenborough M.B. ...	—	—	—	—	—	—	—	—	—	83	—	—	—	—	—	—	—
Ramsgate M.B. ...	—	—	1	58	96	—	2	—	—	262	4	—	—	—	7	5	—
Rochester M.B. ...	—	—	2	95	143	—	16	—	—	100	13	2	—	—	38	2	7
Royal Tunbridge Wells M.B. ...	—	—	—	28	48	—	5	1	2	857	3	—	1	1	28	3	2
Sandwich M.B. ...	—	—	1	4	47	—	—	—	—	11	1	—	—	—	1	2	—
Sevenoaks ...	—	1	—	58	49	—	—	—	1	54	—	—	—	—	8	—	—
Sheerness ...	—	—	—	14	4	—	6	—	—	7	1	—	—	—	3	3	—
Sittingbourne and Milton ...	—	—	—	29	32	—	2	—	—	297	5	—	—	—	4	—	—
Southborough ...	—	—	—	6	7	—	—	1	18	256	—	—	—	1	2	—	—
Swanscombe ...	—	—	—	21	48	—	1	—	—	16	1	—	—	—	25	—	—
Tenterden M.B. ...	—	—	—	—	1	—	—	—	—	5	—	—	—	—	2	—	1
Tonbridge ...	—	—	—	22	56	—	1	—	16	66	4	2	—	—	14	—	5
Whitstable ...	—	—	—	37	14	—	5	—	1	211	4	—	—	—	17	10	—
<b>Rural Districts</b> ...	—	1	3	378	535	—	31	4	50	2513	28	13	2	1	309	40	36
Bridge-Blean ...	—	—	—	42	—	—	2	1	3	125	4	2	—	—	16	—	—
Cranbrook ...	—	—	—	46	7	—	—	—	1	53	1	—	—	—	3	1	6
Dartford ...	—	—	—	16	50	—	1	—	3	294	2	2	—	—	23	1	—
Dover ...	—	—	—	5	20	—	—	—	—	30	—	—	—	—	4	2	—
East Ashford ...	—	—	—	2	1	—	—	—	4	10	2	—	—	—	6	—	—
Eastry ...	—	—	—	18	93	—	—	—	—	142	5	3	—	—	11	4	1
Elham ...	—	—	—	2	6	—	—	—	—	70	1	1	—	—	2	—	—
Hollingbourn ...	—	—	—	4	23	—	—	—	—	55	1	—	—	—	2	2	—
Maidstone ...	—	—	—	66	34	—	1	—	1	182	1	—	—	—	20	3	5
Malling ...	—	—	1	48	31	—	5	3	10	450	1	1	1	—	10	—	5
Romney Marsh ...	—	—	—	5	1	—	—	—	1	67	—	—	—	—	4	—	—
Sevenoaks ...	—	1	1	57	134	—	10	—	1	301	—	—	—	—	125	2	4
Sheppey ...	—	—	—	7	33	—	4	—	—	33	1	1	—	—	21	1	—
Strood ...	—	—	1	13	6	—	3	—	—	26	4	1	—	—	8	—	—
Swale ...	—	—	—	26	28	—	2	—	7	131	1	1	—	—	26	—	—
Tenterden ...	—	—	—	2	26	—	1	—	—	14	—	—	—	—	5	—	1
Tonbridge ...	—	—	—	16	28	—	1	—	14	518	4	1	1	1	9	24	13
West Ashford ...	—	—	—	3	14	—	1	—	5	12	—	—	—	—	14	—	1



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>*LANCASHIRE</b> ...	<b>22</b>	<b>55</b>	<b>157</b>	<b>9290</b>	<b>14031</b>	<b>88</b>	<b>678</b>	<b>233</b>	<b>3407</b>	<b>52978</b>	<b>155</b>	<b>31</b>	<b>13</b>	<b>7</b>	<b>3725</b>	<b>1903</b>	<b>445</b>
<b>*County Boroughs</b> ...	9	36	122	5473	9256	16	424	215	2148	36781	111	19	7	4	2543	1673	294
Barrow-in-Furness ...	—	1	2	45	14	—	7	—	—	750	1	1	—	1	26	2	1
Blackburn ...	—	3	2	319	290	—	8	6	19	674	3	1	1	—	73	106	10
Blackpool ...	1	1	6	265	508	—	22	4	425	1733	13	2	—	—	35	53	14
Bolton ...	—	1	—	351	220	—	39	—	202	2369	8	1	—	1	273	5	54
Bootle ...	—	1	3	87	97	—	10	1	10	616	3	—	—	—	41	1	15
Burnley ...	—	2	—	145	389	1	16	2	10	1722	2	2	—	—	101	41	9
Bury ...	—	1	—	36	186	—	3	1	15	868	2	1	—	—	44	—	3
Liverpool ...	4	4	54	1435	2631	8	114	129	300	8768	33	2	—	—	857	778	53
Manchester ...	2	17	23	1121	2635	7	99	58	481	10035	34	1	5	—	521	594	42
Oldham ...	—	1	7	230	108	—	15	4	472	1542	1	3	—	—	69	5	9
Preston ...	1	—	6	407	329	—	5	—	86	1757	1	1	—	1	57	8	31
<b>*Rochdale</b> ...	—	1	—	48	227	—	5	1	20	896	—	—	—	—	23	1	—
St. Helens ...	—	—	5	327	616	—	19	—	18	1022	4	—	1	1	58	4	10
Salford ...	—	3	6	307	673	—	28	8	72	2239	2	3	—	—	201	41	43
Southport ...	1	—	4	213	179	—	17	—	9	345	1	—	—	—	51	1	—
Warrington ...	—	—	4	93	125	—	8	1	8	906	1	—	—	—	44	32	—
Wigan ...	—	—	—	44	29	—	9	—	1	539	2	1	—	—	69	1	—
<b>*Admin. County</b> ...	<b>13</b>	<b>19</b>	<b>35</b>	<b>3817</b>	<b>4775</b>	<b>72</b>	<b>254</b>	<b>18</b>	<b>1259</b>	<b>16197</b>	<b>44</b>	<b>12</b>	<b>6</b>	<b>3</b>	<b>1182</b>	<b>230</b>	<b>151</b>
<b>*Urban Districts</b> ...	<b>11</b>	<b>18</b>	<b>34</b>	<b>3195</b>	<b>4148</b>	<b>72</b>	<b>213</b>	<b>17</b>	<b>814</b>	<b>14046</b>	<b>40</b>	<b>10</b>	<b>5</b>	<b>2</b>	<b>946</b>	<b>165</b>	<b>140</b>
Abram ...	—	—	—	4	5	—	1	2	1	20	1	—	—	—	2	—	—
Accrington M.B. ...	—	—	—	21	31	—	—	—	1	234	—	—	—	—	17	—	—
Adlington ...	—	—	—	3	38	—	—	—	2	112	1	1	—	—	5	—	—
Ashton in	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Makerfield ...	1	—	—	25	38	—	—	—	—	149	—	—	—	—	4	2	—
Ashton under Lyne	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	1	1	1	116	139	1	6	—	6	422	1	—	—	—	25	—	3
Aspull ...	—	—	—	2	3	—	5	—	—	1	—	—	—	—	8	—	—
Atherton ...	—	—	—	97	18	—	4	—	12	494	—	—	—	—	26	3	—
Audenshaw ...	—	—	—	16	45	—	1	—	—	71	1	—	—	—	—	1	—
<b>*Bacup M.B.</b> ...	—	—	—	8	37	—	—	—	—	221	—	—	—	—	10	1	—
Barrowford ...	—	—	—	20	8	—	1	—	—	10	1	—	—	—	1	1	—
Billington and	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Winstanley ...	—	—	—	1	3	—	2	—	—	80	—	—	—	—	2	2	—
Blackrod ...	—	—	—	—	5	—	—	—	—	7	—	—	—	—	2	—	—
Brierfield ...	—	—	—	10	14	—	1	1	4	14	—	—	—	—	3	—	—
Carnforth ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>*Chadderton</b> ...	—	—	—	59	18	—	3	—	69	268	—	—	—	—	19	—	2
Chorley M.B. ...	—	1	1	35	31	—	3	1	—	264	—	—	—	—	15	4	—
Church ...	—	—	—	2	—	—	—	—	—	61	—	—	—	—	2	—	4
Clayton le Moors	—	—	—	3	4	—	—	—	—	26	—	—	—	—	—	—	—
Clitheroe M.B. ...	—	—	—	55	53	1	—	—	—	135	1	—	—	—	7	4	—
Colne M.B. ...	—	—	1	45	36	—	—	—	—	34	1	—	—	—	12	—	—
Crompton ...	—	—	—	56	50	—	3	—	13	137	—	—	—	—	1	2	6
Crosby M.B. ...	—	—	—	78	98	—	10	—	3	365	1	—	—	—	47	1	7
Dalton in Furness	—	—	—	11	18	—	4	—	1	47	—	—	1	1	3	—	13
Darwen M.B. ...	—	1	1	86	41	59	2	—	—	473	—	—	—	—	18	—	—
Denton ...	—	3	—	69	113	—	4	—	—	100	1	—	—	—	11	—	3
Droylsden ...	—	1	—	48	81	—	3	—	—	124	2	—	—	—	5	2	—
Eccles M.B. ...	—	—	—	33	101	—	5	2	5	448	1	—	—	—	33	1	2
Failsworth ...	—	—	—	51	69	—	1	—	28	237	1	—	—	—	30	—	—
Farnworth M.B. ...	6	—	2	95	13	—	3	—	48	345	2	—	—	—	41	9	—
Fleetwood M.B. ...	—	—	2	7	41	—	1	—	22	266	—	2	—	—	25	9	—
Formby ...	—	—	—	9	19	—	—	—	10	29	2	—	—	—	5	—	2
Fulwood ...	—	—	—	32	15	—	2	2	12	113	—	—	—	—	4	39	1
Golborne ...	—	—	1	32	61	—	—	3	—	48	—	—	—	—	5	1	—
Grange ...	—	—	—	1	1	—	1	—	—	1	—	—	—	—	2	—	—
Great Harwood ...	—	—	—	16	74	—	2	—	1	5	—	—	—	—	2	—	—
Haslingden M.B. ...	—	—	—	28	24	—	3	—	1	54	—	—	—	—	—	—	—
Haydock ...	—	—	1	38	48	1	2	—	1	82	—	—	—	—	12	—	—
<b>*Heywood M.B.</b> ...	—	1	—	29	73	1	—	—	—	142	—	—	—	—	7	—	—
Hindley ...	—	—	1	23	14	—	6	—	3	39	2	—	—	—	5	—	—
Horwich ...	—	—	—	79	7	1	7	—	2	83	—	—	—	—	24	—	—

\* Cases of Smallpox notified :—Rochdale, C.B., 115 ; Bacup, M.B., 1 ; Chadderton, U.D., 1 ; Heywood, M.B., 2.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>LANCASHIRE</b>																	
—contd.																	
U.D's.—contd. ...																	
Huyton with Roby	—	1	7	124	117	6	3	1	3	684	—	—	—	—	27	1	4
Ince in Makerfield	—	—	2	11	14	—	2	—	—	143	—	—	—	—	5	—	—
Irlam ...	—	—	—	25	13	—	—	—	—	307	—	—	—	—	24	—	—
Kearsley ...	—	—	—	28	18	—	—	—	4	84	2	—	—	—	7	—	—
Kirkham ...	—	—	—	1	1	—	1	—	1	7	—	—	—	—	5	—	—
Lancaster M.B. ...	1	1	—	101	155	—	11	—	68	30	—	—	1	1	45	—	—
Lees ...	—	—	—	5	9	—	2	—	6	10	—	—	—	—	3	—	—
Leigh M.B. ...	—	—	—	129	118	—	3	—	1	653	2	—	—	—	29	—	—
Leyland ...	—	—	—	86	25	—	2	—	—	280	1	—	—	—	6	1	—
Litherland ...	—	—	—	9	17	—	—	1	—	175	—	—	—	—	5	4	1
*Littleborough ...	—	—	—	9	28	—	—	—	—	35	—	—	—	—	—	—	—
Little Lever ...	—	—	—	8	67	—	—	—	1	64	—	—	—	—	3	—	—
Longridge ...	—	—	—	3	1	—	—	—	—	96	—	—	—	—	3	—	—
Lytham	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
St. Anne's M.B.	—	—	1	46	15	—	3	—	9	63	2	1	—	—	1	1	—
*Middleton M.B. ...	—	—	1	33	157	—	2	—	61	346	—	—	—	—	19	—	2
*Milnrow ...	—	—	—	22	7	—	—	—	2	99	—	—	—	—	5	2	—
Morecambe and Heysham M.B.	—	1	1	83	40	—	11	—	—	61	1	—	—	—	11	—	—
Mossley M.B. ...	—	—	—	17	3	1	3	—	—	52	1	—	—	—	3	—	—
Nelson M.B. ...	1	—	—	88	76	—	1	—	1	118	4	—	—	—	32	—	8
Newton-le-Willows	—	—	—	17	195	—	6	—	—	98	—	—	—	—	44	3	1
Ormskirk ...	1	—	—	15	56	—	3	—	23	116	—	—	—	—	18	17	—
Orrell ...	—	—	—	3	10	—	2	—	—	44	—	—	—	—	3	—	—
Oswaldtwistle ...	—	—	—	12	2	—	—	—	1	69	—	—	1	—	1	—	—
Padiham ...	—	—	—	14	9	—	1	—	—	42	—	—	—	—	1	—	—
Poulton le Fylde ...	—	—	—	10	11	—	4	—	—	47	1	1	—	—	2	1	—
Preesall ...	—	—	—	—	—	—	—	—	—	69	—	—	—	—	2	—	1
Prescot ...	—	1	—	31	51	—	—	—	—	74	—	—	—	—	4	—	1
Prestwich M.B. ...	—	—	1	47	95	—	2	—	51	238	—	—	—	—	10	—	10
Radcliffe M.B. ...	—	—	—	36	151	—	2	—	110	190	—	—	—	—	23	1	1
Rainford ...	—	—	—	—	11	—	1	—	20	20	—	—	—	—	1	1	—
Ramsbottom ...	—	—	3	6	17	—	1	—	—	130	—	—	—	—	—	1	—
Rawtenstall M.B.	—	—	—	19	104	—	4	—	7	223	—	—	—	—	31	—	4
Rishton ...	—	—	—	2	3	—	2	—	—	118	—	—	—	—	5	—	—
Royton ...	—	—	—	29	26	—	—	—	6	99	—	—	1	—	5	—	1
Skelmersdale ...	—	—	—	—	7	—	—	—	—	9	—	—	—	—	2	1	—
Standish with Langtree	—	—	—	2	13	—	—	—	—	20	—	1	—	—	—	—	—
Stretford M.B. ...	—	1	—	118	269	—	9	2	19	679	1	—	—	—	15	11	34
Swinton and Pendlebury M.B.	—	1	1	81	45	—	8	—	64	508	1	—	—	—	21	—	2
Thornton Cleveleys	—	—	—	16	8	—	4	—	—	84	—	—	—	—	1	—	—
Tottington ...	—	—	1	4	8	—	1	—	12	13	—	—	—	—	4	—	—
Trawden ...	—	—	—	3	3	—	—	—	—	—	—	—	—	—	1	—	—
Turton ...	—	—	2	12	8	1	1	—	—	146	—	—	—	—	8	—	—
Tyldesley ...	—	—	—	57	53	—	7	2	5	375	—	1	—	—	8	2	—
Ulverston ...	—	—	—	11	37	—	—	—	1	7	1	—	—	—	—	—	—
Upholland ...	—	—	—	1	68	—	2	—	—	5	—	—	—	—	5	2	15
Urmston ...	—	1	2	72	143	—	6	—	21	487	2	—	—	—	12	32	5
Walton le Dale	—	—	1	146	55	—	1	—	—	205	—	—	—	—	11	—	—
Wardle ...	—	—	—	—	21	—	2	—	12	32	—	—	—	—	—	—	—
West Houghton ...	—	—	—	18	12	—	—	—	—	64	—	—	—	—	4	—	—
Whitefield ...	—	—	—	24	41	—	1	—	54	64	—	—	—	—	9	—	—
*Whitworth ...	—	—	—	—	32	—	2	—	1	94	—	—	—	—	—	—	4
Widnes M.B. ...	—	2	—	159	176	—	6	—	2	408	2	1	1	—	10	2	3
Withnell ...	—	—	—	—	2	—	—	—	—	26	—	1	—	—	2	—	—
Worsley ...	—	—	—	58	38	—	5	—	3	175	—	1	—	—	10	—	—
Rural Districts ...	2	1	1	622	627	—	41	1	445	2151	4	2	1	1	236	65	11
Blackburn ...	—	—	—	24	7	—	1	—	134	80	1	—	—	—	28	1	—
Burnley ...	—	1	—	43	31	—	6	—	1	79	2	—	—	—	11	—	—
Chorley ...	—	—	—	88	47	—	3	1	2	203	—	—	—	—	10	—	—
Clitheroe ...	1	—	—	26	12	—	2	—	69	22	—	—	—	—	16	3	—
Fylde ...	—	—	—	9	12	—	4	—	30	91	—	—	—	—	20	1	—
Garstang ...	—	—	—	12	14	—	1	—	4	96	—	—	—	—	18	—	3

Cases of Smallpox notified :—Littleborough, U.D., 4 ; Middleton, M.B., 1 ; Milnrow, U.D., 7 ; Whitworth, U.D., 3.



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
LANCASHIRE																	
—contd.																	
R.D.'s.—contd.																	
Lancaster ...	—	—	—	12	9	—	1	—	2	13	—	—	—	—	2	—	—
Limehurst ...	—	—	—	11	15	—	1	—	2	57	—	—	—	—	3	1	—
Lunesdale ...	—	—	—	14	20	—	1	—	—	15	—	—	1	—	2	1	—
Preston ...	—	—	—	156	86	—	5	—	126	301	—	1	—	1	12	—	6
Ulverston ...	—	—	—	21	36	—	1	—	1	70	—	—	—	—	19	—	1
Warrington ...	1	—	—	53	53	—	10	—	13	480	1	1	—	—	19	3	—
West Lancashire ...	—	—	—	51	75	—	5	—	4	234	—	—	—	—	43	3	1
Whiston ...	—	—	1	102	207	—	—	—	57	378	—	—	—	—	32	52	—
Wigan ...	—	—	—	—	3	—	—	—	—	32	—	—	—	—	1	—	—
LEICESTERSHIRE																	
County Borough:	—	1	29	977	2108	1	84	9	227	5656	14	3	—	2	541	116	109
Leicester ...	—	1	21	508	1059	1	37	7	152	3754	3	1	—	—	183	92	76
Admin. County ...	—	—	8	469	1049	—	47	2	75	1902	11	2	—	2	358	24	33
Urban Districts ...	—	—	3	267	473	—	13	—	23	912	6	—	—	2	163	8	2
Ashby de la Zouch ...	—	—	1	1	4	—	—	—	—	4	—	—	—	—	1	2	—
Ashby Woulds ...	—	—	—	2	2	—	1	—	—	47	—	—	—	—	—	—	—
Coalville ...	—	—	—	20	158	—	4	—	10	82	—	—	—	—	101	2	—
Hinckley ...	—	—	1	153	128	—	4	—	8	517	—	—	—	1	24	3	1
Loughborough M.B.	—	—	1	18	22	—	1	—	—	71	5	—	—	—	14	—	—
Market Harborough ...	—	—	—	8	72	—	—	—	1	63	—	—	—	—	—	1	—
Melton Mowbray ...	—	—	—	15	22	—	—	—	—	97	—	—	—	—	17	—	—
Oadby ...	—	—	—	16	16	—	—	—	3	8	—	—	—	—	—	—	—
Shepshed ...	—	—	—	11	4	—	2	—	—	11	—	—	—	—	5	—	—
Wigston ...	—	—	—	23	45	—	1	—	1	12	1	—	—	1	1	—	1
Rural Districts ...	—	—	5	202	576	—	34	2	52	990	5	2	—	—	195	16	31
Ashby de la Zouch ...	—	—	—	2	21	—	3	1	—	114	—	—	—	—	29	2	—
Barrow upon Soar ...	—	—	3	75	145	—	7	—	3	252	2	1	—	—	42	3	—
Billesdon ...	—	—	—	6	25	—	1	—	9	8	—	—	—	—	2	—	1
Blaby ...	—	—	1	34	104	—	7	1	30	276	1	—	—	—	40	—	13
Castle Donington ...	—	—	—	12	21	—	3	—	—	80	—	—	—	—	16	7	—
Lutterworth ...	—	—	—	1	13	—	2	—	1	10	—	—	—	—	14	—	—
Market Bosworth ...	—	—	—	40	194	—	9	—	8	114	1	—	—	—	32	2	—
Market Harborough ...	—	—	—	2	32	—	—	—	—	5	—	—	—	—	12	2	17
Melton and Belvoir ...	—	—	1	30	21	—	2	—	1	131	1	1	—	—	8	—	—
LINCOLNSHIRE :																	
Parts of Holland :																	
Admin. County ...	2	6	4	37	183	—	27	1	2	547	1	—	—	—	80	16	12
Urban Districts ...	—	—	2	12	71	—	11	1	2	263	1	—	—	—	47	10	5
Boston M.B.	—	—	2	11	59	—	5	1	2	20	1	—	—	—	39	10	5
Spalding ...	—	—	—	1	12	—	6	—	—	243	—	—	—	—	8	—	—
Rural Districts ...	2	6	2	25	112	—	16	—	—	284	—	—	—	—	33	6	7
Boston ...	—	—	—	11	40	—	5	—	—	126	—	—	—	—	18	1	2
East Elloe ...	2	3	—	9	23	—	9	—	—	105	—	—	—	—	11	4	5
Spalding ...	—	3	2	5	49	—	2	—	—	53	—	—	—	—	4	1	—
LINCOLNSHIRE:																	
Parts of Kesteven :																	
Admin. County ...	3	3	1	133	626	—	23	1	11	1159	2	—	—	—	93	16	—
Urban Districts ...	2	1	—	55	259	—	15	—	—	606	—	—	—	—	52	9	—
Bourne ...	—	—	—	12	15	—	8	—	—	8	—	—	—	—	12	—	—
Grantham M.B.	—	—	—	16	55	—	3	—	—	237	—	—	—	—	25	—	—
Sleaford ...	—	—	—	17	92	—	4	—	—	31	—	—	—	—	1	8	—
Stamford M.B.	2	1	—	10	97	—	—	—	—	330	—	—	—	—	14	1	—
Rural Districts ...	1	2	1	78	367	—	8	1	11	553	2	—	—	—	41	7	—
East Kesteven ...	1	1	1	32	171	—	2	—	1	77	—	—	—	—	6	2	—
North Kesteven ...	—	—	—	3	26	—	—	1	10	13	1	—	—	—	10	2	—
South Kesteven ...	—	—	—	27	109	—	5	—	—	226	—	—	—	—	16	—	—
West Kesteven ...	—	1	—	16	61	—	1	—	—	237	1	—	—	—	9	3	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>LINCOLNSHIRE:</b>																	
Parts of Lindsey	—	2	15	484	1627	9	44	14	343	3868	19	10	—	4	243	59	25
County Boroughs ...	—	—	6	137	505	5	9	13	258	1571	6	—	—	—	59	40	14
Grimsby ...	—	—	6	74	457	5	7	13	246	1412	5	—	—	—	29	29	9
Lincoln ...	—	—	—	63	48	—	2	—	12	159	1	—	—	—	30	11	5
Admin. County	—	2	9	347	1122	4	35	1	85	2297	13	10	—	4	184	19	11
Urban Districts	—	1	7	219	561	2	16	—	52	1348	7	7	—	3	96	13	—
Alford ...	—	—	—	—	10	—	—	—	—	1	—	—	—	—	6	—	—
Barton upon Humber	—	—	—	—	22	—	1	—	—	61	—	—	—	—	1	—	—
Brigg ...	—	—	1	4	16	—	4	—	—	183	—	—	—	—	1	1	—
Cleethorpes M.B.	—	—	2	19	306	—	2	—	1	395	2	—	—	—	40	7	—
Gainsborough	—	—	—	11	41	—	—	—	—	199	—	—	—	—	14	—	—
Horncastle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Louth M.B.	—	—	—	4	1	—	—	—	8	—	—	—	—	—	—	3	—
Mablethorpe and Sutton	—	—	—	7	7	—	—	—	—	39	—	—	—	—	2	—	—
Market Rasen	—	—	—	—	—	—	—	—	—	19	—	—	—	—	—	—	—
Scunthorpe M.B.	—	—	4	161	151	2	9	—	41	434	5	6	—	3	22	1	—
Skegness ...	—	—	—	12	4	—	—	—	—	8	—	1	—	—	1	1	—
Woodhall Spa	—	1	—	1	3	—	—	—	2	9	—	—	—	—	8	—	—
Rural Districts	—	1	2	128	561	2	19	1	33	949	6	3	—	1	88	6	11
Caistor ...	—	—	—	41	82	—	—	—	5	161	—	—	—	—	10	1	1
Gainsborough	—	—	—	11	30	—	1	—	—	61	—	—	—	—	3	—	—
Glanford Brigg	—	—	1	17	152	1	4	—	7	431	2	2	—	1	10	—	3
Grimsby ...	—	—	—	5	113	—	3	1	—	77	1	—	—	—	3	—	—
Horncastle	—	—	—	11	41	—	2	—	6	41	—	1	—	—	9	1	1
Isle of Axholme	—	—	—	26	5	1	—	—	—	45	1	—	—	—	2	1	—
Louth ...	—	—	1	6	53	—	3	—	12	65	2	—	—	—	9	—	2
Spilsby ...	—	1	—	10	76	—	4	—	—	36	—	—	—	—	38	2	3
Welton	—	—	—	1	9	—	2	—	3	32	—	—	—	—	4	1	1
<b>LONDON</b>	6	19	83	5262	5587	18	467	202	1703	31055	204	106	13	8	1908	1860	612
City of London	—	—	—	2	—	—	—	—	1	32	—	—	—	—	—	4	2
Inner and Middle Temples	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Metropolitan Boroughs:</b>																	
Battersea ...	—	—	2	122	141	1	12	—	10	1007	8	6	—	—	113	40	6
Bermondsey	—	—	2	82	40	1	8	2	5	716	1	—	—	—	25	19	4
Bethnal Green	—	—	1	185	95	2	18	18	55	551	—	2	—	—	32	8	6
Camberwell	—	1	2	265	367	—	23	5	44	1765	6	—	—	—	79	118	20
Chelsea	—	1	1	61	102	—	5	3	139	355	12	2	—	—	16	67	10
Deptford	—	—	2	140	140	—	5	1	7	849	1	—	—	—	14	16	5
Finsbury	—	—	—	80	80	1	8	9	74	483	—	1	—	—	44	5	25
Fulham	—	1	2	136	50	—	7	1	32	720	12	3	—	—	26	40	8
Greenwich	—	—	3	212	190	4	16	—	22	918	6	1	2	1	18	35	10
Hackney	—	—	4	392	230	—	43	20	134	1748	8	7	5	1	69	145	7
Hammersmith	—	1	6	208	237	—	25	4	48	1502	7	4	—	—	85	38	40
Hampstead	—	2	1	112	193	—	10	3	15	561	7	4	—	1	37	45	6
Holborn	—	1	—	18	32	—	2	2	9	133	6	—	—	—	4	1	1
Islington	—	1	7	450	487	—	32	26	187	2765	6	7	1	—	238	380	58
Kensington	—	1	4	108	228	—	11	2	32	839	17	4	2	1	71	83	20
Lambeth	—	1	8	257	305	—	27	8	38	2366	13	5	2	1	125	73	49
Lewisham	—	—	5	379	512	—	19	4	169	2183	8	7	—	—	89	88	33
Paddington	—	2	8	105	113	—	7	4	16	1092	8	3	—	—	77	87	38
Poplar	—	1	2	208	181	—	6	4	56	808	1	1	—	—	85	39	13
St. Marylebone	—	—	1	64	112	—	4	4	37	445	4	3	1	—	18	38	16
St. Pancras	—	—	4	141	251	3	25	29	77	1179	8	15	—	—	103	124	19
Shoreditch	—	2	1	85	101	1	8	9	58	712	2	2	—	—	33	7	1
Southwark	—	—	6	292	177	4	18	10	38	994	4	4	—	—	58	30	20
Stepney	—	2	3	207	155	—	24	24	71	1285	6	3	—	1	64	96	14
Stoke Newington	—	—	2	112	110	1	2	3	22	559	2	1	—	—	9	6	—
Wandsworth	2	1	4	535	400	—	68	6	230	2290	20	14	—	1	222	156	123
Westminster	—	1	—	45	233	—	13	—	47	781	7	3	—	—	31	24	38
Woolwich	—	1	2	259	325	—	21	1	30	1417	24	4	—	1	123	48	20



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>MIDDLESEX :</b>																	
Admin. County ...	13	44	70	4120	3360	2	363	63	957	18923	150	60	5	2	1423	739	300
Urban Districts ...	13	44	70	4120	3360	2	363	63	957	18923	150	60	5	2	1423	739	300
Acton M.B. ...	2	—	1	168	66	1	3	—	7	609	2	1	—	1	33	7	18
Brentford and Chiswick M.B. ...	—	2	1	124	28	—	14	—	14	413	8	1	—	—	13	35	3
Ealing M.B. ...	—	2	—	399	77	—	26	—	96	993	17	4	2	—	128	70	8
Edmonton M.B. ...	—	10	2	318	165	—	20	19	176	1036	10	6	—	—	35	111	5
Enfield ...	—	2	4	344	246	—	25	1	181	1491	12	4	—	—	37	48	10
Feltham ...	1	—	2	26	48	—	1	—	9	392	1	—	—	—	15	—	4
Finchley M.B. ...	—	1	2	93	273	—	6	—	17	577	3	—	—	—	48	44	2
Friern Barnet ...	1	—	—	26	65	—	3	—	19	195	—	1	—	—	10	—	4
Harrow ...	—	5	5	246	424	—	29	—	12	1417	8	10	—	—	96	8	4
Hayes and Harlington ...	—	1	4	144	143	—	2	3	24	680	11	3	—	—	79	16	4
Hendon M.B. ...	5	—	9	216	508	—	23	30	28	867	11	7	—	—	114	138	9
Heston and Isleworth M.B. ...	—	7	5	161	86	—	19	2	28	1027	1	2	—	—	58	53	53
Hornsey M.B. ...	1	2	1	173	138	—	20	—	26	835	2	—	—	—	74	12	10
Potters Bar ...	—	—	1	17	21	—	1	—	—	164	—	1	1	—	9	2	1
Ruislip Northwood ...	—	—	3	136	63	—	26	—	2	621	13	8	1	—	91	7	2
Southall M.B. ...	—	—	1	104	59	—	15	—	30	528	7	1	—	—	62	7	27
Southgate M.B. ...	—	—	1	184	39	—	8	—	17	426	3	1	—	—	23	3	5
Staines ...	—	1	1	46	48	—	1	1	20	285	3	—	—	1	5	1	—
Sunbury on Thames ...	—	—	1	29	15	—	—	—	—	141	—	—	—	—	2	—	—
Tottenham M.B. ...	—	3	4	356	139	—	12	—	9	1739	7	1	—	—	81	1	8
Twickenham M.B. ...	—	—	8	135	102	—	13	4	44	703	11	4	—	—	101	16	75
Uxbridge ...	—	—	—	82	41	—	41	—	5	343	3	—	—	—	49	30	1
Wembley M.B. ...	1	1	1	219	113	—	18	—	21	1231	8	3	—	—	88	24	5
Willesden M.B. ...	2	7	8	249	328	1	26	3	160	1520	5	—	1	—	113	101	23
Wood Green M.B. ...	—	—	4	93	89	—	11	—	12	449	3	—	—	—	28	—	9
Yiewsley and West Drayton ...	—	—	1	32	36	—	—	—	—	241	1	2	—	—	31	5	10
<b>NORFOLK</b> ...	1	1	11	884	1766	5	61	17	871	10900	24	26	1	—	438	61	110
County Boroughs ...	—	—	2	355	756	3	19	12	734	4535	9	2	—	—	134	35	37
Great Yarmouth ...	—	—	—	30	151	1	5	—	2	1565	—	—	—	—	13	4	7
Norwich ...	—	—	2	325	605	2	14	12	732	2970	9	2	—	—	121	31	30
Admin. County ...	1	1	9	529	1010	2	62	5	137	6365	15	24	1	—	304	26	73
Urban Districts ...	—	—	3	140	108	—	5	—	3	1453	5	3	—	—	66	7	5
Cromer ...	—	—	—	7	4	—	—	—	—	131	—	—	—	—	—	1	—
Diss ...	—	—	—	1	12	—	1	—	—	45	—	—	—	—	1	—	—
Downham Market ...	—	—	—	1	4	—	—	—	—	107	—	—	—	—	7	—	—
East Dereham ...	—	—	—	1	8	—	—	—	2	179	1	—	—	—	5	1	—
Kings Lynn M.B....	—	—	2	27	48	—	3	—	—	751	—	—	—	—	33	2	—
New Hunstanton ...	—	—	—	3	3	—	1	—	—	7	—	—	—	—	3	—	—
North Walsham ...	—	—	—	59	13	—	—	—	—	5	—	1	—	—	—	1	—
Sheringham ...	—	—	—	12	5	—	—	—	—	102	1	—	—	—	—	2	—
Swaffham ...	—	—	—	12	1	—	—	—	—	54	1	—	—	—	1	—	—
Thetford M.B. ...	—	—	1	1	2	—	—	—	—	13	—	—	—	—	9	—	1
Wells ...	—	—	—	1	—	—	—	—	—	11	1	—	—	—	1	—	—
Wymondham ...	—	—	—	15	8	—	—	—	1	48	1	2	—	—	6	—	4
Rural Districts ...	1	1	6	389	902	2	57	5	134	4912	10	21	1	—	238	19	68
Blofield and Flegg ...	1	—	3	77	62	—	9	—	5	709	—	2	1	—	39	2	19
Depwade ...	—	—	—	12	71	1	5	1	60	326	—	—	—	—	26	—	4
Docking ...	—	—	1	14	55	—	3	—	—	393	—	—	—	—	4	1	—
Downham ...	—	—	—	30	43	—	9	—	1	663	—	—	—	—	57	1	—
Erpingham ...	—	—	—	50	54	—	—	—	—	291	—	—	—	—	1	1	—
Forehoe and Henstead ...	—	—	—	29	42	—	18	—	15	243	—	12	—	—	20	1	5
Freebridge Lynn ...	—	—	—	23	44	—	—	—	—	296	—	—	—	—	4	1	3
Loddon ...	—	—	—	9	10	—	—	—	—	53	—	—	—	—	12	3	—
Marshland ...	—	—	—	12	64	—	1	1	—	311	—	—	—	—	6	2	—
Mitford and Launditch ...	—	—	1	9	33	—	1	—	—	313	1	1	—	—	6	—	9
St. Faith's and Aylsham ...	—	1	—	59	132	—	3	1	47	474	1	2	—	—	12	4	1
Smallburgh ...	—	—	—	7	211	—	1	—	2	317	1	1	—	—	21	2	22
Swaffham ...	—	—	—	23	13	—	1	—	1	113	1	—	—	—	5	—	—
Walsingham ...	—	—	1	8	13	1	4	1	1	216	—	1	—	—	17	—	—
Wayland ...	—	—	—	27	55	—	2	1	2	194	6	2	—	—	8	1	5

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>NORTHAMPTON-SHIRE ...</b>	<b>1</b>	<b>26</b>	<b>2</b>	<b>587</b>	<b>902</b>	<b>1</b>	<b>62</b>	<b>1</b>	<b>46</b>	<b>4918</b>	<b>5</b>	<b>4</b>	<b>1</b>	<b>1</b>	<b>233</b>	<b>119</b>	<b>100</b>
County Borough: Northampton ...	—	11	—	296	290	1	28	1	3	2318	1	—	—	—	67	86	43
Admin. County ...	1	15	2	291	612	—	34	—	43	2600	4	4	1	1	166	33	57
Urban Districts ...	1	10	2	177	289	—	18	—	27	1444	3	1	1	—	84	30	21
Brackley M.B. ...	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	—
Burton Latimer ...	—	—	—	18	22	—	—	—	—	162	—	—	—	—	18	—	—
Corby ...	—	—	—	13	20	—	—	—	1	258	—	—	—	—	5	—	—
Daventry M.B. ...	—	1	—	—	2	—	1	—	—	37	—	—	—	—	—	—	—
Desborough ...	1	—	—	6	1	—	—	—	—	80	—	—	—	—	—	—	—
Higham Ferrers M.B. ...	—	—	—	14	10	—	2	—	19	70	1	—	—	—	2	1	2
Irthlingborough ...	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	—
Kettering M.B. ...	—	2	2	53	148	—	12	—	6	30	1	—	1	—	23	7	9
Oundle ...	—	—	—	—	1	—	—	—	—	121	—	—	—	—	—	—	—
Raunds ...	—	—	—	6	7	—	—	—	—	11	—	—	—	—	2	—	—
Rothwell ...	—	2	—	12	—	—	—	—	1	—	—	—	—	—	—	—	—
Rushden ...	—	5	—	28	17	—	—	—	—	129	1	1	—	—	6	1	3
Wellingborough ...	—	—	—	27	61	—	2	—	—	539	—	—	—	—	27	21	7
Rural Districts ...	—	5	—	114	323	—	16	—	16	1156	1	3	—	1	82	3	36
Brackley ...	—	—	—	3	6	—	—	—	—	23	—	—	—	—	4	—	1
Brixworth ...	—	2	—	22	31	—	4	—	12	273	—	1	—	—	9	—	10
Daventry ...	—	1	—	13	9	—	2	—	—	138	—	1	—	—	3	—	3
Kettering ...	—	—	—	7	32	—	1	—	1	16	—	—	—	—	6	1	—
Northampton ...	—	2	—	34	92	—	4	—	—	198	—	—	—	—	31	—	18
Oundle and Thrapston ...	—	—	—	2	72	—	3	—	—	207	1	—	—	—	9	—	—
Towcester ...	—	—	—	12	55	—	1	—	—	68	—	1	—	—	12	—	—
Wellingborough ...	—	—	—	21	26	—	1	—	3	233	—	—	—	1	8	2	4
<b>NORTHUMBERLAND</b>	<b>4</b>	<b>19</b>	<b>35</b>	<b>1241</b>	<b>2101</b>	<b>5</b>	<b>103</b>	<b>8</b>	<b>408</b>	<b>9595</b>	<b>60</b>	<b>48</b>	<b>3</b>	<b>2</b>	<b>629</b>	<b>235</b>	<b>56</b>
County Boroughs ...	2	4	16	470	1394	3	35	5	45	4577	24	31	—	2	327	195	11
Newcastle upon Tyne ...	2	3	10	446	1288	1	33	5	44	4053	23	30	—	2	315	194	10
Tynemouth ...	—	1	6	24	106	2	2	—	1	524	1	1	—	—	12	1	1
Admin. County ...	2	15	19	771	707	2	68	3	363	5018	36	17	3	—	302	40	45
Urban Districts ...	1	13	17	636	541	2	43	2	314	4094	23	11	1	—	244	8	43
Alnwick ...	—	—	—	3	1	—	1	—	—	24	—	2	—	—	1	—	—
Amble ...	—	—	—	—	—	—	—	—	—	15	—	—	—	—	—	—	—
Ashington ...	—	—	1	41	28	—	2	—	53	432	1	—	—	—	14	—	—
Bedlingtonshire ...	—	—	4	84	15	—	2	—	6	403	4	—	—	—	5	—	8
Berwick upon Tweed ...	—	—	—	14	12	—	—	2	—	231	1	—	—	—	—	—	—
Blyth M.B. ...	—	—	2	65	45	—	10	—	6	346	1	—	—	—	29	3	24
Gosforth ...	—	1	1	50	78	1	4	—	—	331	5	—	1	—	25	—	—
Hexham ...	1	—	1	5	17	—	—	—	—	143	1	—	—	—	4	—	—
Longbenton ...	—	1	—	83	41	1	2	—	—	219	4	5	—	—	6	1	—
Morpeth M.B. ...	—	—	1	6	4	—	9	—	—	161	1	—	—	—	10	—	—
Newbiggin by the Sea ...	—	1	1	12	3	—	—	—	1	118	—	—	—	—	13	—	1
Newburn ...	—	—	—	52	71	—	3	—	137	277	—	—	—	—	29	1	8
Prudhoe ...	—	—	—	4	51	—	1	—	95	59	—	—	—	—	3	—	—
Seaton Valley ...	—	6	2	71	34	—	—	—	—	250	—	2	—	—	1	1	2
Wallsend M.B. ...	—	2	4	80	67	—	5	—	—	730	3	1	—	—	91	2	—
Whitley Bay ...	—	2	—	66	74	—	4	—	1	309	2	1	—	—	13	—	—
Rural Districts ...	1	2	2	135	166	—	25	1	49	924	13	6	2	—	58	32	2
Alnwick ...	—	—	—	6	1	—	1	—	3	50	1	—	—	—	1	—	—
Belford ...	—	—	—	4	9	—	—	—	—	93	—	1	—	—	3	—	—
Bellingham ...	—	1	1	2	—	—	2	—	—	17	—	—	—	—	1	—	—
Castle Ward ...	—	—	—	22	12	—	1	—	26	113	2	—	—	—	6	4	—
Glendale ...	—	—	—	11	20	—	—	—	—	111	1	—	—	—	7	—	—
Haltwhistle ...	1	1	—	29	1	—	1	—	1	113	6	2	—	—	4	—	—
Hexham ...	—	—	—	20	71	—	5	—	1	162	—	1	1	—	14	26	1
Morpeth ...	—	—	—	20	21	—	3	1	2	186	1	—	—	—	5	1	1



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fever.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>NORTHUMBER- LAND</b> —contd.																	
<b>R.D.'s.—contd.</b>																	
Newcastle upon Tyne (Moot Hall and precincts) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires ...	—	—	—	9	11	—	—	—	—	17	—	—	—	—	—	—	—
Rothbury ...	—	—	1	12	20	—	12	—	16	62	2	2	—	—	17	1	—
<b>NOTTINGHAMSHIRE</b>	<b>2</b>	<b>18</b>	<b>20</b>	<b>1153</b>	<b>2616</b>	<b>2</b>	<b>109</b>	<b>15</b>	<b>158</b>	<b>9785</b>	<b>34</b>	<b>10</b>	<b>2</b>	<b>4</b>	<b>533</b>	<b>91</b>	<b>102</b>
<b>County Borough :</b>																	
Nottingham ...	—	8	9	453	1240	—	36	13	143	3713	11	1	2	3	208	56	77
<b>Admin. County ...</b>	<b>2</b>	<b>10</b>	<b>11</b>	<b>700</b>	<b>1376</b>	<b>2</b>	<b>73</b>	<b>2</b>	<b>15</b>	<b>6072</b>	<b>23</b>	<b>9</b>	—	<b>1</b>	<b>325</b>	<b>35</b>	<b>25</b>
<b>Urban Districts</b> ...	—	5	8	552	980	1	56	1	3	5021	13	8	—	1	233	25	23
Arnold ...	—	1	—	7	119	—	2	—	1	344	1	—	—	—	2	—	—
Beeston and Stapleford ...	—	1	1	78	327	1	11	—	—	829	5	1	—	—	21	2	15
Carlton ...	—	—	—	45	69	—	4	—	—	354	—	—	—	—	7	—	6
East Retford M.B.	—	—	—	53	4	—	5	—	—	73	2	1	—	—	22	2	2
Eastwood ...	—	—	—	4	32	—	2	—	—	24	—	—	—	—	3	—	—
Hucknall ...	—	—	—	16	65	—	13	1	1	60	—	—	—	—	65	1	—
Kirkby in Ashfield	—	—	—	15	11	—	2	—	—	436	—	2	—	—	12	1	—
Mansfield ...	—	3	2	136	68	—	5	—	—	596	1	2	—	—	24	8	—
Mansfield Woodhouse ...	—	—	—	21	29	—	—	—	—	161	1	—	—	—	2	—	—
Newark M.B.	—	—	1	19	79	—	7	—	1	157	—	—	—	1	5	5	—
Sutton in Ashfield	—	—	1	48	63	—	1	—	—	849	1	1	—	—	5	1	—
Warsop ...	—	—	—	10	22	—	—	—	—	204	—	—	—	—	1	—	—
West Bridgford ...	—	—	—	46	51	—	3	—	—	229	2	—	—	—	3	—	—
Worksop M.B.	—	—	3	54	41	—	1	—	—	705	—	1	—	—	61	5	—
<b>Rural Districts</b> ...	2	5	3	148	396	1	17	1	12	1051	10	1	—	—	92	10	2
Basford ...	—	1	—	59	221	1	13	1	—	418	4	—	—	—	32	1	1
Bingham ...	2	—	—	22	62	—	—	—	—	37	1	—	—	—	—	—	—
East Retford ...	—	2	1	22	18	—	3	—	2	251	1	—	—	—	18	2	1
Newark ...	—	—	—	13	36	—	1	—	—	11	—	—	—	—	5	2	—
Nottingham (Shire Hall)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southwell ...	—	2	1	12	57	—	—	—	10	211	3	1	—	—	24	5	—
Worksop ...	—	—	1	20	2	—	—	—	—	123	1	—	—	—	13	—	—
<b>OXFORDSHIRE</b> ...	<b>1</b>	—	<b>11</b>	<b>328</b>	<b>311</b>	—	<b>27</b>	<b>19</b>	<b>77</b>	<b>1137</b>	<b>14</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>128</b>	<b>129</b>	<b>61</b>
<b>County Borough :</b>																	
Oxford ...	—	—	2	102	71	—	18	18	68	461	4	—	—	—	64	126	40
<b>Admin. County ...</b>	<b>1</b>	—	<b>9</b>	<b>226</b>	<b>240</b>	—	<b>9</b>	<b>1</b>	<b>9</b>	<b>676</b>	<b>10</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>64</b>	<b>3</b>	<b>21</b>
<b>Urban Districts</b> ...	1	—	2	19	54	—	2	1	—	15	2	—	—	1	13	3	1
Banbury M.B.	—	—	—	10	6	—	1	1	—	5	—	—	—	1	9	1	1
Bicester ...	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Chipping Norton M.B.	—	—	—	1	38	—	—	—	—	3	—	—	—	—	—	—	—
Henley on Thames M.B.	—	—	1	2	—	—	—	—	—	2	—	—	—	—	1	2	—
Thame ...	—	—	—	3	6	—	1	—	—	2	1	—	—	—	2	—	—
Witney ...	—	—	1	2	3	—	—	—	—	—	1	—	—	—	1	—	—
Woodstock M.B.	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—
<b>Rural Districts</b> ...	—	—	7	207	186	—	7	—	9	661	8	3	1	3	51	—	1
Banbury ...	—	—	—	19	5	—	1	—	—	36	1	—	—	—	8	—	—
Bullington ...	—	—	3	57	11	—	4	—	4	52	2	3	—	2	10	—	—
Chipping Norton	—	—	1	1	42	—	—	—	—	105	—	—	—	—	1	—	—
Henley ...	—	—	1	12	44	—	1	—	3	129	2	—	1	—	20	—	—
Ploughley ...	—	—	2	89	30	—	1	—	2	298	2	—	—	1	3	—	—
Witney ...	—	—	—	29	54	—	—	—	—	41	1	—	—	—	9	—	—
<b>PETERBOROUGH, SOKE OF :</b>																	
<b>Admin. County ...</b>	—	<b>2</b>	—	<b>39</b>	<b>164</b>	—	<b>4</b>	<b>1</b>	—	<b>1728</b>	<b>3</b>	<b>2</b>	<b>1</b>	—	<b>28</b>	<b>42</b>	—
<b>Urban District:</b>																	
Peterborough M.B.	—	2	—	35	112	—	4	1	—	1458	3	2	—	—	24	42	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>PETERBOROUGH, SOKE OF—contd.</b>																	
Rural Districts ...	—	—	—	4	52	—	—	—	—	270	—	—	1	—	4	—	—
Barnack ...	—	—	—	4	21	—	—	—	—	42	—	—	—	—	2	—	—
Peterborough ...	—	—	—	—	31	—	—	—	—	228	—	—	1	—	2	—	—
<b>RUTLAND :</b>																	
Admin. County ...	—	4	1	10	17	—	2	1	2	272	1	1	—	—	22	—	7
Urban District:																	
Oakham ...	—	—	—	1	—	—	—	—	—	12	—	—	—	—	8	—	1
Rural Districts ...	—	4	1	9	17	—	2	1	2	260	1	1	—	—	14	—	6
Ketton ...	—	—	—	5	6	—	—	—	1	136	—	—	—	—	4	—	—
Oakham ...	—	4	1	4	9	—	2	1	1	77	—	—	—	—	8	—	6
Uppingham ...	—	—	—	—	2	—	—	—	—	47	1	1	—	—	2	—	—
<b>SHROPSHIRE :</b>																	
Admin. County ...	—	2	15	237	677	1	18	6	116	2084	23	3	—	—	176	27	19
Urban Districts ...	—	—	9	88	251	1	12	4	77	928	5	—	—	—	97	18	7
Bishop's Castle M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bridgnorth M.B. ...	—	—	2	—	5	—	—	—	—	115	—	—	—	—	4	—	—
Church Stretton ...	—	—	—	—	1	—	—	—	16	98	—	—	—	—	21	2	—
Dawley ...	—	—	—	17	6	—	2	—	2	25	—	—	—	—	22	1	—
Ellesmere ...	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Ludlow M.B. ...	—	—	1	—	23	—	—	—	—	11	—	—	—	—	4	—	—
Market Drayton ...	—	—	—	1	12	—	—	1	—	78	—	—	—	—	—	2	—
Newport ...	—	—	—	2	30	—	—	—	—	41	—	—	—	—	3	—	—
Oakengates ...	—	—	—	7	7	—	—	—	—	48	—	—	—	—	—	—	1
Oswestry M.B. ...	—	—	1	14	41	1	—	—	—	11	—	—	—	—	11	—	5
Shrewsbury M.B. ...	—	—	2	17	98	—	8	—	43	222	1	—	—	—	5	6	1
Wellington ...	—	—	1	24	5	—	—	—	15	223	3	—	—	—	15	1	—
Wem ...	—	—	—	2	15	—	—	—	—	4	1	—	—	—	7	—	—
Wenlock M.B. ...	—	—	2	—	3	—	—	3	1	22	—	—	—	—	—	5	—
Whitchurch ...	—	—	—	4	3	—	2	—	—	30	—	—	—	—	5	1	—
Rural Districts ...	—	2	6	149	426	—	6	2	39	1156	18	3	—	—	79	9	12
Atcham ...	—	—	1	14	167	—	3	1	28	216	1	—	—	—	13	1	6
Bridgnorth ...	—	—	—	56	42	—	—	—	—	235	1	1	—	—	13	2	—
Clun ...	—	1	—	1	17	—	—	1	—	5	—	—	—	—	2	2	—
Drayton ...	—	—	1	2	49	—	—	—	1	80	2	—	—	—	4	—	—
Ellesmere ...	—	—	—	7	1	—	—	—	—	1	—	—	—	—	—	—	—
Ludlow ...	—	—	2	8	34	—	—	—	—	169	8	1	—	—	8	—	1
Oswestry ...	—	—	1	13	49	—	1	—	—	120	2	—	—	—	8	—	4
Shifnal ...	—	—	1	17	8	—	—	—	—	58	1	—	—	—	4	2	—
Wellington ...	—	—	—	22	44	—	—	—	9	123	1	—	—	—	13	—	—
Wem ...	—	1	—	9	15	—	2	—	1	149	2	1	—	—	14	2	1
<b>SOMERSET</b>																	
County Borough:																	
Bath ...	1	—	1	73	217	1	8	1	7	128	4	25	—	—	16	2	1
Admin. County ...	1	2	13	509	1284	—	58	—	48	781	37	33	1	2	168	48	35
Urban Districts ...	—	—	9	263	571	—	30	—	39	398	16	11	1	2	48	36	19
Bridgwater M.B. ...	—	—	2	34	2	—	2	—	14	9	—	—	1	—	5	4	4
Burnham on Sea ...	—	—	—	5	55	—	—	—	—	42	—	—	—	—	6	—	1
Chard M.B. ...	—	—	—	—	1	—	2	—	—	2	1	—	—	—	—	—	3
Clevedon ...	—	—	—	12	98	—	2	—	—	7	1	—	—	—	2	6	—
Crewkerne ...	—	—	—	16	3	—	—	—	—	1	—	1	—	—	—	5	—
Frome ...	—	—	—	4	21	—	—	—	—	2	—	1	—	—	—	—	—
Glastonbury M.B. ...	—	—	—	2	1	—	—	—	—	—	2	—	—	—	—	—	—
Ilminster ...	—	—	—	3	—	—	—	—	—	—	1	—	—	—	2	1	2



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<b>SOMERSET—contd.</b>																
<b>U.D's.—contd.</b>																
Keynsham ...	—	—	—	4	13	—	3	—	—	20	1	—	—	2	—	—
Minehead ...	—	—	—	60	2	—	1	—	—	4	1	1	—	—	—	—
Norton Radstock ...	—	—	1	8	46	—	6	—	—	1	—	—	—	—	1	2
Portishead ...	—	—	1	—	21	—	—	—	—	28	—	—	—	—	—	—
Shepton Mallet ...	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—
Street ...	—	—	—	12	5	—	1	—	—	4	—	—	—	—	3	—
Taunton M.B. ...	—	—	—	54	11	—	5	—	7	87	—	2	—	—	7	5
Watchet ...	—	—	1	3	—	—	—	—	—	1	2	1	—	—	1	—
Wellington... ..	—	—	—	6	51	—	—	—	10	—	—	—	—	—	2	1
Wells M.B. ...	—	—	—	—	8	—	1	—	—	—	—	—	—	—	—	3
Weston super Mare M.B. ...	—	—	3	25	162	—	7	—	4	188	6	—	—	—	9	3
Yeovil M.B. ...	—	—	—	14	71	—	—	—	4	2	—	5	—	—	10	6
<b>Rural Districts</b> ...	1	2	4	246	713	—	28	—	9	383	21	22	—	—	120	12
Axbridge ...	—	1	—	23	61	—	4	—	—	145	2	—	—	—	14	1
Bathavon ...	—	—	—	15	99	—	5	—	—	5	—	2	—	—	3	1
Bridgwater... ..	—	—	—	31	63	—	3	—	3	13	1	—	—	—	11	1
Chard ...	—	—	—	4	7	—	1	—	1	10	—	4	—	—	2	1
Clutton ...	—	1	—	27	89	—	2	—	—	18	2	—	—	—	5	4
Dulverton ...	—	—	—	—	22	—	—	—	—	2	—	—	—	—	1	—
Frome ...	—	—	—	1	49	—	2	—	—	1	1	—	—	—	7	—
Langport ...	—	—	—	4	34	—	—	—	3	7	2	1	—	—	21	1
Long Ashton ...	—	—	1	13	87	—	2	—	1	115	1	—	—	—	20	—
Shepton Mallet ...	—	—	—	—	15	—	—	—	—	3	2	1	—	—	3	—
Taunton ...	—	—	1	33	16	—	5	—	—	27	—	—	—	—	4	1
Wellington ...	—	—	—	1	6	—	—	—	—	3	—	—	—	—	—	—
Wells ...	—	—	—	4	17	—	1	—	—	—	—	—	—	—	2	1
Williton ...	—	—	—	8	5	—	—	—	—	7	2	1	—	—	1	—
Wincanton ...	—	—	1	11	75	—	1	—	—	25	1	—	—	—	11	—
Yeovil ...	1	—	1	71	68	—	2	—	1	2	7	13	—	—	15	1
<b>*SOUTHAMPTON</b> ...	4	13	23	903	2681	2	142	32	408	7316	76	21	1	1	515	306
<b>County Boroughs</b> ...	3	5	14	457	954	1	98	24	168	4291	19	9	—	1	208	222
Bournemouth ...	1	1	1	51	119	—	29	1	21	637	6	2	—	1	80	1
Portsmouth ...	2	3	11	237	181	—	42	14	132	2618	4	7	—	—	45	99
Southampton ...	—	1	2	169	654	1	27	9	15	1036	9	—	—	—	83	122
<b>*Admin. County</b> ...	1	8	9	446	1727	1	44	8	240	3025	57	12	1	—	307	84
<b>*Urban Districts</b> ...	1	4	6	283	925	—	22	6	113	1912	44	10	1	—	162	59
<b>*Aldershot M.B.</b> ...	—	—	2	33	96	—	1	1	3	97	10	4	—	—	1	6
Alton ...	—	—	—	5	12	—	1	—	—	6	1	—	—	—	17	—
Andover M.B. ...	—	—	—	5	26	—	1	—	—	1	3	—	—	—	1	—
Basingstoke M.B. ...	—	2	—	4	13	—	—	2	—	6	2	—	—	—	1	2
Christchurch M.B. ...	—	—	—	58	29	—	2	—	2	229	4	—	—	—	10	—
Eastleigh M.B. ...	—	—	—	33	136	—	3	2	—	390	1	—	—	—	30	7
Fareham ...	—	—	1	10	82	—	4	—	41	94	6	1	—	—	14	7
Farnborough ...	—	—	—	15	27	—	—	—	—	9	2	—	—	—	1	—
Fleet ...	—	—	1	8	14	—	2	—	—	11	—	—	—	—	42	—
Gosport M.B. ...	—	1	—	34	272	—	7	1	6	671	7	4	—	—	31	9
Havant and Waterloo ...	—	—	1	21	65	—	—	—	29	313	4	—	—	—	5	7
Lymington M.B. ...	—	1	—	19	7	—	1	—	18	23	—	1	—	—	6	2
Petersfield ...	—	—	—	4	5	—	—	—	—	4	—	—	—	—	—	—
Romsey M.B. ...	—	—	—	15	—	—	—	—	—	7	—	—	—	—	—	—
Winchester M.B. ...	1	—	1	19	141	—	—	—	14	51	4	—	1	—	3	19
<b>Rural Districts</b> ...	—	4	3	163	802	1	22	2	127	1113	13	2	—	—	145	25
Alton ...	—	—	—	15	67	—	1	—	—	238	1	2	—	—	11	1
Andover ...	—	—	—	4	21	—	—	—	—	10	1	—	—	—	2	—
Basingstoke ...	—	4	—	7	27	—	1	—	3	5	—	—	—	—	7	—
Droxford ...	—	—	1	16	108	1	2	—	40	116	1	—	—	—	8	1
Hartley Wintney ...	—	—	—	18	49	—	4	—	—	7	1	—	—	—	9	2

\* Cases of Smallpox notified :—Aldershot, M.B., 1.

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>SOUTHAMPTON</b>																	
—contd.																	
<b>R.D.'s.—contd.</b>																	
Kingsclere and Whitchurch ...	—	—	1	3	25	—	1	—	6	109	2	—	—	—	22	1	—
New Forest ...	—	—	—	28	180	—	2	1	75	172	2	—	—	—	17	12	—
Petersfield ...	—	—	—	14	37	—	2	—	2	58	2	—	—	—	5	4	2
Ringwood and Fordingbridge ...	—	—	—	4	35	—	1	—	—	46	1	—	—	—	45	—	8
Romsey and Stockbridge ...	—	—	—	28	86	—	3	1	—	90	2	—	—	—	13	3	—
Winchester ...	—	—	1	26	167	—	5	—	1	262	—	—	—	—	6	1	39
<b>STAFFORDSHIRE</b> ...	<b>3</b>	<b>4</b>	<b>58</b>	<b>2637</b>	<b>5173</b>	<b>48</b>	<b>171</b>	<b>48</b>	<b>212</b>	<b>12127</b>	<b>71</b>	<b>27</b>	<b>3</b>	<b>1</b>	<b>1241</b>	<b>336</b>	<b>65</b>
County Boroughs ...	1	3	31	1141	2628	5	90	35	78	6438	36	16	3	1	622	290	26
Burton upon Trent	—	—	3	29	236	—	1	6	—	752	9	7	—	—	26	9	9
Smethwick ...	1	1	3	140	389	—	20	—	5	329	3	—	—	—	47	2	—
Stoke on Trent ...	—	1	13	437	196	—	23	26	7	3195	6	1	—	1	178	136	5
Walsall ...	—	1	2	133	495	—	20	2	35	583	6	—	—	—	215	8	4
West Bromwich ...	—	—	4	78	374	2	2	—	3	644	6	3	—	—	10	42	2
Wolverhampton	—	—	6	324	938	3	24	1	28	935	6	5	3	—	146	93	6
Admin. County ...	<b>2</b>	<b>1</b>	<b>27</b>	<b>1496</b>	<b>2545</b>	<b>43</b>	<b>81</b>	<b>13</b>	<b>134</b>	<b>5689</b>	<b>35</b>	<b>11</b>	—	—	<b>619</b>	<b>46</b>	<b>39</b>
<b>Urban Districts</b> ...	<b>2</b>	<b>1</b>	<b>18</b>	<b>1237</b>	<b>1946</b>	<b>41</b>	<b>61</b>	<b>9</b>	<b>68</b>	<b>4140</b>	<b>19</b>	<b>8</b>	—	—	<b>474</b>	<b>35</b>	<b>21</b>
Aldridge ...	—	—	1	69	80	—	3	—	3	167	4	—	—	—	16	—	2
Amblecote ...	—	—	—	11	4	—	—	—	—	2	—	—	—	—	—	—	—
Biddulph ...	—	—	1	16	49	—	1	1	—	154	3	1	—	—	21	—	3
Bilston M.B.	—	—	—	29	168	8	3	—	1	249	1	—	—	—	81	1	—
Brierley Hill	—	—	1	46	224	1	8	1	—	86	1	—	—	—	10	2	—
Brownhills	—	—	—	9	66	—	1	4	1	29	—	—	—	—	17	—	—
Cannock ...	—	—	—	75	10	2	3	2	—	4	2	—	—	—	4	3	—
Coseley ...	—	—	1	70	164	20	7	—	5	265	—	1	—	—	105	2	3
Darlaston ...	—	—	1	33	41	—	—	—	1	145	2	—	—	—	16	—	—
Kidsgrove ...	—	—	3	48	3	—	1	—	—	138	1	—	—	—	13	—	—
Leek ...	—	—	—	33	31	—	—	—	2	368	—	—	—	—	7	—	—
Lichfield M.B.	—	—	—	4	1	—	1	—	1	23	—	—	—	—	1	17	—
Newcastle under Lyme M.B.	1	—	1	134	111	—	11	—	26	1003	—	1	—	—	24	—	—
Rowley Regis M.B.	—	—	1	86	185	1	5	—	—	287	2	2	—	—	6	—	2
Rugeley ...	—	—	—	16	39	—	—	—	—	12	—	2	—	—	—	—	—
Sedgley ...	—	—	2	30	108	1	2	—	—	96	—	—	—	—	13	—	—
Stafford M.B.	—	—	—	259	267	—	1	—	19	125	—	1	—	—	31	5	4
Stone ...	—	—	—	1	43	—	—	—	—	115	—	—	—	—	3	—	—
Tamworth M.B.	—	—	—	50	9	—	4	—	—	101	—	—	—	—	8	—	2
Tettenhall ...	—	—	—	5	33	—	1	—	1	3	—	—	—	—	6	—	—
Tipton M.B.	1	1	2	67	52	5	3	—	1	267	1	—	—	—	29	—	2
Uttoxeter ...	—	—	—	6	60	—	—	—	1	114	—	—	—	—	—	1	—
Wednesbury M.B.	—	—	2	71	87	2	3	1	—	212	1	—	—	—	25	1	3
Wednesfield ...	—	—	—	37	37	—	—	—	6	41	—	—	—	—	4	3	—
Willenhall ...	—	—	2	32	74	1	3	—	—	134	1	—	—	—	34	—	—
<b>Rural Districts</b> ...	—	—	<b>9</b>	<b>259</b>	<b>599</b>	<b>2</b>	<b>20</b>	<b>4</b>	<b>66</b>	<b>1549</b>	<b>16</b>	<b>3</b>	—	—	<b>145</b>	<b>11</b>	<b>18</b>
Cannock ...	—	—	—	32	30	2	1	—	—	38	1	—	—	—	6	—	—
Cheadle ...	—	—	1	22	26	—	4	—	3	327	—	—	—	—	46	3	—
Leek ...	—	—	—	15	39	—	—	—	—	254	1	—	—	—	8	1	3
Lichfield ...	—	—	5	42	74	—	4	—	23	109	3	—	—	—	44	2	—
Newcastle under Lyme ...	—	—	2	23	72	—	3	—	1	243	8	2	—	—	4	1	2
Seisdon ...	—	—	—	32	159	—	4	1	—	110	—	—	—	—	14	1	—
Stafford ...	—	—	—	59	46	—	1	—	—	47	—	—	—	—	8	1	—
Stone ...	—	—	1	4	29	—	1	—	4	218	1	1	—	—	3	—	—
Tutbury ...	—	—	—	16	85	—	—	—	3	60	1	—	—	—	6	1	9
Uttoxeter ...	—	—	—	14	39	—	2	3	32	143	1	—	—	—	6	1	4
<b>SUFFOLK EAST</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>245</b>	<b>346</b>	<b>4</b>	<b>45</b>	<b>2</b>	<b>36</b>	<b>4404</b>	<b>25</b>	<b>18</b>	<b>1</b>	<b>1</b>	<b>176</b>	<b>123</b>	<b>33</b>
County Borough: Ipswich ...	—	1	—	77	48	—	13	—	14	2403	2	1	—	—	31	72	8
Admin. County ...	<b>1</b>	<b>3</b>	<b>1</b>	<b>168</b>	<b>298</b>	<b>4</b>	<b>32</b>	<b>2</b>	<b>22</b>	<b>2001</b>	<b>23</b>	<b>17</b>	<b>1</b>	<b>1</b>	<b>145</b>	<b>51</b>	<b>25</b>



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>SUFFOLK EAST</b>																	
—contd.																	
<b>Urban Districts</b>	—	1	1	90	108	3	10	—	3	979	2	5	—	1	61	30	—
Aldeburgh M.B. ...	—	—	1	—	1	—	—	—	—	2	—	—	—	—	—	—	—
Beccles M.B. ...	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	—	—
Bungay ...	—	—	—	—	5	—	3	—	—	16	—	1	—	—	8	4	—
Eye M.B. ...	—	1	—	—	—	—	—	—	1	25	—	—	—	—	2	6	—
Felixstowe ...	—	—	—	2	3	—	—	—	—	20	1	—	—	—	1	—	—
Halesworth ...	—	—	—	—	1	—	—	—	—	11	—	—	—	—	—	2	—
Leiston cum Sizewell ...	—	—	—	3	1	—	2	—	—	14	1	2	—	—	4	—	—
Lowestoft M.B. ...	—	—	—	63	16	3	3	—	1	752	—	—	—	1	21	17	—
Saxmundham ...	—	—	—	2	—	—	1	—	—	17	—	—	—	—	1	—	—
Southwold M.B. ...	—	—	—	—	3	—	—	—	—	4	—	—	—	—	8	—	—
Stowmarket ...	—	—	—	12	47	—	—	—	—	15	—	—	—	—	1	1	—
Woodbridge ...	—	—	—	8	31	—	1	—	1	96	—	2	—	—	14	—	—
<b>Rural Districts</b>	1	2	—	78	190	1	22	2	19	1022	21	12	1	—	84	21	—
Blyth ...	—	—	—	7	49	1	6	—	—	57	13	7	—	—	11	5	—
Deben ...	—	—	—	18	41	—	9	1	17	191	1	3	1	—	41	5	—
Gipping ...	—	2	—	34	32	—	3	1	1	144	1	2	—	—	9	3	—
Hartismere ...	1	—	—	4	40	—	1	—	1	175	2	—	—	—	8	4	—
Lothingland ...	—	—	—	3	10	—	1	—	—	264	1	—	—	—	7	1	—
Samford ...	—	—	—	12	16	—	1	—	—	130	3	—	—	—	4	2	—
Wainford ...	—	—	—	—	2	—	1	—	—	61	—	—	—	—	4	1	—
<b>SUFFOLK WEST :</b>																	
<b>Admin. County</b> ...	—	—	3	79	361	—	13	1	2	1246	2	2	1	1	81	16	—
<b>Urban Districts</b>	—	—	—	43	87	—	2	—	1	655	—	—	1	1	17	13	—
Bury St. Edmunds M.B. ...	—	—	—	3	56	—	—	—	—	579	—	—	1	1	7	8	—
Hadleigh ...	—	—	—	—	8	—	—	—	—	5	—	—	—	—	1	—	—
Haverhill ...	—	—	—	—	4	—	—	—	—	7	—	—	—	—	7	3	—
Newmarket ...	—	—	—	9	19	—	1	—	—	11	—	—	—	—	2	2	—
Sudbury M.B. ...	—	—	—	31	—	—	1	—	1	53	—	—	—	—	—	—	—
<b>Rural Districts</b>	—	—	3	36	274	—	11	1	1	591	2	2	—	—	64	3	—
Clare ...	—	—	—	2	38	—	—	—	—	16	1	—	—	—	1	—	—
Cosford ...	—	—	—	4	56	—	8	—	—	124	1	—	—	—	9	1	—
Melford ...	—	—	—	8	36	—	2	—	—	80	—	—	—	—	12	—	—
Mildenhall ...	—	—	3	15	34	—	1	—	—	120	—	1	—	—	31	1	—
Thedwastre ...	—	—	—	—	34	—	—	—	—	16	—	—	—	—	2	—	—
Thingoe ...	—	—	—	7	76	—	—	1	1	235	—	1	—	—	9	1	—
<b>SURREY</b>																	
<b>County Borough:</b>	2	11	20	2543	3228	5	177	17	616	8731	153	48	2	5	636	665	30
Croydon ...	—	2	5	401	466	1	27	3	48	1235	20	7	—	—	56	75	—
<b>Admin. County</b> ...	2	9	15	2142	2762	4	150	14	568	7496	133	41	2	5	580	590	2
<b>Urban Districts</b>	2	7	14	1947	2433	3	135	13	557	7029	118	31	2	5	552	578	1
Banstead ...	—	1	—	74	24	—	2	—	3	83	3	—	—	—	20	—	—
Barnes M.B. ...	—	1	—	42	19	—	8	—	10	249	7	1	—	—	21	4	—
Beddington and Wallington M.B. ...	—	—	—	112	72	—	9	—	1	119	—	—	—	—	20	—	—
Carshalton ...	—	—	—	128	98	—	1	2	112	556	11	3	—	—	30	197	—
Caterham and Warlingham ...	—	1	1	83	43	3	9	—	13	67	2	—	—	—	10	1	—
Chertsey ...	—	1	1	22	122	—	1	—	48	265	3	—	—	—	8	1	—
Coulsdon and Purley ...	1	—	1	80	196	—	—	—	48	170	6	1	1	—	21	2	—
Dorking ...	—	—	—	9	19	—	2	—	1	12	—	—	—	—	1	35	—
Egham ...	—	—	—	3	18	—	—	—	20	93	—	—	—	—	1	—	—
Epsom and Ewell M.B. ...	—	—	—	58	138	—	12	—	19	432	7	6	—	1	62	51	—
Esher ...	—	—	1	106	84	—	20	—	45	194	2	2	—	—	25	6	—
Farnham ...	—	—	—	48	40	—	1	—	2	28	3	—	—	1	2	7	—
Frimley and Camberley ...	—	—	—	32	27	—	—	—	1	77	2	—	—	—	3	—	—
Godalming M.B. ...	—	—	—	15	60	—	1	—	2	32	2	—	—	—	34	—	—
Guildford M.B. ...	—	—	—	56	88	—	7	1	—	601	19	5	—	1	5	33	—
Haslemere ...	—	—	—	2	6	—	1	—	—	30	—	3	—	—	—	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>SURREY—contd.</b>																	
<b>U.D's.—contd.</b>																	
Kingston upon Thames M.B. ...	—	—	—	29	102	—	—	—	2	280	3	—	—	—	7	84	3
Leatherhead ...	—	—	—	43	100	—	5	—	2	34	7	1	—	—	17	2	6
Malden and Coombe M.B. ...	—	1	—	52	76	—	1	—	97	244	11	3	—	—	15	2	9
Merton and Morden ...	—	—	2	164	278	—	13	—	11	491	7	2	—	1	66	14	3
Mitcham M.B. ...	—	—	1	226	112	—	14	4	16	591	4	—	—	—	26	23	10
Reigate M.B. ...	—	1	—	53	144	—	3	1	—	128	3	1	1	—	38	20	3
Richmond M.B. ...	—	—	—	95	39	—	5	3	11	536	3	2	—	—	4	1	13
Surbiton M.B. ...	—	—	4	76	204	—	5	—	—	538	2	—	—	—	12	4	11
Sutton and Cheam M.B. ...	1	—	—	124	67	—	5	—	43	514	6	—	—	—	41	16	20
Walton and Weybridge ...	—	—	—	59	20	—	4	1	1	71	2	1	—	—	20	2	—
Wimbledon M.B. ...	—	1	1	129	112	—	3	—	36	337	1	—	—	—	24	5	—
Woking ...	—	—	2	27	125	—	3	1	13	257	2	—	—	1	19	68	—
<b>Rural Districts</b> ...	—	2	1	195	329	1	15	1	11	467	15	10	—	—	28	12	104
Bagshot ...	—	—	—	1	57	—	—	—	—	14	—	1	—	—	1	8	—
Dorking and Horley ...	—	—	—	26	100	—	5	—	1	28	1	—	—	—	6	1	—
Godstone ...	—	—	—	42	54	1	1	—	1	18	2	1	—	—	8	1	1
Guildford ...	—	2	—	77	48	—	6	1	4	254	9	5	—	—	12	1	—
Hambleton ...	—	—	1	49	70	—	3	—	5	153	3	3	—	—	1	1	103
<b>SUSSEX EAST</b> ...	2	2	11	1105	995	1	84	7	69	3456	95	27	3	1	399	92	77
County Boroughs ...	1	2	6	486	570	1	39	1	13	1850	27	8	2	—	200	71	60
Brighton ...	1	1	2	215	160	1	25	1	6	561	17	8	2	—	155	17	23
Eastbourne ...	—	1	1	67	158	—	3	—	2	29	3	—	—	—	11	25	19
Hastings ...	—	—	3	204	252	—	11	—	5	1260	7	—	—	—	34	29	18
<b>Admin. County</b> ...	1	—	5	619	425	—	45	6	56	1606	68	19	1	1	199	21	17
<b>Urban Districts</b> ...	—	—	2	378	216	—	24	6	32	781	41	18	—	—	120	13	9
Bexhill M.B. ...	—	—	1	74	21	—	4	—	—	373	3	—	—	—	6	1	—
Burgess Hill ...	—	—	—	—	10	—	—	—	—	213	1	3	—	—	13	—	3
Cuckfield ...	—	—	—	6	77	—	1	6	2	44	—	—	—	—	6	8	6
East Grinstead ...	—	—	—	32	31	—	1	—	—	11	5	—	—	—	1	—	—
Hove M.B. ...	—	—	—	149	33	—	7	—	29	67	17	6	—	—	37	4	—
Lewes M.B. ...	—	—	—	17	22	—	3	—	—	37	1	—	—	—	19	—	—
Newhaven ...	—	—	—	12	5	—	—	—	1	3	—	—	—	—	4	—	—
Portslade by Sea ...	—	—	—	59	16	—	4	—	—	19	1	—	—	—	16	—	—
Rye M.B. ...	—	—	1	22	1	—	1	—	—	8	13	9	—	—	12	—	—
Seaford ...	—	—	—	7	—	—	3	—	—	6	—	—	—	—	6	—	—
<b>Rural Districts</b> ...	1	—	3	241	209	—	21	—	24	825	27	1	1	1	79	8	8
Battle .....	—	—	2	86	72	—	7	—	1	190	7	1	—	—	34	3	—
Chailay ...	—	—	1	16	23	—	3	—	—	25	5	—	—	—	8	1	—
Cuckfield ...	1	—	—	36	50	—	3	—	19	90	8	—	—	—	5	2	4
Hailsham ...	—	—	—	78	54	—	5	—	2	124	1	—	—	—	15	1	1
Uckfield ...	—	—	—	25	10	—	3	—	2	396	6	—	1	1	17	1	3
<b>SUSSEX WEST :</b>																	
<b>Admin. County</b> ...	—	4	5	379	363	—	36	—	59	736	40	5	—	2	104	79	45
<b>Urban Districts</b> ...	—	2	3	261	220	—	30	—	24	263	17	1	—	—	72	43	44
Arundel M.B. ...	—	—	—	8	—	—	—	—	—	7	—	—	—	—	3	—	—
Bognor Regis ...	—	—	—	17	86	—	1	—	13	43	4	—	—	—	23	2	30
Chichester M.B. ...	—	—	1	6	2	—	2	—	10	3	4	—	—	—	13	2	2
Horsham ...	—	—	—	5	3	—	1	—	—	113	—	—	—	—	1	14	—
Littlehampton ...	—	—	—	30	10	—	5	—	1	36	2	—	—	—	10	—	—
Shoreham by Sea ...	—	—	—	22	32	—	2	—	—	9	2	—	—	—	1	17	6
Southwick ...	—	—	1	42	6	—	5	—	—	35	5	1	—	—	11	1	—
Worthing M.B. ...	—	2	1	131	81	—	14	—	—	17	—	—	—	—	10	7	6
<b>Rural Districts</b> ...	—	2	2	118	143	—	6	—	35	473	23	4	—	2	32	36	1
Chanctonbury ...	—	1	—	23	11	—	2	—	—	140	2	1	—	1	8	—	—
Chichester ...	—	—	1	22	24	—	1	—	1	104	6	1	—	—	5	1	1
Horsham ...	—	—	1	4	23	—	—	—	33	151	7	1	—	1	8	1	—
Midhurst ...	—	—	—	10	13	—	1	—	—	10	5	—	—	—	6	1	—
Petworth ...	—	—	—	2	29	—	1	—	—	14	2	—	—	—	2	1	—
Worthing ...	—	1	—	57	43	—	1	—	1	54	1	1	—	—	3	32	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>WARWICKSHIRE ...</b>	<b>5</b>	<b>23</b>	<b>123</b>	<b>3155</b>	<b>7949</b>	<b>15</b>	<b>306</b>	<b>683</b>	<b>277</b>	<b>17458</b>	<b>55</b>	<b>33</b>	<b>7</b>	<b>5</b>	<b>1680</b>	<b>560</b>	<b>320</b>
County Boroughs ...	5	21	99	2284	6668	15	241	674	208	13693	41	27	6	5	1275	429	219
Birmingham ...	5	18	88	1833	6225	13	196	664	114	9684	37	10	6	2	1119	414	84
Coventry ...	—	3	11	451	443	2	45	10	94	4009	4	17	—	3	156	15	135
Admin. County ...	—	2	24	871	1281	—	65	9	69	3765	14	6	1	—	405	131	101
Urban Districts ...	—	—	16	631	811	—	51	5	19	2155	6	5	1	—	244	98	24
Bedworth ...	—	—	3	107	26	—	6	—	—	206	—	—	—	—	18	—	4
Kenilworth ...	—	—	—	10	10	—	2	—	—	15	—	—	—	—	10	—	—
Nuneaton M.B. ...	—	—	7	272	70	—	5	—	1	442	1	—	1	—	47	2	—
Royal Leamington	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spa M.B. ...	—	—	—	46	40	—	2	—	—	107	—	1	—	—	11	35	—
Rugby M.B. ...	—	—	2	22	110	—	12	2	4	225	—	—	—	—	28	1	9
Solihull ...	—	—	1	83	374	—	8	3	2	379	3	—	—	—	73	19	7
Stratford upon Avon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	—	1	7	—	—	—	—	43	—	—	—	—	14	22	—
Sutton Coldfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	1	83	106	—	13	—	12	677	1	2	—	—	40	8	4
Warwick M.B. ...	—	—	2	7	68	—	3	—	—	61	1	2	—	—	3	11	—
Rural Districts ...	—	2	8	240	470	—	14	4	50	1610	8	1	—	—	161	33	77
Alcester ...	—	—	1	2	163	—	1	2	—	153	—	—	—	—	28	2	—
Atherstone ...	—	—	3	81	5	—	2	—	1	120	—	—	—	—	16	—	6
Meriden ...	—	—	2	52	111	—	4	2	37	599	2	—	—	—	63	28	15
Rugby ...	—	—	—	22	21	—	—	—	2	180	1	—	—	—	7	2	—
Shipston on Stour	—	—	—	12	38	—	—	—	—	22	—	—	—	—	4	—	—
Southam ...	—	—	—	3	9	—	—	—	—	67	1	—	—	—	3	—	—
Stratford upon Avon	—	—	—	14	42	—	—	—	—	195	3	—	—	—	10	1	—
Tamworth ...	—	2	1	27	34	—	3	—	1	155	1	1	—	—	13	—	8
Warwick ...	—	—	1	27	47	—	4	—	9	119	—	—	—	—	17	—	48
<b>WESTMORLAND :</b>																	
Admin. County ...	—	—	2	44	382	—	8	—	21	149	3	—	1	—	26	4	4
Urban Districts ...	—	—	2	20	185	—	4	—	20	116	2	—	—	—	15	4	3
Appleby M.B. ...	—	—	—	7	24	—	2	—	—	—	—	—	—	—	—	—	—
Kendal M.B. ...	—	—	1	11	105	—	2	—	20	6	1	—	—	—	4	4	2
The Lakes ...	—	—	—	2	35	—	—	—	—	103	—	—	—	—	2	—	1
Windermere ...	—	—	1	—	21	—	—	—	—	7	1	—	—	—	9	—	—
Rural Districts ...	—	—	—	24	197	—	4	—	1	33	1	—	1	—	11	—	1
North Westmorland	—	—	—	9	114	—	1	—	—	20	1	—	—	—	6	—	—
South Westmorland	—	—	—	15	83	—	3	—	1	13	—	—	1	—	5	—	1
<b>WIGHT, ISLE OF :</b>																	
Admin. County ...	—	2	—	59	123	1	4	—	—	201	11	1	—	—	13	2	1
Urban Districts ...	—	1	—	50	91	1	2	—	—	130	10	1	—	—	12	2	—
Cowes ...	—	—	—	4	36	—	—	—	—	53	7	—	—	—	1	—	—
Newport M.B. ...	—	1	—	27	24	—	1	—	—	17	—	—	—	—	—	1	—
Ryde M.B. ...	—	—	—	10	8	—	—	—	—	26	1	—	—	—	5	—	—
Sandown-Shanklin	—	—	—	6	12	—	1	—	—	29	2	1	—	—	1	1	—
Ventnor ...	—	—	—	3	11	1	—	—	—	5	—	—	—	—	5	—	—
Rural District:	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Isle of Wight ...	—	1	—	9	32	—	2	—	—	71	1	—	—	—	1	—	—
<b>WILTSHIRE :</b>																	
Admin. County ...	1	—	11	507	1129	1	34	4	161	1541	27	20	—	—	107	105	4
Urban Districts ...	—	—	1	304	531	—	10	4	13	901	16	14	—	—	40	86	12
Bradford on Avon	—	—	—	4	5	—	2	—	—	1	—	2	—	—	—	—	—
Calne M.B. ...	—	—	—	1	52	—	1	—	—	2	—	—	—	—	5	—	—
Chippenham M.B. ...	—	—	—	13	2	—	2	—	2	6	1	—	—	—	4	27	—
Devizes M.B. ...	—	—	—	13	11	—	—	—	—	8	—	—	—	—	—	—	—
Malmesbury M.B. ...	—	—	—	3	14	—	—	—	—	59	—	—	—	—	—	—	—
Marlborough M.B. ...	—	—	—	—	6	—	—	—	—	—	1	—	—	—	1	—	—
Melksham ...	—	—	—	1	28	—	—	2	—	4	—	—	—	—	—	—	—
Salisbury M.B. ...	—	—	—	46	29	—	1	—	3	407	1	—	—	—	2	8	10
Swindon M.B. ...	—	—	1	169	244	—	3	2	2	242	2	—	—	—	26	51	—
Trowbridge ...	—	—	—	3	39	—	—	—	6	104	10	8	—	—	1	—	—

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>WILTSHIRE—contd.</b>																	
<b>U.D.'s.—contd.</b>																	
Warminster ...	—	—	—	41	68	—	1	—	—	16	1	1	—	—	1	—	—
Westbury ...	—	—	—	9	15	—	—	—	—	30	—	3	—	—	—	—	—
Wilton M.B. ...	—	—	—	1	18	—	—	—	—	22	—	—	—	—	—	—	—
<b>Rural Districts</b> ...	1	—	10	203	598	1	24	—	148	640	11	6	—	—	67	19	29
Amesbury ...	—	—	2	19	17	—	1	—	3	82	1	1	—	—	11	—	—
Bradford and Melksham ...	—	—	—	12	32	1	2	—	—	9	1	—	—	—	8	—	—
Calne and Chippenham ...	—	—	—	49	31	—	2	—	42	102	1	2	—	—	9	6	—
Cricklade and Wootton Bassett ...	—	—	—	24	77	—	1	—	1	13	1	—	—	—	1	1	9
Devizes ...	—	—	2	23	61	—	—	—	2	18	—	—	—	—	2	1	—
Highworth ...	1	—	3	17	123	—	3	—	41	13	1	—	—	—	7	6	8
Malmesbury ...	—	—	1	14	10	—	—	—	—	107	1	—	—	—	3	—	—
Marlborough and Ramsbury ...	—	—	1	3	42	—	3	—	50	10	—	—	—	—	11	5	9
Mere and Tisbury ...	—	—	1	8	32	—	4	—	—	23	1	1	—	—	3	—	1
Pewsey ...	—	—	—	12	36	—	4	—	9	33	—	—	—	—	5	—	—
Salisbury and Wilton ...	—	—	—	12	21	—	2	—	—	192	2	1	—	—	4	—	—
Warminster and Westbury ...	—	—	—	10	116	—	2	—	—	38	2	1	—	—	3	—	2
<b>WORCESTERSHIRE</b>																	
<b>County Boroughs</b> ...	—	7	15	639	1575	25	54	32	32	3255	26	18	—	—	310	77	29
Dudley ...	—	—	4	198	470	3	11	27	17	453	7	8	—	—	86	11	6
Worcester ...	—	—	2	61	193	3	5	1	—	173	2	—	—	—	36	—	2
Admin. County ...	1	7	11	441	1105	22	43	5	15	2802	19	10	—	—	50	11	4
<b>Urban Districts</b> ...	1	5	8	364	854	22	29	3	14	2176	16	6	—	—	224	66	23
Bewdley M.B. ...	—	—	—	11	12	—	—	—	—	40	—	—	—	—	8	—	—
Bromsgrove ...	—	1	1	28	28	—	2	1	2	48	—	—	—	—	5	2	2
Droitwich M.B. ...	—	—	—	—	37	—	—	—	—	7	—	—	—	—	3	—	—
Evesham M.B. ...	—	—	—	2	24	—	4	—	1	5	—	—	—	—	5	1	1
Halesowen M.B. ...	—	—	—	73	175	1	2	—	—	188	1	—	—	—	18	—	—
Kidderminster M.B. ...	—	1	—	23	41	—	3	1	3	509	—	—	—	—	22	10	—
Malvern ...	1	—	—	25	83	1	4	—	3	38	11	5	—	—	21	1	—
Oldbury M.B. ...	—	—	2	100	182	1	8	—	—	476	3	1	—	—	35	3	7
Redditch ...	—	—	—	18	137	19	—	1	—	566	—	—	—	—	8	2	5
Stourbridge M.B. ...	—	1	4	73	124	—	5	—	2	183	1	—	—	—	26	29	1
Stourport on Severn ...	—	2	1	11	11	—	1	—	3	116	—	—	—	—	11	12	—
<b>Rural Districts</b> ...	—	2	3	77	251	—	14	2	1	626	3	4	—	—	62	6	7
Bromsgrove ...	—	—	—	27	58	—	2	2	—	114	—	—	—	—	13	1	5
Droitwich ...	—	—	—	8	30	—	1	—	—	97	—	—	—	—	8	2	—
Evesham ...	—	—	—	6	28	—	1	—	—	9	—	—	—	—	3	1	1
Kidderminster ...	—	—	2	10	17	—	2	—	—	87	1	1	—	—	21	—	—
Martley ...	—	—	—	8	54	—	6	—	—	93	1	1	—	—	14	1	1
Morshore ...	—	—	—	4	27	—	—	—	—	114	—	—	—	—	—	1	—
Tenbury ...	—	2	—	4	5	—	1	—	—	1	—	1	—	—	—	—	—
Upton on Severn ...	—	—	1	10	32	—	1	—	1	111	1	1	—	—	3	—	—
<b>YORKSHIRE, EAST RIDING</b>																	
<b>County Borough:</b> Kingston upon Hull ...	—	4	7	635	1525	—	73	10	62	8367	27	7	—	3	664	86	21
Hull ...	—	—	6	438	1119	—	31	7	49	5576	14	5	—	2	528	72	10
<b>Admin. County</b> ...	—	4	1	197	406	—	42	3	13	2791	13	2	—	1	136	14	11
<b>Urban Districts</b> ...	—	—	1	147	242	—	19	2	13	1610	6	2	—	1	72	9	11
Beverley M.B. ...	—	—	—	55	50	—	3	—	—	340	—	—	—	—	13	8	—
Bridlington M.B. ...	—	—	1	21	44	—	4	1	—	418	2	—	—	—	32	—	—
Driffield ...	—	—	—	2	44	—	1	—	—	68	—	—	—	—	5	—	—
Filey ...	—	—	—	2	4	—	—	—	—	195	—	—	—	1	3	—	—
Haltemprice ...	—	—	—	58	58	—	10	1	13	446	4	2	—	—	17	—	11
Hedon M.B. ...	—	—	—	—	13	—	—	—	—	13	—	—	—	—	—	—	—
Hornsea ...	—	—	—	1	4	—	1	—	—	57	—	—	—	—	2	—	—
Norton ...	—	—	—	6	25	—	—	—	—	6	—	—	—	—	—	—	—
Withernsea ...	—	—	—	2	—	—	—	—	—	67	—	—	—	—	—	1	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>YORKSHIRE, EAST RIDING—contd.</b>																	
Rural Districts ..	—	4	—	50	164	—	23	1	—	1181	7	—	—	—	64	5	—
Beverley ..	—	—	—	21	32	—	7	—	—	333	1	—	—	—	14	1	—
Bridlington ..	—	—	—	2	5	—	1	—	—	30	1	—	—	—	5	—	—
Derwent ..	—	4	—	18	41	—	—	—	—	84	1	—	—	—	6	—	—
Driffield ..	—	—	—	—	20	—	2	—	—	218	—	—	—	—	14	—	—
Holderness ..	—	—	—	2	28	—	4	1	—	275	2	—	—	—	5	—	—
Howden ..	—	—	—	1	26	—	3	—	—	86	1	—	—	—	11	2	—
Norton ..	—	—	—	5	9	—	—	—	—	135	1	—	—	—	4	1	—
Pocklington ..	—	—	—	1	3	—	6	—	—	20	—	—	—	—	5	1	—
<b>YORKSHIRE, NORTH RIDING</b>	<b>1</b>	<b>24</b>	<b>15</b>	<b>1036</b>	<b>1816</b>	<b>9</b>	<b>56</b>	<b>8</b>	<b>201</b>	<b>6730</b>	<b>41</b>	<b>14</b>	<b>3</b>	<b>1</b>	<b>263</b>	<b>118</b>	<b>101</b>
County Borough:																	
Middlesbrough ..	—	—	5	493	869	2	14	4	170	3086	7	3	1	—	85	80	53
Admin. County ..	<b>1</b>	<b>24</b>	<b>10</b>	<b>543</b>	<b>947</b>	<b>7</b>	<b>42</b>	<b>4</b>	<b>31</b>	<b>3644</b>	<b>34</b>	<b>11</b>	<b>2</b>	<b>1</b>	<b>178</b>	<b>38</b>	<b>48</b>
Urban Districts ..	—	21	6	363	479	—	21	2	23	2349	17	2	1	1	109	17	27
Eston ..	—	—	2	120	63	—	4	—	2	160	—	—	—	—	12	6	—
Guisborough ..	—	—	—	31	4	—	—	—	7	79	1	—	—	—	4	1	—
Loftus ..	—	—	—	4	14	—	1	—	—	83	1	—	—	—	2	—	—
Malton ..	—	—	—	2	6	—	—	—	—	7	—	—	—	—	—	—	—
Northallerton ..	—	—	—	2	—	—	—	—	—	3	—	—	—	—	—	—	—
Pickering ..	—	—	—	—	13	—	—	—	—	1	1	—	—	—	—	—	—
Redcar M.B. ..	—	—	—	72	102	—	2	1	3	619	3	—	—	—	29	—	2
Richmond M.B. ..	—	—	—	3	27	—	1	—	—	33	3	—	—	—	2	1	—
Saltburn and Marske by the Sea ..	—	—	—	7	35	—	—	—	—	209	1	1	—	—	3	3	—
Scalby ..	—	—	1	16	4	—	—	—	—	90	—	—	—	—	—	—	—
Scarborough M.B. ..	—	—	—	50	85	—	2	—	—	507	1	1	1	—	11	2	14
Skelton and Brotton ..	—	—	—	15	51	—	1	—	9	102	1	—	—	—	8	1	1
Thornaby on Tees ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ..	—	—	3	23	32	—	7	1	2	340	4	—	—	—	27	1	1
Whitby ..	—	21	—	18	43	—	3	—	—	116	1	—	—	1	11	2	9
Rural Districts ..	<b>1</b>	<b>3</b>	<b>4</b>	<b>180</b>	<b>468</b>	<b>7</b>	<b>21</b>	<b>2</b>	<b>8</b>	<b>1295</b>	<b>17</b>	<b>9</b>	<b>1</b>	—	<b>69</b>	<b>21</b>	<b>21</b>
Aysgarth ..	—	—	—	6	—	—	—	—	—	37	—	—	—	—	1	—	—
Bedale ..	—	—	—	10	47	—	2	—	—	10	—	1	—	—	11	—	6
Croft ..	—	—	—	1	10	—	—	—	—	—	—	—	—	—	—	—	—
Easingwold ..	—	—	1	2	12	—	5	—	—	60	4	1	—	—	5	4	—
Flaxton ..	—	—	—	30	124	—	1	—	—	362	3	5	—	—	5	—	—
Helmsley ..	—	—	—	5	7	—	2	—	—	37	—	1	—	—	2	—	1
Kirkby Moorside ..	—	—	—	1	3	—	—	—	—	39	2	—	—	—	—	—	—
Leyburn ..	—	—	—	19	7	—	1	—	—	11	1	—	—	—	5	—	—
Malton ..	—	—	—	10	3	—	1	—	—	13	—	1	—	—	1	—	—
Masham ..	—	—	—	—	12	—	—	—	—	70	—	—	—	—	2	—	5
Northallerton ..	—	—	—	4	47	—	—	—	—	12	—	—	—	—	1	—	—
Pickering ..	—	—	—	2	32	—	1	—	—	14	—	—	—	—	—	—	—
Reeth ..	—	—	—	2	12	—	1	—	—	4	—	—	—	—	5	—	—
Richmond ..	—	—	1	22	42	—	—	2	7	217	1	—	—	—	5	10	—
Scarborough ..	—	—	—	21	22	—	1	—	—	184	—	—	—	—	4	1	—
Startforth ..	—	—	—	2	7	—	—	—	—	12	—	—	—	—	1	—	1
Stokesley ..	—	—	1	33	54	—	5	—	—	81	—	—	—	—	15	6	1
Thirsk ..	—	—	—	5	1	7	—	—	—	15	5	—	—	—	—	—	—
Wath ..	—	—	—	2	16	—	—	—	—	34	—	—	—	—	4	—	—
Whitby ..	<b>1</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>10</b>	—	<b>1</b>	—	<b>1</b>	<b>83</b>	<b>1</b>	—	<b>1</b>	—	<b>2</b>	—	<b>7</b>
<b>YORKSHIRE, WEST RIDING</b>	<b>5</b>	<b>12</b>	<b>117</b>	<b>5452</b>	<b>12448</b>	<b>15</b>	<b>682</b>	<b>67</b>	<b>1017</b>	<b>36522</b>	<b>272</b>	<b>67</b>	<b>13</b>	<b>2</b>	<b>4429</b>	<b>824</b>	<b>499</b>
County Boroughs ..	<b>3</b>	<b>8</b>	<b>65</b>	<b>3276</b>	<b>6583</b>	<b>8</b>	<b>409</b>	<b>46</b>	<b>647</b>	<b>22584</b>	<b>170</b>	<b>38</b>	<b>7</b>	<b>1</b>	<b>3063</b>	<b>672</b>	<b>307</b>
Barnsley ..	—	—	13	196	339	2	20	1	65	1030	5	2	—	—	211	7	13
Bradford ..	<b>2</b>	—	4	626	643	—	97	10	171	3401	12	2	—	—	407	19	126
Dewsbury ..	—	—	3	66	143	—	4	—	32	492	5	2	—	—	23	10	4
Doncaster ..	—	<b>1</b>	<b>5</b>	174	201	—	17	8	8	916	10	—	—	—	49	74	1
Halifax ..	—	<b>2</b>	<b>1</b>	119	153	—	15	—	4	1465	2	—	—	—	41	13	1
Huddersfield ..	—	<b>2</b>	<b>4</b>	167	807	—	23	3	111	1828	3	—	—	—	81	50	1

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
WEST YORKSHIRE, WEST RIDING																	
—contd.																	
L.B's.—contd.																	
Leeds ...	—	2	7	794	1637	2	79	8	196	4915	78	1	1	—	478	99	24
Rotherham ...	1	—	5	41	141	3	17	2	—	1120	3	1	—	—	120	23	5
Sheffield ...	—	—	19	720	1781	1	117	11	48	4632	24	23	5	1	1588	333	104
Wakefield ...	—	—	2	62	215	—	8	2	4	512	2	—	—	—	25	16	—
York ...	—	1	2	311	523	—	12	1	8	2273	26	7	1	—	40	28	28
Admin. County ...	2	4	52	2176	5865	7	273	21	370	13938	102	29	6	1	1366	152	192
Urban Districts ...	1	4	39	1639	4494	5	213	15	318	10255	58	17	6	1	1018	94	113
Adwick le Street ...	—	—	—	27	27	—	6	1	—	76	—	—	—	—	11	1	—
Aireborough ...	—	1	—	34	11	—	2	—	—	126	—	—	—	—	14	2	—
Baildon ...	—	—	—	2	48	—	2	—	2	174	—	—	—	—	2	—	—
Barnoldswick ...	—	—	—	11	37	—	3	—	—	39	1	1	—	—	21	—	1
Batley M.B. ...	—	—	—	69	63	—	1	—	32	173	2	—	2	—	4	1	—
Bentley with Arksey ...	—	—	—	13	30	—	2	1	—	288	2	—	1	—	7	1	—
Bingley ...	—	—	—	20	12	—	—	—	—	149	2	—	—	—	17	—	1
Brighouse M.B. ...	—	—	—	39	106	—	1	—	1	480	2	—	—	—	31	—	—
Castleford ...	—	—	—	43	300	—	4	2	2	385	—	—	—	—	66	4	6
Colne Valley ...	—	—	1	11	154	1	5	—	1	260	1	—	—	—	24	—	—
Conisbrough ...	—	—	1	5	30	—	1	1	—	9	—	—	—	—	2	4	—
Cudworth ...	—	—	1	16	40	—	2	—	—	187	1	—	—	—	10	—	—
Darfield ...	—	—	—	2	85	—	—	—	1	82	—	1	—	—	7	2	—
Darton ...	—	—	2	28	41	—	2	—	—	198	—	—	—	—	13	2	—
Dearne ...	—	—	3	23	113	—	10	—	1	379	1	—	—	—	40	—	—
Denby Dale ...	—	—	1	9	3	—	2	—	—	56	—	—	—	—	2	—	—
Denholme ...	—	—	—	4	7	—	—	—	—	21	—	—	—	—	29	—	8
Dodworth ...	—	—	1	—	10	—	—	—	—	59	1	—	—	—	1	—	—
Earby ...	—	—	—	11	34	—	—	—	—	38	—	—	—	—	14	—	—
Elland ...	—	—	—	18	82	—	1	—	—	168	2	2	—	—	15	1	1
Featherstone ...	—	—	1	7	171	—	4	1	1	31	—	—	—	—	9	2	2
Garforth ...	—	—	—	11	52	—	—	—	—	186	—	—	—	—	1	—	—
Goole M.B. ...	—	—	1	15	22	—	3	—	—	32	—	—	—	—	27	2	—
Harrogate M.B. ...	—	—	3	120	80	—	5	—	3	618	3	—	1	—	22	18	17
Hebden Royd ...	—	—	—	1	6	—	—	—	—	45	—	—	—	—	1	—	—
Heckmondwike ...	—	—	1	36	41	—	—	—	1	16	1	1	—	—	1	—	—
Hemsworth ...	—	—	1	40	97	—	3	2	2	203	2	—	—	—	54	2	—
Holmfirth ...	—	—	—	22	42	—	2	—	109	196	—	—	—	—	4	1	—
Horbury ...	—	—	—	13	64	—	3	—	—	23	1	—	—	—	3	—	—
Horsforth ...	—	—	—	12	95	—	2	—	1	91	6	—	—	—	14	—	—
Hoyland Nether ...	—	—	4	43	38	—	2	—	—	103	2	—	1	—	42	—	—
Ilkley ...	—	—	—	8	52	—	4	—	1	10	1	1	—	—	3	1	2
Keighley M.B. ...	—	1	2	140	61	3	11	—	17	770	1	—	—	1	21	6	—
Kirkburton ...	—	1	1	21	65	1	—	—	—	159	—	—	—	—	3	—	—
Knaresborough ...	—	—	—	20	23	—	—	—	6	119	1	—	—	—	3	—	1
Knottingley ...	—	—	—	49	61	—	—	—	—	100	—	1	—	—	8	—	—
Maltby ...	—	—	—	2	18	—	—	—	—	13	—	1	—	—	3	—	—
Meltham ...	—	—	1	21	22	—	—	—	—	32	—	—	—	—	4	1	—
Mexborough ...	—	—	2	6	55	—	—	—	2	54	—	1	—	—	34	1	—
Mirfield ...	—	—	—	9	29	—	3	—	—	39	2	—	—	—	2	6	—
Morley M.B. ...	—	—	1	40	89	—	6	—	8	254	2	—	—	—	7	4	10
Normanton ...	—	1	—	45	187	—	7	2	1	281	1	1	—	—	36	5	1
Ossett M.B. ...	—	—	—	7	85	—	—	—	—	91	—	—	—	—	2	—	—
Otley ...	—	—	1	13	71	—	—	—	3	29	1	—	—	—	14	5	13
Penistone ...	—	—	—	18	18	—	—	—	—	62	—	—	—	—	3	—	—
Pontefract M.B. ...	1	—	2	38	121	—	6	2	1	194	3	—	1	—	23	1	12
Pudsey M.B. ...	—	—	—	122	37	—	2	1	1	275	1	1	—	—	13	1	—
Queensbury and Shelf ...	—	—	—	15	88	—	27	1	4	192	1	—	—	—	40	—	14
Rawmarsh ...	—	—	—	11	39	—	3	—	—	121	—	—	—	—	11	—	—
Ripon M.B. ...	—	—	—	13	6	—	—	—	—	19	—	—	—	—	5	2	—
Ripponden ...	—	—	—	14	25	—	1	—	—	28	—	—	—	—	6	—	—
Rothwell ...	—	—	—	27	118	—	29	—	60	163	2	1	—	—	40	1	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>YORKSHIRE, WEST RIDING</b>																	
—contd.																	
<b>U.D's.—contd.</b>																	
Royston ...	—	—	—	8	47	—	—	—	—	24	—	—	—	—	2	—	—
Saddleworth ...	—	—	1	18	23	—	3	—	13	109	—	—	—	—	6	1	2
Selby ...	—	—	—	3	26	—	2	—	—	87	—	—	—	—	4	1	—
Shipley ...	—	—	1	41	159	—	2	—	32	427	1	—	—	—	32	—	7
Silsden ...	—	—	—	19	102	—	—	—	—	181	—	—	—	—	55	—	—
Skipton ...	—	—	—	34	25	—	2	—	—	27	—	—	—	—	3	2	—
Sowerby Bridge ...	—	—	2	21	106	—	15	—	5	264	2	—	—	—	30	1	—
Spenborough ...	—	—	1	68	146	—	12	—	3	198	—	2	—	—	18	3	5
Stanley ...	—	—	—	22	151	—	1	—	—	171	1	—	—	—	14	—	1
Stocksbridge ...	—	—	—	14	21	—	—	—	—	16	2	1	—	—	2	—	—
Swinton ...	—	—	—	4	11	—	3	—	1	34	1	—	—	—	3	1	—
Tickhill ...	—	—	—	1	—	—	1	—	—	10	—	—	—	—	5	—	—
Todmorden M.B.	—	—	1	3	151	—	2	—	—	434	1	—	—	—	22	—	2
Wath upon Dearne	—	—	—	16	16	—	—	—	—	71	1	1	—	—	1	3	1
Wombwell ...	—	—	2	12	131	—	2	1	3	187	3	1	—	—	16	2	4
Worsborough ...	—	—	—	11	168	—	1	—	—	119	—	—	—	—	16	3	2
Rural Districts ...	1	—	13	537	1371	2	60	6	52	3683	44	12	—	—	348	58	79
Bowland ...	—	—	—	8	2	—	1	—	—	46	—	—	—	—	2	—	—
Doncaster ...	—	—	3	49	132	—	4	3	1	356	2	—	—	—	19	4	—
Goole ...	1	—	—	4	17	—	—	—	—	40	—	—	—	—	14	—	—
Hemsworth ...	—	—	1	74	96	1	2	1	1	490	5	—	—	—	20	4	2
Hepton ...	—	—	—	1	—	—	1	—	—	32	—	—	—	—	1	—	—
Kiveton Park ...	—	—	—	40	56	—	4	—	—	46	1	—	—	—	49	2	1
Nidderdale ...	—	—	—	10	31	—	2	—	18	124	2	—	—	—	4	—	—
Osgoldcross ...	—	—	—	32	35	—	1	—	—	53	—	—	—	—	4	—	—
Penistone ...	—	—	1	6	6	1	1	—	—	208	1	—	—	—	6	—	41
Ripon and Pateley	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bridge ...	—	—	—	18	39	—	3	—	—	174	—	—	—	—	7	—	3
Rotherham ...	—	—	2	45	143	—	6	—	5	506	4	—	—	—	39	18	4
Sedburgh ...	—	—	—	6	27	—	1	—	—	—	—	—	—	—	—	—	—
Selby ...	—	—	—	—	26	—	—	—	—	66	2	1	—	—	—	—	—
Settle ...	—	—	1	58	66	—	—	—	—	22	—	—	—	—	20	—	—
Skipton ...	—	—	—	20	64	—	6	—	1	232	3	1	—	—	35	—	1
Tadcaster ...	—	—	—	43	35	—	1	—	—	136	1	1	—	—	15	7	1
Thorne ...	—	—	—	9	163	—	5	2	5	337	12	5	—	—	30	2	1
Wakefield ...	—	—	1	14	102	—	5	—	—	101	3	—	—	—	9	11	—
Wetherby ...	—	—	1	21	164	—	7	—	10	178	4	—	—	—	7	1	—
Wharfedale ...	—	—	—	11	16	—	—	—	—	52	3	—	—	—	2	1	4
Wortley ...	—	—	3	68	151	—	10	—	11	484	1	4	—	—	65	8	21
<b>WALES AND MONMOUTH</b>																	
<b>ANGLESEY :</b>																	
Admin. County ...	—	—	—	58	286	—	3	—	5	70	2	—	—	—	29	—	7
Urban Districts ...	—	—	—	39	113	—	2	—	3	11	1	—	—	—	9	—	2
Amlwch ...	—	—	—	—	4	—	—	—	—	3	—	—	—	—	5	—	—
Beaumaris M.B.	—	—	—	4	—	—	1	—	3	—	1	—	—	—	2	—	2
Holyhead ...	—	—	—	17	108	—	1	—	—	5	—	—	—	—	—	—	—
Llangefni ...	—	—	—	2	1	—	—	—	—	2	—	—	—	—	—	—	—
Menai Bridge ...	—	—	—	16	—	—	—	—	—	1	—	—	—	—	2	—	—
Rural Districts ...	—	—	—	19	173	—	1	—	2	59	1	—	—	—	20	—	5
Aethwy ...	—	—	—	7	78	—	—	—	—	1	—	—	—	—	10	—	—
Twrcelyn ...	—	—	—	5	40	—	1	—	1	53	1	—	—	—	8	—	—
Valley ...	—	—	—	7	55	—	—	—	1	5	—	—	—	—	2	—	5

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>BRECKNOCKSHIRE :</b>																	
Admin. County ...	1	131	1	35	139	3	2	—	1	288	1	—	—	—	15	1	1
Urban Districts ...	—	69	1	16	21	—	2	—	1	210	1	—	—	—	12	1	—
Brecknock M.B. ...	—	68	1	3	3	—	—	—	—	—	—	—	—	—	—	—	—
Brynmaur ...	—	1	—	12	15	—	1	—	—	210	1	—	—	—	12	—	—
Builth Wells ...	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—
Hay ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Llanwrtyd ...	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Rural Districts ...	1	62	—	19	118	3	—	—	—	78	—	—	—	—	3	—	1
Brecknock ...	—	30	—	1	25	—	—	—	—	2	—	—	—	—	—	—	1
Builth ...	—	—	—	7	5	3	—	—	—	7	—	—	—	—	1	—	—
Crickhowell ...	—	3	—	9	62	—	—	—	—	38	—	—	—	—	1	—	—
Hay ...	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vaynor and Penderyn ...	—	—	—	2	1	—	—	—	—	—	—	—	—	—	1	—	—
Ystradgynlais ...	—	27	—	—	25	—	—	—	—	31	—	—	—	—	—	—	—
<b>CAERNARVONSHIRE :</b>																	
Admin. County ...	—	—	4	79	165	1	10	1	22	185	7	—	—	1	20	1	5
Urban Districts ...	—	—	4	54	118	1	10	—	15	137	6	—	—	1	17	1	5
Bangor M.B. ...	—	—	3	21	31	1	1	—	1	5	3	—	—	1	1	—	—
Bethesda ...	—	—	—	6	4	—	—	—	—	25	—	—	—	—	—	—	—
Bettws y Coed ...	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—
Caernarvon M.B. ...	—	—	—	3	—	—	1	—	—	13	—	—	—	—	1	—	—
Conway M.B. ...	—	—	—	14	7	—	2	—	14	4	1	—	—	—	—	1	—
Criccieth ...	—	—	—	1	—	—	—	—	—	7	—	—	—	—	—	—	—
Llandudno ...	—	—	—	4	71	—	4	—	—	43	1	—	—	—	9	—	5
Llanfairfechan ...	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Penmaenmawr ...	—	—	—	3	—	—	2	—	—	6	—	—	—	—	3	—	—
Portmadoc ...	—	—	—	2	5	—	—	—	—	10	—	—	—	—	—	—	—
Pwllheli M.B. ...	—	—	—	—	—	—	—	—	—	20	—	—	—	—	2	—	—
Rural Districts ...	—	—	—	25	47	—	—	1	7	48	1	—	—	—	3	—	—
Gwyrfa ...	—	—	—	1	3	—	—	—	2	11	—	—	—	—	3	—	—
Lleyn ...	—	—	—	6	28	—	—	—	—	11	—	—	—	—	—	—	—
Nant Conway ...	—	—	—	12	11	—	—	1	5	22	—	—	—	—	—	—	—
Ogwen ...	—	—	—	6	5	—	—	—	—	4	1	—	—	—	—	—	—
<b>CARDIGANSHIRE :</b>																	
Admin. County ...	—	3	—	13	16	—	3	—	—	334	6	1	—	—	18	—	—
Urban Districts ...	—	2	—	3	2	—	1	—	—	102	2	—	—	—	8	—	—
Aberayron ...	—	2	—	—	1	—	—	—	—	3	—	—	—	—	—	—	—
Aberystwyth M.B. ...	—	—	—	2	—	—	1	—	—	7	1	—	—	—	—	—	—
Cardigan M.B. ...	—	—	—	—	1	—	—	—	—	90	1	—	—	—	3	—	—
Lampeter M.B. ...	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
New Quay ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	5	—	—
Rural Districts ...	—	1	—	10	14	—	2	—	—	232	4	1	—	—	10	—	—
Aberayron ...	—	—	—	2	2	—	1	—	—	32	—	—	—	—	8	—	—
Aberystwyth ...	—	1	—	1	2	—	1	—	—	75	—	—	—	—	—	—	—
Teifside ...	—	—	—	6	9	—	—	—	—	57	4	1	—	—	2	—	—
Tregaron ...	—	—	—	1	1	—	—	—	—	68	—	—	—	—	—	—	—
<b>CARMARTHENSHIRE :</b>																	
Admin. County ...	—	13	6	149	196	—	5	7	37	1010	8	15	1	—	195	11	3
Urban Districts ...	—	6	2	94	124	—	2	5	9	597	3	10	—	—	112	9	1
Ammanford ...	—	—	1	6	15	—	—	—	—	22	1	—	—	—	6	—	—
Burry Port ...	—	—	—	1	7	—	—	—	—	75	—	—	—	—	2	—	—
Carmarthen M.B. ...	—	6	—	17	23	—	—	—	6	36	—	4	—	—	26	2	1
Cwmaman ...	—	—	—	15	2	—	—	—	—	6	—	—	—	—	—	5	—
Kidwelly M.B. ...	—	—	—	—	7	—	—	—	—	—	—	1	—	—	—	—	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia.	Food poisoning.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>CARMARTHENSHIRE</b> —contd.																	
<b>U.D.'s—contd.</b>																	
Llandilo .. ..	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
Llandovery M.B. ..	—	—	—	—	18	—	—	—	—	1	—	1	—	—	2	—	—
Llanelly M.B. ..	—	—	1	55	50	—	2	5	3	456	1	3	—	—	75	2	—
Newcastle Emlyn ..	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—
<b>Rural Districts</b>	—	7	4	55	72	—	3	2	28	413	5	5	1	—	83	2	2
Carmarthen .. ..	—	3	1	8	17	—	—	—	20	12	3	2	—	—	21	—	1
Llandilo .. ..	—	3	3	15	13	—	—	—	—	49	2	1	1	—	20	—	—
Llanelly .. ..	—	1	—	32	41	—	3	2	8	347	—	2	—	—	41	2	1
Newcastle Emlyn ..	—	—	—	—	1	—	—	—	—	5	—	—	—	—	1	—	—
<b>DENBIGHSHIRE:</b>																	
Admin. County .. ..	—	5	9	141	288	1	32	7	23	712	12	1	1	—	80	14	4
<b>Urban Districts</b>	—	3	5	56	201	—	13	7	7	224	8	1	—	—	40	6	—
Abergele .. ..	—	—	—	21	18	—	1	1	—	39	—	—	—	—	2	1	—
Colwyn Bay M.B. ..	—	—	—	13	12	—	4	6	2	70	5	—	—	—	7	1	—
Denbigh M.B. ..	—	—	1	1	14	—	—	—	4	9	—	—	—	—	5	1	—
Llangollen .. ..	—	—	—	2	—	—	—	—	—	11	—	—	—	—	1	1	—
Llanrwst .. ..	—	—	—	—	26	—	—	—	—	3	—	—	—	—	—	—	—
Ruthin M.B. ..	—	—	—	1	16	—	—	—	—	—	—	—	—	—	4	—	—
Wrexham M.B. ..	—	3	4	18	115	—	8	—	1	92	3	1	—	—	21	2	—
<b>Rural Districts</b>	—	2	4	85	87	1	19	—	16	488	4	—	1	—	40	8	4
Aled .. ..	—	—	—	4	1	1	—	—	—	109	—	—	—	—	2	—	—
Ceiriog .. ..	—	—	—	9	8	—	—	—	—	50	—	—	—	—	1	1	—
Hiraethog .. ..	—	—	2	2	15	—	—	—	—	5	—	—	—	—	—	—	—
Ruthin .. ..	—	—	—	2	8	—	—	—	15	6	2	—	1	—	6	2	—
Wrexham .. ..	—	2	2	68	55	—	19	—	1	318	2	—	—	—	31	5	4
<b>FLINTSHIRE:</b>																	
Admin. County .. ..	—	—	5	153	352	2	7	5	1	835	5	1	—	—	152	8	—
<b>Urban Districts</b>	—	—	3	77	190	1	3	5	—	623	4	1	—	—	68	4	—
Buckley .. ..	—	—	2	15	67	—	—	—	—	128	—	1	—	—	4	—	—
Connah's Quay ..	—	—	1	31	18	—	—	—	—	18	—	—	—	—	8	—	—
Flint M.B. ..	—	—	—	11	43	1	—	—	—	274	1	—	—	—	6	—	—
Holywell .. ..	—	—	—	—	29	—	2	5	—	68	—	—	—	—	40	—	—
Mold .. ..	—	—	—	5	8	—	—	—	—	1	—	—	—	—	3	—	—
Prestatyn .. ..	—	—	—	1	8	—	1	—	—	35	1	—	—	—	4	3	—
Rhyl .. ..	—	—	—	14	17	—	—	—	—	99	2	—	—	—	3	1	—
<b>Rural Districts</b>	—	—	2	76	162	1	4	—	1	212	1	—	—	—	84	4	—
Hawarden .. ..	—	—	2	52	62	—	1	—	—	72	—	—	—	—	18	—	—
Holywell .. ..	—	—	—	19	49	1	1	—	—	121	—	—	—	—	50	—	—
Overton .. ..	—	—	—	2	1	—	—	—	—	1	1	—	—	—	—	—	—
St. Asaph .. ..	—	—	—	3	50	—	2	—	1	18	—	—	—	—	16	4	—
<b>GLAMORGANSHIRE:</b>																	
County Boroughs ..	3	272	54	1618	1389	24	158	9	281	10620	51	30	4	4	899	253	94
Cardiff .. ..	—	88	18	650	650	14	70	3	252	4397	23	20	3	3	262	160	26
Merthyr Tydfil ..	—	50	6	334	408	—	42	2	235	2625	19	8	—	1	182	114	26
Swansea .. ..	—	9	6	53	27	14	11	—	2	385	—	—	2	—	6	—	—
Admin. County .. ..	3	184	36	968	739	10	88	6	29	6223	28	10	1	1	637	93	68
<b>Urban Districts</b>	2	134	34	764	502	10	73	4	23	5324	21	7	1	1	548	65	53
Aberdare .. ..	—	11	5	81	88	4	6	—	1	230	5	—	—	—	41	1	2
Barry M.B. ..	—	6	—	78	67	—	15	—	1	357	3	2	—	1	26	4	21
Bridgend .. ..	—	—	—	8	6	—	1	—	—	81	—	—	—	—	—	—	2
Caerphilly .. ..	—	7	3	15	73	—	4	2	1	104	1	1	—	—	15	29	—
Cowbridge M.B. ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	14
Gelligaer .. ..	—	40	2	17	23	—	7	—	—	197	7	—	—	—	17	5	2
Glyncorwg .. ..	—	1	1	8	10	—	1	1	—	1	—	—	—	—	1	—	—
Llwchwr .. ..	—	—	—	23	3	—	2	—	3	149	1	1	—	—	4	4	—
Maesteg .. ..	—	—	4	77	59	—	4	—	1	240	—	—	—	—	71	4	—
Mountain Ash ..	—	3	3	34	28	5	2	—	—	476	—	—	—	—	49	—	4

TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>GLAMORGANSHIRE—contd.</b>																	
<b>U.D's.—contd.</b>																	
Neath M.B. ...	1	2	—	17	27	—	—	—	—	379	—	—	—	—	11	1	—
Ogmore and Garw ...	—	—	—	43	54	—	7	—	—	306	—	2	—	—	46	1	—
Penarth ...	1	23	8	26	13	—	2	—	14	733	—	1	—	—	69	2	1
Pontypridd ...	—	11	3	19	10	1	4	1	—	676	1	—	—	—	8	7	—
Porthcawl ...	—	—	—	41	7	—	1	—	—	103	—	—	—	—	—	1	—
Port Talbot M.B. ...	—	9	2	63	25	—	8	—	2	232	—	—	—	—	23	—	—
Rhondda ...	—	21	3	214	9	—	9	—	—	1060	2	—	1	—	167	6	7
<b>Rural Districts</b> ...	1	50	2	204	237	—	15	2	6	899	7	3	—	—	89	28	15
Cardiff ...	—	5	1	27	99	—	2	—	2	149	1	1	—	—	15	1	3
Cowbridge ...	—	1	—	20	22	—	—	—	—	26	2	—	—	—	5	1	11
Gower ...	—	1	—	6	2	—	1	1	—	47	—	1	—	—	1	20	—
Llantrisant and Llantwitfardre ...	—	6	—	60	7	—	3	—	—	94	2	1	—	—	18	4	1
Neath ...	—	5	—	26	38	—	2	1	2	341	1	—	—	—	24	1	—
Penybont ...	1	2	1	35	43	—	3	—	1	157	—	—	—	—	14	—	—
Pontardawe ...	—	30	—	30	26	—	4	—	1	85	1	—	—	—	12	1	—
<b>MERIONETHSHIRE :</b>																	
<b>Admin. County</b> ...	—	—	3	16	30	—	4	—	—	695	4	—	—	—	29	—	—
<b>Urban Districts</b> ...	—	—	2	5	22	—	1	—	—	300	3	—	—	—	11	—	—
Bala ...	—	—	—	3	—	—	—	—	—	2	—	—	—	—	—	—	—
Barmouth ...	—	—	2	—	—	—	—	—	—	68	—	—	—	—	—	—	—
Dolgelley ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ffestiniog ...	—	—	—	2	—	—	1	—	—	226	1	—	—	—	—	—	—
Towyn ...	—	—	—	—	22	—	—	—	—	4	1	—	—	—	11	—	—
<b>Rural Districts</b> ...	—	—	1	11	8	—	3	—	—	395	1	—	—	—	18	—	—
Deudraeth ...	—	—	—	11	5	—	1	—	—	302	—	—	—	—	2	—	—
Dolgelley ...	—	—	—	—	1	—	1	—	—	52	—	—	—	—	1	—	—
Edeirnion ...	—	—	1	—	—	—	1	—	—	25	1	—	—	—	14	—	—
Penllyn ...	—	—	—	—	2	—	—	—	—	16	—	—	—	—	1	—	—
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>MONMOUTHSHIRE :</b>	7	146	8	423	1218	7	54	10	44	2719	20	2	—	2	294	35	44
<b>County Borough</b>																	
Newport ...	1	11	2	111	550	—	18	1	17	1070	3	1	—	—	79	3	8
<b>Admin. County</b> ...	6	135	6	312	668	7	36	9	27	1649	17	1	—	2	215	32	36
<b>Urban Districts</b> ...	6	134	6	281	621	7	36	9	26	1460	15	1	—	1	196	31	35
Abercarn ...	—	4	—	20	37	1	—	—	5	109	—	—	—	1	36	2	30
Abergavenny M.B. ...	—	2	—	7	48	—	1	—	—	1	—	—	—	—	1	—	—
Abertillery ...	—	—	1	60	41	—	2	—	—	97	1	—	—	—	4	—	1
Bedwas and Machen ...	—	1	1	—	—	—	—	—	—	14	—	—	—	—	—	1	—
Bedwellty ...	—	21	1	22	21	2	1	1	2	113	—	—	—	—	4	3	—
Blaenavon ...	—	—	—	1	15	—	5	—	—	35	—	—	—	—	2	—	—
Caerleon ...	5	1	—	10	15	—	—	1	2	10	—	—	—	—	4	5	—
Chepstow ...	—	—	—	8	1	—	—	—	—	26	—	—	—	—	1	—	—
Cwmbran ...	—	—	—	3	91	—	—	—	—	140	—	—	—	—	7	—	—
Ebbw Vale ...	—	4	1	51	79	1	15	2	—	317	3	—	—	—	81	3	—
Monmouth M.B. ...	—	—	—	4	8	—	—	—	7	57	—	—	—	—	—	—	1
Mynyddislwyn ...	1	27	—	4	10	2	—	—	8	7	—	—	—	—	2	2	—
Nantyglo and Blaina ...	—	—	—	14	9	—	3	—	—	282	—	—	—	—	8	—	—
Pontypool ...	—	12	—	60	184	1	2	1	—	105	9	—	—	—	5	—	3
Rhymney ...	—	6	—	—	3	—	—	—	—	2	—	—	—	—	—	2	—
Risca ...	—	—	1	13	58	—	7	1	2	83	—	—	—	—	40	—	—
Tredegar ...	—	56	1	4	—	—	—	3	—	7	2	1	—	—	—	13	—
Usk ...	—	—	—	—	1	—	—	—	—	55	—	—	—	—	1	—	—
<b>Rural Districts</b> ...	—	1	—	31	47	—	—	—	1	189	2	—	—	1	19	1	1
Abergavenny ...	—	—	—	3	10	—	—	—	1	2	—	—	—	—	3	—	—
Chepstow ...	—	—	—	7	7	—	—	—	—	19	1	—	—	—	—	—	—
Magor and St. Mellons ...	—	1	—	19	10	—	—	—	—	61	—	—	—	—	12	1	1
Monmouth ...	—	—	—	1	13	—	—	—	—	36	1	—	—	—	—	—	—
Pontypool ...	—	—	—	1	7	—	—	—	—	71	—	—	—	1	4	—	—



TABLE 33—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Meningococcal infection.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal).	Puerperal pyrexia.	Food poisoning.
											Paralytic.	Non-paralytic.	Infective.	Post-infectious.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
<b>MONTGOMERY-SHIRE :</b>																	
Admin. County ...	—	—	—	6	87	—	3	—	—	36	—	—	—	—	46	1	—
Urban Districts ...	—	—	—	1	27	—	1	—	—	13	—	—	—	—	10	1	—
Llanfyllin M.B. ...	—	—	—	—	2	—	—	—	—	3	—	—	—	—	—	—	—
Llanidloes M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machynlleth ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Montgomery ...	—	—	—	—	3	—	—	—	—	—	—	—	—	—	3	—	—
Newtown and Llanllwchaiarn ...	—	—	—	1	2	—	1	—	—	2	—	—	—	—	5	—	—
Welshpool M.B. ...	—	—	—	—	20	—	—	—	—	8	—	—	—	—	2	1	—
Rural Districts ...	—	—	—	5	60	—	2	—	—	23	—	—	—	—	36	—	—
Forden ...	—	—	—	1	44	—	1	—	—	10	—	—	—	—	15	—	—
Llanfyllin ...	—	—	—	1	6	—	—	—	—	11	—	—	—	—	19	—	—
Machynlleth ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newtown and Llanidloes ...	—	—	—	3	10	—	1	—	—	2	—	—	—	—	2	—	—
<b>PEMBROKESHIRE :</b>																	
Admin. County ...	—	23	—	61	111	1	11	—	20	322	7	—	—	—	65	1	—
Urban Districts ...	—	14	—	39	37	1	4	—	—	56	1	—	—	—	39	1	—
Fishguard and Goodwick ...	—	14	—	11	6	—	—	—	—	5	—	—	—	—	4	—	—
Haverfordwest M.B. ...	—	—	—	3	11	—	—	—	—	1	—	—	—	—	5	1	—
Milford Haven ...	—	—	—	2	9	—	1	—	—	3	—	—	—	—	9	—	—
Narberth ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neyland ...	—	—	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—
Pembroke M.B. ...	—	—	—	17	10	—	3	—	—	47	—	—	—	—	21	—	—
Tenby M.B. ...	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—
Rural Districts ...	—	9	—	22	74	—	7	—	20	266	6	—	—	—	26	—	—
Cemaes ...	—	4	—	2	3	—	—	—	—	144	3	—	—	—	2	—	—
Haverfordwest ...	—	4	—	12	58	—	7	—	20	108	2	—	—	—	18	—	—
Narberth ...	—	—	—	2	4	—	—	—	—	7	1	—	—	—	1	—	—
Pembroke ...	—	1	—	6	9	—	—	—	—	7	—	—	—	—	5	—	—
<b>RADNORSHIRE :</b>																	
Admin. County ...	—	—	—	21	14	—	—	—	—	5	—	1	—	—	8	—	—
Urban Districts ...	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—
Knighton ...	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Llandrindod Wells ...	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Presteign ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Rural Districts ...	—	—	—	18	11	—	—	—	—	5	—	1	—	—	8	—	—
Colwyn ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Knighton ...	—	—	—	5	—	—	—	—	—	2	—	1	—	—	4	—	—
New Radnor ...	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—
Paincastle ...	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—
Rhayader ...	—	—	—	5	5	—	—	—	—	2	—	—	—	—	4	—	—

TABLE 34.—Quarterly Air Temperature  
Rainfall and Sunshine, 1952. } England and Wales.

Note.—The averages used for rainfall and rain-days are for the period 1881-1915, while those for temperature and sunshine are for 1906-1935.

District	Air Temperature			Rainfall		Sun-shine	Air Temperature			Rainfall		Sun-shine
	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average
Quarter ended 31st March						Quarter ended 30th June						
	°F.	°F.	°F.	%		%	°F.	°F.	°F.	%		%
England N.E.	61	8	−1.0	84	−1	116	85	22	+2.7	83	−2	112
England E.	63	11	−0.8	113	+1	102	88	22	+2.7	79	0	110
Midland Counties	61	2	−0.5	84	−2	127	86	24	+2.7	109	+1	104
England S.E.	62	12	−0.5	97	0	116	89	24	+2.6	93	−1	114
England N.W.*	60	4	−0.9	81	−4	116	85	23	+2.2	109	0	97
England S.W.*	61	12	−0.3	93	0	111	86	21	+2.1	113	0	99
Mean	—	—	−0.7	92	−1	115	—	—	+2.5	98	0	106
Quarter ended 30th Sept.						Quarter ended 31st Dec.						
England N.E.	83	28	−0.4	122	0	102	62	10	−2.2	100	+1	126
England E.	90	30	−0.3	118	0	93	62	11	−2.7	116	+1	113
Midland Counties	89	29	−0.6	98	−2	92	62	15	−2.4	104	0	117
England S.E.	92	29	−0.1	115	−1	101	63	16	−2.5	108	−2	114
England N.W.*	86	30	−0.8	111	0	87	64	16	−2.4	92	0	123
England S.W.*	91	29	−0.4	120	0	92	64	12	−1.7	107	+1	111
Mean	—	—	−0.4	114	−1	95	—	—	−2.3	105	0	117
Year 1952												
England N.E.	85	8	−0.2	94	−6	110						
England E.	90	11	−0.3	107	+3	101						
Midland Counties	89	2	−0.2	99	−9	102						
England S.E.	92	12	−0.2	104	−8	107						
England N.W.*	86	4	−0.5	97	−13	98						
England S.W.*	91	12	0.0	109	0	97						
Mean	—	—	−0.2	102	−5	103						

\*The district known as England N.W. includes the Northern half of Wales, while England S.W. includes the Southern half.

NOTE : The averages used for rainfall and raindays are for the period 1881-1915, while those for temperature and sunshine are for 1906-35.



TABLE 35.—Rainfall, Mean Temperature and } England and Wales.  
Sunshine, 1903-1952.

Year	Fall of rain in inches	Departure from Average of 35 years (1881-1915)	Mean Temperature of the Air at Sea-Level	Departure from Average of 30 years (1906-1935)	Mean Daily Sunshine	Departure from Average of 30 years (1906-1935)
	ins.	ins.	°F.	°F.	hrs.	hrs.
1903	45.1	+9.9	49.7	0.0		
1904	31.4	-3.8	49.3	-0.4		
1905	30.3	-4.9	49.4	-0.3		
1906	35.6	+0.4	49.9	+0.2		
1907	34.9	-0.3	49.0	-0.7		
1908	32.0	-3.2	49.7	0.0		
1909	37.0	+1.8	48.4	-1.3	4.04	+0.09
1910	39.8	+4.6	49.6	-0.1	3.87	-0.08
1911	33.1	-2.1	50.8	+1.1	4.59	+0.64
1912	44.0	+8.8	49.6	-0.1	3.35	-0.60
1913	34.5	-0.7	50.5	+0.8	3.61	-0.34
1914	38.1	+2.9	50.7	+1.0	4.27	+0.32
1915	38.8	+3.6	49.0	-0.7	4.10	+0.15
1916	40.1	+4.9	49.4	-0.3	3.61	-0.34
1917	34.5	-0.7	48.3	-1.4	4.03	+0.08
1918	37.7	+2.5	50.0	+0.3	4.08	+0.13
1919	37.0	+1.8	48.2	-1.5	4.01	+0.06
1920	38.4	+3.2	50.2	+0.5	3.66	-0.29
1921	24.7	-10.5	51.8	+2.1	4.60	+0.65
1922	37.1	+1.9	47.8	-1.9	4.02	+0.07
1923	39.8	+4.6	49.2	-0.5	3.87	-0.08
1924	42.3	+7.1	49.5	-0.2	3.75	-0.20
1925	37.3	+2.1	49.4	-0.3	4.09	+0.14
1926	35.9	+0.7	50.3	+0.6	3.77	-0.18
1927	43.3	+8.1	49.4	-0.3	3.61	-0.34
1928	40.4	+5.2	50.1	+0.4	4.12	+0.17
1929	35.2	0.0	49.1	-0.6	4.52	+0.57
1930	41.4	+6.2	50.0	+0.3	3.84	-0.11
1931	38.4	+3.2	49.2	-0.5	3.60	-0.35
1932	36.3	+1.1	49.9	+0.2	3.53	-0.42
1933	28.6	-6.6	50.6	+0.9	4.42	+0.47
1934	33.5	-1.7	50.9	+1.2	4.08	+0.13
1935	39.8	+4.6	50.5	+0.8	4.13	+0.18
1936	38.4	+3.2	49.8	+0.1	3.56	-0.39
1937	38.8	+3.6	50.1	+0.4	3.46	-0.49
1938	34.9	-0.3	51.0	+1.3	3.84	-0.11
1939	39.9	+4.7	50.3	+0.6	3.97	+0.02
1940	35.6	+0.4	49.3	-0.4	4.18	+0.23
1941	33.8	-1.4	49.2	-0.5	3.67	-0.28
1942	33.1	-2.1	49.2	-0.5	3.90	-0.05
1943	32.8	-2.4	51.0	+1.3	4.25	+0.30
1944	35.3	+0.1	50.1	+0.4	3.73	-0.22
1945	32.8	-2.4	51.4	+1.7	3.81	-0.14
1946	41.6	+6.4	50.0	+0.3	3.83	-0.12
1947	32.4	-2.8	50.1	+0.4	3.97	+0.02
1948	37.5	+2.3	50.9	+1.2	4.12	+0.17
1949	30.9	-4.3	51.9	+2.2	4.62	+0.67
1950	40.2	+5.0	50.1	+0.4	3.99	+0.04
1951	43.6	+8.4	49.7	0.0	3.95	0.00
1952	35.8	+0.6	49.5	-0.2	4.07	+0.12

TABLE 36.—Meteorological Observations, 1952. Kew Observatory, Richmond.

Month	Temperature of the Air				Rain collected in a gauge whose receiving sur- face is 10 inches above the ground		Sunshine registered in hours		Atmospheric Pollution	
	Highest for Month	Lowest for Month	Mean daily Value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for Month	Mean
	°F	°F	°F	°F	ins.	ins.	hrs.	hrs.	mg/m <sup>3</sup>	mg/m <sup>3</sup>
January	54·0	22·5	39·2	−0·5	1·82	−0·15	82·4	+40·4	1·100	0·221
February	53·4	27·1	38·7	−1·6	0·80	−0·75	71·7	+12·6	1·100	0·322
March	58·6	30·6	44·6	+1·8	2·73	+1·19	92·4	−14·2	1·100	0·229
April	73·6	31·3	50·5	+3·0	1·18	−0·53	175·8	+26·5	0·650	0·187
May	80·6	42·4	58·1	+4·5	2·37	+0·62	225·9	+27·7	0·650	0·133
June	84·7	43·0	60·7	+1·3	1·72	−0·26	245·5	+44·8	0·450	0·101
July	89·8	47·5	64·7	+2·0	0·54	−1·84	211·4	+15·7	0·450	0·088
August	77·5	50·2	62·7	+0·9	3·50	+1·26	195·7	+10·8	0·300	0·104
September	69·1	37·4	53·6	−3·7	2·58	+0·59	143·5	+2·6	0·450	0·176
October	59·4	30·2	49·4	−0·9	2·69	+0·19	93·9	+0·3	1·100	0·257
November	56·5	25·5	41·2	−3·0	3·50	+1·16	61·5	+10·2	0·950	0·232
December	51·6	24·1	38·3	−2·4	2·36	+0·21	55·8	+18·3	2·550	0·400
Means	—	—	50·1	+1·4	Sum 25·79	+1·69	Sum 1655·5	+195·7	—	2·450

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.



**APPENDIX A.—Death Rates per million in England and Wales based upon the Sex and Age Distribution of the Population of Great Britain in the year of experience, with rates for Scotland for Comparison—1950–1952.**

Inter- national Class'n No.	Causes of Death		1950		1951		1952	
			England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland
	ALL CAUSES .. ..	M	13,760	14,917	15,030	15,872	13,748	15,225
		F	9,877	11,551	10,485	12,086	9,342	11,085
		P	11,577	13,039	12,454	13,763	11,235	12,868
001–008	Tuberculosis of respiratory system .. ..	M	434	559	390	487	317	375
		F	226	438	180	294	126	212
		P	319	488	273	379	211	282
010–019	Tuberculosis, other forms ..	M	46	64	44	59	33	37
		F	41	65	38	53	24	41
		P	43	65	41	55	28	39
020–029	Syphilis and its sequelæ ..	M	62	58	66	48	57	35
		F	21	17	20	19	21	13
		P	39	34	40	30	37	22
057	Meningococcal infections ..	M	7	6	7	8	7	7
		F	6	6	7	8	6	8
		P	6	6	7	8	7	8
140–205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues	M	2,275	2,353	2,353	2,357	2,394	2,496
		F	1,679	1,850	1,658	1,841	1,680	1,853
		P	1,932	2,066	1,951	2,065	1,979	2,126
260	Diabetes mellitus .. ..	M	65	75	65	84	59	67
		F	98	147	97	145	87	126
		P	83	118	84	118	75	103
330–334	Vascular lesions affecting the central nervous system ..	M	1,480	1,759	1,598	1,939	1,607	1,964
		F	1,456	1,843	1,514	1,942	1,536	1,921
		P	1,466	1,803	1,549	1,940	1,564	1,936
400–402	Rheumatic fever .. ..	M	12	5	8	9	7	10
		F	14	17	10	10	8	10
		P	13	10	9	10	7	10
410–434	Heart diseases .. ..	M	4,109	4,745	4,395	5,198	4,184	5,047
		F	2,924	3,586	3,064	3,778	2,756	3,409
		P	3,440	4,098	3,638	4,410	3,366	4,104
440–447	Hypertensive disease ..	M	508	237	547	342	492	385
		F	398	180	421	294	381	352
		P	445	203	474	314	428	367
480–483	Influenza .. ..	M	98	71	399	214	47	69
		F	81	84	325	193	34	63
		P	88	79	358	205	40	65
490–493, 763	Pneumonia (all forms) ..	M	494	520	639	560	543	488
		F	360	387	449	448	365	337
		P	419	449	532	499	442	402
590–594	Nephritis and Nephrosis ..	M	177	148	169	140	155	126
		F	140	139	132	130	116	110
		P	156	141	148	138	133	117

**APPENDIX B.—Changes in Boundaries of Counties, Boroughs, Urban Districts and Rural Districts.**

(i) **Authorities for changes** (the date of operation in all cases was 1st April, 1952).

(M. of H. L. G. means Ministry of Housing and Local Government)

Reference	Description of Authority
(a)	The Abingdon Corporation Act, 1951.
(b)	M. of H.L.G. Order No. 1424. The Stockport (Extension) Order, 1952.
(c)	M. of H.L.G. Order No. 1481. The County of Durham (Parish of Great Aycliffe) Confirmation Order, 1952.
(d)	The Canterbury Extension Act, 1951.
(e)	M. of H.L.G. Order No. 1385. The Preston (Extension) Order, 1952.
(f)	The Liverpool Extension Act, 1951.
(g)	M. of H.L.G. Order No. 1445. The County of Northampton (Corby Urban District) Confirmation Order, 1952.
(h)	The Nottingham City and County Boundaries Act, 1951.
(i)	M. of H.L.G. Order No. 1357. The Bridgwater (Extension) Order, 1952.
(j)	M. of H.L.G. Order No. 1470. The County of Southampton (Havant and Waterloo Urban District) Confirmation Order, 1952.
(k)	M. of H.L.G. Order No. 1467. The East Suffolk and Ipswich (Alteration of Boundaries) Order, 1952.
(l)	M. of H.L.G. Order No. 1337. The County of West Suffolk (Parish of Leavenheath) Confirmation Order, 1952.
(m)	The Brighton Extension Act, 1951.
(n)	M. of H.L.G. Order No. 1372. The Chippenham (Extension) Order, 1952.
(o)	The Swindon Corporation Act, 1951.
(p)	The Worcester Corporation Act, 1951.



# APPENDIX B.—continued.

## (ii) Particulars of changes

(a) The names of areas appearing more than once in columns 2 and 3 are marked \*

(b) Acreage (land and inland water) figures, which are given to the nearest acre, have been supplied by the Ordnance Survey Department.

Reference to Authority	Boroughs, U.D.s or R.D.s affected by change		Particulars of areas transferred		
	Area diminished	Area enlarged	Name and description (in use prior to change)	Acreage (land & inland water).	Census Population 1951
1	2	3	4	5	6
(a)	<b>BERKSHIRE:</b> Abingdon R.D.	Abingdon M.B.	Parts of the C.P.s of Radley and St. Helen Without.	41	196
(b)	<b>CHESHIRE:</b> Bredbury and Romiley U.D.	Stockport C.B.	Part of Bredbury and Romiley C.P.	463	151
(c)	<b>DURHAM:</b> Shildon U.D.	Darlington R.D.*	Part of Shildon C.P.	143	3
(c)	Sedgefield R.D.	Darlington R.D.*	Part of Woodham C.P.	208	4
(d)	<b>KENT:</b> Bridge-Blean R.D.	Canterbury C.B.	Parts of the C.P.s of Hackington and Harbledown.	108	22
(e)	<b>LANCASHIRE:</b> Fulwood U.D.	Preston C.B.*	Part of Fulwood C.P.	109	280
(e)	Preston R.D.	Preston C.B.*	Part of Lea C.P.	172	1,165
(f)	Whiston R.D.	Liverpool C.B.	Parts of the C.P.s of Hale and Halewood.	452	2,179
(g)	<b>NORTH'NTONSHIRE:</b> Kettering R.D.	Corby U.D.	Parts of the C.P.s of Cottingham, Rockingham and Weldon.	645	36
(h)	<b>NOTTINGHAMSHIRE:</b> Nottingham C.B.*	West Bridgford U.D.*	Part of Nottingham C.P.	90	17
(h)	West Bridgford U.D.*	Nottingham C.B.*	Part of West Bridgford C.P.	547	1,484
(h)	Basford R.D.*	Nottingham C.B.*	Parts of the C.P.s of Clifton with Glapton and Ruddington.	1,741	328
(h)	Basford R.D.*	Beeston and Stapleford U.D.	Part of Clifton with Glapton C.P.	6	Nil
(i)	<b>SOMERSET:</b> Bridgwater R.D.	Bridgwater M.B.	Parts of the C.P.s of Bridgwater Without, Durleigh and North Petherton.	189	516
(j)	<b>SOUTHAMPTON:</b> Droxford R.D.	Havant and Waterloo U.D.*	Parts of Southwick and Widley C.P.	25	173
(j)	Petersfield R.D.	Havant and Waterloo U.D.*	Part of Rowlands Castle C.P.	1,631	2,745
(k)	<b>SUFFOLK EAST:</b> Ipswich C.B.*	Deben R.D.*	Part of Ipswich C.P.	Less than one acre	Nil
(k)	Deben R.D.*	Ipswich C.B.*	Parts of the C.P.s of Nacton, Purdis Farm, Rushmere St. Andrew, Tuddenham St. Martin and Westerfield.	653	1,062
(k)	Gipping R.D.	Ipswich C.B.*	Parts of the C.P.s of Akenham, Bramford and Whitton.	449	1,400
(k)	Samford R.D.	Ipswich C.B.*	Part of Sproughton C.P.	109	171
(l)	<b>SUFFOLK WEST:</b> Cosford R.D.	Melford R.D.	Part of Polstead C.P.	1	11
(m)	<b>SUSSEX EAST:</b> Chailey R.D.	Brighton C.B.	Parts of the C.P.s of Falmer and Stanmer.	1,833	1,582
(n)	<b>WILTSHIRE:</b> Calne and Chippenham R.D.	Chippenham M.B.	Parts of the C.P.s of Chippenham Without, Corsham, Lacock and Langley Burrell Without.	640	3,090
(o)	Highworth R.D.	Swindon M.B.	Part of Stratton St. Margaret C.P.	299	63
(p)	<b>WORCESTERSHIRE:</b> Droitwich R.D.*	Worcester C.B.*	Parts of the C.P.s of Hindlip, North Claines St. Martin County and Warndon.	716	2,359
(p)	Droitwich R.D.*	Pershore R.D.*	Part of St. Martin County C.P.	232	33
(p)	Pershore R.D.*	Worcester C.B.*	Part of Whittington C.P.	4	3

**APPENDIX B.—continued.**

(iii) Population of areas as constituted after the boundary changes shown in (ii) (Supplementary to Table 12).

Area affected by Change	Census Popu- lation 1951 (Pro- visional)	Estimated Home Popu- lation Mid-1952.	Area affected by Change	Census Popu- lation 1951 (Pro- visional)	Estimated Home Popu- lation Mid-1952.
1	2	3	1	2	3
<b>Regional Summary:</b>			<b>NOTTINGHAMSHIRE:</b>		
Merseyside Conurbation	1,384,423	1,387,700	County Borough:		
Remainder of North			Nottingham ...	307,803	310,700
Western ... ..	2,639,027	2,630,000	Admin. County ...	<b>533,280</b>	<b>534,400</b>
			Urban Districts ...	<b>373,012</b>	<b>373,500</b>
<b>Density Aggregates Summary:</b>			Beeston & Stapleford	49,849	50,430
Conurbations ... ..	16,915,816	16,924,700	West Bridgford ...	23,371	23,150
Areas outside the			Rural Districts ...	<b>160,268</b>	<b>160,900</b>
conurbations ... ..	26,829,108	27,015,300	Basford ... ..	49,974	49,650
Urban areas with popu- lations of 100,000 and over ... ..	5,803,320	5,807,500	<b>SOMERSET:</b>		
Urban areas with popu- lations of 50,000 and under 100,000 ...	3,317,990	3,347,870	Urban Districts ...	<b>224,539</b>	<b>227,100</b>
Urban areas with popu- lations under 50,000	9,328,702	9,372,910	Bridgwater M.B. ...	22,737	23,340
Rural areas ... ..	8,379,096	8,487,020	Rural Districts ...	<b>247,374</b>	<b>250,500</b>
<b>Counties, County Boroughs, Urban &amp; Rural Districts:</b>			Bridgwater ... ..	19,745	19,470
<b>BERKSHIRE:</b>			<b>SOUTHAMPTON:</b>		
Urban Districts ...	<b>95,769</b>	<b>97,900</b>	Urban Districts ...	<b>361,611</b>	<b>371,000</b>
Abingdon M.B. ...	10,372	11,230	Havant and Waterloo	35,371	35,810
Rural Districts ...	<b>192,994</b>	<b>204,900</b>	Rural Districts ...	<b>278,490</b>	<b>293,000</b>
Abingdon ... ..	23,267	23,820	Droxford ... ..	20,540	20,540
<b>CHESHIRE:</b>			Petersfield ... ..	19,733	21,870
County Boroughs ...	<b>433,763</b>	<b>432,700</b>	<b>SUFFOLK, EAST:</b>		
Stockport ... ..	141,811	141,000	County Borough:		
Admin. County ...	<b>824,287</b>	<b>826,300</b>	Ipswich ... ..	107,421	107,000
Urban Districts ...	<b>635,014</b>	<b>634,000</b>	Admin. County ...	<b>214,428</b>	<b>217,600</b>
Bredbury & Romiley	17,659	17,630	Rural Districts ...	<b>119,041</b>	<b>121,600</b>
<b>DURHAM:</b>			Deben ... ..	26,434	27,950
Urban Districts ...	<b>620,775</b>	<b>618,500</b>	Gipping ... ..	19,111	19,120
Shildon ... ..	14,510	14,480	Samford ... ..	15,151	16,020
Rural Districts ...	<b>282,046</b>	<b>281,300</b>	<b>SUFFOLK, WEST:</b>		
Darlington ... ..	11,681	13,070	Rural Districts		
Sedgefield ... ..	36,579	35,980	Cosford ... ..	9,523	9,443
<b>KENT:</b>			Melford ... ..	12,964	12,920
County Boroughs:			<b>SUSSEX, EAST:</b>		
Canterbury ... ..	27,800	29,600	County Boroughs ...	<b>281,329</b>	<b>278,900</b>
Admin. County ...	<b>1,535,486</b>	<b>1,556,400</b>	Brighton ... ..	158,022	156,900
Rural Districts ...	<b>320,032</b>	<b>327,900</b>	Admin. County ...	<b>336,754</b>	<b>338,700</b>
Bridge-Blean ...	18,010	19,520	Rural Districts ...	<b>157,806</b>	<b>157,400</b>
<b>LANCASHIRE:</b>			Chailey ... ..	19,133	18,790
County Boroughs ...	<b>3,073,180</b>	<b>3,062,000</b>	<b>WILTSHIRE:</b>		
Liverpool ... ..	791,711	791,500	Urban Districts ...	<b>179,909</b>	<b>181,800</b>
Preston ... ..	120,688	113,600	Chippenham M.B. ...	14,940	14,860
Admin. County ...	<b>2,042,833</b>	<b>2,042,000</b>	Swindon M.B. ...	68,995	68,850
Urban Districts ...	<b>1,736,758</b>	<b>1,730,000</b>	Rural Districts ...	<b>207,470</b>	<b>206,700</b>
Fulwood ... ..	12,807	13,170	Calne & Chippenham	34,423	35,650
Rural Districts ...	<b>306,075</b>	<b>312,000</b>	Highworth ... ..	21,181	21,360
Preston ... ..	38,675	38,180	<b>WORCESTERSHIRE:</b>		
Whiston ... ..	40,874	41,760	County Boroughs ...	<b>124,598</b>	<b>124,300</b>
<b>NORTHAMPTONSHIRE:</b>			Worcester ... ..	62,062	62,630
Urban Districts ...	<b>133,622</b>	<b>136,300</b>	Admin. County ...	<b>398,376</b>	<b>404,600</b>
Corby ... ..	16,740	18,250	Rural Districts ...	<b>117,565</b>	<b>118,800</b>
Rural Districts ...	<b>121,499</b>	<b>122,200</b>	Droitwich ... ..	13,072	13,040
Kettering ... ..	12,069	11,940	Pershore ... ..	16,385	16,410



**APPENDIX B.—continued.**

(iv) 1951 Census. Sex and Age Distribution of Population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties.

Ages	Berkshire R.Ds. to Berkshire U.Ds.		Cheshire U.Ds. to Stockport C.B.		Durham U.Ds. to Durham R.Ds.		Kent R.Ds. to Canterbury C.B.	
	Males	Females	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>102</b>	<b>94</b>	<b>77</b>	<b>74</b>	<b>1</b>	<b>2</b>	<b>22</b>	<b>—</b>
Under 5	6	10	2	5	—	—	—	—
5—	11	8	3	4	—	—	—	—
10—	8	11	5	5	—	—	—	—
15—	8	5	2	3	—	—	—	—
20—	8	6	2	4	—	—	—	—
25—	10	6	11	8	—	—	—	—
30—	8	9	6	7	—	—	—	—
35—	5	8	10	6	1	1	—	—
40—	6	7	13	8	—	—	1	—
45—	10	7	4	3	—	—	—	—
50—	5	5	2	4	—	—	1	—
55—	8	6	3	4	—	—	—	—
60—	4	4	4	5	—	—	4	—
65—	2	1	4	4	—	—	—	—
70—	2	1	4	4	—	1	7	—
75—	1	—	2	—	—	—	5	—
80—	—	—	—	—	—	—	4	—
85 & over	—	—	—	—	—	—	—	—

Ages	Lancashire U.Ds. to Preston C.B.		Lancashire R.Ds. to Liverpool C.B.		Lancashire R.Ds. to Preston C.B.		Northants R.Ds. to Northants U.Ds.	
	Males	Females	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>128</b>	<b>152</b>	<b>1,049</b>	<b>1,130</b>	<b>529</b>	<b>636</b>	<b>17</b>	<b>19</b>
Under 5	17	15	292	298	40	35	2	6
5—	9	11	120	118	29	45	2	1
10—	8	3	69	71	34	34	2	1
15—	6	12	47	53	24	27	2	—
20—	8	9	25	65	19	39	1	3
25—	13	12	89	150	29	28	3	3
30—	9	12	133	124	28	28	2	1
35—	8	13	98	62	47	59	1	2
40—	5	6	64	61	49	60	—	1
45—	15	13	33	21	59	57	2	—
50—	10	17	19	16	45	53	—	—
55—	8	7	11	17	43	50	—	—
60—	4	6	6	21	31	43	—	—
65—	1	4	17	22	20	22	—	—
70—	4	4	15	22	15	25	—	—
75—	2	4	8	5	8	17	—	—
80—	—	4	3	2	7	11	—	—
85 & over	1	—	—	2	2	3	—	1

**APPENDIX B.—continued.**

(iv) 1951 Census. Sex and Age Distribution of Population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties—*continued.*

Ages	Nottingham C.B. to Nottinghamshire U.Ds.		Nottinghamshire U.Ds. to Nottingham C.B.		Nottinghamshire R.Ds. to Nottingham C.B.	
	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>7</b>	<b>10</b>	<b>709</b>	<b>775</b>	<b>175</b>	<b>153</b>
Under 5	—	1	68	64	10	16
5—	—	—	58	75	13	13
10—	—	—	44	50	10	9
15—	—	—	45	34	5	16
20—	—	—	33	37	17	8
25—	—	1	40	56	29	6
30—	1	1	53	66	10	9
35—	—	—	70	74	15	11
40—	—	—	63	50	12	10
45—	—	—	50	62	15	12
50—	—	—	47	40	6	4
55—	3	3	35	47	8	13
60—	1	3	26	43	7	9
65—	1	—	40	31	10	8
70—	1	1	20	23	4	2
75—	—	—	12	16	4	2
80—	—	—	4	4	—	4
85 & over	—	—	1	3	—	1

Ages	Somerset R.Ds. to Somerset U.Ds.		Southampton R.Ds. to Southampton U.Ds.		Suffolk, East R.Ds. to Ipswich C.B.	
	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>247</b>	<b>269</b>	<b>1,450</b>	<b>1,468</b>	<b>1,322</b>	<b>1,311</b>
Under 5	51	65	482	419	168	167
5—	21	26	165	145	128	112
10—	15	10	81	65	124	105
15—	18	19	20	54	86	84
20—	16	14	53	154	89	122
25—	28	36	196	254	150	139
30—	27	22	214	165	98	92
35—	23	21	105	82	93	89
40—	16	13	52	34	79	77
45—	12	15	29	17	76	66
50—	9	7	10	22	70	70
55—	3	9	9	15	53	51
60—	2	3	11	17	38	46
65—	2	6	7	8	43	35
70—	3	2	9	12	14	29
75—	—	—	6	5	5	13
80—	1	—	1	—	7	9
85 & over	—	1	—	—	1	5



**APPENDIX B.—continued.**

**(iv) 1951 Census. Sex and Age Distribution of Population in areas transferred between County Boroughs, Urban portions and Rural portions of Administrative Counties—continued.**

Ages	Sussex, East R.Ds. to Brighton C.B.		Wiltshire R.Ds. to Wiltshire U.Ds.		Worcester R.Ds. to Worcester C.B.	
	Males	Females	Males	Females	Males	Females
<b>All Ages</b>	<b>748</b>	<b>834</b>	<b>1,601</b>	<b>1,552</b>	<b>1,173</b>	<b>1,189</b>
<b>Under 5</b>	101	123	242	218	294	266
5—	93	93	222	191	139	136
10—	79	92	124	127	69	81
15—	32	44	68	80	51	64
20—	29	41	55	79	51	90
25—	48	70	110	156	148	155
30—	70	82	164	188	111	121
35—	84	82	202	137	97	96
40—	66	52	123	106	74	57
45—	53	35	99	85	42	37
50—	22	30	73	55	36	27
55—	25	21	48	32	23	16
60—	17	27	20	36	17	15
65—	12	13	23	21	8	16
70—	12	17	15	18	6	8
75—	4	6	7	14	5	—
80—	1	6	5	6	2	2
85 & over	—	—	1	3	—	2

*Printed in Great Britain under the authority of Her Majesty's Stationery Office  
By Hugh Evans & Sons Ltd. Liverpool.*







*Crown Copyright Reserved*

PUBLISHED BY HER MAJESTY'S STATIONERY OFFICE

To be purchased from

York House, Kingsway, LONDON, W.C.2. 423 Oxford Street, LONDON, W.1.

P.O. Box 569, LONDON, S.E.1.

13a Castle Street, EDINBURGH, 2. 1 St. Andrew's Crescent, CARDIFF.

39 King Street, MANCHESTER, 2. Tower Lane, BRISTOL, 1.

2 Edmund Street, BIRMINGHAM, 3. 80 Chichester Street, BELFAST.

or from any Bookseller.

1953

Price 10s. 0d. net.

